

TEXAS

2020 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Physical education and physical activity	60.3	51.3 - 68.7	132	47.0	40.6 - 53.5	187	55.2	43.3 - 66.5	42	52.9	48.0 - 57.7	361
b. Nutrition	54.3	45.6 - 62.7	133	39.1	33.1 - 45.5	186	47.2	34.3 - 60.5	42	45.7	41.0 - 50.5	361
c. Tobacco-use prevention	55.1	46.0 - 63.9	133	39.6	34.0 - 45.5	186	48.1	35.8 - 60.6	42	46.4	41.7 - 51.2	361
d. Alcohol- and other drug-use prevention	54.3	45.4 - 63.0	132	39.0	33.0 - 45.4	186	52.8	40.3 - 65.0	42	46.3	41.5 - 51.1	360
e. Chronic health conditions (e.g., asthma, food allergies)	46.2	37.9 - 54.8	132	29.4	23.7 - 35.9	186	42.5	32.9 - 52.7	42	37.2	32.7 - 41.9	360
f. Unintentional injury and violence prevention (safety)	44.6	35.7 - 53.9	133	34.3	28.4 - 40.7	186	50.4	38.7 - 62.1	42	39.9	35.1 - 44.8	361
g. Sexual health, including HIV, other STD, and pregnancy prevention	50.7	41.8 - 59.6	132	31.3	25.4 - 37.9	185	42.0	29.5 - 55.6	41	39.8	35.0 - 44.8	358

TEXAS

2020 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Health education	58.1	49.3 - 66.5	124	56.7	49.2 - 63.9	184	65.2	53.3 - 75.4	38	58.1	52.8 - 63.2	346
b. Physical education	56.5	47.5 - 65.2	125	52.2	44.6 - 59.8	184	65.2	51.9 - 76.4	38	55.1	49.7 - 60.4	347
c. Physical activity	50.8	42.4 - 59.1	124	48.5	40.9 - 56.2	182	59.9	44.4 - 73.7	38	50.5	45.1 - 55.8	344
d. School meal programs	44.3	35.9 - 53.2	125	42.6	35.7 - 49.8	183	59.9	46.0 - 72.4	38	44.9	39.9 - 50.1	346
e. Foods and beverages available at school outside the school meal programs	41.8	33.5 - 50.6	125	35.3	28.8 - 42.5	184	46.9	34.3 - 59.9	38	38.9	34.0 - 44.0	347
f. Health services	58.5	49.3 - 67.2	124	55.8	49.0 - 62.4	183	62.5	48.6 - 74.7	38	57.5	52.3 - 62.5	345
g. Counseling, psychological, and social services	87.3	80.6 - 91.9	124	81.2	75.3 - 85.9	185	70.4	57.3 - 80.8	38	82.4	78.3 - 85.8	347
h. Physical environment	74.0	64.4 - 81.8	125	69.7	63.2 - 75.4	183	61.0	47.8 - 72.7	39	70.4	65.4 - 74.9	347
i. Social and emotional climate	90.7	84.5 - 94.6	126	88.7	83.9 - 92.2	185	68.6	55.8 - 79.0	39	87.4	84.0 - 90.2	350
j. Family engagement	89.3	82.5 - 93.7	126	93.0	88.4 - 95.8	185	88.9	76.8 - 95.1	39	91.2	87.8 - 93.7	350
k. Community involvement	91.2	84.8 - 95.1	126	92.3	88.1 - 95.1	184	88.9	76.8 - 95.1	39	91.6	88.4 - 93.9	349
l. Employee wellness	59.9	50.9 - 68.3	126	52.4	45.8 - 58.9	184	49.5	34.5 - 64.6	38	54.9	49.9 - 59.9	348

TEXAS

2020 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
54.5	45.6 - 63.0	130	59.2	52.2 - 65.8	180	73.4	60.0 - 83.6	41	58.9	53.8 - 63.8	351

*Among schools that engaged in an improvement planning process during the past year.
N = Unweighted number of observations

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

4. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Reviewed district’s local wellness policy	82.4	74.9 - 88.0	129	82.5	76.7 - 87.1	182	84.2	69.0 - 92.8	40	82.6	78.4 - 86.2	351
b. Helped revise district’s local wellness policy	66.3	57.4 - 74.2	129	59.4	52.7 - 65.6	182	69.4	56.5 - 79.8	40	63.0	58.1 - 67.7	351
c. Communicated to school staff about district’s local wellness policy	81.8	74.7 - 87.3	128	75.9	70.0 - 81.0	182	74.3	57.3 - 86.2	40	78.0	73.7 - 81.7	350
d. Communicated to parents and families about district’s local wellness policy	75.2	67.6 - 81.6	128	71.0	64.6 - 76.6	182	79.7	63.6 - 89.8	39	73.5	68.9 - 77.5	349
e. Communicated to students about district’s local wellness policy	73.6	66.1 - 80.0	129	68.9	62.3 - 74.8	182	68.6	52.0 - 81.5	39	70.7	66.0 - 74.9	350
f. Measured school’s compliance with district’s local wellness policy	67.9	59.7 - 75.1	128	59.4	52.6 - 66.0	181	77.7	63.8 - 87.3	40	64.5	59.7 - 69.1	349
g. Developed an action plan that describes steps to meet requirements of district’s local wellness policy	64.5	55.9 - 72.3	129	53.9	47.0 - 60.7	181	57.9	43.2 - 71.3	40	58.4	53.3 - 63.2	350

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

5. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
98.4	94.2 - 99.6	128	93.4	89.4 - 96.0	183	90.1	76.5 - 96.2	40	95.0	92.4 - 96.7	351

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that have one or more than one group (e.g., school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
75.3	66.7 - 82.3	128	65.1	57.9 - 71.5	182	77.7	63.3 - 87.6	40	70.2	65.2 - 74.8	350

TEXAS

2020 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identified student health needs based on a review of relevant data	79.0	69.2 - 86.3	94	75.3	67.5 - 81.8	117	79.7	62.8 - 90.1	31	77.3	71.8 - 82.0	242
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	87.0	79.4 - 92.1	95	77.8	69.8 - 84.1	117	96.8	81.7 - 99.5	31	83.7	78.8 - 87.6	243
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	62.8	52.6 - 71.9	94	52.4	44.1 - 60.5	117	65.9	48.7 - 79.7	30	58.0	52.1 - 63.8	241
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	90.2	82.9 - 94.6	96	84.8	78.1 - 89.7	117	89.3	72.7 - 96.3	31	87.5	83.1 - 90.8	244
e. Reviewed health-related curricula or instructional materials	76.9	67.9 - 84.0	94	71.7	63.7 - 78.5	117	68.1	48.4 - 82.9	31	73.4	67.8 - 78.3	242

*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

8. Percentage of schools that have taken any of the following actions related to before- or after-school programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Included before- or after-school settings as part of the School Improvement Plan	59.5	50.9 - 67.6	123	59.2	52.6 - 65.5	179	53.1	37.9 - 67.7	38	58.7	53.7 - 63.5	340
b. Encouraged before- or after-school program staff or leaders to participate in school health council, committee, or team meetings	51.4	42.8 - 59.9	127	46.0	39.6 - 52.5	181	52.1	37.4 - 66.4	38	48.6	43.7 - 53.6	346
c. Partnered with community-based organizations (e.g., Boys & Girls Clubs, YMCA, 4H Clubs) to provide students with before- or after-school programming	42.5	35.2 - 50.2	128	40.0	33.7 - 46.7	181	39.1	28.0 - 51.5	38	40.9	36.4 - 45.6	347

TEXAS

2020 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
54.0	46.6 - 61.1	127	23.9	18.7 - 30.2	177	14.8	7.3 - 27.7	36	34.6	30.5 - 38.9	340

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

10. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	81.9	75.0 - 87.2	127	68.4	61.6 - 74.4	176	60.4	43.3 - 75.3	35	72.9	68.3 - 77.0	338
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	96.3	91.7 - 98.4	127	95.0	90.9 - 97.3	176	91.7	78.1 - 97.2	36	95.2	92.5 - 97.0	339
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	78.4	72.2 - 83.5	125	65.7	59.3 - 71.6	175	75.3	61.6 - 85.2	36	71.5	67.3 - 75.3	336
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	48.6	40.6 - 56.7	126	37.1	31.7 - 42.8	175	54.8	40.7 - 68.1	35	43.2	38.8 - 47.7	336
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	61.1	53.2 - 68.5	125	48.5	42.2 - 54.9	176	54.8	37.4 - 71.1	35	53.9	49.1 - 58.6	336

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

11. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
98.6	94.9 - 99.6	124	98.3	95.2 - 99.4	178	97.2	84.8 - 99.6	36	98.3	96.5 - 99.2	338

TEXAS

2020 School Health Profiles Report
Weighted Principal Survey Results

12. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
94.8	89.0 - 97.6	124	97.7	94.3 - 99.1	178	100.0	†	36	96.8	94.3 - 98.2	338

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
98.3	94.0 - 99.6	123	96.7	93.1 - 98.5	178	97.2	84.1 - 99.6	36	97.4	95.2 - 98.6	337

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

14. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Sixth grade	§	§	§	99.2	95.3 - 99.9	142	100.0	†	24	99.3	95.9 - 99.9	166
b. Seventh grade	§	§	§	96.5	92.8 - 98.4	172	100.0	†	34	97.1	93.8 - 98.6	206
c. Eighth grade	§	§	§	83.5	77.3 - 88.3	170	100.0	†	34	86.0	80.7 - 90.0	204
d. Ninth grade	96.8	92.0 - 98.8	119	-	-	3	100.0	†	35	97.5	93.7 - 99.0	157
e. Tenth grade	85.3	78.1 - 90.4	115	§	§	§	76.7	62.0 - 86.9	34	83.5	77.3 - 88.3	149
f. Eleventh grade	76.0	68.1 - 82.5	111	§	§	§	68.0	51.6 - 80.9	34	74.3	67.3 - 80.3	145
g. Twelfth grade	75.6	67.4 - 82.2	109	§	§	§	68.0	51.6 - 80.9	34	73.9	66.7 - 80.0	143

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
89.9	83.3 - 94.1	117	92.6	88.3 - 95.4	176	91.7	77.5 - 97.3	36	91.5	88.3 - 94.0	329

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

16. Percentage of schools that engage in the following physical education practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Provide physical education teachers with a written physical education curriculum that aligns with national standards for physical education	86.2	79.9 - 90.8	120	80.4	74.0 - 85.5	174	80.2	63.1 - 90.6	35	82.6	78.3 - 86.1	329
b. Require physical education teachers to follow a written physical education curriculum	82.4	74.2 - 88.3	119	84.7	79.4 - 88.8	175	58.8	41.8 - 73.9	36	81.3	77.0 - 84.9	330
c. Allow the use of waivers, exemptions, or substitutions for physical education requirements for one grading period or longer	66.3	58.2 - 73.4	120	54.9	48.4 - 61.3	175	32.1	19.5 - 48.1	35	57.0	52.3 - 61.6	330
d. Allow teachers to exclude students from physical education to punish them for inappropriate behavior or failure to complete class work in another class	10.3	6.1 - 16.9	119	12.1	8.6 - 16.7	175	13.8	5.9 - 29.0	36	11.6	8.8 - 15.1	330
e. Require physical education teachers to be certified, licensed, or endorsed by the state in physical education	99.3	95.5 - 99.9	120	99.4	96.4 - 99.9	174	97.2	84.1 - 99.6	36	99.2	97.6 - 99.7	330
f. Limit physical education class sizes so that they are the same size as other subject areas	55.3	46.7 - 63.6	119	39.7	32.9 - 46.9	175	45.0	29.4 - 61.6	36	46.0	40.9 - 51.2	330
g. Have a dedicated budget for physical education materials and equipment	93.6	87.9 - 96.8	119	89.8	84.5 - 93.4	175	91.7	78.1 - 97.2	36	91.4	88.0 - 93.9	330

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

16. Percentage of schools that engage in the following physical education practices.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
h. Provide adapted physical education (i.e., special courses separate from regular PE courses) for students with disabilities as appropriate	89.0	81.9 - 93.5	119	87.6	82.3 - 91.5	175	91.7	77.5 - 97.3	36	88.5	84.8 - 91.5	330
i. Include students with disabilities in regular physical education courses as appropriate	100.0	†	120	100.0	†	175	100.0	†	36	100.0	†	331

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

17. Percentage of schools in which students participate in physical activity in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
59.9	51.0 - 68.2	118	52.6	45.8 - 59.2	177	66.0	48.7 - 79.9	36	56.6	51.5 - 61.6	331

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

18. Percentage of schools that offer opportunities for all students to be physically active during the school day, such as recess, lunchtime intramural activities, or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
62.1	54.2 - 69.4	119	68.2	61.5 - 74.2	176	83.5	67.4 - 92.5	36	67.4	62.7 - 71.8	331

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

19. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
83.6	76.2 - 89.0	119	86.5	81.0 - 90.7	177	91.7	77.5 - 97.3	36	86.0	82.0 - 89.2	332

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

20. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Before the school day	81.5	74.0 - 87.2	116	77.8	71.7 - 82.9	175	75.2	61.7 - 85.2	36	78.9	74.6 - 82.6	327
b. After the school day	93.4	87.3 - 96.7	116	92.6	87.8 - 95.6	174	97.2	83.7 - 99.6	35	93.3	90.1 - 95.5	325

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

21. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical activity or sports facilities	62.4	53.4 - 70.6	116	60.1	53.5 - 66.4	175	34.0	20.1 - 51.3	36	58.4	53.3 - 63.3	327
b. Kitchen facilities and equipment	20.1	14.0 - 28.1	116	16.6	11.9 - 22.9	173	17.5	7.8 - 34.8	36	18.0	14.3 - 22.5	325
c. Gardens	15.6	9.8 - 23.8	115	10.3	6.6 - 15.7	173	5.5	4.8 - 6.3	36	11.7	8.7 - 15.7	324

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

22. Percentage of schools that have a written plan for providing opportunities for students to be physically active before, during, and after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
23.6	17.1 - 31.5	116	31.9	26.4 - 37.9	173	22.0	11.4 - 38.2	36	27.9	23.8 - 32.3	325

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

23. Percentage of schools that have assessed opportunities available to students to be physically active before, during, or after school.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N
Percent			Percent			Percent			Percent		
51.0	41.9 - 60.1	115	56.5	49.5 - 63.4	175	66.0	48.1 - 80.2	36	55.5	50.1 - 60.7	326

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

24. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
97.2	92.0 - 99.0	115	95.5	91.4 - 97.7	176	100.0	†	36	96.5	94.0 - 98.0	327

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2020 School Health Profiles Report
Weighted Principal Survey Results

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	97.1	91.9 - 99.0	113	94.9	90.6 - 97.3	175	100.0	†	36	96.2	93.6 - 97.8	324
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	97.1	91.9 - 99.0	113	94.9	90.6 - 97.3	175	100.0	†	36	96.2	93.6 - 97.8	324
c. Cigars	97.1	91.9 - 99.0	113	90.8	85.6 - 94.3	175	97.2	83.7 - 99.6	35	93.7	90.5 - 95.9	323
d. Pipes	97.1	91.9 - 99.0	113	91.4	86.4 - 94.7	175	97.2	84.1 - 99.6	36	94.1	91.0 - 96.1	324
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	97.1	91.9 - 99.0	113	94.9	91.2 - 97.1	174	100.0	†	36	96.2	93.8 - 97.7	323

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2020 School Health Profiles Report
Weighted Principal Survey Results

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	96.4	91.0 - 98.6	113	94.9	90.6 - 97.3	175	100.0	†	36	95.9	93.2 - 97.6	324
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	96.4	91.0 - 98.6	113	94.9	90.6 - 97.3	175	100.0	†	36	95.9	93.2 - 97.6	324
c. Cigars	96.4	91.0 - 98.6	113	92.1	87.2 - 95.2	175	97.2	84.1 - 99.6	36	94.1	91.1 - 96.2	324
d. Pipes	96.4	91.0 - 98.6	113	92.1	87.2 - 95.2	175	97.2	84.1 - 99.6	36	94.1	91.1 - 96.2	324
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	96.4	91.0 - 98.6	113	94.9	91.3 - 97.1	175	100.0	†	36	95.9	93.5 - 97.5	324

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2020 School Health Profiles Report
Weighted Principal Survey Results

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	97.1	91.9 - 99.0	113	94.9	90.6 - 97.3	175	94.5	81.7 - 98.5	36	95.7	92.9 - 97.4	324
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus, dissolvable tobacco)	97.1	91.9 - 99.0	113	94.9	90.6 - 97.3	175	94.5	81.7 - 98.5	36	95.7	92.9 - 97.4	324
c. Cigars	96.4	91.0 - 98.6	113	92.0	87.1 - 95.2	174	94.5	81.7 - 98.5	36	93.8	90.7 - 95.9	323
d. Pipes	96.4	91.0 - 98.6	113	92.0	87.1 - 95.2	174	94.5	81.7 - 98.5	36	93.8	90.7 - 95.9	323
e. Electronic vapor products (e.g., e-cigarettes, vapes, vape pens, e-hookahs, mods, or brands such as JUUL)	96.1	90.4 - 98.5	113	94.9	91.3 - 97.1	175	94.5	81.7 - 98.5	36	95.3	92.7 - 97.0	324

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	97.1	91.9 - 99.0	113	94.9	90.6 - 97.3	174	100.0	†	36	96.2	93.6 - 97.8	323
b. During non-school hours	83.4	76.0 - 88.9	113	83.7	77.8 - 88.3	171	68.9	56.9 - 78.8	35	82.1	78.0 - 85.6	319

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2020 School Health Profiles Report
Weighted Principal Survey Results

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. During school hours	97.1	91.9 - 99.0	113	94.3	90.0 - 96.9	174	100.0	†	35	95.9	93.2 - 97.6	322
b. During non-school hours	76.1	67.5 - 82.9	112	80.8	75.0 - 85.5	172	59.3	45.4 - 71.8	34	77.0	72.6 - 80.9	318

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. During school hours	97.1	91.9 - 99.0	113	94.8	90.5 - 97.2	172	94.5	81.1 - 98.6	36	95.6	92.9 - 97.4	321
b. During non-school hours	82.4	73.9 - 88.5	113	81.3	75.5 - 85.9	171	58.7	43.6 - 72.4	36	79.4	75.0 - 83.2	320

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

27. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	97.1	91.8 - 99.0	112	95.5	91.4 - 97.7	175	97.2	84.1 - 99.6	36	96.2	93.6 - 97.8	323
b. Outside on school grounds, including parking lots and playing fields	97.1	91.8 - 99.0	112	94.9	90.6 - 97.3	175	97.2	84.1 - 99.6	36	95.9	93.2 - 97.6	323
c. On school buses or other vehicles used to transport students	97.1	91.8 - 99.0	112	94.9	90.6 - 97.3	175	94.5	81.7 - 98.5	36	95.6	92.9 - 97.4	323
d. At off-campus, school-sponsored events	97.1	91.8 - 99.0	112	94.3	89.9 - 96.8	174	97.2	84.8 - 99.6	36	95.6	92.8 - 97.3	322

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

27. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	97.1	91.9 - 99.0	113	95.5	91.4 - 97.7	175	97.2	83.7 - 99.6	35	96.2	93.6 - 97.8	323
b. Outside on school grounds, including parking lots and playing fields	97.1	91.9 - 99.0	113	94.3	90.0 - 96.9	175	97.2	83.7 - 99.6	35	95.6	92.9 - 97.3	323
c. On school buses or other vehicles used to transport students	97.1	91.9 - 99.0	113	94.9	90.6 - 97.3	175	94.3	81.2 - 98.5	35	95.6	92.9 - 97.4	323
d. At off-campus, school-sponsored events	96.4	91.0 - 98.6	113	94.2	89.8 - 96.8	173	97.2	84.4 - 99.5	35	95.3	92.5 - 97.1	321

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

27. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. In school buildings	97.1	91.9 - 99.0	113	95.4	91.3 - 97.6	173	94.5	81.1 - 98.6	36	95.9	93.3 - 97.6	322
b. Outside on school grounds, including parking lots and playing fields	97.1	91.9 - 99.0	113	93.2	88.6 - 96.1	175	91.7	78.1 - 97.2	36	94.5	91.5 - 96.4	324
c. On school buses or other vehicles used to transport students	97.1	91.9 - 99.0	113	94.8	90.5 - 97.2	173	91.7	78.1 - 97.2	36	95.4	92.6 - 97.1	322
d. At off-campus, school-sponsored events	94.1	88.2 - 97.1	113	90.8	85.6 - 94.3	174	75.2	58.5 - 86.8	36	90.4	86.8 - 93.1	323

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

27N. Percentage of schools that follow a policy that mandates a “tobacco-free environment.” A “tobacco-free environment” is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
75.0	66.3 - 82.1	111	70.3	63.4 - 76.5	165	43.4	29.6 - 58.4	35	69.3	64.4 - 73.9	311

*Responses to question 25 (a, b, c, and d), question 26 (a and b), and question 27 (a, b, c, and d) are all "yes."
N = Unweighted number of observations

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

TOBVAPE. Percentage of schools that follow a policy that mandates a “tobacco-free environment” including prohibiting electronic vapor products. A “tobacco-free environment” is one that prohibits tobacco and EVP use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
75.0	66.3 - 82.1	111	70.2	63.2 - 76.3	164	43.4	29.6 - 58.4	35	69.2	64.3 - 73.8	310

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

28. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Foods or beverages are not offered at school celebrations	5.1	2.4 - 10.6	114	4.6	2.4 - 8.7	175	5.5	1.5 - 18.3	36	4.9	3.1 - 7.7	325
b. Never	1.0	0.2 - 6.2	114	4.5	2.6 - 7.9	175	0.0	†	36	2.8	1.6 - 4.8	325
c. Rarely	13.0	8.3 - 19.7	114	15.5	11.2 - 20.9	175	11.0	5.5 - 20.7	36	14.1	11.1 - 17.9	325
d. Sometimes	40.7	32.5 - 49.5	114	49.9	42.9 - 56.9	175	34.0	19.8 - 51.8	36	45.0	39.9 - 50.2	325
e. Always or almost always	40.2	32.7 - 48.1	114	25.5	19.9 - 32.1	175	49.5	36.3 - 62.7	36	33.2	28.9 - 37.9	325

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

29. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
75.7	68.5 - 81.6	113	47.0	39.5 - 54.7	175	42.2	31.7 - 53.5	36	56.9	52.0 - 61.6	324

TEXAS

2020 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	13.3	8.4 - 20.4	112	8.1	4.9 - 13.0	175	0.0	†	36	9.1	6.5 - 12.6	323
b. Other kinds of candy	13.5	8.5 - 20.8	112	9.8	6.2 - 15.1	175	5.5	1.4 - 18.9	36	10.7	7.8 - 14.5	323
c. Salty snacks that are not low in fat (e.g., regular potato chips)	25.0	18.7 - 32.4	112	21.9	16.4 - 28.7	174	11.0	5.7 - 20.1	36	21.9	18.0 - 26.4	322
d. Low sodium or "no added salt" pretzels, crackers, or chips	56.4	48.3 - 64.2	113	36.5	29.3 - 44.4	173	31.3	21.0 - 43.7	36	43.2	38.2 - 48.4	322
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	21.8	15.6 - 29.6	112	23.0	17.1 - 30.0	175	11.0	4.2 - 26.0	36	21.4	17.3 - 26.1	323
f. Ice cream or frozen yogurt that is not low in fat	26.0	19.1 - 34.3	113	19.7	14.6 - 25.9	174	13.7	7.1 - 24.8	36	21.4	17.5 - 25.8	323
g. 2% or whole milk (plain or flavored)	36.2	28.8 - 44.3	113	24.8	19.1 - 31.6	174	22.0	12.3 - 36.1	36	28.6	24.3 - 33.4	323
h. Nonfat or 1% (low-fat) milk (plain)	41.2	32.7 - 50.3	112	28.4	22.2 - 35.6	173	28.5	19.3 - 39.9	36	33.0	28.3 - 38.1	321
i. Water ices or frozen slushes that do not contain juice	20.3	14.3 - 28.1	111	13.0	8.7 - 18.9	173	11.0	6.0 - 19.4	36	15.4	12.0 - 19.5	320
j. Soda pop or fruit drinks that are not 100% juice	24.4	17.8 - 32.4	112	8.2	5.1 - 12.7	173	11.0	4.3 - 25.5	36	14.3	11.2 - 18.1	321
k. Sports drinks (e.g., Gatorade)	57.1	49.2 - 64.7	112	15.4	10.8 - 21.6	175	18.0	8.3 - 34.6	35	30.7	26.6 - 35.1	322

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2020 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
l. Energy drinks (e.g., Red Bull, Monster)	5.2	2.4 - 11.0	111	0.0	†	173	0.0	†	36	1.9	0.9 - 4.0	320
m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	74.6	67.2 - 80.8	113	40.4	33.2 - 48.0	174	37.8	25.8 - 51.5	35	52.5	47.7 - 57.4	322
n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	42.1	33.5 - 51.1	111	16.1	11.6 - 21.8	174	20.3	11.1 - 34.1	36	25.8	21.7 - 30.4	321
o. 100% fruit or vegetable juice	51.5	42.4 - 60.5	111	27.0	20.9 - 34.1	172	31.2	20.5 - 44.4	36	36.3	31.4 - 41.4	319
p. Foods or beverages containing caffeine	28.3	20.7 - 37.3	112	4.1	2.0 - 8.1	173	8.3	2.8 - 21.9	36	13.2	10.2 - 17.1	321
q. Fruits (not fruit juice)	32.9	25.3 - 41.5	111	26.6	20.8 - 33.3	174	23.0	13.8 - 35.9	36	28.5	24.1 - 33.3	321
r. Non-fried vegetables (not vegetable juice)	27.6	20.5 - 36.1	110	19.9	14.7 - 26.3	172	14.8	6.4 - 30.4	36	22.1	18.1 - 26.8	318

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	14.9	9.9 - 21.7	111	17.3	13.3 - 22.2	173	11.0	4.1 - 26.1	36	15.8	12.7 - 19.5	320
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	47.9	39.2 - 56.7	112	46.0	39.2 - 53.1	173	46.7	32.3 - 61.8	36	46.8	41.7 - 52.0	321
c. Provided information to students or families on the nutrition and caloric content of foods available	66.8	57.3 - 75.1	113	68.0	61.5 - 73.8	174	50.5	33.5 - 67.4	36	65.8	60.6 - 70.6	323
d. Conducted taste tests to determine food preferences for nutritious items	50.4	41.4 - 59.4	111	37.6	31.5 - 44.2	174	28.5	16.7 - 44.2	36	41.3	36.4 - 46.3	321
e. Served locally or regionally grown foods in the cafeteria or classrooms	36.3	27.7 - 46.0	111	29.3	23.4 - 35.9	174	30.2	17.7 - 46.7	36	31.9	27.1 - 37.1	321
f. Planted a school food or vegetable garden	24.9	18.2 - 33.0	111	19.2	14.3 - 25.3	174	31.3	20.0 - 45.2	36	22.4	18.5 - 26.9	321
g. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	87.0	79.7 - 91.9	111	75.6	69.2 - 81.0	173	86.3	70.3 - 94.3	36	80.8	76.4 - 84.5	320
h. Used attractive displays for fruits and vegetables in the cafeteria	75.1	66.6 - 82.1	113	70.8	64.2 - 76.6	174	72.5	55.2 - 85.0	36	72.5	67.7 - 76.9	323

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
i. Offered a self-serve salad bar to students	29.7	21.5 - 39.6	112	23.0	17.9 - 29.2	174	22.0	10.9 - 39.4	36	25.3	20.9 - 30.3	322
j. Encouraged students to drink plain water	91.3	84.6 - 95.2	113	75.5	69.0 - 81.0	174	86.3	70.4 - 94.3	36	82.3	78.0 - 85.9	323
k. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	29.7	22.7 - 38.0	112	39.9	33.0 - 47.3	173	36.8	24.6 - 50.9	36	35.9	31.1 - 41.0	321
l. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	30.6	22.8 - 39.6	112	34.6	28.3 - 41.5	173	30.2	16.9 - 48.0	36	32.7	28.0 - 37.9	321

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

32. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	63.9	54.8 - 72.1	112	66.9	60.5 - 72.7	175	72.5	60.0 - 82.2	36	66.4	61.5 - 70.9	323
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	55.7	46.6 - 64.4	112	62.9	55.9 - 69.3	175	69.7	57.1 - 80.0	36	61.0	55.9 - 65.8	323
c. On school buses or other vehicles used to transport students	67.0	57.3 - 75.5	112	68.5	61.9 - 74.5	175	69.7	57.1 - 80.0	36	68.1	63.0 - 72.8	323
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	59.0	49.5 - 68.0	112	63.5	56.4 - 70.1	175	64.2	50.0 - 76.4	36	62.0	56.6 - 67.0	323
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	58.5	49.0 - 67.4	112	65.8	59.0 - 72.1	175	64.2	52.2 - 74.7	36	63.0	57.9 - 67.9	323

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

33. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	92.6	86.0 - 96.2	114	77.6	71.1 - 83.0	175	86.3	71.4 - 94.0	36	83.9	79.7 - 87.4	325
b. Yes, in certain locations	4.4	1.9 - 9.8	114	16.0	11.4 - 22.1	175	11.0	4.4 - 25.0	36	11.3	8.4 - 15.1	325
c. No	3.1	1.0 - 8.7	114	6.3	3.6 - 10.9	175	2.8	0.4 - 15.9	36	4.8	3.0 - 7.7	325

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

33N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
96.9	91.3 - 99.0	114	93.7	89.1 - 96.4	175	97.2	84.1 - 99.6	36	95.2	92.3 - 97.0	325

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

34. Percentage of schools that offer a free source of drinking water in the following locations.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Cafeteria during breakfast	96.3	90.9 - 98.6	112	98.8	95.7 - 99.7	175	97.2	84.4 - 99.5	35	97.8	95.5 - 98.9	322
b. Cafeteria during lunch	97.4	92.5 - 99.1	112	98.8	95.7 - 99.7	175	97.2	84.4 - 99.5	35	98.1	96.1 - 99.1	322
c. Gymnasium or other indoor physical activity facilities	98.9	93.6 - 99.8	111	96.7	93.0 - 98.4	175	94.5	81.0 - 98.6	36	97.3	95.0 - 98.5	322
d. Outdoor physical activity facilities or sports fields	94.3	88.3 - 97.3	107	85.4	80.1 - 89.6	171	91.5	76.8 - 97.2	35	89.2	85.7 - 91.9	313
e. Hallways throughout the school	100.0	†	112	98.8	95.8 - 99.7	175	97.2	84.8 - 99.6	36	99.1	97.4 - 99.7	323

*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

35. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
91.0	85.8 - 94.5	113	86.2	81.0 - 90.2	174	50.5	39.6 - 61.4	36	84.4	81.0 - 87.3	323

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

36. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
19.0	13.1 - 26.9	111	19.7	14.8 - 25.7	172	27.5	16.9 - 41.4	36	20.3	16.5 - 24.6	319

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

37. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
28.9	21.1 - 38.3	112	17.4	12.7 - 23.5	172	15.2	6.6 - 31.2	35	21.4	17.3 - 26.2	319

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	0.0	†	112	0.0	†	174	0.0	†	36	0.0	†	322
b. HIV treatment (ongoing medical care for persons living with HIV)	0.0	†	112	0.0	†	174	0.0	†	36	0.0	†	322
c. STD testing	0.0	†	111	0.0	†	174	0.0	†	36	0.0	†	321
d. STD treatment	0.0	†	112	0.0	†	174	0.0	†	36	0.0	†	322
e. Pregnancy testing	1.8	0.5 - 6.7	111	0.6	0.1 - 3.6	174	2.8	0.4 - 15.9	36	1.2	0.5 - 3.1	321
f. Provision of condoms	0.0	†	112	0.0	†	173	0.0	†	35	0.0	†	320
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.0	†	112	0.0	†	173	0.0	†	36	0.0	†	321
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.8	0.1 - 4.8	112	0.0	†	174	0.0	†	36	0.3	0.0 - 1.8	322
i. Prenatal care	4.7	2.0 - 10.4	106	0.6	0.1 - 3.6	174	0.0	†	36	1.9	0.9 - 4.1	316

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
j. Human papillomavirus (HPV) vaccine administration	2.6	0.9 - 7.4	112	2.3	0.9 - 5.7	174	0.0	†	36	2.2	1.1 - 4.3	322
k. Assessment for alcohol or other drug use, abuse, or dependency	30.9	23.2 - 39.7	112	23.3	17.9 - 29.7	173	24.8	17.1 - 34.4	36	26.2	22.0 - 30.9	321
l. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	92.8	86.8 - 96.1	112	86.4	80.9 - 90.6	174	86.2	70.4 - 94.3	36	88.7	85.0 - 91.6	322
m. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	79.7	71.0 - 86.3	112	65.1	58.4 - 71.2	174	83.5	67.4 - 92.5	36	72.2	67.3 - 76.6	322
n. Case management for students with chronic health conditions (e.g., asthma, diabetes)	85.7	78.3 - 90.9	112	75.8	69.4 - 81.2	173	75.2	59.7 - 86.2	36	79.3	74.9 - 83.1	321

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. HIV testing	23.4	16.3 - 32.5	92	17.2	12.1 - 23.8	161	19.8	9.6 - 36.4	35	19.6	15.4 - 24.4	288
b. HIV treatment (ongoing medical care for persons living with HIV)	32.9	25.3 - 41.5	107	22.5	16.7 - 29.6	174	19.2	10.1 - 33.6	36	25.8	21.3 - 30.8	317
c. nPEP (non-occupational post-exposure prophylaxis for HIV—a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	30.7	23.2 - 39.4	107	20.1	14.7 - 26.8	174	19.2	10.1 - 33.6	36	23.7	19.4 - 28.5	317
d. PrEP (pre-exposure prophylaxis for HIV—medication taken daily to prevent HIV infection for those at substantial risk for HIV)	29.9	22.3 - 38.8	107	19.6	14.3 - 26.3	173	19.2	10.1 - 33.6	36	23.2	18.9 - 28.1	316
e. STD testing	29.3	21.2 - 39.1	89	16.7	11.8 - 23.2	160	19.8	9.6 - 36.4	35	21.2	16.9 - 26.1	284
f. STD treatment	28.4	20.5 - 37.9	92	16.6	11.7 - 23.0	161	19.8	9.6 - 36.4	35	20.9	16.7 - 25.8	288
g. Pregnancy testing	34.8	25.7 - 45.1	81	19.5	14.0 - 26.5	153	20.4	9.8 - 37.5	34	24.4	19.8 - 29.7	268

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
h. Provision of condoms	16.4	10.9 - 24.0	97	10.9	7.0 - 16.7	163	19.8	9.6 - 36.4	35	13.7	10.4 - 17.9	295
i. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	16.4	10.9 - 24.0	97	10.9	7.0 - 16.7	163	19.8	9.6 - 36.4	35	13.7	10.4 - 17.9	295
j. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	19.7	13.3 - 28.2	97	11.5	7.5 - 17.4	164	19.8	9.6 - 36.4	35	15.2	11.6 - 19.6	296
k. Prenatal care	36.8	27.7 - 46.9	81	19.7	14.2 - 26.8	151	23.3	11.7 - 41.0	34	25.5	20.8 - 30.9	266
l. Human papillomavirus (HPV) vaccine administration	37.7	29.5 - 46.6	107	23.8	18.0 - 30.7	173	22.0	12.0 - 36.7	36	28.5	23.9 - 33.5	316
m. Alcohol or other drug abuse treatment	64.8	55.7 - 72.9	109	41.6	35.0 - 48.6	174	44.0	29.7 - 59.4	36	50.0	45.0 - 55.1	319

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

40. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
67.0	58.7 - 74.3	111	59.0	51.5 - 66.2	173	61.5	44.2 - 76.4	36	62.1	56.8 - 67.2	320

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

41. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Asthma	97.1	91.8 - 99.0	113	96.6	92.9 - 98.4	175	94.5	81.1 - 98.6	36	96.6	94.1 - 98.1	324
b. Food allergies	97.1	91.8 - 99.0	113	96.7	93.0 - 98.4	175	100.0	†	36	97.2	94.8 - 98.5	324
c. Diabetes	99.0	93.6 - 99.8	113	96.6	92.9 - 98.4	174	97.2	84.1 - 99.6	36	97.5	95.3 - 98.7	323
d. Epilepsy or seizure disorder	97.4	92.6 - 99.1	113	96.6	92.9 - 98.4	175	97.2	84.1 - 99.6	36	97.0	94.6 - 98.3	324
e. Obesity	45.7	37.4 - 54.1	111	40.8	34.0 - 47.9	174	35.7	22.9 - 51.0	36	42.0	37.0 - 47.2	321
f. Hypertension/high blood pressure	80.5	72.6 - 86.5	112	69.7	62.8 - 75.8	174	78.0	61.3 - 88.8	36	74.4	69.6 - 78.7	322
g. Oral health condition (e.g., abscess, tooth decay)	45.6	37.4 - 54.0	111	46.0	38.7 - 53.5	174	46.7	34.0 - 59.9	36	45.9	40.8 - 51.2	321

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

42. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	56.6	47.1 - 65.6	110	48.4	41.1 - 55.7	174	41.2	27.2 - 56.8	36	50.6	45.2 - 56.0	320
b. Food allergies	55.8	46.6 - 64.6	110	45.8	38.7 - 53.1	175	35.7	22.2 - 52.1	36	48.3	43.0 - 53.7	321
c. Diabetes	56.6	47.0 - 65.7	110	48.1	40.8 - 55.5	175	38.5	25.4 - 53.5	36	50.1	44.7 - 55.6	321
d. Epilepsy or seizure disorder	57.4	47.6 - 66.5	110	47.0	39.9 - 54.2	175	38.5	25.4 - 53.5	36	49.8	44.4 - 55.2	321
e. Obesity	38.9	30.7 - 47.8	110	39.7	33.1 - 46.7	174	22.0	11.8 - 37.3	36	37.6	32.8 - 42.8	320
f. Hypertension/high blood pressure	52.6	42.6 - 62.4	110	42.6	35.8 - 49.6	174	38.5	25.4 - 53.5	36	45.7	40.4 - 51.1	320
g. Oral health condition (e.g., abscess, tooth decay)	52.9	43.4 - 62.1	110	43.5	36.5 - 50.8	175	35.7	23.0 - 50.8	36	46.0	40.7 - 51.4	321

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

43. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. This school does not provide any sexual or reproductive health services	80.3	71.6 - 86.9	103	83.7	78.4 - 88.0	172	89.0	74.4 - 95.8	36	83.1	78.9 - 86.6	311
b. Parental consent is required before any sexual or reproductive health services are provided	14.5	9.1 - 22.3	103	12.1	8.6 - 16.9	172	8.2	2.8 - 22.0	36	12.5	9.6 - 16.2	311
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	0.9	0.1 - 5.3	103	0.6	0.1 - 3.4	172	0.0	†	36	0.6	0.2 - 2.2	311
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	3.1	1.1 - 8.8	103	2.4	0.9 - 5.9	172	0.0	†	36	2.4	1.2 - 4.8	311
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	1.2	0.2 - 7.0	103	1.2	0.3 - 4.4	172	0.0	†	36	1.1	0.4 - 3.1	311
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	0.0	†	103	0.0	†	172	2.8	0.4 - 15.9	36	0.3	0.0 - 1.8	311

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

2020 School Health Profiles Report
Weighted Principal Survey Results

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not refer any sexual or reproductive health services	53.3	42.8 - 63.5	80	73.6	66.6 - 79.6	147	70.9	54.2 - 83.4	34	66.8	61.3 - 71.9	261
b. Parental consent is required before any sexual or reproductive health services are referred	36.2	26.6 - 47.0	80	23.6	18.0 - 30.2	147	17.4	7.8 - 34.5	34	26.9	22.2 - 32.2	261
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about referrals provided only upon request	4.4	1.5 - 12.2	80	0.7	0.1 - 4.0	147	5.8	1.6 - 19.3	34	2.4	1.1 - 5.2	261
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the referral provided	3.6	1.2 - 10.0	80	2.1	0.7 - 6.1	147	0.0	†	34	2.3	1.1 - 4.9	261
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all referrals provided	2.5	0.7 - 9.1	80	0.0	†	147	5.8	1.5 - 20.0	34	1.5	0.6 - 3.7	261
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any referrals provided	0.0	†	80	0.0	†	147	0.0	†	34	0.0	†	261

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

45. Percentage of schools in which any staff received professional development on each of the following topics during the past two years.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Basic sexual health overview including community-specific information about STD, HIV, and unplanned pregnancy rates and prevention strategies	46.4	37.5 - 55.5	107	33.6	27.4 - 40.4	170	47.8	34.0 - 61.9	36	39.6	34.7 - 44.7	313
b. Sexual health services that adolescents should receive	42.7	33.8 - 52.1	107	32.9	26.4 - 40.1	170	35.7	23.0 - 50.8	36	36.6	31.6 - 41.9	313
c. Laws and policies related to adolescent sexual health services, such as minor consent for sexual health services	49.1	39.6 - 58.8	107	33.3	26.6 - 40.6	171	50.5	38.5 - 62.4	36	40.6	35.4 - 46.0	314
d. Importance of maintaining student confidentiality for sexual health services	61.6	52.2 - 70.3	108	44.5	37.4 - 52.0	171	56.0	38.6 - 72.1	36	51.8	46.3 - 57.2	315
e. How to create or use a student referral guide for sexual health services	29.8	21.3 - 40.0	106	16.5	11.8 - 22.6	169	16.5	8.7 - 29.0	36	21.2	17.0 - 26.1	311
f. How to make successful referrals of students to sexual health services	32.8	24.1 - 42.9	106	17.4	12.7 - 23.5	171	19.2	10.3 - 33.0	36	23.0	18.7 - 27.9	313
g. Best practices for adolescent sexual health services provision, such as making services youth-friendly	34.9	26.1 - 44.9	105	19.3	14.2 - 25.7	170	16.5	8.7 - 29.0	36	24.5	20.1 - 29.5	311
h. Ensuring sexual health services are inclusive of lesbian, gay, bisexual, and transgender students	35.8	26.3 - 46.6	106	17.6	12.7 - 23.9	170	16.5	8.7 - 29.0	36	23.9	19.4 - 29.1	312

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Provided parents with information to support parent-adolescent communication about sex	20.4	13.9 - 28.8	107	27.1	21.3 - 33.9	171	16.5	7.6 - 32.0	36	23.7	19.4 - 28.5	314
b. Provided parents with information to support parent-adolescent communication about topics other than sex	51.4	42.5 - 60.3	108	52.1	44.8 - 59.4	171	41.2	25.7 - 58.7	36	50.8	45.4 - 56.2	315
c. Provided parents with information about how to monitor their teen (e.g., setting parental expectations, keeping track of their teen, responding when their teen breaks the rules)	51.5	42.6 - 60.3	106	54.4	46.8 - 61.7	171	45.0	29.9 - 61.1	36	52.4	47.0 - 57.8	313
d. Provided parents with information to support one-on-one time between adolescents and their health care providers	23.4	16.9 - 31.4	107	22.9	17.7 - 28.9	171	19.2	10.6 - 32.4	36	22.7	18.8 - 27.1	314
e. Provided parents with information about physical education and physical activity programs	61.3	52.7 - 69.3	107	62.3	55.0 - 69.1	172	78.0	62.7 - 88.2	36	63.6	58.4 - 68.5	315
f. Involved parents as school volunteers in the delivery of health education activities and services	24.9	18.2 - 33.2	107	27.2	21.3 - 33.9	170	38.5	24.8 - 54.2	36	27.5	23.2 - 32.4	313
g. Involved parents as school volunteers in physical education or physical activity programs	24.2	17.2 - 33.0	108	34.1	27.5 - 41.4	170	41.2	28.1 - 55.8	36	31.4	26.6 - 36.5	314

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
h. Linked parents and families to health services and programs in the community	69.9	60.8 - 77.6	107	64.0	56.7 - 70.8	172	46.7	32.4 - 61.7	36	64.3	59.0 - 69.3	315
i. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	46.7	37.7 - 56.0	109	39.0	32.6 - 45.8	172	35.7	24.0 - 49.5	36	41.4	36.5 - 46.6	317
j. Provided parents with information about before- or after-school programs available in the community	62.2	53.1 - 70.6	108	54.2	47.0 - 61.2	172	67.0	55.0 - 77.1	36	58.3	53.1 - 63.4	316

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

47. Percentage of schools that currently implement any of the following school-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	73.5	65.8 - 80.1	110	56.3	48.8 - 63.5	173	64.2	48.6 - 77.4	36	63.2	58.1 - 68.1	319
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	66.8	57.7 - 74.9	109	56.5	50.1 - 62.6	170	42.2	30.4 - 55.0	36	58.7	53.9 - 63.4	315

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

48. Percentage of schools that currently connect students to any of the following community-based positive youth development programs.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Service-learning programs, that is, community service designed to meet specific learning objectives	67.2	58.3 - 75.0	110	37.9	31.6 - 44.6	172	47.7	32.5 - 63.4	36	49.4	44.4 - 54.3	318
b. Mentoring programs, that is, programs in which family or community members serve as role models to students or mentor students	64.1	55.8 - 71.6	109	45.7	39.6 - 52.0	169	36.7	23.2 - 52.8	36	51.4	46.7 - 56.0	314

TEXAS

**2020 School Health Profiles Report
Weighted Principal Survey Results**

49. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
58.9	51.0 - 66.3	109	53.3	46.4 - 60.1	171	79.2	63.2 - 89.4	35	57.9	53.0 - 62.6	315