

Texas Department of State Health Services

Center for Health Statistics Texas Health Care Information Collection

TEXAS OUTPATIENT SURGICAL AND RADIOLOGICAL PROCEDURE DATA PUBLIC USE DATA FILE (PUDF)

USER MANUAL

2019

BACKGROUND	2
PUBLIC USE DATA FILE (PUDF)	2
PATIENT/PHYSICIAN CONFIDENTIALITY	2
RESTRICTIONS ON DATA USE	4
OUTPATIENT FACILITY COMMENTS	6
DATA FILES	6
DATA DICTIONARY	
CITATION	7
DATA DICTIONARY	
BASE DATA FILE	9
CLASSIFICATION DATA FILE	28
CHARGES DATA FILE	36
FACILITY TYPE INDICATOR FILE	
DATA FIELDS	49
BASE DATA FILE	
CLASSIFICATION DATA FILE	5 3
CHARGES DATA FILE	55
FACILITY TYPE DATA FILE	

BACKGROUND

The Texas Health Care Information Council (THCIC) was created by Chapter 108 of the Texas Health and Safety Code (THSC) and was responsible, under Sections 108.011 through 108.0135, for collecting hospital discharge data from all state licensed hospitals except those that are statutorily exempt from the reporting requirement. Exempt hospitals include those located in a county with a population less than 35,000, or those located in a county with a population more than 35,000 and with fewer than 100 licensed hospital beds and not located in an area that is delineated as an urbanized area by the United States Bureau of the Census (Section 108.0025). Exempt hospitals also include hospitals that do not seek insurance payment or government reimbursement (Section 108.009). THCIC became part of the Texas Department of State Health Services (DSHS) effective September 1, 2004 and the DSHS Center for Health Statistics is now responsible for the collection and release of hospital discharge data.

Senate Bill (SB) 7 (82nd Texas Legislature First Called Special Session) SECTION 7.06 repeals the facility exemption sections in Chapter 108 effective September 1, 2014. Rules were adopted implementing the rural provider requirements to begin with January 1, 2015 data. Rural providers and providers that are exempt from state franchise, sales, ad valorem, or other state or local taxes, and that do not seek or receive reimbursement for providing health care services to patients from any source will no longer be exempt from the data reporting requirements of Chapter 108.

PUBLIC USE DATA FILE (PUDF)

Sections 108.011(a) and 108.012 of the THSC requires DSHS to provide public use data for computer-to-computer access. It also permits DSHS to charge the data requestor a standard fee for using the Public Use Data File (PUDF). The PUDF contains patient-level information for outpatient surgical and radiological services. These data are extracted from DSHS's outpatient services database. The providers/submitters have, by law, until the next quarter (following the discharge) to submit their data. This means that the PUDF data is a snapshot in time and each quarter may contain some discharges dated in the previous quarter (i.e. for calendar year data be sure to check the first quarter of the following year also).

PATIENT/PHYSICIAN CONFIDENTIALITY

The legislative intent behind the creation of the Hospital Discharge Database (HDD) was that the data and resulting information be used for the benefit of the public. This is specified in Section 108.013 of the Texas Health and Safety Code (THSC). Section 108.013 (c) also stipulates that DSHS may not release

and a person or entity may not gain access to any data that could reasonably be expected to reveal the identity of a patient or physician. Any effort to determine the identity of any person violates the Section 108.013 and may incur penalties as stated in Sections 108.014 and 108.0141. In addition, under Section 108.013(e) and (f), patient and/or physician information in the HDD cannot be used for discovery, subpoena, or other means of legal compulsion or in any civil, administrative, or criminal proceeding. Pursuant to the THSC, DSHS excludes all direct personal and demographic identifiers (e.g., name, address, social security number, patient identifiers, admission and discharge dates) that might lead to the identification of a specific patient from the PUDF.

To protect patient identities, DSHS has suppressed these data elements in this release of the PUDF:

- The last two digits of the patient's ZIP code are suppressed if there are fewer than thirty patients included in the ZIP code.
- The ZIP code is changed to '88888' for patients from states other than Texas and the adjacent states.
- The entire ZIP code and gender code are suppressed if the ICD-10-CM or ICD-10-PCS codes indicates alcohol or drug use or an HIV diagnosis.
- The entire ZIP code and provider name are suppressed if a hospital has fewer than five discharges of a particular gender, including 'unknown'.
 The provider ID is changed to '999998'.
- The entire ZIP code is suppressed if a hospital has fewer than fifty discharges in a quarter and the provider ID is changed to '999999'.
- The country code is suppressed if the country field has fewer than five discharges for that quarter.
- The county code is suppressed if a county has fewer than five discharges for that quarter.
- Age is represented by 22 age group codes for the general patient population and 5 age group codes for the HIV and alcohol and drug use patient populations.
- Race is changed to 'Other' and ethnicity is suppressed if a hospital has fewer than ten discharges of a race.

Substance Abuse and Mental Health Services Administration (SAMHSA) new rules:

On January 18, 2017, Substance Abuse and Mental Health Services Administration (SAMHSA) passed rules for the protection of patients covered under 42 USC §290dd-2 and 42 CFR Part 2 rules (Mental Health and Substance Abuse patients and HIV patients).

The federal rules require that patients' names, identifiers (ZIP code, city, address, county, and any geographic identifiers below the state level), sex and dates (date of birth, statement from dates, statement through dates and

procedure dates) be modified and/or masked in the THCIC Public Use Data Files (PUDF) and Research Data Files (RDF).

Texas Department of State Health Services (DSHS) proposed rules regarding the collection and release of the data regarding those patients covered by the federal rules, which were adopted, published in the January 25, 2019 Texas Register on page 44 TexReg 429 and became effective January 30, 2019. Beginning with second quarter 2018, the inpatient, outpatient and emergency department public use datasets and any research datasets approved by the DSHS IRB will be appropriately masked for protection.

It may be possible in rare insta

nces, through complex analysis and with outside information, to ascertain from the PUDF the identity of individual patients. Considerable harm could result if this were done. PUDF users are required to sign and comply with the DSHS Hospital Discharge Data Use Agreement in the Application before shipment of the PUDF. The Data Use Agreement prohibits attempts to identify individual patients.

RESTRICTIONS ON DATA USE

Section 108.010(c) of the THSC prohibits DSHS from releasing provider quality reports until one year of data is available. Users of the PUDF are cautioned about using less than a year of data to make any healthcare facility quality assumptions.

Sections 108.013(c)(1) and (2) and 108.013 (g) of the Texas Health and Safety Code (THSC) prohibit the DSHS from releasing, and a person or entity from gaining access to, any data that could reveal the identity of a patient or the identity of a physician unless specifically authorized by the Act. Any effort to determine the identity of any person or to use the information for any purpose other than for analysis and aggregate statistical reporting violates the THSC and the Data Use Agreement. By virtue of the Agreement, the signer agrees that the data will not be used to identify an individual patient or physician. Because of these restrictions, under no circumstances will users of the data contact an individual patient or physician or hospital or ambulatory surgery center for the purpose of verifying information supplied in the DSHS Outpatient Services Public Use Data sets. Any questions about the data must

be referred to DSHS only. Data analysis assistance is not provided by DSHS. The data are protected by United States copyright laws and international treaty provisions.

In the Data Use Agreement, the purchaser and end-user of the data are referred to as the "licensee". To acquire the data, the licensee must give the following assurances with respect to the use of DSHS Outpatient Public Use Data sets:

- The licensee will not release nor permit others to release the individual patient records or any part of them to any person who is not a staff member of the organization that has acquired the data, except with the written approval of DSHS;
- The licensee will not attempt to link nor permit others to attempt to link the outpatient records of patients in this data set with personally identifiable records from any other source, including any THCIC research data file (effective Aug 1, 2012);
- The licensee will not release nor permit others to release any information that identifies persons, directly or indirectly;
- The licensee will not attempt to use nor permit others to use the data to learn the identity of any physician;
- The licensee will not nor permit others to copy, sell, rent, license, lease, loan, or otherwise grant access to the data covered by the Data Use Agreement to any other person or entity, unless approved in writing by DSHS;
- The licensee agrees to read the User Manual and to be cognizant of the limitations of the data;
- The licensee will use the following citation in any publication of information from this file:

Texas Outpatient Services Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication];

- The licensee will indemnify, defend, and hold the DSHS, its members, employees, and the Department's contract vendors harmless from any and all claims and losses accruing to any person as a result of violation of this agreement; and
- The licensee will make no statement nor permit others to make statements indicating or suggesting that interpretations drawn from these data are those of DSHS.

The licensee understands that these assurances are collected by DSHS to assure compliance with its statutory confidentiality requirement. The signature on behalf of the licensee indicates the licensee's agreement to comply with the above-stated requirements with the knowledge that under Sections 108.014

and 108.0141 of the Texas Health and Safety Code to knowingly or negligently release data in violation of this agreement is punishable by a fine of up to \$10,000 and an offense is a state jail felony. By signing the Data Use Agreement, the PUDF user has been informed that the potential for both civil and criminal penalties exists.

Users of report generating software to access the PUDF are required to purchase a license to use the data.

OUTPATIENT FACILITY COMMENTS

(Users are advised to consider hospital comments in any analysis of the data.)

Included with the PUDF is a separate file containing the unedited comments submitted by hospitals or ambulatory surgery centers at the time of data certification. Comments relating to individual data elements should be considered in any analysis of those data elements. These comments express the opinions of individual hospitals and are not necessarily the views of the DSHS. Hospitals or ambulatory surgery centers that submitted comments are identified in 'Reporting Status of Texas Outpatient Facilities'.

A Facility Type file with 29 variables, includes the THCIC ID and facility name. Variables clarifying the type of provider (Pediatric, Teaching Facility, Long Term Care, etc.) are included also. This is useful for data users focusing on a certain type of facility. Additionally, POA provider indicator and certification status are included.

DATA FILES

The 2019 PUDF is available in four files, the Base Data, Classification data, Charges and Facility Type Data files. The files are also available in fixed length and tab-delimited formats. The size of the files are as follows:

First quarter, 1015 facilities:

Base Data	4,776,006 records	129 variables	Fixed field format	4,036 MB	Tab-delimited	1,832 MB
Classification Data	4,776,006 records	83 variables	Fixed field format	1,289 MB	Tab-delimited	624 MB
Charges	33,554,990 records	19 variables	Fixed field format	3,424 MB	Tab-delimited	2,643 MB
Facility Type Data	1,015 records	29 variables	Fixed field format	89 KB	Tab-delimited	76 KB

Second quarter, 1014 facilities:

Base Data	4,804,055 records	129 variables	Fixed field format	4,059 MB	Tab-delimited	1,849 MB
Classification Data	4,804,055 records	83 variables	Fixed field format	1,297 MB	Tab-delimited	630 MB
Charges	34,167,230 records	19 variables	Fixed field format	3,487 MB	Tab-delimited	2,693 MB
Facility Type Data	1,014 records	29 variables	Fixed field format	89 KB	Tab-delimited	75 KB

Third quarter, 1008 facilities:

Base Data	4,767,296 records	129 variables	Fixed field format	4,028 MB	Tab-delimited	1,839 MB
Classification Data	4,767,296 records	83 variables	Fixed field format	1,287 MB	Tab-delimited	626 MB
Charges	33,823,413 records	19 variables	Fixed field format	3,451 MB	Tab-delimited	2,669 MB
Facility Type Data	1,008 records	29 variables	Fixed field format	89 KB	Tab-delimited	75 KB

Fourth quarter, 1003 facilities:

Base Data	5,031,795 records	129 variables	Fixed field format	4,252 MB	Tab-delimited	1,933 MB
Classification Data	5,031,795 records	83 variables	Fixed field format	1,358 MB	Tab-delimited	657 MB
Charges	34,462,876 records	19 variables	Fixed field format	3,517 MB	Tab-delimited	2,721 MB
Facility Type Data	1,003 records	29 variables	Fixed field format	88 KB	Tab-delimited	75 KB

The data must be imported into a software package. No software is included with the PUDF. The data file has been tested with several software packages, including Microsoft Access, SAS, and SPSS.

Updates to any PUDF CD's are available through the THCIC website, http://www.dshs.texas.gov/thcic/, which should be checked periodically as notifications of an update will not be sent.

DATA DICTIONARY

This document provides the user with the necessary information to use and understand the data in the Public Use Data File. The following information is provided:

Field	Unique, abbreviated name of the data element and brief explanation of the data element.
Data Source	Descriptions of data elements are taken from specifications manuals. Provided by the health care facility on the claim form (Claim)
	Assigned by DSHS (Assigned)
	Provided to THCIC by the healthcare facility (Provider)
	Calculated by DSHS (Calculated)
Type	Alphanumeric or numeric
Coding scheme	Valid codes for a data field. Values taken from specifications manuals.

Any data provided by a facility that has been determined to be invalid has been assigned the value ` (accent mark).

Any data element that is blank should be interpreted as 'missing', no data provided, unless otherwise noted.

CITATION

Any statistical reporting or analysis based on the data shall cite the source as the following:

DSHS/THCIC	Dogo 7	DSHS Document # E25-14164		
www.dshs.texas.gov/THCIC	——— Page 7	Last Updated: August, 2020		

Texas Outpatient Surgical and Radiological Procedure Public Use Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication].

DATA DICTIONARY

BASE DATA FILE

Field 1:	SERVICE_QUARTER							
Description:	Quarter during which ser	vice occurred. Year	and quarter of service.	yyyyQn.				
Beginning Position:	1	Data Source:	Assigned					
Length:	6	Type:	Alphanumeric					
Field 2:	RECORD_ID							
Description:	Record Identification Number. Unique number assigned to identify the record. First available							
	1 st quarter 2002. Does N	OT match the RECC	ORD_ID in THCIC Res	earch Data Files (RDF's).				
Beginning Position:	7	Data Source:	Assigned					
Length:	12	Type:	Alphanumeric					
Field 3:	THCIC_ID							
Description:	Provider ID. Unique ider							
Suppression:				he Provider ID '999999'. If				
	a facility reported fewer	than 5 events for a pa	articular gender, includ	ing 'unknown', Provider				
	ID is '999998'.							
Beginning Position:	19	Data Source:	Assigned					
Length:	6	Type:	Alphanumeric					
Field 4:	SPEC_UNIT_1							
Description:				imber of days by Type of				
	Bill or Revenue Code. In							
Coding Scheme:	C	Coronary Care Unit	P	Pediatric Unit				
	D I	Detoxification Unit Intensive Care Unit	Y R	Psychiatric Unit Rehabilitation Unit				
	H	Hospice Unit	U	Sub-acute Care Unit				
	N	Nursery	S	Skilled Nursing Unit				
	В	Obstetric Unit	Blank	Acute Care				
	O	Oncology Unit						
Beginning Position:	25	Data Source:	Calculated					
Length:	1	Type:	Alphanumeric					
Field 5:	SPEC_UNIT_2		•					
Description:	Specialty Unit in which 2	2 nd most days during	stay occurred based on	number of days by Type				
•	of Bill or Revenue Code.		•	3 31				
Coding Scheme:	Same as SPEC_UNIT_1	•						
Beginning Position:	26	Data Source:	Calculated					
Length:	1	Type:	Alphanumeric					
Field 6:	SPEC_UNIT_3	× •	•					
Description:		3rd most days during	stay occurred based on	number of days by Type of				
•	Bill or Revenue Code.	, .	·	J J J1				
Coding Scheme:	Same as SPEC_UNIT_1	•						
Beginning Position:	27	Data Source:	Calculated					
Length:	1	Type:	Alphanumeric					
Field 7:	SPEC_UNIT_4		•					
Description:		4 th most days during	stav occurred based on	number of days by Type of				
F · · · ·	Bill or Revenue Code.	<i>S</i>	,	J. J. J. J. J. J. J. F. J. F. J. J. F. J.				
Coding Scheme:	Same as SPEC_UNIT_1							
	28	Data Source:	Calculated					
Beginning Position:		2444 2042 201	Cure arate a					
Beginning Position: Length:	1	Type:	Alphanumeric					
Length:	SPEC UNIT 5	Type:	Alphanumeric					
Length: Field 8:	SPEC_UNIT_5			number of days by Type of				
Length:	SPEC_UNIT_5 Specialty Unit in which 5			number of days by Type of				
Length: Field 8: Description:	SPEC_UNIT_5 Specialty Unit in which 5 Bill or Revenue Code.	5 th most days during		number of days by Type of				
Length: Field 8: Description: Coding Scheme:	SPEC_UNIT_5 Specialty Unit in which 5 Bill or Revenue Code. Same as SPEC_UNIT_1	5 th most days during :	stay occurred based on	number of days by Type of				
Length: Field 8: Description: Coding Scheme: Beginning Position:	SPEC_UNIT_5 Specialty Unit in which 5 Bill or Revenue Code. Same as SPEC_UNIT_1 29	5 th most days during : . Data Source:	stay occurred based on Calculated	number of days by Type of				
Length: Field 8: Description: Coding Scheme: Beginning Position: Length:	SPEC_UNIT_5 Specialty Unit in which 5 Bill or Revenue Code. Same as SPEC_UNIT_1	5 th most days during :	stay occurred based on Calculated Alphanumeric					
Length: Field 8: Description: Coding Scheme: Beginning Position:	SPEC_UNIT_5 Specialty Unit in which 5 Bill or Revenue Code. Same as SPEC_UNIT_1 29 1	5 th most days during : . Data Source:	stay occurred based on Calculated Alphanumeric DSHS	number of days by Type of Document # E25-14164 t Updated: August, 2020				

Field 9: SEX_CODE

Description: Gender of the patient as recorded at date of start of care.

Suppression: Code is suppressed if an ICD-10-CM code indicates drug or alcohol use or an HIV diagnosis. If

ICD-10-CM indicates alcohol or drug use or an HIV diagnosis (patients covered by 42 USC \$290dd-2 and 42 CFR Part 2 rules), the Gender of the patient is reported as "U" (Unknown). If a facility reported fewer than 5 patients of a particular gender, including unknown, Provider ID

is '999998' and Provider Name and Patient ZIP Code are blank for those patients.

Coding Scheme: M Male

F Female U Unknown Invalid

Beginning Position: 30 **Data Source:** Claim

Length: 1 Type: Alphanumeric
Field 10: PAT COUNTY

11010 101
Description:
Coding scheme:

PAT	COUNTY		-	•				
FIPS code of patient's county.								
001	Anderson	129	Donley	257	Kan	fman	385	Real
003	Andrews	131	Duval	259			387	Red River
005	Angelina	133	Eastland	261			389	Reeves
007	Aransas	135	Ector	263		•	391	Refugio
009	Archer	137	Edwards	265			393	Roberts
011	Armstrong	139	Ellis	267			395	Robertson
013	Atascosa	141	El Paso	269			397	Rockwall
015	Austin	143	Erath	271		0	399	Runnels
017	Bailey	145	Falls	273			401	Rusk
019	Bandera	147	Fannin	275			403	Sabine
021	Bastrop	149	Fayette	283		Salle	405	San Augustine
023	Baylor	151	Fisher	277			407	San Jacinto
025	Bee	153	Floyd	279	Lam	nb	409	San Patricio
027	Bell	155	Foard	281	Lam	npasas	411	San Saba
029	Bexar	157	Fort Bend	285			413	Schleicher
031	Blanco	159	Franklin	287	Lee		415	Scurry
033	Borden	161	Freestone	289	Leon	n	417	Shackelford
035	Bosque	163	Frio	291	Libe	erty	419	Shelby
037	Bowie	165	Gaines	293	Lim	estone	421	Sherman
039	Brazoria	167	Galveston	295	Lips	scomb	423	Smith
041	Brazos	169	Garza	297	' Live	Oak	425	Somervell
043	Brewster	171	Gillespie	299	Llar	10	427	Starr
045	Briscoe	173	Glasscock	301	Lov	ing	429	Stephens
047	Brooks	175	Goliad	303	Lub	bock	431	Sterling
049	Brown	177	Gonzales	305	Lyn	n	433	Stonewall
051	Burleson	179	Gray	307	Mc(Culloch	435	Sutton
053	Burnet	181	Grayson	309	McI	Lennan	437	Swisher
055	Caldwell	183	Gregg	311	Mcl	Mullen	439	Tarrant
057	Calhoun	185	Grimes	313	Mac	lison	441	Taylor
059	Callahan	187	Guadalupe	315	Mar	ion	443	Terrell
061	Cameron	189	Hale	317	Mar Mar	tin	445	Terry
063	Camp	191	Hall	319	Mas	son	447	Throckmorton
065	Carson	193	Hamilton	321		agorda	449	Titus
067	Cass	195	Hansford	323		verick	451	Tom Green
069	Castro	197	Hardeman	325			453	Travis
071	Chambers	199	Hardin	327			455	Trinity
073	Cherokee	201	Harris	329		land	457	Tyler
075	Childress	203	Harrison	331			459	Upshur
077	Clay	205	Hartley	333			461	Upton
079	Cochran	207	Haskell	335		chell	463	Uvalde
081	Coke	209	Hays	337		ntague	465	Val Verde
083	Coleman	211	Hemphill	339		ntgomery	467	Van Zandt
085	Collin	213	Henderson	341			469	Victoria
087	Collingsworth	215	Hidalgo	343			471	Walker
089	Colorado	217	Hill	345		•	473	Waller
091	Comal	219	Hockley	347		ogdoches	475	Ward
093	Comanche	221	Hood	349			477	Washington
095	Concho	223	Hopkins	351			479	Webb
097	Cooke	225	Houston	353			481	Wharton
099	Coryell	227	Howard	355			483	Wheeler
101	Cottle	229	Hudspeth	357		iltree	485	Wichita
103	Crane	231	Hunt	359			487	Wilbarger
105	Crockett	233	Hutchinson	361		0	489	Willacy
107	Crosby	235	Irion	363		Pinto	491	Williamson
109	Culberson	237	Jack	365	Pan	oia	493	Wilson

	111 Dallam	239	Jackson	367	Parker	495 Winkler
	113 Dallas	241	Jasper	369	Parmer	497 Wise
	115 Dawson	243	Jeff Davis	371	Pecos	499 Wood
	117 Deaf Smith	245	Jefferson	373	Polk	501 Yoakum
	119 Delta 121 Denton	247 249	Jim Hogg Jim Wells	375 377	Potter Presidio	503 Young 505 Zapata
	123 Dewitt	251	Johnson	379	Rains	507 Zavala
	125 Dickens	253	Jones	381	Randall	201 Zavala
	127 Dimmit	255	Karnes	383	Reagan	` Invalid
Beginning Position:	31		Data Source:	Assign	ed; based on	patient ZIP code
Length:	3		Type:		numeric	
Field 11:	PAT_STATE					
Description:	State of the patien	it's mailing a	ddress in Texas	and con	tiguous states	. Standard 2-character
•	Postal Service abb	_			U	
Coding Scheme:	AR Arkansas					
coung seneme.	LA Louisiana					
	NM New Mexic	co				
	OK Oklahoma					
	TX Texas					
		ates and Americ	an Territories			
	FC Foreign con	•				
B B	XX Foreign co			CI.		
Beginning Position:	34		ata Source:	Claim		
Length:	2	<u> </u>	ype:	Alphai	numeric	
Field 12:	PAT_ZIP					
Description:	Patient's five-digi					
Suppression:						state equals 'ZZ', ZIP code
	equals '88888'. If	state equals	'FC' (foreign co	ountry) Z	IP code is bla	ank. If ICD-10-CM
	indicates alcohol of	or drug use of	r an HIV diagno	osis the Z	IP code is bla	ank. If ICD-10-CM
		-	_			by 42 USC §290dd-2 and
	42 CFR Part 2 rul	es) the ZIP co	nde is reported	ac "'" (h	ack quote) If	a facility has fewer than
	fifty outpatient car	rvicas raporta		ar tha /II		V It a tacility has tarrar
	fifty outpatient ser					
Danimuina Danitiana	than 5 patients rep	orted of a pa	rticular gender,	includin		the ZIP Code is blank.
Beginning Position:	than 5 patients rep 36	oorted of a pa D	rticular gender, ata Source:	includin Claim	g 'unknown',	
Length:	than 5 patients rep 36 5	oorted of a pa D T	rticular gender,	includin Claim		
Length: Field 13:	than 5 patients rep 36 5 PAT_COUNTRY	oorted of a pa D T	rticular gender, pata Source: Type:	includin Claim Alphar	g 'unknown',	, the ZIP Code is blank.
Length:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient	oorted of a pa D T Y t's residential	rticular gender, Pata Source: Type: address. List n	includin Claim Alphar naintaine	g 'unknown', numeric d by the Inter	the ZIP Code is blank.
Length: Field 13:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I	oorted of a pa D T Y t's residential SO). If ICD-	rticular gender, pata Source: ype: address. List n 10-CM indicate	includin Claim Alphar naintaine	g 'unknown', numeric d by the Inter l or drug use	national Organization for or an HIV diagnosis
Length: Field 13:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I	oorted of a pa D T Y t's residential SO). If ICD-	rticular gender, pata Source: ype: address. List n 10-CM indicate	includin Claim Alphar naintaine	g 'unknown', numeric d by the Inter l or drug use	the ZIP Code is blank.
Length: Field 13:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I (patients covered (back quote).	ported of a pa D T Y t's residential (SO). If ICD- by 42 USC §	rticular gender, Data Source: Type: l address. List n 10-CM indicate 290dd-2 and 42	includin Claim Alphar naintaine es alcoho 2 CFR Pa	g 'unknown', numeric d by the Inter l or drug use	national Organization for or an HIV diagnosis
Length: Field 13:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I (patients covered)	ported of a pa D T Y t's residential (SO). If ICD- by 42 USC §	rticular gender, Data Source: Type: l address. List n 10-CM indicate 290dd-2 and 42	includin Claim Alphar naintaine es alcoho 2 CFR Pa	g 'unknown', numeric d by the Inter l or drug use	national Organization for or an HIV diagnosis
Length: Field 13: Description:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I (patients covered (back quote).	oorted of a pa T Y t's residential SO). If ICD- by 42 USC § er than 5 pati	rticular gender, pata Source: Type: l address. List n 10-CM indicate 290dd-2 and 42 ents from one c	includin Claim Alphar naintaine es alcoho 2 CFR Pa	g 'unknown', numeric d by the Inter l or drug use	national Organization for or an HIV diagnosis
Length: Field 13: Description: Suppression: Coding scheme:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I (patients covered to (back quote). Suppressed if few See www.ISO.org	oorted of a pa D T Y Y Y Y SO). If ICD- by 42 USC § er than 5 pati for complete	rticular gender, Pata Source: Type: address. List n 10-CM indicate 290dd-2 and 42 ents from one ce is list.	includin Claim Alphar maintaine es alcoho CFR Pa	g 'unknown', numeric d by the Inter l or drug use	national Organization for or an HIV diagnosis
Length: Field 13: Description: Suppression:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I (patients covered to (back quote). Suppressed if few See www.ISO.org	oorted of a pa D T Y Y Y Y Y Y SO). If ICD- by 42 USC § er than 5 pati for complete	rticular gender, pata Source: Type: l address. List n 10-CM indicate 290dd-2 and 42 ents from one ce list.	includin Claim Alphar maintaine es alcoho CCFR Pa country.	g 'unknown', numeric d by the Inter l or drug use rt 2 rules) the	national Organization for or an HIV diagnosis
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I (patients covered to (back quote). Suppressed if few See www.ISO.org 41 2	ported of a pa D T Y Y Y Y Y Y SO). If ICD- by 42 USC § er than 5 pati for complete D T	rticular gender, pata Source: Type: l address. List n 10-CM indicate 290dd-2 and 42 ents from one ce list. pata Source: Type:	includin Claim Alphar maintaine es alcoho CCFR Pa country.	g 'unknown', numeric d by the Inter l or drug use	national Organization for or an HIV diagnosis
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I (patients covered to (back quote). Suppressed if few See www.ISO.org 41 2 PUBLIC_HEAL	oorted of a pa D T Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y	rticular gender, pata Source: Type: address. List n 10-CM indicate 290dd-2 and 42 ents from one ce list. pata Source: Type: N	includin Claim Alphar maintaine es alcoho CCFR Pa country.	g 'unknown', numeric d by the Inter l or drug use rt 2 rules) the	national Organization for or an HIV diagnosis
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I (patients covered to (back quote). Suppressed if few See www.ISO.org 41 2 PUBLIC_HEAL Public Health Reg	oorted of a pa D T Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y	rticular gender, Pata Source: Pype: l address. List n 10-CM indicate 290dd-2 and 42 ents from one ce e list. Pata Source: Pype: N t's address.	includin Claim Alphar naintaine es alcoho CCFR Pa country. Claim Alphar	g 'unknown', numeric d by the Inter l or drug use rt 2 rules) the	national Organization for or an HIV diagnosis country is reported as "`"
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I (patients covered to the covered to	oorted of a pa D T Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y	rticular gender, pata Source: Type: address. List n 10-CM indicate 290dd-2 and 42 ents from one ce elist. Pata Source: Type: N t's address. Carson, Castro, Chil	includin Claim Alphar naintaine es alcoho CFR Pa country. Claim Alphar dress, Cocl	g 'unknown', numeric d by the Inter l or drug use rt 2 rules) the	national Organization for or an HIV diagnosis country is reported as """
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I (patients covered to the covered to	ported of a pa D T T T T SO). If ICD- by 42 USC § er than 5 pati for complete D T TH_REGIO gion of patien ailey, Floyd, Garz	rticular gender, pata Source: Type: address. List n 10-CM indicate 290dd-2 and 42 ents from one ce elist. pata Source: Type: N t's address. Tarson, Castro, Chil a, Gray, Hale, Hall, a, Gray, Hale, Hall,	includin Claim Alphar naintaine es alcoho CFR Pa country. Claim Alphar dress, Cocl	g 'unknown', numeric d by the Inter l or drug use rt 2 rules) the numeric nran, Collingswo Hartley, Hemph	national Organization for or an HIV diagnosis country is reported as "`"
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I (patients covered to the covered to	ported of a pa D T Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y	rticular gender, Pata Source: Pype: l address. List n 10-CM indicate 290dd-2 and 42 ents from one ce list. Pata Source: Pype: N t's address. L'arson, Castro, Chil a, Gray, Hale, Hall, ynn, Moore, Motle eeler, Yoakum cour	includin Claim Alphar naintaine es alcoho CFR Pa country. Claim Alphar dress, Cocl Hansford, y, Ochiltreen ties	numeric d by the Inter l or drug use rt 2 rules) the numeric numeric hran, Collingswo Hartley, Hemph e, Oldham, Parme	rth, Crosby, Dallam, Deaf Smith, ill, Hockley, Hutchinson, King, er, Potter, Randall, Roberts,
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I (patients covered to the covered to	ported of a pa D T Y At's residential SO). If ICD- by 42 USC § er than 5 pati for complete D TH_REGIO gion of patien ailey, Briscoe, C ley, Floyd, Garz mb, Lubbock, L sher, Terry, Whor, Brown, Callal	rticular gender, Pata Source: Pype: l address. List n 10-CM indicate 290dd-2 and 42 ents from one ce list. Pata Source: Pype: N t's address. L'arson, Castro, Chila, Jan, Gray, Hale, Hall, Jynn, Moore, Motle eeler, Yoakum counan, Clay, Coleman	includin Claim Alphar naintaine es alcoho CFR Pa country. Claim Alphar dress, Cocl Hansford, y, Ochiltred nties , Comanch	numeric d by the Inter l or drug use of the reconstruction of the	rnational Organization for or an HIV diagnosis country is reported as "`" rth, Crosby, Dallam, Deaf Smith, ill, Hockley, Hutchinson, King, er, Potter, Randall, Roberts, ad, Fisher, Foard, Hardeman,
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I (patients covered to the covered to	ported of a pa D T Y At's residential SO). If ICD- by 42 USC § er than 5 pati for complete D TH_REGIO gion of patien ailey, Briscoe, C ley, Floyd, Garz mb, Lubbock, L sher, Terry, Whor, Brown, Callal Jones, Kent, Kr	rticular gender, Pata Source: Pype: l address. List n 10-CM indicate 290dd-2 and 42 ents from one ce list. Pata Source: Pype: N t's address. L'arson, Castro, Chila, Gray, Hale, Hall, Lynn, Moore, Motle eeler, Yoakum counan, Clay, Coleman lox, Mitchell, Mont	includin Claim Alphar Alphar naintaine es alcoho CFR Pa country. Claim Alphar dress, Cocl Hansford, y, Ochiltred nties , Comanch cague, Nola	numeric d by the Inter l or drug use of the recovery of the r	rth, Crosby, Dallam, Deaf Smith, ill, Hockley, Hutchinson, King, er, Potter, Randall, Roberts,
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I (patients covered to the covered to	oorted of a pa D T Y t's residential SO). If ICD- by 42 USC § er than 5 pati for complete D TH_REGIO gion of patien ailey, Briscoe, Cal ley, Floyd, Gar mb, Lubbock, L sher, Terry, Wh r, Brown, Callal Jones, Kent, Kr ylor, Throckmon	rticular gender, Pata Source: Pype: l address. List n 10-CM indicate 290dd-2 and 42 ents from one ce list. Pata Source: Pype: N t's address. Carson, Castro, Chil a, Gray, Hale, Hall, ynn, Moore, Motle geeler, Yoakum coun nan, Clay, Coleman nox, Mitchell, Mont ton, Wichita, Wilb	includin Claim Alphar naintaine es alcoho CFR Pa country. Claim Alphar dress, Cocl Hansford, y, Ochiltred nities L, Comanch ague, Nola arger, You	numeric d by the Inter l or drug use rt 2 rules) the numeric	rth, Crosby, Dallam, Deaf Smith, ill, Hockley, Hutchinson, King, er, Potter, Randall, Roberts, ad, Fisher, Foard, Hardeman, ry, Shackleford, Stephens,
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I (patients covered to the covered to	oorted of a pa D T Y Y Y Y Y Y Y Y Y Y Y Y	rticular gender, Pata Source: Pype: l address. List n 10-CM indicate 290dd-2 and 42 ents from one ce list. Pata Source: Pype: N t's address. Larson, Castro, Chil a, Gray, Hale, Hall, ynn, Moore, Motle eeler, Yoakum counan, Clay, Coleman nox, Mitchell, Montton, Wichita, Wilb b, Ellis, Erath, Fann	includin Claim Alphar naintaine es alcoho CFR Pa country. Claim Alphar dress, Cocl, Hansford, y, Ochiltred nities , Comanch ague, Nola arger, You in, Grayson	numeric d by the Inter l or drug use rt 2 rules) the numeric	rnational Organization for or an HIV diagnosis country is reported as "`" rth, Crosby, Dallam, Deaf Smith, ill, Hockley, Hutchinson, King, er, Potter, Randall, Roberts, ad, Fisher, Foard, Hardeman,
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I (patients covered of the covered of	ported of a pa T Y Y Y Y Y Y Y Y Y Y Y Y	rticular gender, Pata Source: Pype: l address. List n 10-CM indicate 290dd-2 and 42 ents from one ce list. Pata Source: Pype: N t's address. Parson, Castro, Chil a, Gray, Hale, Hall, ynn, Moore, Motle; eeler, Yoakum coun an, Clay, Coleman iox, Mitchell, Mont oton, Wichita, Wilb t, Ellis, Erath, Fann ervell, Tarrant, Wis	includin Claim Alphar naintaine es alcoho CFR Pa country. Claim Alphar dress, Cocl Hansford, y, Ochiltree nties c, Comanch ague, Nola arger, You in, Graysor e counties	numeric d by the Inter l or drug use rt 2 rules) the numeric nran, Collingswo Hartley, Hemph e, Oldham, Parme e, Cottle, Eastlar n, Runnels, Scur ng counties n, Hood, Hunt, Jo	rth, Crosby, Dallam, Deaf Smith, ill, Hockley, Hutchinson, King, er, Potter, Randall, Roberts, ad, Fisher, Foard, Hardeman, ry, Shackleford, Stephens, bhnson, Kaufman, Navarro, Palo
Length: Field 13: Description: Suppression: Coding scheme: Beginning Position: Length: Field 14: Description:	than 5 patients rep 36 5 PAT_COUNTRY Country of patient Standardization (I (patients covered to the covered to	oorted of a pa T Y Y Y Y Y Y Y Y Y Y Y Y	rticular gender, Pata Source: Pype: l address. List n 10-CM indicate 290dd-2 and 42 ents from one ce list. Pata Source: Pype: N t's address. Parson, Castro, Chil a, Gray, Hale, Hall, ynn, Moore, Motle; eeler, Yoakum coun ian, Clay, Coleman iox, Mitchell, Mont ton, Wichita, Wilb i, Ellis, Erath, Fann ervell, Tarrant, Wis s, Cherokee, Delta,	includin Claim Alphar naintaine es alcoho CFR Pa country. Claim Alphar dress, Cocl Hansford, y, Ochiltred nties t, Comanch lague, Nola larger, You in, Graysor e counties Franklin, O	numeric d by the Inter l or drug use rt 2 rules) the numeric nran, Collingswo Hartley, Hemph e, Oldham, Parme e, Cottle, Eastlar n, Runnels, Scur ng counties n, Hood, Hunt, Jo Gregg, Harrison,	rth, Crosby, Dallam, Deaf Smith, ill, Hockley, Hutchinson, King, er, Potter, Randall, Roberts, ad, Fisher, Foard, Hardeman, ry, Shackleford, Stephens,

DSHS/THCIC DSHS Document # E25-14164

San Jacinto, Shelby, Trinity, Tyler counties

Walker, Waller, Wharton counties

Angelina, Hardin, Houston, Jasper, Jefferson, Nacogdoches, Newton, Orange, Polk, Sabine, San Augustine,

Last Updated: August, 2020

Austin, Brazoria, Chambers, Colorado, Fort Bend, Galveston, Harris, Liberty, Matagorda, Montgomery,

- Bastrop, Bell, Blanco, Bosque, Brazos, Burleson, Burnet, Caldwell, Coryell, Falls, Fayette, Freestone, Grimes, Hamilton, Hays, Hill, Lampasas, Lee, Leon, Limestone, Llano, McLennan, Madison, Milam, Mills, Robertson, San Saba, Travis, Washington, Williamson counties
- Atascosa, Bandera, Bexar, Calhoun, Comal, DeWitt, Dimmit, Edwards, Frio, Gillespie, Goliad, Gonzales, Guadalupe, Jackson, Karnes, Kendall, Kerr, Kinney, La Salle, Lavaca, Maverick, Medina, Real, Uvalde, Val Verde, Victoria, Wilson, Zavala counties
- Andrews, Borden, Coke, Concho, Crane, Crockett, Dawson, Ector, Gaines, Glasscock, Howard, Irion, Kimble, Loving, McCulloch, Martin, Mason, Menard, Midland, Pecos, Reagan, Reeves, Schleicher, Sterling, Sutton, Terrell, Tom Green, Upton, Ward, Winkler counties
- 10 Brewster, Culberson, El Paso, Hudspeth, Jeff Davis, Presidio counties
- Aransas, Bee, Brooks, Cameron, Duval, Hidalgo, Jim Hogg, Jim Wells, Kenedy, Kleberg, Live Oak,

McMullen, Nueces, Refugio, San Patricio, Starr, Webb, Willacy, Zapata counties

Beginning Position:	43		Data So	urce:	Assigned					
Length:	2		Type:		Alphanumeric					
Field 15:	LEN	LENGTH_OF_SERVICE								
Description:	Leng	Length of service in days <i>equals</i> Statement From Date through Statement Thru Date. The								
•	_	mum length of service	*		•					
Beginning Position:	45		Data So		Calculated					
Length:	2		Type:		Alphanumeric					
Field 16:	PAT	_AGE			*					
Description:	Code	e indicating age of pati	ient in days	or year	rs on date of service					
Coding Scheme:	00	1-28 days	10	35-39		20	85-89			
	01	29-365 days	11	40-44		21	90+			
	02	1-4 years	12	45-49		HIV	and drug/alcohol use patients:			
	03	5-9	13	50-54		22	0-17			
	04	10-14	14	55-59		23	18-44			
	05	15-17	15	60-64		24	45-64			
	06	18-19	16	65-69		25	65-74			
	07	20-24	17	70-74		26	75+			
	08	25-29	18	75-79			Invalid			
	09	30-34	19	80-84						
Beginning Position:	47		Data So	urce:	Assigned					
Length:	2		Type:		Alphanumeric					
Field 17:	RAC	CE								
Description:	Code	e indicating the patient	t's race.							
a -										

Suppression: If a facility has fewer than ten patients of one race that race is changed to 'Other' (code equals 5).

Coding Scheme:

- American Indian/Eskimo/Aleut
- Asian or Pacific Islander
- 3 Black
- 4 White
- 5 Other

Invalid

49 **Beginning Position: Data Source:** Claim Length: Type: Alphanumeric

ETHNICITY Field 18:

Description: Code indicating the Hispanic origin of the patient.

Suppression: If a facility has fewer than ten patients of one race the ethnicity of patients of that race is

suppressed (code is blank).

Coding Scheme: Hispanic Origin

Not of Hispanic Origin 2

Invalid

50 **Beginning Position: Data Source:** Claim Length: Alphanumeric Type:

Field 19: FIRST PAYMENT SRC

Description: Code indicating the expected primary source of payment.

Self Pay (Removed from 5010 format, use "ZZ" Health Maintenance Organization **Coding Scheme:** beginning 2Q2012 data)

10 Central Certification LI Liability Liability Medical 11 Other Non-federal Programs LM Preferred Provider Organization (PPO) Medicare Part A 12 MA Point of Service (POS) Medicare Part B 13 MB Exclusive Provider Organization (EPO) Medicaid

DSHS/THCIC **DSHS Document** # E25-14164

Beginning Position: Length: Field 20:	15 Indemnity Insurance 16 Health Maintenance Organization (HMO) Medicare Risk AM Automobile Medical BL Blue Cross/Blue Shield CH CHAMPUS CI Commercial Insurance DS Disability Insurance 51 Data Source: 2 Type: Alphanumeric TV Title V Other Federal Program WC Workers Compensation Plan WC Workers Compensation Health Claim Invalid Type: Alphanumeric
Description:	Code indicating the expected secondary source of payment.
Coding Scheme:	Same as field FIRST_PAYMENT_SRC
Beginning Position:	53 Data Source: Claim
Length:	2 Type: Alphanumeric
Field 21:	TYPE_OF_BILL
Description:	Provides specific information about the claim data submitted. First digit = type of facility.
Coding Scheme:	Second digit = type of care. Third digit = sequence of the claim. I^{st} digit—Type of Facility I^{st} digit—Type of Facility I^{st} digit—Sequence of claim I^{st} digit—Sequence of claim I^{st} digit—Sequence of claim I^{st} negative of Facility I^{st} negative I^{st} negati
	2 Skilled nursing 2 Inpatient, Medicare Part B only 1 Admit through discharge claim
	3 Home health 3 Outpatient 2 Interim—first claim
	4 Religious non-medical health 4 Outpatient Other, Medicare 3 Interim—continuing claim
	care—Hospital Part B only 5 Religious non-medical health 5 Intermediate Care—Level I 4 Interim—last claim care—Extended care
	6 Intermediate care 6 Intermediate Care–Level II 5 Late charge(s) only claim
	7 Clinic 7 Sub-acute inpatient – Level III 6 Adjustment of prior claim (Not used by Medicare) 8 Special facility 8 Swing bed 7 Replacement of prior claim
Beginning Position:	8 Special facility 8 Swing bed 7 Replacement of prior claim 8 Void/cancel of prior claim 55 Data Source: Claim
Length:	3 Type: Alphanumeric
Field 22:	CONDITION_CODE_1
11014 221	Code describing a condition relating to the claim.
Coding Scheme:	01 Military service related 83 C-section/Inductions 39 weeks or greater
coung seneme.	02 Condition is employment related 84 Dialysis for Acute Kidney Injury (AKI)
	Patient covered by insurance not reflected here 85 Delayed Recertification of Hospice Terminal Illness
	04 Information only bill. 86 Additional Hemodialysis Treatment with Medical Justification
	05 Lien has been filed A0 TRICARE external partnership program
	ESRD patient in first 18 months of entitlement A1 EPSDT/CHAP
	covered by EGHP Treatment of non-terminal condition for hospice
	patient Repeticiary would not provide information A2 Physically handicapped children's program Beneficiary would not provide information
	08 Concerning other insurance coverage A3 Special Federal Funding
	09 Neither patient or spouse is employed A4 Family planning
	Patient and/or spouse is employed but no EGHP A5 Disability exists
	Disabled beneficiary but no LGHP coverage exists A6 Vaccines/Medicare 100% payment
	17 Patient is homeless A9 Second opinion surgery 18 Meiden page retained AA Abortion performed due to rape
	18 Maiden name retained AA Abortion performed due to rape 19 Child retains mother's name AB Abortion performed due to incest
	Abortion performed due to serious fatal genetic
	20 Beneficiary requested billing AC defect, deformity, or abnormality Abortion performed due to life endangering
	21 Binning for demar notice AD physical condition
	Patient on multiple drug regimen AE Abortion performed due to physical health of mother that is not life endangering

DSHS/THCIC

23	Home care giver available	AF	Abortion performed due to emotional/psychological health of mother
24	Home IV patient also receiving HHA services	AG	Abortion performed due to social or economic
25	Patient is non-US resident	AH	reasons Elective abortion
26	VA eligible patient chooses to receive services in a Medicare certified facility	AI	Sterilization
27	Patient referred to a sole community hospital for a diagnostic laboratory test	AJ	Payer responsible for co-payment
28	Patient and/or spouse's EGHP is secondary to Medicare	AK	Air ambulance required
29	Disabled beneficiary and/or family member's LGHP is secondary to Medicare	AL	Specialized treatment/bed unavailable
30	Non-research services provided to patients enrolled in a qualified clinical trial	AM	Non-emergency medically necessary stretcher transport required
31	Patient is student (full time - day)	AN	Pre-admission screening not required
32	Patient is student (cooperative/work study program)	B0	Medicare coordinated care demonstration claim
33	Patient is student (full time - night)	B1	Beneficiary is ineligible for demonstration program
34	Patient is student (part-time)	B4	Admission unrelated to discharge on same day
36	General care patient in a special unit	BP	Gulf Oil Spill of 2010
37	Ward accommodation at patient request	C1	Approved as billed
38	Semi-private room not available	C2	Automatic approval as billed based on focused
	•		review
39	Private room medically necessary	C3	Partial approval
40	Same day transfer	C4	Admission/services denied
41	Partial hospitalization	C5	Post payment review applicable
42	Continuing care not related to inpatient admission	C6	Admission Preauthorization
43	Continuing care not provided within prescribed postdischarge window	C7	Extended Authorization
44	Inpatient admission changed to outpatient	D0	Changes to Service Dates
45	Ambiguous Gender Category	D1	Changes to Charges
46	Non-availability statement on file	D3	Second or Subsequent Interim PPS Bill
47	Transfer from another Home Health Agency	D4	Change in clinical codes (ICD) for diagnosis and/or procedure codes.
48	Psychiatric residential treatment centers for children and adolescents (RTCs)	D5	Cancel to correct Insured's ID or Provider ID
49	Product replacement within product lifecycle	D6	Cancel Only to Repay a Duplicate or OIG Overpayment
50	Product Replacement for Known Recall of a Product	D7	Change to Make Medicare the Secondary Payer
51	Attestation of Unrelated Outpatient Nondiagnostic Services	D8	Change to Make Medicare the Primary Payer
52	Out of Hospice Service Area	D9	Any Other Change
53	Initial placement of a medical device provided as part of a clinical trial or a free sample	DR	Disaster related
54	No Skilled Home Health Visits in Billing Period. Policy Exception Documented at the Home Health Agency	E0	Changes in Patient Status
55	SNF bed not available	G0	Distinct Medical Visit
56	Medical appropriateness	H0	Delayed Filing, Statement of Intent Submitted
57	SNF readmission	H2	Discharge by a Hospice Provider for Cause
	Terminated Medicare+Choice organization		0 , 1
58	enrollee	H3	Reoccurrence of GI Bleed Comorbid Category
59	Non-primary ESRD facility	H4	Reoccurrence of Pneumonia Comorbid Category
60	Day outlier	H5	Reoccurrence of Pericarditis Comorbid Category
61	Cost outlier	P1	Do not Resuscitate Order (DNR)
66	Provider does not wish cost outlier payment	P7	Point of the Point
67	Beneficiary elects not to use life time reserve (LTR) days	R1	Request for reopening Reason Code - Mathematical or Computational Mistake
68	Beneficiary elects to use life time reserve (LTR) days	R2	Request for reopening Reason Code -Inaccurate Data Entry

	69	IME/DGME/N&AH Paym	nent Only	R3	Request for reopening Reason Code - Misapplication of a Fee Schedule
	70	Self-administered anemia	management drug	R4	Request for reopening Reason Code - Computer
	71	Full care in unit		R5	Errors Request for reopening Reason Code - Incorrectly Identified Duplicate Claim
	72	Self care in unit		R6	Request for reopening Reason Code - Other Clerical Errors or Minor Errors and Omissions not Specified in R1-R5 above
	73	Self care training		R7	Request for reopening Reason Code - Corrections other than clerical errors
	74	Home		R8	Request for reopening Reason Code - New and Material Evidence
	75	Home - 100% reimbursem	nent	R9	Request for reopening Reason Code - Faulty Evidence
	76	Back-up in facility dialysis	s	WO	United Mine Workers of America (UMWA) Demonstration Indicator
	77	Provider accepts or is oblig contractual arrangement of payment by a primary payor	r law to accept	a W2	Duplicate of Original Bill
	78	New coverage not implem		W3	Level I Appeal
	79	CORF services provided of	offsite	W4	Level II Appeal
	80	Home dialysis - nursing fa		W5	Level III Appeal
	81	C-section/Inductions <39 Necessity			
	82	C-section/Inductions <39			
Beginning Position:	58		Data Source:	Claim	
Length:	2		Type:	Alphanu	imeric
Field 23:		NDITION_CODE_2			
~ " ~ "		describing a condition		laim.	
Coding Scheme:		e as Field CONDITION		~	
Beginning Position:	60		Data Source:	Claim	
Length:	2		Type:	Alphanu	imeric
Field 24:		NDITION_CODE_3			
		describing a condition		laim.	
Coding Scheme:		e as Field CONDITION		CI.:	
Beginning Position:	62		Data Source:	Claim	
Length:	2	IDITION CODE 4	Type:	Alphanu	imeric
Field 25:		NDITION_CODE_4		1	
C. P. C.L.		describing a condition		iaim.	
Coding Scheme:		e as Field CONDITION		C1. '	
Beginning Position:	64 2		Data Source:	Claim	
Length: Field 26:		IDITION CODE 5	Type:	Alphanu	imeric
rielu 20:		NDITION_CODE_5 c describing a condition	ralating to the al	loim	
Coding Scheme:		e as Field CONDITION		iaiii.	
Beginning Position:	66	as ricia CONDITION	Data Source:	Claim	
Length:	2		Type:	Alphanu	meric
Field 27:		DITION CODE 6	турс.	rupnane	americ
Ticia 27.		describing a condition	relating to the cl	laim	
Coding Scheme:		e as Field CONDITION		iuiiii.	
Beginning Position:	68	c us i icia condition	Data Source:	Claim	
Length:	2		Type:	Alphanu	ımeric
Field 28:		NDITION_CODE_7	-3 P**	1119114114	
= 141# = 01		e describing a condition	relating to the cl	laim.	
Coding Scheme:		e as Field CONDITION			
Beginning Position:	70	0 40 1 1010 0 01 (2 11101	Data Source:	Claim	
Length:	2		Type:	Alphanu	ımeric
Field 29:	CON	NDITION_CODE_8		-	
	Code	e describing a condition	relating to the cl	ıaım.	
DSHS/THCIC			– Page 15 –		DSHS Document # E25-14164
www.dshs.texas.gov/	THCI	C	rage 13		Last Updated: August, 2020

Coding Scheme:Same as Field CONDITION_CODE_1.Beginning Position:72Data Source:ClaimLength:2Type:AlphanumericField 30:PAT_REASON_FOR_VISITICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character.Beginning Position:7Data Source:ClaimLength:PRINC_DIAG_CODEICD-10-CM diagnosis code for the principal diagnosis, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character.Beginning Position:81Data Source:ClaimLength:7Type:AlphanumericField 32:OTH_DIAG_CODE_1 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Length:2Type:AlphanumericField 30:PAT_REASON_FOR_VISIT ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character.Beginning Position:74Data Source:ClaimLength:7Type:AlphanumericField 31:PRINC_DIAG_CODEICD-10-CM diagnosis code for the principal diagnosis, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character.Beginning Position:81Data Source:ClaimLength:7Type:AlphanumericField 32:OTH_DIAG_CODE_1ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. Beginning Position: Length: 7 Type: Alphanumeric PRINC_DIAG_CODE ICD-10-CM diagnosis code for the principal diagnosis, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. Beginning Position: Length: 7 Type: Alphanumeric Field 32: OTH_DIAG_CODE_1 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
implied following the third character. 74 Data Source: Claim 75 Type: Alphanumeric Field 31: PRINC_DIAG_CODE ICD-10-CM diagnosis code for the principal diagnosis, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. Beginning Position: 81 Data Source: Claim Length: 7 Type: Alphanumeric Field 32: OTH_DIAG_CODE_1 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Beginning Position: 74 Data Source: Claim Length: 7 Type: Alphanumeric Field 31: PRINC_DIAG_CODE ICD-10-CM diagnosis code for the principal diagnosis, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. Beginning Position: 81 Data Source: Claim Length: 7 Type: Alphanumeric Field 32: OTH_DIAG_CODE_1 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Length:7Type:AlphanumericField 31:PRINC_DIAG_CODEICD-10-CM diagnosis code for the principal diagnosis, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character.Beginning Position:81Data Source:ClaimLength:7Type:AlphanumericField 32:OTH_DIAG_CODE_1ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Field 31: PRINC_DIAG_CODE ICD-10-CM diagnosis code for the principal diagnosis, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. Beginning Position: Beginning Position: Type: Alphanumeric OTH_DIAG_CODE_1 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
ICD-10-CM diagnosis code for the principal diagnosis, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character. Beginning Position: Length: Type: Alphanumeric OTH_DIAG_CODE_1 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
if applicable. Decimal is implied following the third character. Beginning Position: Length: Data Source: Claim 7 Type: Alphanumeric OTH_DIAG_CODE_1 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Beginning Position: 81 Data Source: Claim Length: 7 Type: Alphanumeric Field 32: OTH_DIAG_CODE_1 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Length: 7 Type: Alphanumeric Field 32: OTH_DIAG_CODE_1 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
Field 32: OTH_DIAG_CODE_1 ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
implied following the third character.
Beginning Position: 88 Data Source: Claim
Length: 7 Type: Alphanumeric
Field 33: OTH_DIAG_CODE_2
ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
implied following the third character.
Beginning Position: 95 Data Source: Claim
Length: 7 Type: Alphanumeric
Field 34: OTH_DIAG_CODE_3
ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
implied following the third character.
Beginning Position: 102 Data Source: Claim
Length: 7 Type: Alphanumeric
Field 35: OTH_DIAG_CODE_4
ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
implied following the third character.
Beginning Position: 109 Data Source: Claim
Length: 7 Type: Alphanumeric
Field 36: OTH_DIAG_CODE_5
ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
implied following the third character.
Beginning Position: 116 Data Source: Claim
Length: 7 Type: Alphanumeric
Field 37: OTH_DIAG_CODE_6
ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character.
· ·
Length: 7 Type: Alphanumeric Field 38: OTH_DIAG_CODE_7
ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is implied following the third character.
Beginning Position: 130 Data Source: Claim
Length: 7 Type: Alphanumeric
Field 39: OTH DIAG CODE 8
ICD-10-CM diagnosis code, including the 4th, 5th, 6th and 7th digits if applicable. Decimal is
implied following the third character.
Beginning Position: 137 Data Source: Claim
Length: 7 Type: Alphanumeric
Field 40: OTH_DIAG_CODE_9

- Page 16 -

DSHS/THCIC

www.dshs.texas.gov/THCIC

DSHS Document # E25-14164 Last Updated: August, 2020

			h, 5th, 6th and 7th digits if applicable. Decimal is
D ' ' D '	implied following the third		
Beginning Position:	144	Data Source:	Claim
Length: Field 41:	OTH DIAC CODE 10	Type:	Alphanumeric
rieia 41:	OTH_DIAG_CODE_10	including the 1t	h 5th 6th and 7th digita if annicable Desimalis
	implied following the third		h, 5th, 6th and 7th digits if applicable. Decimal is
Beginning Position:	151	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 42:	OTH_DIAG_CODE_11	турс.	7 Hiphanameric
1 iciu 42.		including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third		in, our and the digits if appreciate. Beennaris
Beginning Position:	158	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 43:	OTH_DIAG_CODE_12	<i>.</i> 1	1
		, including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third		
Beginning Position:	165	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 44:	OTH_DIAG_CODE_13		
	ICD-10-CM diagnosis code	, including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third	character.	
Beginning Position:	172	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 45:	OTH_DIAG_CODE_14		
			th, 5th, 6th and 7th digits if applicable. Decimal is
D 1 1 D 1/1	implied following the third		
Beginning Position:	179	Data Source:	Claim
Length:	OTH DIAC CODE 15	Type:	Alphanumeric
Field 46:	OTH_DIAG_CODE_15	including the At	h, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third		ii, 5tii, 6tii and 7tii digits ii applicable. Decimai is
Beginning Position:	186	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 47:	OTH_DIAG_CODE_16		- 11p 11m11w111w
		. including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third		
Beginning Position:	193	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 48:	OTH_DIAG_CODE_17		
			th, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third		
Beginning Position:	200	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 49:	OTH_DIAG_CODE_18	. 1 11 4.	1.64.64. 1.74. 11.11.15. 11.11
			h, 5th, 6th and 7th digits if applicable. Decimal is
Beginning Position:	implied following the third 207	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 50:	OTH_DIAG_CODE_19	туре.	Alphanumeric
riciu sv.		including the At	h, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third		ii, 5tii, 6tii and 7tii digits ii applicable. Decillal Is
Beginning Position:	214	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 51:	OTH_DIAG_CODE_20	V 1	•
DSHS/THCIC		– Page 17 <i>–</i>	DSHS Document # E25-14164
www.dehe toyoe gov/	THATA		Last Undeted August 2020

www.dshs.texas.gov/THCIC

Last Updated: August, 2020

	ICD-10-CM diagnosis code	e, including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third	character.	
Beginning Position:	221	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 52:	OTH_DIAG_CODE_21		
			h, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third	character.	
Beginning Position:	228	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 53:	OTH_DIAG_CODE_22		
			h, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third		
Beginning Position:	235	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 54:	OTH_DIAG_CODE_23		
	ICD-10-CM diagnosis code	e, including the 4t	h, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third	character.	
Beginning Position:	242	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 55:	OTH_DIAG_CODE_24		
			h, 5th, 6th and 7th digits if applicable. Decimal is
	implied following the third	character.	
Beginning Position:	249	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 56:	RELATED_CAUSE_COL		
		panying cause of	an illness, injury or an accident.
Coding Scheme:	AA Auto accident		
	AB Abuse		
	AP Another party responsible		
	EM Employment		
	OA Other accident		
Beginning Position:	256	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 57:	RELATED_CAUSE_COI		
~ ~ .			an illness, injury or an accident.
Coding Scheme:	Same as Field RELATED_		
Beginning Position:	258	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 58:	RELATED_CAUSE_COL		
			an illness, injury or an accident.
Coding Scheme:	Same as Field RELATED_		
Beginning Position:	260	Data Source:	Claim
Length:	2 E CODE 1	Type:	Alphanumeric
Field 59:	E_CODE_1		1 54 54 154 11 11 64
			h, 5th, 6th and 7th digits if applicable, of the
D !! D!4!	-		nal is implied following the third character.
Beginning Position:	262	Data Source:	Claim
Length:	7 E CODE 2	Type:	Alphanumeric
Field 60:	E_CODE_2		1. 5d. 6d. and 7d. d'a'e 'Canal' 11 C
	_	_	h, 5th, 6th and 7th digits if applicable, of an
Doginal Do			nal is implied following the third character.
Beginning Position:	269	Data Source:	Claim
Length:	7 E CODE 2	Type:	Alphanumeric
Field 61:	E_CODE_3		

			h, 5th, 6th and 7th digits if applicable, of an
Beginning Position:	additional external cause of 276	Data Source:	nal is implied following the third character. Claim
Length:	7	Type:	Alphanumeric
Field 62:	E_CODE_4	турс.	7 Aprilandine 11c
11010 02.		. including the 4t	h, 5th, 6th and 7th digits if applicable, of an
			nal is implied following the third character.
Beginning Position:	283	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 63:	E_CODE_5		
	_	_	h, 5th, 6th and 7th digits if applicable, of an
Danimuina Danitiana		Data Source:	nal is implied following the third character.
Beginning Position: Length:	290 7	Type:	Claim Alphanumeric
Field 64:	E_CODE_6	туре.	Aiphanumenc
riciu 04.		including the 4t	h, 5th, 6th and 7th digits if applicable, of an
			nal is implied following the third character.
Beginning Position:	297	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 65:	E_CODE_7	V I	
		, including the 4t	h, 5th, 6th and 7th digits if applicable, of an
			nal is implied following the third character.
Beginning Position:	304	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 66:	E_CODE_8		
			h, 5th, 6th and 7th digits if applicable, of an
		-	mal is implied following the third character.
Beginning Position:	311	Data Source:	Claim
Length:	7 E CODE 0	Type:	Alphanumeric
Field 67:	E_CODE_9	inaludina tha 1t	h 5th 6th and 7th digita if applicable of an
			h, 5th, 6th and 7th digits if applicable, of an nal is implied following the third character.
Beginning Position:	318	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 68:	E_CODE_10	турс.	7 iipiidiidiileile
11010 000		. including the 4t	h, 5th, 6th and 7th digits if applicable, of an
	additional external cause of	morbidity. Decir	mal is implied following the third character.
Beginning Position:	325	Data Source:	Claim
Length:	7	Type:	Alphanumeric
Field 69:	PROC_CODE_1		
			the highest charge performed during the period
	covered by the bill. HCPCS		
Beginning Position:	332	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 70:	PROC_CODE_2		
			e next highest charge performed during the period
Beginning Position:	covered by the bill. HCPCS 337	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 71:	PROC CODE 3	туре.	Alphanumene
11010 / 14		rocedure with the	e next highest charge performed during the period
	covered by the bill. HCPCS		s near ingress charge performed during the period
Beginning Position:	342	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 72:	PROC_CODE_4		
			DOUG D
DSHS/THCIC	THEIC	— Page 19 —	DSHS Document # E25-14164
www.dshs.texas.gov/	THUL	<u> </u>	Last Updated: August, 2020

	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
Beginning Position:	347	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 73:	PROC_CODE_5	туре.	Alphanumene
riciu 73.		rocedure with the	e next highest charge performed during the period
	covered by the bill. HCPCS		s next ingliest charge performed during the period
Beginning Position:	352	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 74:	PROC_CODE_6	J	F
		procedure with the	e next highest charge performed during the period
	covered by the bill. HCPCS		
Beginning Position:	357	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 75:	PROC_CODE_7		
			e next highest charge performed during the period
	covered by the bill. HCPCS		
Beginning Position:	362	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 76:	PROC_CODE_8	1 14 4	
			e next highest charge performed during the period
Doginning Dogitions	covered by the bill. HCPCS		Claim
Beginning Position:	367 5	Data Source:	Claim
Length: Field 77:	PROC_CODE_9	Type:	Alphanumeric
rieiu //:		procedure with the	e next highest charge performed during the period
	covered by the bill. HCPCS		theat highest charge performed during the period
Beginning Position:	372	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 78:	PROC_CODE_10	- J P 0 0	
11010		procedure with the	e next highest charge performed during the period
	covered by the bill. HCPCS		
Beginning Position:	377	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 79:	PROC_CODE_11		
			e next highest charge performed during the period
	covered by the bill. HCPCS		
Beginning Position:	382	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 80:	PROC_CODE_12		
	0 1		e next highest charge performed during the period
D ' ' D '	covered by the bill. HCPCS		
Beginning Position:	387	Data Source:	Claim
Length:	DDOC CODE 12	Type:	Alphanumeric
Field 81:	PROC_CODE_13	maaaduma uuith the	now this host aborgo performed during the period
	covered by the bill. HCPCS		e next highest charge performed during the period
Beginning Position:	392	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 82:	PROC CODE 14	турс.	Aiphanumeric
i iciu uz.		procedure with the	e next highest charge performed during the period
	covered by the bill. HCPCS		. next ingliest charge performed during the period
Beginning Position:	397	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 83:	PROC_CODE_15	J I' - '	
DSHS/THCIC		— Page 20 —	DSHS Document # E25-14164
www.dshs.texas.gov/	ТНСІС	8	Last Updated: August, 2020

			e next highest charge performed during the period
	covered by the bill. HCPCS		
Beginning Position:	402	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 84:	PROC_CODE_16		
			e next highest charge performed during the period
D	covered by the bill. HCPCS		Clair.
Beginning Position:	407	Data Source:	Claim
Length: Field 85:	5 PROC_CODE_17	Type:	Alphanumeric
riciu os.		procedure with the	e next highest charge performed during the period
	covered by the bill. HCPCS		the next ingliest charge performed during the period
Beginning Position:	412	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 86:	PROC_CODE_18		•
	Code for surgical or other p	procedure with the	e next highest charge performed during the period
	covered by the bill. HCPCS		
Beginning Position:	417	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 87:	PROC_CODE_19		
			e next highest charge performed during the period
	covered by the bill. HCPCS		an i
Beginning Position:	422	Data Source:	Claim
Length:	5 PROC. CODE 40	Type:	Alphanumeric
Field 88:	PROC_CODE_20	ma aa duma yyith tha	most highest shound monformed dyning the monied
	covered by the bill. HCPCS		e next highest charge performed during the period
Beginning Position:	427	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 89:	PROC_CODE_21	1 y pc.	1 II pilationierie
		rocedure with the	e next highest charge performed during the period
	covered by the bill. HCPCS		8 1 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Beginning Position:	432	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 90:	PROC_CODE_22		
			e next highest charge performed during the period
	covered by the bill. HCPCS		
Beginning Position:	437	Data Source:	Claim
Length:	5 PROGRESS 43	Type:	Alphanumeric
Field 91:	PROC_CODE_23	maaaduma usith the	e next highest charge performed during the period
	covered by the bill. HCPCS		e next nighest charge performed during the period
Beginning Position:	442	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 92:	PROC CODE 24	1 y pc.	1 II pilationierie
11014 / 21		procedure with the	e next highest charge performed during the period
	covered by the bill. HCPCS		
Beginning Position:	447	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 93:	PROC_CODE_25		
			e next highest charge performed during the period
	covered by the bill. HCPCS		
Beginning Position:	452	Data Source:	Claim
Length:	5	Type:	Alphanumeric
Field 94:	OTHER_AMOUNT		
DSHS/THCIC		.	DSHS Document # E25-14164
www.dshs.texas.gov/	THCIC	— Page 21 —	Last Updated: August, 2020
., ii ii iii iiiiiiiiiiiiiiiiiiiiiiiiii			Dasi Spanica Hagasi, 2020

	Ancillary Service Charge, Other Charge Amount. Calculated using MEDPAR algorithm. Sum		
	of charges associated with revenue codes other than 0100-0219, revenue center 0002-0099,		
D 1 1 D 1/1			X-070X, 076X-078X, 090X-095X, 099X.
Beginning Position:	457 12	Data Source:	Calculated
Length: Field 95:	PHARM_AMOUNT	Type:	Numeric
rieiu 95:		harmacy Charge	Amount. Calculated using MEDPAR algorithm.
	Sum of charges associated v	vith revenue code	es other than 0100-0219, revenue center 026X,
	063X.	villi ie veliae eea.	os other than 5100 5219, 16 tende center 52011,
Beginning Position:	469	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 96:	MEDSURG_AMOUNT		
			Supply Charge Amount. Calculated using
			ated with revenue codes other than 0100-0219,
	revenue center 027X, 062X		
Beginning Position:	481	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 97:	DME_AMOUNT		
			Equipment Charge Amount. Calculated using
	<u> </u>	_	ated with revenue codes other than 0100-0219,
Beginning Position:	revenue centers 0290-0292, 493	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 98:	USED_DME_AMOUNT	турс.	Trumone
21014 > 00		sed Durable Me	dical Equipment Charge Amount. Calculated using
			ated with revenue codes other than 0100-0219,
	revenue center 0293.	· ·	
Beginning Position:	505	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 99:	PT_AMOUNT		
			Charge Amount. Calculated using MEDPAR
		ssociated with re	evenue codes other than 0100-0219, revenue center
Doginning Dogition.	042X.	Data Caurage	
Beginning Position:	517	Data Source:	Calculated
Length:	517 12	Data Source: Type:	
	517 12 OT_AMOUNT	Type:	Calculated Numeric
Length:	517 12 OT_AMOUNT Ancillary Service Charge, C	Type: Occupational The	Calculated Numeric rapy Charge Amount. Calculated using MEDPAR
Length:	517 12 OT_AMOUNT Ancillary Service Charge, C	Type: Occupational The	Calculated Numeric
Length:	517 12 OT_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a	Type: Occupational The	Calculated Numeric rapy Charge Amount. Calculated using MEDPAR
Length: Field 100:	517 12 OT_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 043X.	Type: Occupational Theorems with respect to the control of the con	Calculated Numeric rapy Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center
Length: Field 100: Beginning Position:	517 12 OT_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 043X. 529 12 SPEECH_AMOUNT	Type: Occupational Theossociated with re Data Source: Type:	Calculated Numeric rapy Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric
Length: Field 100: Beginning Position: Length:	517 12 OT_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 043X. 529 12 SPEECH_AMOUNT Ancillary Service Charge, S	Type: Occupational The associated with re Data Source: Type: peech Pathology	Calculated Numeric rapy Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR
Length: Field 100: Beginning Position: Length:	517 12 OT_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 043X. 529 12 SPEECH_AMOUNT Ancillary Service Charge, Salgorithm. Sum of charges a	Type: Occupational The associated with re Data Source: Type: peech Pathology	Calculated Numeric rapy Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric
Length: Field 100: Beginning Position: Length: Field 101:	517 12 OT_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 043X. 529 12 SPEECH_AMOUNT Ancillary Service Charge, Salgorithm. Sum of charges a 044X, 047X.	Type: Occupational Theossociated with re Data Source: Type: peech Pathology ssociated with re	Calculated Numeric rapy Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center
Length: Field 100: Beginning Position: Length: Field 101: Beginning Position:	517 12 OT_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 043X. 529 12 SPEECH_AMOUNT Ancillary Service Charge, Salgorithm. Sum of charges a 044X, 047X. 541	Type: Decupational The associated with respect Pathology associated with respect Pathology associated with respect Pata Source:	Calculated Numeric rapy Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated
Length: Field 100: Beginning Position: Length: Field 101: Beginning Position: Length:	517 12 OT_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 043X. 529 12 SPEECH_AMOUNT Ancillary Service Charge, Salgorithm. Sum of charges a 044X, 047X. 541 12	Type: Occupational Theossociated with re Data Source: Type: peech Pathology ssociated with re	Calculated Numeric rapy Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center
Length: Field 100: Beginning Position: Length: Field 101: Beginning Position:	517 12 OT_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 043X. 529 12 SPEECH_AMOUNT Ancillary Service Charge, Salgorithm. Sum of charges a 044X, 047X. 541 12 IT_AMOUNT	Type: Decupational Theassociated with respect Pathology associated with respect Pathology associated with respect Pathology associated with respect Pathology.	Calculated Numeric rapy Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric
Length: Field 100: Beginning Position: Length: Field 101: Beginning Position: Length:	517 12 OT_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 043X. 529 12 SPEECH_AMOUNT Ancillary Service Charge, Salgorithm. Sum of charges a 044X, 047X. 541 12 IT_AMOUNT Ancillary Service Charge, In	Type: Decupational Theoseociated with respect Pathology ssociated with respect Pathology shource: Type: Data Source: Type: Data Source: Type:	Calculated Numeric rapy Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Calculated Numeric y Charge Amount. Calculated using MEDPAR
Length: Field 100: Beginning Position: Length: Field 101: Beginning Position: Length:	517 12 OT_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 043X. 529 12 SPEECH_AMOUNT Ancillary Service Charge, Salgorithm. Sum of charges a 044X, 047X. 541 12 IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a	Type: Decupational Theoseociated with respect Pathology ssociated with respect Pathology shource: Type: Data Source: Type: Data Source: Type:	Calculated Numeric rapy Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric
Length: Field 100: Beginning Position: Length: Field 101: Beginning Position: Length: Field 102:	517 12 OT_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 043X. 529 12 SPEECH_AMOUNT Ancillary Service Charge, Salgorithm. Sum of charges a 044X, 047X. 541 12 IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a 041X, 046X.	Type: Decupational The ssociated with respect to the peech Pathology specification and peech	Calculated Numeric rapy Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center
Length: Field 100: Beginning Position: Length: Field 101: Beginning Position: Length:	517 12 OT_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 043X. 529 12 SPEECH_AMOUNT Ancillary Service Charge, Salgorithm. Sum of charges a 044X, 047X. 541 12 IT_AMOUNT Ancillary Service Charge, Ir algorithm. Sum of charges a	Type: Decupational Theoseociated with respect Pathology ssociated with respect Pathology shource: Type: Data Source: Type: Data Source: Type:	Calculated Numeric rapy Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Calculated Numeric y Charge Amount. Calculated using MEDPAR
Length: Field 100: Beginning Position: Length: Field 101: Beginning Position: Length: Field 102:	517 12 OT_AMOUNT Ancillary Service Charge, Calgorithm. Sum of charges a 043X. 529 12 SPEECH_AMOUNT Ancillary Service Charge, Salgorithm. Sum of charges a 044X, 047X. 541 12 IT_AMOUNT Ancillary Service Charge, In algorithm. Sum of charges a 041X, 046X. 553	Type: Decupational The ssociated with respect to the ssociated with respect to the spect to the ssociated with respect to the spect tot	Calculated Numeric rapy Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Numeric y Charge Amount. Calculated using MEDPAR evenue codes other than 0100-0219, revenue center Calculated Calculated Calculated Calculated Calculated

DSHS/THCIC www.dshs.texas.gov/THCIC

- Page 22 -

DSHS Document # E25-14164 Last Updated: August, 2020

	Ancillary Service Charge fo	or blood provided	during the patient's stay. Calculated using
	MEDPAR algorithm. Sum	of charges associa	ated with revenue codes other than 0100-0219,
	revenue center 038X.		
Beginning Position:	565	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 104:	BLOOD_ADMIN_AMOU		
			and processing related to the patient's stay.
			of charges associated with revenue codes other
5 1 1 5 W	than 0100-0219, revenue ce		
Beginning Position:	577	Data Source:	Calculated
Length:	12 OD AMOUNT	Type:	Numeric
Field 105:	OR_AMOUNT	D	Classical Calada de MEDRAR
			Charge amount. Calculated using MEDPAR
	036X, 071X-072X.	associated with re	evenue codes other than 0100-0219, revenue center
Doginaina Dogitions	589	Data Courses	Calculated
Beginning Position: Length:	12	Data Source: Type:	Numeric
Field 106:	LITH AMOUNT	Type.	Numeric
riciu 100.	_	ithotriney Chara	e Amount. Calculated using MEDPAR algorithm.
			es other than 0100-0219, revenue center 079X.
Beginning Position:	601	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 107:	CARD_AMOUNT	Type.	Tumeric
11014 1071		Cardiology Charg	e Amount. Calculated using MEDPAR algorithm.
			es other than 0100-0219, revenue center 048X,
	073X.		, , , , , , , , , , , , , , , , , , ,
Beginning Position:	613	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 108:	ANES_AMOUNT		
	Ancillary Service Charge, A	Anesthesia Chargo	e Amount. Calculated using MEDPAR algorithm.
			es other than 0100-0219, revenue center 037X.
Beginning Position:	625	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 109:	LAB_AMOUNT		
			e Amount. Calculated using MEDPAR algorithm.
		with revenue code	es other than 0100-0219, revenue center 030X-
Doniumiu a Donitiou	031X, 074X-075X.	Data Carras	Calandatad
Beginning Position: Length:	637 12	Data Source: Type:	Calculated Numeric
Field 110:	RAD_AMOUNT	Type.	Numeric
riciu 110.		Radiology Charge	Amount. Calculated using MEDPAR algorithm.
	•		es other than 0100-0219, revenue center 028X,
	032X-035X, 040X.	with tevenue code	os other than 0100 0217, revenue center 02071,
Beginning Position:	649	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 111:	MRI_AMOUNT	J	
		MRI Charge Amo	ount. Calculated using MEDPAR algorithm. Sum of
			than 0100-0219, revenue center 061X.
Beginning Position:	661	Data Source:	Calculated
Length:	12	Type:	Numeric
Field 112:	OP_AMOUNT		
	Ancillary Service Charge, (Outpatient Service	es Charge Amount. Calculated using MEDPAR
		associated with re	evenue codes other than 0100-0219, revenue center
	049X-050X.		
Beginning Position:	673	Data Source:	Calculated

- Page 23 -

DSHS Document # E25-14164

Last Updated: August, 2020

DSHS/THCIC

Length:	12	Type:	Numeric	
Field 113:	ER_AMOUNT	* *		
	Ancillary Service Charge, Emergency Room Charge Amount. Calculated using MEDPAR			
		algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center		
	045X.			
Beginning Position:	685	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 114:	AMBULANCE_AMOUN	T		
	Ancillary Service Charge, A	Ambulance Charg	e Amount. Calculated using MEDPAR algorithm.	
			es other than 0100-0219, revenue center 054X.	
Beginning Position:	697	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 115:	PRO_FEE_AMOUNT			
	Ancillary Service Charge, I	Professional Fee (Charge Amount. Calculated using MEDPAR	
	algorithm. Sum of charges	associated with re	evenue codes other than 0100-0219, revenue center	
	096X-098X.			
Beginning Position:	709	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 116:	ORGAN_AMOUNT			
	Ancillary Service Charge, (Organ Acquisition	Charge Amount. Calculated using MEDPAR	
	algorithm. Sum of charges	associated with re	evenue codes other than 0100-0219, revenue center	
	081X, 089X.			
Beginning Position:	721	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 117:	ESRD_AMOUNT			
	Ancillary Service Charge, I	End Stage Renal I	Dialysis Charge Amount. Calculated using	
			ated with revenue codes other than 0100-0219,	
	revenue center 080X, 082X	X-085X, 088X.		
Beginning Position:	733	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 118:	CLINIC_AMOUNT			
			ge Amount. Calculated using MEDPAR algorithm.	
			es other than 0100-0219, revenue center 051X.	
Beginning Position:	745	Data Source:	Calculated	
Length:	12	Type:	Numeric	
Field 119:	TOTAL_CHARGES			
			d accommodation charges, ancillary charges, non-	
D 1 1 D 1/1	covered ancillary charges. I	•		
Beginning Position:	757			
Length:	12	Type:	Numeric	
Field 120:	TOTAL_NON_COV_CH			
Daginning Dagitian.			s, non-covered ancillary charges.	
Beginning Position: Length:	769 12	Data Source:	Claim	
	12 TOTAL CHARGES AN	Type:	Numeric	
Field 121:			homana	
Docinning Docitions	Sum of covered and non-co	Data Source:	Claim	
Beginning Position:	781 12		Numeric	
Length:		Type:		
Field 122:	TOTAL_NON_COV_CH		.	
Doginning Dogition	Sum of non-covered ancilla		Claim	
Beginning Position:	793 12	Data Source:	Claim	
Length:		Type:	Numeric	
Field 123:	PHYSICIAN1_INDEX_N	UNIBEK		

Unique identifier assigned to the licensed physician reported as the Operating Physician, if reported in the 837 Institutional Guide format, or Rendering Physician 1, if reported in the 837 Professional Guide format. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include a health practicioner other than a physician who provides a diagnostic or therapeutic procedure related to the outpatient's surgical or radiological

procedure, including a technician, psychologist, chiropractor, dentist, nurse practitioner, nurse

midwive or podiatrist, authorized by the facility to treat patients.

Suppression: Suppressed when the number of physicians reported for a facility or the number of physicians

reported for CCS PROC CODE 1 for the facility is less than five.

999999998 Cell size less than 5 **Coding Scheme:**

999999999 Temporary license or license number could not be matched **Beginning Position:** 805 **Data Source:** Assigned Length: Alphanumeric 10 Type:

Field 124: PHYSICIAN2 INDEX NUMBER

> Unique identifier assigned to the licensed physician reported as the other provider, if reported in the 837 Institutional Guide format, or the Rendering Physician 2, if reported in the 837 Professional Guide format. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include a health practitioner other than a physician who provides a diagnostic or therapeutic procedure related to the outpatient's surgical or radiological

procedure, including a technician, psychologist, chiropractor, dentist, nurse practitioner, nurse

midwives or podiatrist, authorized by the facility to treat patients.

Suppressed when the number of physicians reported for a facility or the number of physicians **Suppression:**

represented for CCS PROC CODE 1 for a facility is less than five.

999999998 Cell size less than 5 **Coding Scheme:**

999999999 Temporary license or license number could not be matched

Beginning Position: 815 **Data Source:** Assigned Length: 10 Type: Alphanumeric

Field 125: INPUT FORMAT

Format in which the outpatient data file was submitted by the facility

Coding Scheme: 0 837 Professional 1 837 Institutional

Beginning Position: 825 **Data Source:** Assigned Length: Alphanumeric Type:

Field 126: SOURCE OF ADMISSION

Description: Code indicating source of the admission.

Non-Healthcare Facility Point of Origin (Beginning July 1, 2010) **Coding Scheme:**

2 Clinic or Physician's Office

Transfer from a hospital

Transfer from a skilled nursing facility, intermediate care facility or assisted living facility 5

Transfer from another health care facility 6

8 Court/Law Enforcement

Information not available

D Transfer from One Distinct Unit of the Hospital to another Distinct Unit of the Same Hospital Resulting in a

Separate Claim to the Payer

Е Transfer from Ambulatory Surgery Center

F Transfer from a Hospice Facility

Invalid

If Type of Admission=4 (Newborn)

Born inside this hospital 5

Born outside this hospital 6

Beginning Position: 826 **Data Source:** Claim

Length: Alphanumeric Type:

Field 127: PAT_STATUS

Description: Code indicating patient status as of the ending date of service for the period of care reported

Coding Scheme: Discharged to home or self-care (routine discharge)

02 Discharged/transferred to a short term general hospital for inpatient care

03 Discharged/transferred to skilled nursing facility (SNF) with Medicare certification in anticipation of skilled

04 Discharged/transferred to a facility that provides custodial or supportive care

Discharged/transferred to a Designated Cancer Center or Children's Hospital (effective 10-1-2007) 05

- 06 Discharged/transferred to home under care of an organized home health service organization in anticipation of covered skilled care
- 07 Left against medical advice
- 09 Admitted as inpatient to this hospital
- 20 Expired
- 21 Discharged/transferred to Court/Law Enforcement
- 30 Still patient
- 40 Expired at home
- 41 Expired in a medical facility
- 42 Expired, place unknown
- 43 Discharged/transferred to federal government operated health facility
- 50 Hospice-home
- 51 Hospice-medical facility (Certified) providing hospice level of care
- 61 Discharged/transferred within this institution to Medicare-approved swing bed
- 62 Discharged/transferred to inpatient rehabilitation facility
- 63 Discharged/transferred to Medicare-certified long term care hospital
- 64 Discharged/transferred to Medicaid-certified nursing facility under Medicaid but not certified under Medicare
- 65 Discharged/transferred to psychiatric hospital or psychiatric distinct part of a hospital
- 66 Discharged/transferred to Critical Access Hospital (CAH)
- 69 Discharged/Transferred to a designated disaster alternate care (effective 10-1-2013)
- 70 Discharge/transfer to another type of health care institution not defined elsewhere in the code list
- 81 Discharged to Home or Self Care with a Planned Acute. Care Hospital Inpatient Readmission (effective 10-1-2013)
- 82 Discharged/Transferred to a Short Term General Hospital for Inpatient Care with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 83 Discharged/Transferred to a Skilled Nursing Facility (SNF) with Medicare Certification with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 84 Discharged/Transferred to a Facility that Provides Custodial or Supportive Care with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 85 Discharged/transferred to a Designated Cancer Center or Children's Hospital with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 86 Discharged/Transferred to Home under Care of Organized Home Health Service Organization with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 87 Discharged/Transferred to Court/Law Enforcement with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 88 Discharged/Transferred to a Federal Health Care Facility with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 89 Discharged/Transferred to a Hospital-based Medicare Approved Swing Bed with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 90 Discharged/Transferred to an Inpatient Rehabilitation Facility (IRF) including Rehabilitation Distinct Part Units of a Hospital with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 91 Discharged/Transferred to a Medicare Certified Long Term Care Hospital (LTCH) with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 92 Discharged/Transferred to a Nursing Facility Certified Under Medicaid but not Certified Under Medicare with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 93 Discharged/Transferred to a Psychiatric Hospital or Psychiatric Distinct Part Unit of a Hospital with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 94 Discharged/Transferred to a Critical Access Hospital (CAH) with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013)
- 95 Discharged/Transferred to Another Type of Health Care Institution not Defined Elsewhere in this Code List with a Planned Acute Care Hospital Inpatient Readmission (effective 10-1-2013) Invalid

Beginning Position:827Data Source:ClaimLength:2Type:Alphanumeric

Field 128: PROVIDER NAME

Description: Name provided by the facility.

Suppression: Facilities reporting fewer than 50 events (Provider ID equals '999999') are assigned the name

'Low Volume Facility'. If a facility reported fewer than 5 events for a particular gender,

including 'unknown', Provider Name is blank.

Beginning Position:829Data Source:ProviderLength:55Type:Alphanumeric

Field 129: EMERGENCY_DEPT_FLAG

Description: Indicator of emergency department visit.

Coding Scheme:

Y visit was emergency related
N Visit was not emergency related

Beginning Position: 802 **Data Source:** Assigned

DSHS/THCIC

www.dshs.texas.gov/THCIC

Page 26

DSHS Document # E25-14164

Last Updated: August, 2020

Length:	1	Type:	Alphanumeric
Lugui.	1	I J PC.	1 inpliantamente

CLASSIFICATION DATA FILE

		ICATION L		
Field 1:	RECORD_ID			
Description:			er assigned to identify the record. First available 1st	
	quarter 2002. Does NOT m		D_ID in THCIC Research Data Files (RDF's).	
Beginning Position:	1	Data Source:	Assigned	
Length:	12	Type:	Alphanumeric	
Field 2:	CCS_PRIN_DIAG_COD			
			sification of PRIN_DIAG_CODE into clinically	
	meaningful diagnosis catego			
Beginning Position:	13	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 3:	CCS_OTH_DIAG_CODE		'C'' COTH DIAC CODE 1 ' 1'' 1	
			sification of OTH_DIAG_CODE_1 into clinically	
Paginning Desitions	meaningful diagnosis categoria	Data Source:	Assigned	
Beginning Position: Length:	4		Assigned Alphanumeric	
Field 4:	CCS_OTH_DIAG_CODE	Type:	Aiphanumenc	
riciu 4.			sification of OTH_DIAG_CODE_2 into clinically	
	meaningful diagnosis catego		sineation of OTT_DIAG_CODE_2 into eninearry	
Beginning Position:	21	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 5:	CCS OTH DIAG CODE		7 ii piidiidiileite	
Ticiu Ci		_	sification of OTH_DIAG_CODE_3 into clinically	
	meaningful diagnosis catego		sineution of offi_Bhro_cobb_s mile emmeany	
Beginning Position:	25	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 6:	CCS_OTH_DIAG_CODE		F	
			sification of OTH_DIAG_CODE_4 into clinically	
	meaningful diagnosis catego		·	
Beginning Position:	29	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 7:	CCS_OTH_DIAG_CODE			
			sification of OTH_DIAG_CODE_5 into clinically	
	meaningful diagnosis catego			
Beginning Position:	33	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 8:	CCS_OTH_DIAG_CODE_6			
		, ,	sification of OTH_DIAG_CODE_6 into clinically	
	meaningful diagnosis catego			
Beginning Position:	37	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 9:	CCS_OTH_DIAG_CODE		difference of OTH DIAC CODE 7 144 11 11	
			sification of OTH_DIAG_CODE_7 into clinically	
Doginaina Dogista	meaningful diagnosis catego	•	Assigned	
Beginning Position:	41 4	Data Source:	Alabanymaria	
Length: Field 10:	CCS OTH DIAG CODE	Type:	Alphanumeric	
riciu IV.			sification of OTH_DIAG_CODE_8 into clinically	
	meaningful diagnosis catego		Sincation of OTTI_DIAO_CODE_6 line chilically	
Beginning Position:	45	Data Source:	Assigned	
Length:	43	Type:	Alphanumeric	
Field 11:	CCS_OTH_DIAG_CODE		1 II primitation	
11010 111			sification of OTH_DIAG_CODE_9 into clinically	
	meaningful diagnosis catego			
		- <i>J</i> -		
DSHS/THCIC		D. 20	DSHS Document # E25-14164	
www.dshs.texas.gov	v/THCIC	— Page 28 —	Last Updated: August, 2020	

Beginning Position: Length:	49 4	Data Source: Type:	Assigned Alphanumeric	
Field 12:	CCS_OTH_DIAG_CODE		7 ii pridriditerie	
11010 12.	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_10 into clinically			
	meaningful diagnosis categor			
Beginning Position:	53	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 13:	CCS_OTH_DIAG_CODE			
11010 101			sification of OTH_DIAG_CODE_11 into clinically	
	meaningful diagnosis categor		onicution of offi_Bir10_cobb_11 into chinicuty	
Beginning Position:	57	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 14:	CCS_OTH_DIAG_CODE		1 11 11	
11010 111			sification of OTH_DIAG_CODE_12 into clinically	
	meaningful diagnosis categor		oniculation of offi_bir10_cobb_12 mile chimeum	
Beginning Position:	61	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 15:	CCS_OTH_DIAG_CODE		1 in primition in the control of the	
Ticia IS.			sification of OTH_DIAG_CODE_13 into clinically	
	meaningful diagnosis categor		sincution of OTII_DITIO_CODE_13 into chinically	
Beginning Position:	65	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 16:	CCS_OTH_DIAG_CODE		ruphananere	
ricia 10.			sification of OTH_DIAG_CODE_14 into clinically	
	meaningful diagnosis categories		sincation of OTII_DIAG_CODE_14 into clinically	
Beginning Position:	69	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 17:	CCS_OTH_DIAG_CODE		Aiphanumeric	
riciu 17.			sification of OTH_DIAG_CODE_15 into clinically	
	meaningful diagnosis category		sincation of OTT_DIAO_CODE_13 into chinically	
Beginning Position:	73	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 18:	CCS_OTH_DIAG_CODE		Aiphanumeric	
riciu 10.			sification of OTH_DIAG_CODE_16 into clinically	
	meaningful diagnosis categories		sincation of OTII_DIAG_CODE_10 into chinically	
Beginning Position:	77	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 19:	CCS_OTH_DIAG_CODE		Aiphanumeric	
riciu 17.			sification of OTH_DIAG_CODE_17 into clinically	
	meaningful diagnosis category		sincation of OTII_DIAG_CODE_17 into clinically	
Beginning Position:	81	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 20:	CCS OTH DIAG CODE		Aiphanumeric	
riciu 20.			sification of OTH_DIAG_CODE_18 into clinically	
	meaningful diagnosis category		sincation of OTT_DIAO_CODE_18 into clinically	
Beginning Position:	85	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 21:	CCS_OTH_DIAG_CODE		Aiphanumeric	
rieiu 21:			sification of OTH_DIAG_CODE_19 into clinically	
	meaningful diagnosis category		sincation of OTH_DIAG_CODE_19 into chinically	
Danimuina Danisiana	2 2	•	A:	
Beginning Position:	89	Data Source:	Assigned	
Length:	GCC OTH DIAC CODE	Type:	Alphanumeric	
Field 22:	CCS_OTH_DIAG_CODE		offication of OTH DIAC CODE 20 into all in the	
			sification of OTH_DIAG_CODE_20 into clinically	
	meaningful diagnosis categories	ory.		
DSHS/THCIC			DSHS Document # E25-14164	
www.dshs.texas.gov	/THCIC	— Page 29 —	Last Updated: August, 2020	
" " " usus.caas.gu			Last Opuated. August, 2020	

Beginning Position: Length:	93 4	Data Source: Type:	Assigned Alphanumeric	
Field 23:	CCS_OTH_DIAG_CODE		7 ii piidii dii lette	
11010 25.	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_21 into clinically			
	meaningful diagnosis categor		5.11.0 miles of 6.11.2 miles = 6.2.2.21 miles • 1.11.0 miles	
Beginning Position:	97	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 24:	CCS_OTH_DIAG_CODE			
1 1010 2 10			sification of OTH_DIAG_CODE_22 into clinically	
	meaningful diagnosis categor		sineution of offi_birio_cobb_22 into emineuting	
Beginning Position:	101	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 25:	CCS_OTH_DIAG_CODE		1 II primiterio	
11010 201			sification of OTH_DIAG_CODE_23 into clinically	
	meaningful diagnosis categor		sineution of offi_birlo_cobb_2s into enimeumy	
Beginning Position:	105	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 26:	CCS_OTH_DIAG_CODE		1 115 114114114	
11010 201			sification of OTH_DIAG_CODE_24 into clinically	
	meaningful diagnosis categor		5.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	
Beginning Position:	109	Data Source:	Assigned	
Length:	4	Type:	Alphanumeric	
Field 27:	CCS PROC CODE 1	-J P		
		tware (CCS) for S	Services and Procedures classification of	
	PROC_CODE_1 into clinic			
Beginning Position:	113	Data Source:	Assigned	
	3		Alphanumeric	
Length: Field 28:	CCS_PROC_CODE_2	Type:	Aiphanumenc	
rielu 20:		twore (CCS) for 9	Services and Procedures classification of	
	PROC_CODE_2 into clinic			
D ' ' D ''			•	
Beginning Position:	116	Data Source:	Assigned	
Length:	GCC PROC CORE 2	Type:	Alphanumeric	
Field 29:	CCS_PROC_CODE_3	(CCC) for (Camilan and Danadana alamification of	
			Services and Procedures classification of	
Daginning Dagitians	PROC_CODE_3 into clinic			
Beginning Position:	119	Data Source:	Assigned	
Length:	3 CCS_PROC_CODE_4	Type:	Alphanumeric	
Field 30:		tryiona (CCC) for (Services and Procedures classification of	
Beginning Position:	PROC_CODE_4 into clinic 122	Data Source:	Assigned	
Length:	3	Type:	Alphanumeric	
Field 31:	CCS PROC CODE 5	туре.	Aiphanumenc	
rielu 31:		twore (CCS) for S	Services and Procedures classification of	
	PROC_CODE_5 into clinic			
Beginning Position:	125	Data Source:	Assigned	
Length:	3	Type:	Alphanumeric	
Field 32:	CCS_PROC_CODE_6	(000) 6		
			Services and Procedures classification of	
Danimuter D. 141	PROC_CODE_6 into clinic			
Beginning Position:	128	Data Source:	Assigned	
Length:	GGG PROG GODE #	Type:	Alphanumeric	
Field 33:	CCS_PROC_CODE_7	(000) 5		
	Clinical Classifications Software (CCS) for Services and Procedures classification of			
	PROC_CODE_7 into clinic	any meaningful p		
DSHS/THCIC		— Page 30 —	DSHS Document # E25-14164	
www.dshs.texas.gov	//THCIC		Last Updated: August, 2020	

Beginning Position: Length:	131 3	Data Source: Type:	Assigned Alphanumeric		
Field 34:	CCS_PROC_CODE_8	турс.	Aiphanumeric		
riciu 54.	Clinical Classifications Software (CCS) for Services and Procedures classification of				
	PROC_CODE_8 into clinic				
Beginning Position:	134	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 35:	CCS_PROC_CODE_9				
	Clinical Classifications Sof	tware (CCS) for S	Services and Procedures classification of		
	PROC_CODE_9 into clinic	ally meaningful p	procedure category.		
Beginning Position:	137	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 36:	CCS_PROC_CODE_10				
			Services and Procedures classification of		
D 1 1 D 11	PROC_CODE_10 into clin				
Beginning Position:	140	Data Source:	Assigned		
Length:	3 GGG PDOG GODE 11	Type:	Alphanumeric		
Field 37:	CCS_PROC_CODE_11	(CCC) for (Samian and Dana dana alamification of		
	PROC_CODE_11 into clin		Services and Procedures classification of		
Beginning Position:	143	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 38:	CCS_PROC_CODE_12	турс.	Aiphanumeric		
riciu 50.		tware (CCS) for S	Services and Procedures classification of		
	PROC_CODE_12 into clin				
Beginning Position:	146	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 39:	CCS_PROC_CODE_13	- J F **			
		tware (CCS) for S	Services and Procedures classification of		
	PROC_CODE_13 into clin				
Beginning Position:	149	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 40:	CCS_PROC_CODE_14				
			Services and Procedures classification of		
	PROC_CODE_14 into clin		1 0		
Beginning Position:	152	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 41:	CCS_PROC_CODE_15	(000) 6			
			Services and Procedures classification of		
Danimuina Danisian.	PROC_CODE_15 into clin				
Beginning Position:	155 3	Data Source:	Alabanymaria		
Length: Field 42:	CCS PROC CODE 16	Type:	Alphanumeric		
riciu 42.		tware (CCS) for 9	Services and Procedures classification of		
	PROC_CODE_16 into clin				
Beginning Position:	158	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 43:	CCS_PROC_CODE_17	- J F **			
		tware (CCS) for S	Services and Procedures classification of		
	PROC_CODE_17 into clin				
Beginning Position:	161	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 44:	CCS_PROC_CODE_18				
			Services and Procedures classification of		
	PROC_CODE_18 into clin	ically meaningful	procedure category.		
Delig/milete			DCHC Do # FOE 14164		
DSHS/THCIC	/TUCIC	— Page 31 —	DSHS Document # E25-14164		
www.dshs.texas.gov	THUL		Last Updated: August, 2020		

Beginning Position:	164	Data Source:	Assigned		
Length:	GCC PROC CORE 10	Type:	Alphanumeric		
Field 45:	CCS_PROC_CODE_19 Clinical Classifications Software (CCS) for Services and Procedures classification of				
	PROC_CODE_19 into clin				
Beginning Position:	167	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 46:	CCS_PROC_CODE_20	- JP			
		tware (CCS) for S	Services and Procedures classification of		
	PROC_CODE_20 into clin	` /			
Beginning Position:	170	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 47:	CCS_PROC_CODE_21				
	Clinical Classifications Sof	tware (CCS) for S	Services and Procedures classification of		
	PROC_CODE_21 into clin				
Beginning Position:	173	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 48:	CCS_PROC_CODE_22				
			Services and Procedures classification of		
	PROC_CODE_22 into clin	ically meaningful	procedure category.		
Beginning Position:	176	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 49:	CCS_PROC_CODE_23				
			Services and Procedures classification of		
	PROC_CODE_23 into clin				
Beginning Position:	179	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 50:	CCS_PROC_CODE_24				
			Services and Procedures classification of		
	PROC_CODE_24 into clin				
Beginning Position:	182	Data Source:	Assigned		
Length:	3	Type:	Alphanumeric		
Field 51:	CCS_PROC_CODE_25		~		
			Services and Procedures classification of		
D 1 1 D 1/1	PROC_CODE_25 into clin				
Beginning Position:	185	Data Source:	Assigned		
Length:	3 EADG GDD VED	Type:	Alphanumeric		
Field 52:	EAPG_GRP_VER		N 11 2M FADC C		
D	•	ent Group Version	n Number, as assigned by 3M EAPG Grouper		
Beginning Position:	188	Tronce	Almhanamania		
Length: Field 53:	12 APC_GRP_VER	Type:	Alphanumeric		
rieiu 55:		ification (ABC) I	Vargian Number of assigned by 2M ADC Grouper		
	Not available 4Q09.	ilication (APC) V	Version Number as assigned by 3M APC Grouper.		
Beginning Position:	200	Data Source:	Assigned		
Length:	12	Type:	Alphanumeric		
Field 54:	CRG_STATUS_1	туре.	Aiphanumeric		
riciu 54.		etatue codo ac ac	signed by 3M™ CRG Grouper. Not available 4Q09.		
Beginning Position:	212	Data Source:	Assigned		
Length:	1	Type:	Alphanumeric		
Field 55:	CRG_STATUS_2	1 јрс.	пришинопе		
1 101U 55.		status code as as	signed by 3M™ CRG Grouper. Not available 4Q09.		
Beginning Position:	213	Data Source:	Assigned		
Length:	1	Type:	Alphanumeric		
Field 56:	CRG_STATUS_3	-Jpc.			
- 1014 000	0110_0111100_0				
DSHS/THCIC		— Page 32 —	DSHS Document # E25-14164		
www.dshs.texas.gov	THCIC	1 age 32	Last Updated: August, 2020		
C					

	Clinical Risk Group (CRG)	status code as as	ssigned by 3M [™] CRG Grouper. Not available 4Q09.
Beginning Position:	214	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 57:	CRG_STATUS_4		
	Clinical Risk Group (CRG)	status code as as	signed by 3M [™] CRG Grouper. Not available 4Q09.
Beginning Position:	215	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 58:	CRG_STATUS_5	V 1	•
		status code as as	ssigned by 3M [™] CRG Grouper. Not available 4Q09.
Beginning Position:	216	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 59:	CRG_STATUS_6	-JF	
11014 0 / 1		status code as as	ssigned by 3M [™] CRG Grouper. Not available 4Q09.
Beginning Position:	217	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 60:	CRG_STATUS_7	турс.	7 ii pii airumerie
riciu ov.		status code as as	signed by 3M [™] CRG Grouper. Not available 4Q09.
Beginning Position:	218	Data Source:	Assigned Assigned
	1	Type:	Alphanumeric
Length: Field 61:		1 ype:	Aiphanumenc
rieia oi:	CRG_STATUS_8	· -4-41	oi and has 2MIM CDC Common Net anni lable 4000
D	1		ssigned by 3M [™] CRG Grouper. Not available 4Q09.
Beginning Position:	219	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 62:	CRG_STATUS_9		' 11 ONTE CDC C N. 1111 4000
D 1 1 D 11			signed by 3M [™] CRG Grouper. Not available 4Q09.
Beginning Position:	220	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 63:	CRG_STATUS_10		
	- ·		signed by 3M [™] CRG Grouper. Not available 4Q09.
Beginning Position:	221	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 64:	CRG_CODE_1		
			l by 3M™ CRG Grouper. Not available 4Q09.
Beginning Position:	222	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 65:	CRG_CODE_2		
	Clinical Risk Group (CRG)	code as assigned	l by 3M™ CRG Grouper. Not available 4Q09.
Beginning Position:	227	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 66:	CRG_CODE_3		
	Clinical Risk Group (CRG)	code as assigned	l by 3M [™] CRG Grouper. Not available 4Q09.
Beginning Position:	232	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 67:	CRG_CODE_4	· •	•
		code as assigned	l by 3M™ CRG Grouper. Not available 4Q09.
Beginning Position:	237	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 68:	CRG_CODE_5	J <u>1</u>	
		code as assigned	l by 3M [™] CRG Grouper. Not available 4Q09.
Beginning Position:	242	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 69:	CRG_CODE_6	- J Pc.	- mp.m.ioito
riciu 07.) code as assigned	l by 3M™ CRG Grouper. Not available 4Q09.
Beginning Position:	247	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Lugui,	5	Type.	7 upnanumene
DSHS/THCIC		Dogg 22	DSHS Document # E25-14164
www.dshs.texas.gov	/THCIC	— Page 33 —	Last Updated: August, 2020
8			• • •

E 144161 /11*	CRG_CODE_7		
Field 70:		code as assigned	by 3M [™] CRG Grouper. Not available 4Q09.
Beginning Position:	252	Data Source:	Assigned
Beginning Position: Length:	5		Assigned Alphanumeric
Field 71:	CRG_CODE_8	Type:	гарнанинстс
riciu /1;		anda an ancier - 1	by 2MIM CDC Grouper Not available 4000
Daainnina Daaitian.			by 3M [™] CRG Grouper. Not available 4Q09.
Beginning Position:	257	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 72:	CRG_CODE_9		1 ANT ODG G
5 1 1 5 11	.	_	by 3M [™] CRG Grouper. Not available 4Q09.
Beginning Position:	262	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 73:	CRG_CODE_10		
	Clinical Risk Group (CRG)		by 3M [™] CRG Grouper. Not available 4Q09.
Beginning Position:	267	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 74:	CRG_SEVERITY_1		
	Clinical Risk Group (CRG)	severity code as	assigned by 3M [™] CRG Grouper. Not available
	4Q09.	-	-
Beginning Position:	272	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 75:	CRG_SEVERITY_2	<u> </u>	•
-= - *		severity code as	assigned by 3M™ CRG Grouper. Not available
	4Q09.	so torrey code ds	and the city of th
Beginning Position:	273	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 76:	CRG_SEVERITY_3	турс.	Aiphanumene
rieiu 70:		sarramitre ando as	assigned by 2MIM CDC Crowner Net available
		severity code as	assigned by 3M [™] CRG Grouper. Not available
D !! D!4!	4Q09.	D-4- C	A
Beginning Position:	274	Data Source:	Assigned
	ODG GEVEDIEV A	Type:	Alphanumeric
	CRG_SEVERITY_4		•
	CRG_SEVERITY_4 Clinical Risk Group (CRG)		assigned by 3M [™] CRG Grouper. Not available
Length: Field 77:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09.	severity code as	assigned by 3M [™] CRG Grouper. Not available
Field 77: Beginning Position:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275	severity code as Data Source:	assigned by 3M [™] CRG Grouper. Not available Assigned
Field 77: Beginning Position: Length:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275	severity code as	assigned by 3M [™] CRG Grouper. Not available
Field 77: Beginning Position: Length:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5	severity code as Data Source: Type:	assigned by 3M [™] CRG Grouper. Not available Assigned Alphanumeric
Field 77: Beginning Position: Length:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG)	severity code as Data Source: Type:	assigned by 3M [™] CRG Grouper. Not available Assigned
Field 77:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5	severity code as Data Source: Type:	assigned by 3M [™] CRG Grouper. Not available Assigned Alphanumeric
Field 77: Beginning Position: Length: Field 78:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG)	severity code as Data Source: Type:	assigned by 3M [™] CRG Grouper. Not available Assigned Alphanumeric
Field 77: Beginning Position: Length: Field 78: Beginning Position:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG) 4Q09.	severity code as Data Source: Type: severity code as	assigned by 3M [™] CRG Grouper. Not available Assigned Alphanumeric assigned by 3M [™] CRG Grouper. Not available
Field 77: Beginning Position: Length: Field 78: Beginning Position: Length:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG) 4Q09. 276	severity code as Data Source: Type: severity code as Data Source:	assigned by 3M [™] CRG Grouper. Not available Assigned Alphanumeric assigned by 3M [™] CRG Grouper. Not available Assigned
Field 77: Beginning Position: Length: Field 78: Beginning Position: Length:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG) 4Q09. 276 1 CRG_SEVERITY_6	severity code as Data Source: Type: severity code as Data Source: Type:	assigned by 3M [™] CRG Grouper. Not available Assigned Alphanumeric assigned by 3M [™] CRG Grouper. Not available Assigned
Field 77: Beginning Position: Length: Field 78: Beginning Position: Length:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG) 4Q09. 276 1 CRG_SEVERITY_6 Clinical Risk Group (CRG)	severity code as Data Source: Type: severity code as Data Source: Type:	assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric
Field 77: Beginning Position: Length: Field 78: Beginning Position: Length: Field 79:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG) 4Q09. 276 1 CRG_SEVERITY_6 Clinical Risk Group (CRG) 4Q09.	severity code as Data Source: Type: severity code as Data Source: Type: severity code as	assigned by 3M [™] CRG Grouper. Not available Assigned Alphanumeric assigned by 3M [™] CRG Grouper. Not available Assigned Alphanumeric assigned by 3M [™] CRG Grouper. Not available
Field 77: Beginning Position: Length: Field 78: Beginning Position: Length: Field 79: Beginning Position:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG) 4Q09. 276 1 CRG_SEVERITY_6 Clinical Risk Group (CRG)	severity code as Data Source: Type: severity code as Data Source: Type: severity code as Data Source:	Assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned by 3M™ CRG Grouper. Not available
Field 77: Beginning Position: Length: Field 78: Beginning Position: Length: Field 79: Beginning Position: Length:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG) 4Q09. 276 1 CRG_SEVERITY_6 Clinical Risk Group (CRG) 4Q09. 277 1	severity code as Data Source: Type: severity code as Data Source: Type: severity code as	assigned by 3M [™] CRG Grouper. Not available Assigned Alphanumeric assigned by 3M [™] CRG Grouper. Not available Assigned Alphanumeric assigned by 3M [™] CRG Grouper. Not available
Field 77: Beginning Position: Length: Field 78: Beginning Position: Length: Field 79: Beginning Position: Length:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG) 4Q09. 276 1 CRG_SEVERITY_6 Clinical Risk Group (CRG) 4Q09. 277 1 CRG_SEVERITY_7	severity code as Data Source: Type: severity code as Data Source: Type: severity code as Data Source: Type:	assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric
Field 77: Beginning Position: Length: Field 78: Beginning Position: Length: Field 79: Beginning Position: Length:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG) 4Q09. 276 1 CRG_SEVERITY_6 Clinical Risk Group (CRG) 4Q09. 277 1 CRG_SEVERITY_7 Clinical Risk Group (CRG)	severity code as Data Source: Type: severity code as Data Source: Type: severity code as Data Source: Type:	assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Assigned
Field 77: Beginning Position: Length: Field 78: Beginning Position: Length: Field 79: Beginning Position: Length: Field 80:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG) 4Q09. 276 1 CRG_SEVERITY_6 Clinical Risk Group (CRG) 4Q09. 277 1 CRG_SEVERITY_7 Clinical Risk Group (CRG) 4Q09.	severity code as Data Source: Type: severity code as Data Source: Type: severity code as Data Source: Type: severity code as	assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric
Field 77: Beginning Position: Length: Field 78: Beginning Position: Length: Field 79: Beginning Position: Length: Field 80: Beginning Position:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG) 4Q09. 276 1 CRG_SEVERITY_6 Clinical Risk Group (CRG) 4Q09. 277 1 CRG_SEVERITY_7 Clinical Risk Group (CRG) 4Q09. 277 278	severity code as Data Source: Type:	assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric
Field 77: Beginning Position: Length: Field 78: Beginning Position: Length: Field 79: Beginning Position: Length: Field 80: Beginning Position: Length:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG) 4Q09. 276 1 CRG_SEVERITY_6 Clinical Risk Group (CRG) 4Q09. 277 1 CRG_SEVERITY_7 Clinical Risk Group (CRG) 4Q09. 277 1 1 CRG_SEVERITY_7 Clinical Risk Group (CRG) 4Q09. 278 1	severity code as Data Source: Type: severity code as Data Source: Type: severity code as Data Source: Type: severity code as	assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric
Field 77: Beginning Position: Length: Field 78: Beginning Position: Length: Field 79: Beginning Position: Length: Field 80: Beginning Position: Length:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG) 4Q09. 276 1 CRG_SEVERITY_6 Clinical Risk Group (CRG) 4Q09. 277 1 CRG_SEVERITY_7 Clinical Risk Group (CRG) 4Q09. 278 1 CRG_SEVERITY_8	severity code as Data Source: Type:	assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric Assigned Alphanumeric
Field 77: Beginning Position: Length: Field 78: Beginning Position: Length: Field 79: Beginning Position: Length: Field 80: Beginning Position: Length:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG) 4Q09. 276 1 CRG_SEVERITY_6 Clinical Risk Group (CRG) 4Q09. 277 1 CRG_SEVERITY_7 Clinical Risk Group (CRG) 4Q09. 278 1 CRG_SEVERITY_8 Clinical Risk Group (CRG)	severity code as Data Source: Type:	assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned
Field 77: Beginning Position: Length: Field 78: Beginning Position: Length: Field 79: Beginning Position: Length: Field 80: Beginning Position: Length: Field 81:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG) 4Q09. 276 1 CRG_SEVERITY_6 Clinical Risk Group (CRG) 4Q09. 277 1 CRG_SEVERITY_7 Clinical Risk Group (CRG) 4Q09. 278 1 CRG_SEVERITY_8 Clinical Risk Group (CRG) 4Q09.	severity code as Data Source: Type: severity code as	assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available
Field 77: Beginning Position: Length: Field 78: Beginning Position: Length: Field 79: Beginning Position: Length: Field 80: Beginning Position: Length: Field 81:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG) 4Q09. 276 1 CRG_SEVERITY_6 Clinical Risk Group (CRG) 4Q09. 277 1 CRG_SEVERITY_7 Clinical Risk Group (CRG) 4Q09. 278 1 CRG_SEVERITY_8 Clinical Risk Group (CRG)	severity code as Data Source: Type:	assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric Assigned Alphanumeric
Field 77: Beginning Position: Length:	CRG_SEVERITY_4 Clinical Risk Group (CRG) 4Q09. 275 1 CRG_SEVERITY_5 Clinical Risk Group (CRG) 4Q09. 276 1 CRG_SEVERITY_6 Clinical Risk Group (CRG) 4Q09. 277 1 CRG_SEVERITY_7 Clinical Risk Group (CRG) 4Q09. 278 1 CRG_SEVERITY_8 Clinical Risk Group (CRG) 4Q09.	severity code as Data Source: Type: severity code as	assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available Assigned Alphanumeric assigned by 3M™ CRG Grouper. Not available

Length:	1	Type:	Alphanumeric
Field 82:	CRG_SEVERITY_9		
	Clinical Risk Group (CRG)	severity code as	assigned by 3M™ CRG Grouper. Not available
	4Q09.	-	
Beginning Position:	280	Data Source:	Assigned
Length:	1	Type:	Alphanumeric
Field 83:	CRG_SEVERITY_10		
	Clinical Risk Group (CRG)	severity code as	assigned by 3M™ CRG Grouper. Not available
	4Q09.		
Beginning Position:	281	Data Source:	Assigned
Length:	1	Type:	Alphanumeric

CHARGES DATA FILE

Field 1:	RECORD_ID			
Description:	Record Identification Number. Unique number assigned to identify the record. First available 1 st quarter 2002. Does NOT match the RECORD ID in THCIC Research Data Files (RDF's).			
Beginning Position:	1	Data Source:	Assigne	· · · · · · · · · · · · · · · · · · ·
0 0			Alphanumeric	
Length:	12 Type:			umeric
Field 2:	REVE	ENUE_CODE		
Description:	Code	corresponding to each specific accommod	dation, a	ncillary service or billing calculation
•		,		
Coding Scheme:	0100	I to the services being billed. All-inclusive room charges plus ancillary	0527	Freestanding Clinic - Visiting Nurse Services(s) to a Member's Home when in a Home Health
	0101	All-inclusive room charges	0528	Shortage Area Freestanding Clinic – Visit by RHC/FQHC Practitioner to Other non RHC/FQHC Site (e.g. Scene of Accident)
	0110	D	0520	
	0110	Room charges for private rooms - general	0529	Freestanding Clinic - other
	0111	Room charges for private rooms - medical/surgical/GYN	0530	Osteopathic service - general
	0112	Room charges for private rooms - obstetrics	0531	Osteopathic service - therapy
	0113	Room charges for private rooms - pediatric	0539	Osteopathic service - other
	0114	Room charges for private rooms - psychiatric	0540	Ambulance service - general
	0115	Room charges for private rooms - hospice	0541	Ambulance service - supplies
	0116	Room charges for private rooms - detoxification	0542	Ambulance service - medical transport
	0117	Room charges for private rooms - oncology	0543	Ambulance service - heart mobile
	0118	Room charges for private rooms - rehabilitation	0544	Ambulance service - oxygen
	0119	Room charges for private rooms - other	0545	Ambulance service - air ambulance
	0120	Room charges for semi-private rooms - general	0546	Ambulance service - neonatal
	0121	Room charges for semi-private rooms - medical/surgical/GYN	0547	Ambulance service - pharmacy
	0122	Room charges for semi-private rooms - obstetrics	0548	Ambulance service - telephone transmission EKG
	0123	Room charges for semi-private rooms - pediatric	0549	Ambulance service - other
	0124	Room charges for semi-private rooms - psychiatric	0550	Skilled nursing - general
	0125	Room charges for semi-private rooms - hospice	0551	Skilled nursing - visit charge
	0126 Room charges for semi-private rooms - detoxification		0552	Skilled nursing - hourly charge
	0127	Room charges for semi-private rooms - oncology	0559	Skilled nursing - other
	0128	Room charges for semi-private rooms - rehabilitation	0560	Medical social services - general
	0129	Room charges for semi-private rooms - other	0561	Medical social services - visit charge
	0130	Room charges for semi-private - 3/4 beds - rooms - general	0562	Medical social services - hourly charge
	0131	Room charges for semi-private - 3/4 beds - rooms - medical/surgical/GYN	0569	Medical social services - other
	0132	Room charges for semi-private - 3/4 beds - rooms - obstetrics	0570	Home health aide - general
	0133	Room charges for semi-private - 3/4 beds - rooms - pediatric	0571	Home health aide - visit charge
	0134	Room charges for semi-private - 3/4 beds - rooms - psychiatric	0572	Home health aide - hourly charge
	0135	Room charges for semi-private - 3/4 beds - rooms - hospice	0579	Home health aide - other
	0136	Room charges for semi-private - 3/4 beds - rooms - detoxification	0580	Other visits (home health) - general
	0137	Room charges for semi-private - 3/4 beds - rooms - oncology	0581	Other visits (home health) - visit charge
	0138	Room charges for semi-private - 3/4 beds - rooms - rehabilitation	0582	Other visits (home health) - hourly charge Other visits (home health) - assessment
	0139 Room charges for semi-private - 3/4 beds - rooms - other 0140 Room charges for private (deluxe) rooms -		0583 0589	Other visits (home health) - assessment Other visits (home health) - other
	0170	general	0307	DOLLG Decrease A # E25 14164

DSHS/THCIC Page 36 — Page

0141	Room charges for private (deluxe) rooms - medical/surgical/GYN	0590	Units of service (home health) - general
0142	Room charges for private (deluxe) rooms - obstetrics	0600	Oxygen (home health) - general
0143	Room charges for private (deluxe) rooms - pediatric	0601	Oxygen (home health) - stat/equip/supply or contents
0144	Room charges for private (deluxe) rooms - psychiatric	0602	Oxygen (home health) - stat/equip/supply under 1 liter per minute
0145	Room charges for private (deluxe) rooms - hospice	0603	Oxygen (home health) - stat/equip/supply over 4 liters per minute
0146	Room charges for private (deluxe) rooms - detoxification	0604	Oxygen (home health) - portable add-in
0147	Room charges for private (deluxe) rooms - oncology	0609	Oxygen (home health) - other
0148	Room charges for private (deluxe) rooms - rehabilitation	0610	Magnetic Resonance Technology (MRT) - MRI - general
0149	Room charges for private (deluxe) rooms - other	0611	Magnetic Resonance Technology (MRT) - MRI - brain (including brain stem)
0150	Room charges for ward rooms - general	0612	Magnetic Resonance Technology (MRT) - MRI - spinal cord (including spine)
0151	Room charges for ward rooms - medical/surgical/GYN	0614	Magnetic Resonance Technology (MRT) - MRI - other
0152	Room charges for ward rooms - obstetrics	0615	Magnetic Resonance Technology (MRT) - MRA – head and neck
0153	Room charges for ward rooms - pediatric	0616	Magnetic Resonance Technology (MRT) - MRA – lower extremities
0154	Room charges for ward rooms - psychiatric	0618	Magnetic Resonance Technology (MRT) - MRA – other
0155	Room charges for ward rooms - hospice	0619	Magnetic Resonance Technology (MRT) - Other MRT
0156	Room charges for ward rooms - detoxification	0621	Medical/surgical supplies - incident to radiology
	_		
0157	Room charges for ward rooms - oncology	0622	Medical/surgical supplies - incident to other diagnostic services
		0623	Medical/surgical supplies - surgical dressings
0158	Room charges for ward rooms - rehabilitation	0624	Medical/surgical supplies - FDA investigational devices
0159	Room charges for ward rooms - other	0631	Drugs requiring specific identification - single source
0160	Room charges for other rooms - general	0632	Drugs requiring specific identification - multiple source
0164	Room charges for other rooms – Sterile Environment	0633	Drugs requiring specific identification - restrictive prescription
0167	Room charges for other rooms – self care	0634	Drugs requiring specific identification - EPO, less than 10,000 units
0169	Room charges for other rooms - other	0635	Drugs requiring specific identification - EPO, 10,000 or more units
0170	Room charges for nursery - general	0636	Drugs requiring specific identification - requiring detailed coding
0171	Room charges for nursery - newborn level I	0637	Drugs requiring specific identification - self-administrable
0172	Room charges for nursery - newborn level II	0640	Home IV therapy services - general
0173	Room charges for nursery - newborn level III	0641	Home IV therapy services – non-routine nursing, central line
0174	Room charges for nursery - newborn level IV	0642	Home IV therapy services - IV site care, central line
0179	Room charges for nursery - other	0643	Home IV therapy services - IV start/change, peripheral line
0180	Room charges for LOA - general	0644	Home IV therapy services – non-routine nursing, peripheral line
0182	Room charges for LOA - patient convenience- charges billable	0645	Home IV therapy services - training patient/caregiver, central line
0183	Room charges for LOA - therapeutic leave	0646	Home IV therapy services - training, disabled patient, central line
0185	Room charges for LOA – nursing home (for hospitalization)	0647	Home IV therapy services - training, patient/caregiver, peripheral
0189	Room charges for LOA - other	0648	Home IV therapy services - training, disabled patient, peripheral
0190	Room charges for subacute care - general	0649	Home IV therapy services - other

0191	Room charges for subacute care - Level I (skilled care)	0650	Hospice services - general
0192	Room charges for subacute care - Level II	0651	Hospice services - routine home care
0193	(comprehensive care) Room charges for subacute care - Level III	0652	Hospice services - continuous home care
0194	(complex care) Room charges for subacute care - Level IV (intensive care)	0655	Hospice services - inpatient respite care
0199	Room charges for subacute care - other	0656	Hospice services - general inpatient care (non-respite)
0200	Room charges for intensive care - general	0657	Hospice services - physician services
0201	Room charges for intensive care - surgical	0658	Hospice services - room and board - nursing facility
0202	Room charges for intensive care - medical	0659	Hospice services - other
0203	Room charges for intensive care - pediatric	0660	Respite care - general
0204	Room charges for intensive care - psychiatric	0661	Respite care - hourly charge/skilled nursing
0206	Room charges for intensive care - intermediate intensive care unit (ICU)	0662	Respite care - hourly charge/aide/homemaker/companion
0207	Room charges for intensive care - burn care	0663	Respite care - daily charge
0208	Room charges for intensive care - trauma	0669	Respite care - other
0209	Room charges for intensive care - other	0670	Outpatient special residence - general
0210	Room charges for coronary care - general	0671	Outpatient special residence - hospital based
0211	Room charges for coronary care - myocardial infarction	0672	Outpatient special residence - contracted
0212	Room charges for coronary care - pulmonary care	0679	Outpatient special residence - other
0213	Room charges for coronary care - heart transplant	0681	Trauma response - level I
0214	Room charges for coronary care - intermediate coronary care unit (CCU)	0682	Trauma response - level II
0219	Room charges for coronary care - other	0683	Trauma response - level III
0220	Special charges - general	0684	Trauma response - level IV
0221 0222	Special charges - admission charge	0689	Trauma response - other
0222	Special charges - technical support charge	0690 0691	Pre-hospice/Palliative Care Services - general
0223	Special charges - UR service charge Special charges - late discharge, medically	0691	Pre-hospice/Palliative Care Services – visit charge Pre-hospice/Palliative Care Services – hourly
0224	necessary Special charges - other	0693	charge Pre-hospice/Palliative Care Services -
0229	Special charges - other	0093	evaluation
0230	Incremental nursing care - general	0694	Pre-hospice/Palliative Care Services – consultation and education
0231	Incremental nursing care - nursery	0695	Pre-hospice/Palliative Care Services – inpatient care
0232	Incremental nursing care - OB	0696	Pre-hospice/Palliative Care Services – physician services
0233	Incremental nursing care - ICU (includes transitional care)	0699	Pre-hospice/Palliative Care Services - other
0234	Incremental nursing care - CCU (includes transitional care)	0700	Cast Room services - general
0235	Incremental nursing care - hospice	0710	Recovery Room services - general
0239	Incremental nursing care - other	0720	Labor/Delivery Room services - general
0240	All-inclusive ancillary - general	0721	Labor/Delivery Room services - labor
0241	All-inclusive ancillary - basic	0722	Labor/Delivery Room services - delivery
0242	All-inclusive ancillary - comprehensive	0723	Labor/Delivery Room services - circumcision
0243	All-inclusive ancillary - specialty	0724	Labor/Delivery Room services - birthing center
0249	All-inclusive ancillary - other	0729	Labor/Delivery Room services - other
0250	Pharmacy - general	0730	EKG/ECG services - general
0251	Pharmacy - generic drugs	0731	EKG/EGG services - Holter monitor
0252	Pharmacy - toks home drugs	0732	EKG/EGG services - telemetry
0253 0254	Pharmacy - take-home drugs Pharmacy - drugs incident to other diagnostic	0739 0740	EKG/ECG services - other EEG services - general
0255	services Pharmacy - drugs incident to radiology	0750	Gastrointestinal services - general

0256	Pharmacy - experimental drugs	0760	Treatment or observation room services -
0257	Pharmacy - nonprescription	0761	general Specialty Room - Treatment/ Observation Room
0258	Pharmacy - IV solutions	0762	- Treatment Room Specialty Room - Treatment/ Observation Room - Observation Room
0259	Pharmacy - other	0769	Treatment or observation room services - other
0260	IV Therapy - general	0770	Preventive care services - general
0261	IV Therapy - infusion pump	0771	Preventive care services - vaccine administration
0262	IV Therapy - pharmacy services	0780	Telemedicine services - general
0263	IV Therapy - drug/supply delivery	0790	Extra-corporeal shockwave therapy - general
0264	IV Therapy - supplies	0800	Inpatient renal dialysis services - general
0269	IV Therapy - other	0801	Inpatient renal dialysis services - hemodialysis
0270	Medical surgical supplies and devices - general	0802	Inpatient renal dialysis services - peritoneal (non-CAPD)
0271	Medical surgical supplies and devices - nonsterile	0803	Inpatient renal dialysis services - continuous ambulatory peritoneal dialysis (CAPD)
0272	Medical surgical supplies and devices - sterile	0804	Inpatient renal dialysis services - continuous cycling peritoneal dialysis (CAPD)
0273	Medical surgical supplies and devices - take- home	0809	Inpatient renal dialysis services - other
0274	Medical surgical supplies and devices - prosthetic/orthotic	0810	Acquisition of body components- general
0275	Medical surgical supplies and devices - pacemaker	0811	Acquisition of body components - living donor
0276	Medical surgical supplies and devices - intraocular lens (IOL)	0812	Acquisition of body components - cadaver donor
0277	Medical surgical supplies and devices - oxygen - take-home	0813	Acquisition of body components - unknown donor
0278	Medical surgical supplies and devices - other implants	0814	Acquisition of body components - unsuccessful organ search-donor bank charges
0279	Medical surgical supplies and devices - other	0815	Acquisition of body components – stem cells-allogeneic
0280	Oncology - general	0819	Acquisition of body components - other donor
0289	Oncology - other	0820	Hemodialysis - outpatient or home - general
0290	DME - general	0821	Hemodialysis - outpatient or home - composite or other rate
0291	DME - rental	0822	Hemodialysis - outpatient or home – home supplies
0292	DME - purchase of new	0823	Hemodialysis - outpatient or home – home equipment
0293	DME - purchase of used	0824	Hemodialysis - outpatient or home – maintenance 100%
0294	DME - supplies/drugs for DME effectiveness	0825	Hemodialysis - outpatient or home - support services
0299	DME - other equipment	0826 0829	Hemodialysis - outpatient or home – shorter duration (effective 7/1/17)
0300	Laboratory - general Laboratory - chemistry	0830	Hemodialysis - outpatient or home - other Peritoneal dialysis - outpatient or home -
0302	Laboratory - immunology	0831	general Peritoneal dialysis - outpatient or home -
0303	Laboratory - renal patient (home)	0832	composite or other rate Peritoneal dialysis - outpatient or home – home
0304	Laboratory – non-routine dialysis	0833	supplies Peritoneal dialysis - outpatient or home – home
0305	Laboratory - hematology	0834	equipment Peritoneal dialysis - outpatient or home –
0306	Laboratory - bacteriology and microbiology	0835	maintenance 100% Peritoneal dialysis - outpatient or home -
0307	Laboratory - urology	0839	support services Peritoneal dialysis - outpatient or home - other
0309	Laboratory - other	0840	CAPD - outpatient or home - general
0310	Laboratory pathological - general	0841	CAPD - outpatient or home - composite or other rate
0311	Laboratory pathological - cytology	0842	CAPD - outpatient or home – home supplies

0312	Laboratory pathological - histology	0843	CAPD - outpatient or home - home equipment
0314	Laboratory pathological - biopsy	0844	CAPD - outpatient or home – maintenance
0210	I showstowy mothological other	0945	100%
0319	Laboratory pathological - other	0845	CAPD - outpatient or home - support services
0320	Radiology - diagnostic - general	0849	CAPD - outpatient or home - other
0321	Radiology - diagnostic - angiocardiography	0850	CCPD - outpatient or home - general
0322	Radiology - diagnostic - arthrography	0851	CCPD - outpatient or home - composite or other rate
0323	Radiology - diagnostic - arteriography	0852	CCPD - outpatient or home - home supplies
0324	Radiology - diagnostic - chest x-ray	0853	CCPD - outpatient or home - home equipment
0329	Radiology - diagnostic - other	0854	CCPD - outpatient or home - maintenance 100%
0330	Radiology - therapeutic and/or chemotherapy	0855	CCPD - outpatient or home - support services
0330	administration - general	0033	cer b - outpatient of nome - support services
0331	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - injected	0859	CCPD - outpatient or home - other
0332	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - oral	0860	Magnetoencephalography (MEG) - General
0333	Radiology - therapeutic and/or chemotherapy administration - radiation therapy	0861	Magnetoencephalography (MEG) - MEG
0335	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - IV	0880	Miscellaneous dialysis - general
0339	Radiology - therapeutic and/or chemotherapy administration - other	0881	Miscellaneous dialysis - ultrafiltration
0340	Nuclear medicine - general	0882	Miscellaneous dialysis - home aide visit
0341	Nuclear medicine - diagnostic procedures	0889	Miscellaneous dialysis - other
0342	Nuclear medicine - therapeutic procedures	0900	Behavior health treatments/services - general
0343	Nuclear medicine - diagnostic	0901	Behavior health treatments/services -
0044	radiopharmaceuticals	0000	electroshock
0344	Nuclear medicine - therapeutic radiopharmaceuticals	0902	Behavior health treatments/services - milieu
0349	Nuclear medicine - other	0903	therapy Behavioral health treatments/services - play therapy
0350	CT scan - general	0904	Behavior health treatments/services - activity therapy
0351	CT scan - head	0905	Behavior health treatments/services - intensive outpatient services - psychiatric
0352	CT scan - body	0906	Behavior health treatments/services - intensive outpatient services - chemical dependency
0359	CT scan - other	0907	Behavior health treatments/services - community behavioral health program
0360	Operating room services - general	0911	Behavior health treatment/services - rehabilitation
0361	Operating room services - minor surgery	0912	Behavior health treatment/services - partial hospitalization - less intensive
0362	Operating room services - organ transplant other than kidney	0913	Behavior health treatment/services - partial hospitalization - intensive
0367	Operating room services - kidney transplant	0914	Behavior health treatment/services - individual
0369	Operating room services - other	0915	therapy Behavior health treatment/services - group therapy
0370	Anesthesia - general	0916	Behavior health treatment/services - family therapy
0371	Anesthesia - incident to radiology	0917	Behavior health treatment/services - biofeedback
0372	Anesthesia - incident to other diagnostic	0918	Behavior health treatment/services - testing
	services		
0374	Anesthesia - acupuncture	0919	Behavior health treatment/services - other
0379	Anesthesia - other	0920	Other diagnostic services - general
0380	Blood - general	0921	Other diagnostic services - peripheral vascular lab
0381	Blood - packed red cells	0922	Other diagnostic services - electromyogram
0382	Blood - whole blood	0923	Other diagnostic services - pap smear
0383	Blood - plasma	0924	Other diagnostic services - allergy test
0384	Blood - platelets	0925	Other diagnostic services - pregnancy test
0385	Blood - leukocytes	0929	Other diagnostic services - other

0386	Blood - other components	0931	Medical rehabilitation day program - half day
0387	Blood - other derivatives (cryoprecipitate)	0932	Medical rehabilitation day program - full day
0389	Blood - other	0940	Other therapeutic services - general
0390	Blood and blood component administration, storage and processing - general	0941	Other therapeutic services - recreational therapy
0391	Blood and blood component administration, storage and processing - administration	0942	Other therapeutic services - education/training
0392	Blood and blood component administration, storage and processing – processing and storage	0943	Other therapeutic services - cardiac rehabilitation
0399	Blood and blood component administration, storage and processing - other	0944	Other therapeutic services - drug rehabilitation
0400	Other imaging services - general	0945	Other therapeutic services - alcohol rehabilitation
0401	Other imaging services - diagnostic mammography	0946	Other therapeutic services - complex medical equipment - routine
0402	Other imaging services - ultrasound	0947	Other therapeutic services - complex medical equipment - ancillary
0403	Other imaging services - screening mammography	0948	Other therapeutic services – pulmonary rehabilitation
0404	Other imaging services - PET	0949	Other therapeutic services - other
0409	Other imaging services - other	0951	Other therapeutic services – athletic training
0410	Respiratory services - general	0952	Other therapeutic services - kinesiotherapy
0412	Respiratory services - inhalation	0953	Other therapeutic services – chemical
0413	Respiratory services - hyperbaric oxygen	0960	dependency (drug and alcohol) Professional fees - general
0419	therapy Respiratory services - other	0961	Professional fees - psychiatric
0420	Physical therapy - general	0962	Professional fees - ophthalmology
0421	Physical therapy - visit charge	0963	Professional fees - anesthesiologist (MD)
0422	Physical therapy - hourly charge	0964	Professional fees - anesthetist (CRNA)
0423	Physical therapy - group rate	0969	Professional fees - other
0424	Physical therapy - evaluation or reevaluation	0971	Professional fees - laboratory
0429	Physical therapy - other	0972	Professional fees - radiology - diagnostic
0430	Occupational therapy - general	0973	Professional fees - radiology - therapeutic
0431	Occupational therapy - visit charge	0974	Professional fees - radiology - nuclear medicine
0432	Occupational therapy - hourly charge	0975	Professional fees - operating room
0433	Occupational therapy - group rate	0976	Professional fees - respiratory therapy
0434	Occupational therapy - evaluation or reevaluation	0977	Professional fees - physical therapy
0439	Occupational therapy - other	0978	Professional fees - occupational therapy
0440	Speech-language pathology - general	0979	Professional fees - speech therapy
0441	Speech-language pathology - visit charge	0981	Professional fees - emergency room
0442	Speech-language pathology - hourly charge	0982	Professional fees - outpatient services
0443	Speech-language pathology - group rate	0983	Professional fees - clinic
0444	Speech-language pathology - evaluation or reevaluation	0984	Professional fees - medical social services
0449	Speech-language pathology - other	0985	Professional fees - EKG
0450	Emergency room - general	0986	Professional fees - EEG
0451	Emergency room - EMTALA emergency medical screening services	0987	Professional fees - hospital visit
0452	Emergency room - beyond EMTALA screening	0988	Professional fees - consultation
0456	Emergency room - urgent care	0989	Professional fees - private duty nurse
0459	Emergency room - other	0990	Patient convenience items - general
0460	Pulmonary function - general	0991	Patient convenience items - cafeteria/guest tray
0469	Pulmonary function - other	0992	Patient convenience items - private linen service
0470	Audiology - general	0993	Patient convenience items - telephone/telegraph
0471	Audiology - diagnostic	0994	Patient convenience items - TV/radio
0472	Audiology - treatment	0995	Patient convenience items - nonpatient room rentals
0479	Audiology - other	0996	Patient convenience items - late discharge charge
0480	Cardiology - general	0997	Patient convenience items - admission kits

DSHS/THCIC				DSHS Document # E25-14164
	25	Significant, Separately Identifiable Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional on the Same Day of the Procedure or Other Service	E1	Upper left eyelid
	24	Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional during a Postoperative Period	P6	A declared brain-dead patient whose organs are being removed for donor purposes
	23	Unusual Anesthesia	P5	A moribund patient who is not expected to survive without the operation
Coding Scheme:	22	Increased procedural services	P4	A patient with severe systemic disease that is a constant threat to life
Description:		ifies special circumstances related to the p		
Field 5:		DIFIER_1	C	6.4
Length:	5	Type:	Alphar	numeric
Beginning Position:	19	Data Source:	Claim	
Coding Scheme:		ttp://www.cms.hhs.gov/HCPCSReleaseC II HCPCS codes.	odeSets/	ANHUPUS/list.asp for complete list of
Codino Cala		nmodations.	- 1. C ·	/ANHIODOC/II
Description:		A Common Procedure Coding System (H	CPCS) c	code applicable to ancillary services or
Field 4		CS_PROCEDURE_CODE		
Length:	2	Type:	Alphar	numeric
Beginning Position:	17	Data Source:	Claim	
		CS_PROCEDURE_CODE.	iidii	
Description:		identifying the type/source of the descrip	tive nun	nher used in
Length: Field 3:	4 HCD	Type: CS_QUALIFIER	Aipnar	numeric
Beginning Position:	13	Data Source:	Claim	
	0526	Part A Stay) or NF or ICF MR or Other Residential Facility Freestanding Clinic - urgent care		
	0525	Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a SNF (not Covered		
	0324	Practitioner to a Member in a Covered Part A Stay at SNF	310)	Anda 105ter care outer
	0523	Freestanding Clinic - family practice Freestanding Clinic - Visit by RHC/FQHC	3105 3109	Adult foster care - daily Adult foster care - other
	0522	RHC/FQHC Practitioner		
	0521	Freestanding Clinic - Clinic Visit by Member to RHC/FQHC Freestanding Clinic - Home Visit by	3103 3104	Adult day care, medical and social - daily Adult day care, social - daily
	0520 0521	Freestanding Clinic - general	3102	Adult day care, medical and social daily
	0519	Clinic - other	3101	Adult day care, medical and social - hourly
	0517	Clinic - family practice	2109	Alternative therapy services - other
	0516	Clinic - urgent care	2106	Alternative therapy services - hypnosis
	0515	Clinic - pediatric	2105	Alternative therapy services - biofeedback
	0514	Clinic - OB/GYN	2104	Alternative therapy services - reflexology
	0513	Clinic - psychiatric	2103	Alternative therapy services - massage
	0512	Clinic - dental	2102	Alternative therapy services - acupressure
	0511	Clinic - chronic pain	2101	Alternative therapy services - acupuncture
	0510	Clinic - general	2100	Alternative therapy services - general
	0509	Outpatient services - general Outpatient services - other	1004 1005	Behavior health accommodations - halfway house Behavior health accommodations - group hom
	0499 0500	Ambulatory surgical care - other	1003	Behavior health accommodations - supervised living
	0490	Ambulatory surgical care - general	1002	Behavior health accommodations - residential treatment - chemical dependency
	0489	Cardiology - other	1001	Behavior health accommodations - residential treatment - psychiatric
	0483	Cardiology - echocardiology	1000	Behavior health accommodations - general
	0482	Cardiology - stress test	0999	Patient convenience items - other
		and the second s		

Last Updated: August, 2020

	26	Desferienci Communit	E2	T1-A1: J
	26 27	Professional Component Multiple Outrotiont Heapital E/M Engagement on	E2 E3	Lower left eyelid
	21	Multiple Outpatient Hospital E/M Encounters on the Same Date	E3	Upper right eyelid
	32	Mandated Services	E4	Lower right eyelid
	33	Preventive Service	F1	Left hand, second digit
	47	Anesthesia by Surgeon	F2	Left hand, third digit
	50	Bilateral Procedure	F3	Left hand, fourth digit
	51	Multiple Procedures	F4	Left hand, fifth digit
	52	Reduced Services	F5	Right hand, thumb
	53	Discontinued Procedure	F6	Right hand, second digit
	54	Surgical Care Only	F7	Right hand, third digit
	55	Postoperative Management Only	F8	Right hand, fourth digit
	56	Preoperative Management Only	F9	Right hand, fifth digit
	57	Decision for Surgery	FA	Left hand, thumb
	58	Staged or Related Procedure or Service by the	GG	Performance and payment of a screening
	50	Same Physician or Other Qualified Health Care	00	mammography and diagnostic mammography on
		Professional During the Postoperative Period		same patient, same day.
	59	Distinct Procedural Service	GH	Diagnostic mammogram converted from
				screening mammogram on same day
	62	Two Surgeons	LC	Left circumflex coronary artery
	63	Procedure Performed on Infants less than 4kg	LD	Left anterior descending coronary artery
	66	Surgical Team	LM	Left main coronary artery
	73	Discontinued Outpatient Hospital/Ambulatory	LT	Left side of the body procedure
		Surgery Center (ASC) Procedure prior to the		• •
		Administration of Anesthesia		
	74	Discontinued Outpatient Hospital/Ambulatory	QM	Ambulance service provided under arrangement
		Surgery Center (ASC) Procedure after		by a provider of services
	76	Administration of Anesthesia Repeat Procedure by Same Physician or Other	QN	Ambulance service furnished directly by a
	70	Qualified Health Care Professional	QIV	provider of services
	77	Repeat Procedure by Another Physician or Other	RC	Right coronary artery
		Qualified Health Care Professional		
	78	Unplanned Return to the Operating/Procedure	RI	Ramus intermedius coronary artery
		Room by the Same Physician or Other Qualified		
		Health Care Professional Following Initial		
		Procedure for a Related Procedure During the Postoperative Period		
	79	Unrelated Procedure or Service by the Same	RT	Right side of the body procedure
	,,	Physician or Other Qualified Health Care	141	ragin side of the body procedure
		Professional During the Postoperative Period		
	80	Assistant Surgeon	T1	Left foot, second digit
	81	Minimum Assistant Surgeon	T2	Left foot, third digit
	82	Repeat procedure by same physician	T3	Left foot, fourth digit
	90	Reference (Outside) Laboratory	T4	Left foot, fifth digit
	91	Repeat Clinical Diagnostic Laboratory Test	T5	Right foot, great toe
	92	Alternative Laboratory Platform Testing	T6	Right foot, second digit
		·		
	95	Synchronous Telemedicine Service Rendered Via a Real-Time Interactive Audio and Video	T7	Right foot, third digit
		Telecommunications System		
	99	Multiple Modifiers	T8	Right foot, fourth digit
	1P	Performance Measure Exclusion Modifier due to	Т9	Right foot, fifth digit
		Medical Reasons	17	rugin root, mar digit
	2P	Performance Measure Exclusion Modifier due to	TA	Left foot, great toe
		Patient Reasons		•
	3P	Performance Measure Exclusion Modifier due to	XE	Separate Encounter
	0.0	System Reasons	***	
	8P	Performance Measure Reporting Modifier-	XS	Separate Structure
		Action not performed, reason not otherwise specified		
	P1	A normal healthy patient	XP	Separate Practitioner
	P2		XU	Unusual Non-Overlapping Service
		A patient with mild systemic disease	Λυ	Onusual Non-Overlapping Service
	P3	A patient with severe systemic disease	G1 :	
Beginning Position:	24	Data Source:	Claim	
Length:	2	Type:	Alphan	umeric

Field 6:	MODIFIER_2		
Description:			ne performance of the service.
Coding Scheme:	Same as Field MODIFIER		
Beginning Position:	26	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 7:	MODIFIER_3		
Description:	Identifies special circumsta	ances related to th	ne performance of the service.
Coding Scheme:	Same as Field MODIFIER	_1	
Beginning Position:	28	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 8:	MODIFIER_4	X •	•
Description:		ances related to th	ne performance of the service.
Coding Scheme:	Same as Field MODIFIER		
Beginning Position:	30	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 9:	UNIT_MEASUREMENT		1
Description:	Code specifying the units i		s being expressed.
Coding Scheme:	DA Days	ar willen a varae i	s comp expressed.
coung seneme.	F2 International unit		
	UN Unit	-	
Beginning Position:	32	Data Source:	Claim
Length:	2	Type:	Alphanumeric
Field 10:	UNITS_OF_SERVICE		
Description:	Numeric value of quantity		
Beginning Position:	34	Data Source:	Claim
Length:	7	Type:	Numeric
Field 11:	UNIT_RATE		
Description:	Rate per unit		
Beginning Position:	41	Data Source:	Claim
Length:	12	Type:	Numeric
Field 12:	CHRGS_LINE_ITEM		
Description:	Total amount of the charge		
Beginning Position:	53	Data Source:	Assigned
Length:	14	Type:	Numeric
Field 13:	CHRGS_NON_COV		
Description:	Total non-covered amount		
Beginning Position:	67	Data Source:	Assigned
Length:	14	Type:	Numeric
Field 14:	FINAL_EAPG_CATEGO	_	
			G) category code, as assigned by 3M™ EAPG
5 5	Grouper. Not available 4Q		
Beginning Position:	81	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 15:	FINAL_EAPG_TYPE_C		C)
	•	ient Group (EAPC	G) type code, as assigned by 3M™ EAPG Grouper.
5 5	Not available 4Q09.	5	
Beginning Position:	83	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 16:	FINAL_EAPG		
		ry Patient Group ((EAPG), as assigned by 3M [™] EAPG Grouper. Not
5 5	available 4Q09.	5	
Beginning Position:	85	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 17:	APC_PROCEDURE_CO		1 1 2 11 01 (**)
			procedure code as assigned by 3M [™] APC
	Grouper. Not available 4Q	09.	
DSHS/THCIC		— Page 44 —	DSHS Document # E25-14164
www.dshs.texas.gov/	THCIC	I uge TT	Last Updated: August, 2020

Beginning Position:	90	Data Source:	Assigned
Length:	5	Type:	Alphanumeric
Field 18:	APC_PX_STATUS_IND	_CODE	
	Ambulatory Payment Clas	sification (APC)	procedure status indicator as assigned by 3M™
	APC Grouper. Not availab	le 4Q09.	
Beginning Position:	95	Data Source:	Assigned
Length:	2	Type:	Alphanumeric
Field 19:	APC_WEIGHT		
	Ambulatory Payment Clas available 4Q09.	sification (APC)	weighting as assigned by 3M™ APC Grouper. Not
Beginning Position:	97	Data Source:	Assigned
Length:	9	Type:	Alphanumeric
·	·	·	-

FACILITY TYPE INDICATOR FILE

Facility type indicators provided by the facilities. Provide the data user with information on the type of facility providing the outpatient service.

Field 1:	THCIC_ID		
Description:	Provider ID. Unique identif	fiar assigned to the	provider by DSHS
Beginning Position:	1 Tovider 1D. Omque identif	Data Source:	Assigned
0 0			e e e e e e e e e e e e e e e e e e e
Length:	6 PROMINER MAME	Type:	Alphanumeric
Field 2	PROVIDER_NAME		
Description:	Hospital name provided by		- ··
Beginning Position:	7	Data Source:	Provider
Length:	55	Type:	Alphanumeric
Field 3:	FAC_TEACHING_IND		
Description:	Teaching facility indicator.		
Coding Scheme:	A Member, Council of Teaching I	Hospitals	
Danimuiu a Danisi au	X Other teaching facility	Data Carrage	Duranidan
Beginning Position:	62	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 4:	FAC_PSYCH_IND		
Description:	Psychiatric facility indicato		
Beginning Position:	63	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 5:	FAC_REHAB_IND		
Description:	Rehabilitation facility indic	cator.	
Beginning Position:	64	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 6:	FAC ACUTE CARE IN	ID .	•
Description:	Acute care facility indicator	r.	
Beginning Position:	65	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 7:	FAC_SNF_IND		
Description:	Skilled nursing facility indi	icator	
Beginning Position:	66	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 8:	FAC_LONG_TERM_AC	V A	Aphanameric
Description:	Long term acute care facilit		
Beginning Position:	67	Data Source:	Provider
Length:	1		
Field 9:	FAC_OTHER_LTC_IND	Туре:	Alphanumeric
Description:	Other long term care facilit		D 11
Beginning Position:	68	Data Source:	Provider
Length:	1 PLACE PERCHAPA	Type:	Alphanumeric
Field 10:	FAC_PEDS_IND		
Description:	Pediatric facility Indicator.	CCLUL 1 II V I	ID 1 (II (C C) OLACUIDO
Coding Scheme:	X Facilities that also treat children		and Related Institutions (NACHRI)
Beginning Position:	69	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 11:	FAC_CARDIOVASCUL		
Description:	Cardiovascular facility indi		
Beginning Position:	70	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 12:	FAC_CHIROPRACTIC_		
Description:	Chiropractic care facility in		
-	Chilopractic care facility in	iuicaioi.	
DSHS/THCIC		— Page 46 ——	DSHS Document # E25-14164
www.dshs.texas.gov/	THCIC	I age 70	Last Updated: August, 2020

Beginning Position:	71	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 13:	FAC_ENDOSCOPY_INI		F - 2 - 2 - 2
Description:	Endoscopy facility indicate		
Beginning Position:	72	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 14:	FAC_FOOT_IND	турс.	Tipididiterie
Description:	Foot care facility indicator.		
Beginning Position:	73	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 15:	FAC_GASTROENTERO		Alphanumenc
Description:	Gastroenterology facility in		
-			Provider
Beginning Position:	74 1	Data Source:	
Length:		Type:	Alphanumeric
Field 16:	FAC_GENERAL_IND	4 - 0	
Description:	General care facility indica		D '1
Beginning Position:	75	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 17:	FAC_NEUROLOGICAL	_	
Description:	Neurological care facility is		
Beginning Position:	76	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 18:	FAC_OB_GYN_IND		
Description:	Obstetrics and gynecology	facility indicator.	
Beginning Position:	77	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 19:	FAC_OPTHAMOLOGY	_IND	
Description:	Opthamology facility indic	ator.	
Beginning Position:	78	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 20:	FAC_ORAL_IND		
Description:	Oral health care facility ind	licator.	
Beginning Position:	79	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 21:	FAC_ORTHOPEDIC_IN		
Description:	Orthopedic care facility ind		
Beginning Position:	80	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 22:	FAC OTOLARYNGOLO		Tipididiterie
Description:	Otolaryngology facility ind	_	
Beginning Position:	81	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 23:	FAC_ PAIN_MNGMT _I		Alphanumenc
	Pain management facility is		
Description:	2		Duranidan
Beginning Position:	82	Data Source:	Provider
Length:		Type:	Alphanumeric
Field 24:	FAC_PLASTIC_IND		
Description:	Plastic surgery facility indi		D 11
Beginning Position:	83	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 25:	FAC_THORACIC_IND		
Description:	Thoracic care facility Indic		
Beginning Position:	84	Data Source:	Provider
Length:	1	Type:	Alphanumeric
Field 26:	FAC_UROLOGY_IND		
DCUC/TUCIC			DCHC Dogument # E25 14174
DSHS/THCIC	THEIC	— Page 47 ——	DSHS Document # E25-14164
www.dshs.texas.gov/	THUL	9	Last Updated: August, 2020

Beginning Position:85Data Source:ProviderLength:1Type:AlphanumericField 27:FAC_OTHER_IND	
Field 27: FAC OTHER IND	
Description: Other facility indicator.	
Beginning Position: 86 Data Source: Provider	
Length: 1 Type: Alphanumeric	
Field 11: POA_PROVIDER_INDICATOR	
Indicator identifying whether facility is required to submit Diagnosis Present on Admission	
(POA) codes. 25 TAC §421.9(e) identifies the following facility types as exempt from	
reporting POA to the department: Critical Access Hospitals, Inpatient Rehabilitation Hospital	s,
Inpatient Psychiatric Hospitals, Cancer Hospitals, Children's or Pediatric Hospitals and Long	
Term Care Hospitals.	
Coding Scheme: M Mixed (Facility has sections that would be exempted from reporting POA for those patients) Required	
R Required X Exempt	
` Invalid	
Beginning Position: 87 Data Source: Assigned	
Length: 1 Type: Alphanumeric	
Field 122: CERT_STATUS	
Assignment of a code to indicate the certification of data and submission of comments by the	
facility. First available 3 rd quarter 1999.	
Coding Scheme: 1 Certified, without comment	
2 Certified, with comment	
Certified, with comment, comment not received by deadline Facility elected not to certify	
5 Facility closed, data not certified	
6 Facility out of compliance, did not certify data	
Data not certified. Facility affected by natural or man-made disaster (Starting 4Q2016)	
Beginning Position: 88 Data Source: Assigned	
Length: 1 Type: Alphanumeric	

Texas Department of State Health Services

TEXAS OUTPATIENT SURGICAL AND RADIOLOGICAL PROCEDURE

Public Use Data File DATA FIELDS

BASE DATA FILE

Number	Field Name	Position	Length	Field Type
1	SERVICE_QUARTER	1	6	Alphanumeric
2	RECORD_ID- Does NOT match the THCIC RECORD_ID in Research Data Files (RDF's)	7	12	Alphanumeric
3	THCIC_ID	19	6	Alphanumeric
4	SPEC_UNIT_1	25	1	Alphanumeric
5	SPEC_UNIT_2	26	1	Alphanumeric
6	SPEC_UNIT_3	27	1	Alphanumeric
7	SPEC_UNIT_4	28	1	Alphanumeric
8	SPEC_UNIT_5	29	1	Alphanumeric
9	SEX_CODE	30	1	Alphanumeric
10	PAT_COUNTY	31	3	Alphanumeric
11	PAT_STATE	34	2	Alphanumeric
12	PAT_ZIP	36	5	Alphanumeric
13	PAT_COUNTRY	41	2	Alphanumeric
14	PUBLIC_HEALTH_REGION	43	2	Alphanumeric
15	LENGTH_OF_SERVICE	45	2	Alphanumeric
16	PAT_AGE	47	2	Alphanumeric
17	RACE	49	1	Alphanumeric
18	ETHNICITY	50	1	Alphanumeric
19	FIRST_PAYMENT_SRC	51	2	Alphanumeric
20	SECONDARY_PAYMENT_SRC	53	2	Alphanumeric
21	TYPE_OF_BILL	55	3	Alphanumeric
22	CONDITION_CODE_1	58	2	Alphanumeric
23	CONDITION_CODE_2	60	2	Alphanumeric
24	CONDITION_CODE_3	62	2	Alphanumeric
25	CONDITION_CODE_4	64	2	Alphanumeric

DSHS/THCIC

Number	Field Name	Position	Length	Field Type
26	CONDITION_CODE_5	66	2	Alphanumeric
27	CONDITION_CODE_6	68	2	Alphanumeric
28	CONDITION_CODE_7	70	2	Alphanumeric
29	CONDITION_CODE_8	72	2	Alphanumeric
30	PAT_REASON_FOR_VISIT	74	7	Alphanumeric
31	PRINC_DIAG_CODE	81	7	Alphanumeric
32	OTH_DIAG_CODE_1	88	7	Alphanumeric
33	OTH_DIAG_CODE_2	95	7	Alphanumeric
34	OTH_DIAG_CODE_3	102	7	Alphanumeric
35	OTH_DIAG_CODE_4	109	7	Alphanumeric
36	OTH_DIAG_CODE_5	116	7	Alphanumeric
37	OTH_DIAG_CODE_6	123	7	Alphanumeric
38	OTH_DIAG_CODE_7	130	7	Alphanumeric
39	OTH_DIAG_CODE_8	137	7	Alphanumeric
40	OTH_DIAG_CODE_9	144	7	Alphanumeric
41	OTH_DIAG_CODE_10	151	7	Alphanumeric
42	OTH_DIAG_CODE_11	158	7	Alphanumeric
43	OTH_DIAG_CODE_12	165	7	Alphanumeric
44	OTH_DIAG_CODE_13	172	7	Alphanumeric
45	OTH_DIAG_CODE_14	179	7	Alphanumeric
46	OTH_DIAG_CODE_15	186	7	Alphanumeric
47	OTH_DIAG_CODE_16	193	7	Alphanumeric
48	OTH_DIAG_CODE_17	200	7	Alphanumeric
49	OTH_DIAG_CODE_18	207	7	Alphanumeric
50	OTH_DIAG_CODE_19	214	7	Alphanumeric
51	OTH_DIAG_CODE_20	221	7	Alphanumeric
52	OTH_DIAG_CODE_21	228	7	Alphanumeric
53	OTH_DIAG_CODE_22	235	7	Alphanumeric
54	OTH_DIAG_CODE_23	242	7	Alphanumeric
55	OTH_DIAG_CODE_24	249	7	Alphanumeric
56	RELATED_CAUSE_CODE_1	256	2	Alphanumeric
57	RELATED_CAUSE_CODE_2	258	2	Alphanumeric
58	RELATED_CAUSE_CODE_3	260	2	Alphanumeric
59	E_CODE_1	262	7	Alphanumeric
60	E_CODE_2	269	7	Alphanumeric
61	E_CODE_3	276	7	Alphanumeric
62	E_CODE_4	283	7	Alphanumeric
63	E_CODE_5	290	7	Alphanumeric
64	E_CODE_6	297	7	Alphanumeric
65	E_CODE_7	304	7	Alphanumeric

DSHS Document # E25-14164

Last Updated: August, 2020

Number	Field Name	Position	Length	Field Type
66	E_CODE_8	311	7	Alphanumeric
67	E_CODE_9	318	7	Alphanumeric
68	E_CODE_10	325	7	Alphanumeric
69	PROC_CODE_1	332	5	Alphanumeric
70	PROC_CODE_2	337	5	Alphanumeric
71	PROC_CODE_3	342	5	Alphanumeric
72	PROC_CODE_4	347	5	Alphanumeric
73	PROC_CODE_5	352	5	Alphanumeric
74	PROC_CODE_6	357	5	Alphanumeric
75	PROC_CODE_7	362	5	Alphanumeric
76	PROC_CODE_8	367	5	Alphanumeric
77	PROC_CODE_9	372	5	Alphanumeric
78	PROC_CODE_10	377	5	Alphanumeric
79	PROC_CODE_11	382	5	Alphanumeric
80	PROC_CODE_12	387	5	Alphanumeric
81	PROC_CODE_13	392	5	Alphanumeric
82	PROC_CODE_14	397	5	Alphanumeric
83	PROC_CODE_15	402	5	Alphanumeric
84	PROC_CODE_16	407	5	Alphanumeric
85	PROC_CODE_17	412	5	Alphanumeric
86	PROC_CODE_18	417	5	Alphanumeric
87	PROC_CODE_19	422	5	Alphanumeric
88	PROC_CODE_20	427	5	Alphanumeric
89	PROC_CODE_21	432	5	Alphanumeric
90	PROC_CODE_22	437	5	Alphanumeric
91	PROC_CODE_23	442	5	Alphanumeric
92	PROC_CODE_24	447	5	Alphanumeric
93	PROC_CODE_25	452	5	Alphanumeric
94	OTHER_AMOUNT	457	12	Numeric
95	PHARM_AMOUNT	469	12	Numeric
96	MEDSURG_AMOUNT	481	12	Numeric
97	DME_AMOUNT	493	12	Numeric
98	USED_DME_AMOUNT	505	12	Numeric
99	PT_AMOUNT	517	12	Numeric
100	OT_AMOUNT	529	12	Numeric
101	SPEECH_AMOUNT	541	12	Numeric
102	IT_AMOUNT	553	12	Numeric
103	BLOOD_AMOUNT	565	12	Numeric
104	BLOOD_ADM_AMOUNT	577	12	Numeric
105	OR_AMOUNT	589	12	Numeric

DSHS Document # E25-14164

Last Updated: August, 2020

Number	Field Name	Position	Length	Field Type
106	LITH_AMOUNT	601	12	Numeric
107	CARD_AMOUNT	613	12	Numeric
108	ANES_AMOUNT	625	12	Numeric
109	LAB_AMOUNT	637	12	Numeric
110	RAD_AMOUNT	649	12	Numeric
111	MRI_AMOUNT	661	12	Numeric
112	OP_AMOUNT	673	12	Numeric
113	ER_AMOUNT	685	12	Numeric
114	AMBULANCE_AMOUNT	697	12	Numeric
115	PRO_FEE_AMOUNT	709	12	Numeric
116	ORGAN_AMOUNT	721	12	Numeric
117	ESRD_AMOUNT	733	12	Numeric
118	CLINIC_AMOUNT	745	12	Numeric
119	TOTAL_CHARGES	757	12	Numeric
120	TOTAL_NON_COV_CHARGES	769	12	Numeric
121	TOTAL_CHARGES_ANCIL	781	12	Numeric
122	TOTAL_NON_COV_CHARGES_ANCIL	793	12	Numeric
123	PHYSICIAN1_INDEX_NUMBER	805	10	Alphanumeric
124	PHYSICIAN2_INDEX_NUMBER	815	10	Alphanumeric
125	INPUT_FORMAT	825	1	Alphanumeric
126	SOURCE_OF_ADMISSION	826	1	Alphanumeric
127	PAT_STATUS	827	2	Alphanumeric
128	PROVIDER_NAME	829	55	Alphanumeric
129	EMERGENCY_DEPT_FLAG	884	1	Alphanumeric
	Record_Length		884	

CLASSIFICATION DATA FILE

Number	Field Name	Position	Length	Field Type
1	RECORD_ID - Does NOT match the THCIC RECORD_ID in Research Data Files (RDF's)	1	12	Alphanumeric
2	CCS_PRINC_DIAG_CODE	13	4	Alphanumeric
3	CCS_OTH_DIAG_CODE_1	17	4	Alphanumeric
4	CCS_OTH_DIAG_CODE_2	21	4	Alphanumeric
5	CCS_OTH_DIAG_CODE_3	25	4	Alphanumeric
6	CCS_OTH_DIAG_CODE_4	29	4	Alphanumeric
7	CCS_OTH_DIAG_CODE_5	33	4	Alphanumeric
8	CCS_OTH_DIAG_CODE_6	37	4	Alphanumeric
9	CCS_OTH_DIAG_CODE_7	41	4	Alphanumeric
10	CCS_OTH_DIAG_CODE_8	45	4	Alphanumeric
11	CCS_OTH_DIAG_CODE_9	49	4	Alphanumeric
12	CCS_OTH_DIAG_CODE_10	53	4	Alphanumeric
13	CCS_OTH_DIAG_CODE_11	57	4	Alphanumeric
14	CCS_OTH_DIAG_CODE_12	61	4	Alphanumeric
15	CCS_OTH_DIAG_CODE_13	65	4	Alphanumeric
16	CCS_OTH_DIAG_CODE_14	69	4	Alphanumeric
17	CCS_OTH_DIAG_CODE_15	73	4	Alphanumeric
18	CCS_OTH_DIAG_CODE_16	77	4	Alphanumeric
19	CCS_OTH_DIAG_CODE_17	81	4	Alphanumeric
20	CCS_OTH_DIAG_CODE_18	85	4	Alphanumeric
21	CCS_OTH_DIAG_CODE_19	89	4	Alphanumeric
22	CCS_OTH_DIAG_CODE_20	93	4	Alphanumeric
23	CCS_OTH_DIAG_CODE_21	97	4	Alphanumeric
24	CCS_OTH_DIAG_CODE_22	101	4	Alphanumeric
25	CCS_OTH_DIAG_CODE_23	105	4	Alphanumeric
26	CCS_OTH_DIAG_CODE_24	109	4	Alphanumeric
27	CCS_PROC_CODE_1	113	3	Alphanumeric
28	CCS_PROC_CODE_2	116	3	Alphanumeric
29	CCS_PROC_CODE_3	119	3	Alphanumeric
30	CCS_PROC_CODE_4	122	3	Alphanumeric
31	CCS_PROC_CODE_5	125	3	Alphanumeric
32	CCS_PROC_CODE_6	128	3	Alphanumeric
33	CCS_PROC_CODE_7	131	3	Alphanumeric
34	CCS_PROC_CODE_8	134	3	Alphanumeric
35	CCS_PROC_CODE_9	137	3	Alphanumeric

DSHS/THCIC www.dshs.texas.gov/THCIC DSHS Document # E25-14164
Last Updated: August, 2020

Number	Field Name	Position	Length	Field Type
36	CCS_PROC_CODE_10	140	3	Alphanumeric
37	CCS_PROC_CODE_11	143	3	Alphanumeric
38	CCS_PROC_CODE_12	146	3	Alphanumeric
39	CCS_PROC_CODE_13	149	3	Alphanumeric
40	CCS_PROC_CODE_14	152	3	Alphanumeric
41	CCS_PROC_CODE_15	155	3	Alphanumeric
42	CCS_PROC_CODE_16	158	3	Alphanumeric
43	CCS_PROC_CODE_17	161	3	Alphanumeric
44	CCS_PROC_CODE_18	164	3	Alphanumeric
45	CCS_PROC_CODE_19	167	3	Alphanumeric
46	CCS_PROC_CODE_20	170	3	Alphanumeric
47	CCS_PROC_CODE_21	173	3	Alphanumeric
48	CCS_PROC_CODE_22	176	3	Alphanumeric
49	CCS_PROC_CODE_23	179	3	Alphanumeric
50	CCS_PROC_CODE_24	182	3	Alphanumeric
51	CCS_PROC_CODE_25	185	3	Alphanumeric
52	EAPG_GRP_VER	188	12	Alphanumeric
53	APC_GRP_VER	200	12	Alphanumeric
54	CRG_STATUS_1	212	1	Alphanumeric
55	CRG_STATUS_2	213	1	Alphanumeric
56	CRG_STATUS_3	214	1	Alphanumeric
57	CRG_STATUS_4	215	1	Alphanumeric
58	CRG_STATUS_5	216	1	Alphanumeric
59	CRG_STATUS_6	217	1	Alphanumeric
60	CRG_STATUS_7	218	1	Alphanumeric
61	CRG_STATUS_8	219	1	Alphanumeric
62	CRG_STATUS_9	220	1	Alphanumeric
63	CRG_STATUS_10	221	1	Alphanumeric
64	CRG_CODE_1	222	5	Alphanumeric
65	CRG_CODE_2	227	5	Alphanumeric
66	CRG_CODE_3	232	5	Alphanumeric
67	CRG_CODE_4	237	5	Alphanumeric
68	CRG_CODE_5	242	5	Alphanumeric
69	CRG_CODE_6	247	5	Alphanumeric
70	CRG_CODE_7	252	5	Alphanumeric
71	CRG_CODE_8	257	5	Alphanumeric
72	CRG_CODE_9	262	5	Alphanumeric
73	CRG_CODE_10	267	5	Alphanumeric
74	CRG_SEVERITY_1	272	1	Alphanumeric
75	CRG_SEVERITY_2	273	1	Alphanumeric

Number	Field Name	Position	Length	Field Type
76	CRG_SEVERITY_3	274	1	Alphanumeric
77	CRG_SEVERITY_4	275	1	Alphanumeric
78	CRG_SEVERITY_5	276	1	Alphanumeric
79	CRG_SEVERITY_6	277	1	Alphanumeric
80	CRG_SEVERITY_7	278	1	Alphanumeric
81	CRG_SEVERITY_8	279	1	Alphanumeric
82	CRG_SEVERITY_9	280	1	Alphanumeric
83	CRG_SEVERITY_10	281	1	Alphanumeric
	Record_Length		281	

CHARGES DATA FILE

Number	Field Name	Position	Length	Field Type
1	RECORD_ID - Does NOT match the THCIC RECORD_ID in Research Data Files (RDF's)	1	12	Alphanumeric
2	REVENUE_CODE	13	4	Alphanumeric
3	HCPCS_QUALIFIER	17	2	Alphanumeric
4	HCPCS_PROCEDURE_CODE	19	5	Alphanumeric
5	MODIFIER_1	24	2	Alphanumeric
6	MODIFIER_2	26	2	Alphanumeric
7	MODIFIER_3	28	2	Alphanumeric
8	MODIFIER_4	30	2	Alphanumeric
9	UNIT_MEASUREMENT_CODE	32	2	Alphanumeric
10	UNITS_OF_SERVICE	34	7	Numeric
11	UNIT_RATE	41	12	Numeric
12	CHRGS_LINE_ITEM	53	14	Numeric
13	CHRGS_NON_COV	67	14	Numeric
14	FINAL_EAPG_CATEGORY_CODE	81	2	Alphanumeric
15	FINAL_EAPG_TYPE_CODE	83	2	Alphanumeric
16	FINAL_EAPG	85	5	Alphanumeric
17	APC_PROCEDURE_CODE	90	5	Alphanumeric
18	APC_PX_STATUS_IND_CODE	95	2	Alphanumeric
19	APC_WEIGHT	97	9	Alphanumeric
	Record_Length		105	

FACILITY TYPE DATA FILE

Number	Field Name	Position	Length	Field Type
1	THCIC_ID	1	6	Alphanumeric
2	PROVIDER_NAME	7	55	Alphanumeric
3	FAC_TEACHING_IND	62	1	Alphanumeric
4	FAC_PSYCH_IND	63	1	Alphanumeric
5	FAC_REHAB_IND	64	1	Alphanumeric
6	FAC_ACUTE_CARE_IND	65	1	Alphanumeric
7	FAC_SNF_IND	66	1	Alphanumeric
8	FAC_LONG_TERM_AC_IND	67	1	Alphanumeric
9	FAC_OTHER_LTC_IND	68	1	Alphanumeric
10	FAC_PEDS_IND	69	1	Alphanumeric
11	FAC_CARDIOVASCULAR_IND	70	1	Alphanumeric
12	FAC_CHIROPRACTIC_IND	71	1	Alphanumeric
13	FAC_ENDOSCOPY_IND	72	1	Alphanumeric
14	FAC_FOOT_IND	73	1	Alphanumeric
15	FAC_GASTROENTEROLOGY_IND	74	1	Alphanumeric
16	FAC_GENERAL_IND	75	1	Alphanumeric
17	FAC_NEUROLOGICAL_IND	76	1	Alphanumeric
18	FAC_OB_GYN_IND	77	1	Alphanumeric
19	FAC_OPTHAMOLOGY_IND	78	1	Alphanumeric
20	FAC_ORAL_IND	79	1	Alphanumeric
21	FAC_ORTHOPEDIC_IND	80	1	Alphanumeric
22	FAC_OTOLARYRGOLOGY_IND	81	1	Alphanumeric
23	FAC_PAIN_MNGMT_IND	82	1	Alphanumeric
24	FAC_PLASTIC_IND	83	1	Alphanumeric
25	FAC_THORACIC_IND	84	1	Alphanumeric
26	FAC_UROLOGY_IND	85	1	Alphanumeric
27	FAC_OTHER_IND	86	1	Alphanumeric
28	POA_PROVIDER_INDICATOR	87	1	Alphanumeric
29	CERT_STATUS	88	1	Alphanumeric
	Record_Length		88	