

# *Cervical Cancer*

Table 14. Cervical Cancer Incidence Rates, Counts, and Percentage of Total New Cancers by Age of Diagnosis, Texas, 2001-2005

	Age Specific Rates	Total Cases	Average Annual Cases	% of Newly Diagnosed Cervical Cancer Cases
0-29	1.5	369	74	6.8
30-39	15.2	1,246	249	23.0
40-49	18.8	1,544	309	28.5
50-59	15.6	957	191	17.7
60-69	14.8	560	112	10.3
70-79	16.8	467	93	8.6
80+	14.6	272	54	5.0
<b>Total</b>			<b>1,083</b>	<b>100.0</b>

Note: Incidence counts are five-year average annual, rounded to the nearest whole.


Rates are age-specific annual rates per 100,000.

Incidence includes invasive cancers only.

Source: Texas Department of State Health Services, Cancer Epidemiology and Surveillance Branch, Texas Cancer Registry, 1995-2005 Incidence,

Based on 2008 NPCR-CSS Submission, 1-31-2008.

Figure 17. Cervical Cancer Incidence and Mortality Counts and Rates by Race and Ethnicity, Texas, 2001-2005



Notes: Rates are average annual rates per 100,000 and are age-adjusted to the 2000 U.S. standard population.

Cases and deaths are average annual, rounded to the nearest whole.

Source: Texas Cancer Registry, 1995-2005 Incidence based on 2008 NPCR-CSS Submission, 1-31-2008 and Center for Health Statistics, Texas Department of State Health Services.

Table 15. Cervical Cancer Cases and Percent of Total by Race and Ethnicity and Stage at Diagnosis, Texas, 2001-2005

Cervix	Total Cases	Percent Early Stage	Percent Late Stage	Percent Unknown
Non-Hispanic White	2,448	49.1	37.7	13.3
Black	715	40.8	45.7	13.4
Hispanic	2,084	45.0	42.7	12.3
Asian/Pacific Islander	103	54.4	33.0	12.6

Note: Early = localized. Late = regional + distant. Number of cases is a five-year total.

Percentages are based on unrounded counts and totals.

Cases of unknown race are not included.

Hispanic ethnicity is derived from the NAACCR Hispanic Identification Algorithm (NHIA) and may be of any race, thus categories are not mutually exclusive.

Source: Texas Department of State Health Services, Cancer Epidemiology and Surveillance Branch, Texas Cancer Registry, 1995-2005 Incidence,

Based on 2008 NPCR-CSS Submission, 1-31-2008.

**Table 16. Prevalence of Women (Ages 18 Years and Older)\* Who Have Had a Pap Test Within the Past Three Years, Texas and United States, 2006**

	Texas Percent	U.S. Percent
Total	80.2	83.9
Age Groups (Years)		
18 to 44	81.0	85.3
45 to 64	79.5	86.5
65+	76.5	70.7
Race and Ethnicity		
Non-Hispanic White	82.2	84.4
Black	81.0	87.0
Hispanic	77.4	81.6
Other	68.7	77.3
Low Education**	72.2	74.1
Low Income***	79.0	77.0

\*Women with an intact cervix

\*\* Adults 18 years of age and older with less than a high school diploma.

\*\*\*Adults 18 years of age and older that have a total household income of less than \$25,000.

Note: All reported rates are weighted for Texas demographics and the probability of selection.

Source: Texas Behavioral Risk Factor Surveillance System Dataset, Statewide BRFSS Survey, 2006.

Prepared by: Community Assessment Team, Center for Health Statistics, Texas Department of State Health Services.