

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 01

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	32	2.3%	54	3.9%	823	59.9%	3	0.2%	461	33.6%	1,373	100.0%
101	1	3.1%	3	5.6%	18	2.2%			13	2.8%	35	2.5%
102					9	1.1%			7	1.5%	16	1.2%
103												
111	4	12.5%	21	38.9%	311	37.8%	1	33.3%	160	34.7%	497	36.2%
112	3	9.4%	4	7.4%	116	14.1%			52	11.3%	175	12.7%
113												
114												
121												
131												
132												
133	8	25.0%	25	46.3%	320	38.9%	2	66.7%	224	48.6%	579	42.2%
134												
135												
141												
142												
151												
152												
153												
201	4	12.5%	12	22.2%	213	25.9%			97	21.0%	326	23.7%
211									2	0.4%	2	0.1%
301												
302												
303			1	1.9%	29	3.5%			10	2.2%	40	2.9%
311	5	15.6%	5	9.3%	90	10.9%	1	33.3%	63	13.7%	164	11.9%
312	5	15.6%	3	5.6%	40	4.9%			23	5.0%	71	5.2%
321					1	0.1%			1	0.2%	2	0.1%
331			4	7.4%	66	8.0%			13	2.8%	83	6.0%
332	4	12.5%	8	14.8%	160	19.4%			75	16.3%	247	18.0%
333					5	0.6%					5	0.4%
334												
335	1	3.1%			5	0.6%			6	1.3%	12	0.9%
336												
337	1	3.1%	1	1.9%	32	3.9%			25	5.4%	59	4.3%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 01

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	32	2.3%	54	3.9%	823	59.9%	3	0.2%	461	33.6%	1,373	100.0%
338												
339												
341									2	0.4%	2	0.1%
342					3	0.4%			2	0.4%	5	0.4%
343					7	0.9%	1	33.3%	4	0.9%	12	0.9%
344					10	1.2%			5	1.1%	15	1.1%
345			1	1.9%	15	1.8%			7	1.5%	23	1.7%
346												
347									1	0.2%	1	0.1%
348					1	0.1%			3	0.7%	4	0.3%
349					1	0.1%					1	0.1%
350												
351												
352	1	3.1%							3	0.7%	4	0.3%
353					1	0.1%					1	0.1%
354												
355					1	0.1%			2	0.4%	3	0.2%
356					1	0.1%			2	0.4%	3	0.2%
357			4	7.4%	24	2.9%			17	3.7%	45	3.3%
358					2	0.2%					2	0.1%
359	6	18.8%	4	7.4%	134	16.3%			85	18.4%	229	16.7%
360			1	1.9%	4	0.5%			12	2.6%	17	1.2%
361									4	0.9%	4	0.3%
362												
371			6	11.1%	12	1.5%			66	14.3%	84	6.1%
372					1	0.1%			3	0.7%	4	0.3%
373												
381	1	3.1%	2	3.7%	30	3.6%			14	3.0%	47	3.4%
382												
402									1	0.2%	1	0.1%
403					2	0.2%			1	0.2%	3	0.2%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 01

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	32	2.3%	54	3.9%	823	59.9%	3	0.2%	461	33.6%	1,373	100.0%
413												
414												
415												
416												
417												
418												
419												
420			3	5.6%	53	6.4%	1	33.3%	59	12.8%	116	8.4%
421			5	9.3%	14	1.7%			7	1.5%	26	1.9%
422	26	81.3%	46	85.2%	400	48.6%	2	66.7%	315	68.3%	789	57.5%
423	1	3.1%	1	1.9%	12	1.5%			4	0.9%	18	1.3%
424												
425												
426	12	37.5%	10	18.5%	287	34.9%			89	19.3%	398	29.0%
501					4	0.5%			1	0.2%	5	0.4%
502					2	0.2%			2	0.4%	4	0.3%
601					3	0.4%			1	0.2%	4	0.3%
602	2	6.3%	2	3.7%	56	6.8%			23	5.0%	83	6.0%
603												
701												
702												
703												
704												
801												
802					2	0.2%					2	0.1%
901					6	0.7%					6	0.4%
902					16	1.9%			3	0.7%	19	1.4%
903												

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of breastfeeding women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 01

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	108	0.6%	1,204	7.0%	11,528	67.3%	11	0.1%	4,271	24.9%	17,122	100.0%
101												
102												
103	14	13.0%	103	8.6%	664	5.8%			321	7.5%	1,102	6.4%
111												
112												
113	5	4.6%	84	7.0%	1,245	10.8%	2	18.2%	268	6.3%	1,604	9.4%
114	4	3.7%	79	6.6%	1,043	9.0%	1	9.1%	291	6.8%	1,418	8.3%
121	13	12.0%	150	12.5%	1,694	14.7%	1	9.1%	600	14.0%	2,458	14.4%
131												
132												
133												
134	1	0.9%	1	0.1%	9	0.1%			5	0.1%	16	0.1%
135					35	0.3%			16	0.4%	51	0.3%
141			9	0.7%	92	0.8%			47	1.1%	148	0.9%
142												
151					1	0.0%			3	0.1%	4	0.0%
152												
153												
201	7	6.5%	114	9.5%	1,454	12.6%			353	8.3%	1,928	11.3%
211			1	0.1%	2	0.0%			1	0.0%	4	0.0%
301												
302												
303												
311												
312												
321												
331												
332												
333												
334												
335												
336												
337												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 01

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	108	0.6%	1,204	7.0%	11,528	67.3%	11	0.1%	4,271	24.9%	17,122	100.0%
338												
339												
341					1	0.0%			1	0.0%	2	0.0%
342			2	0.2%	7	0.1%			3	0.1%	12	0.1%
343									3	0.1%	3	0.0%
344					7	0.1%			1	0.0%	8	0.0%
345									1	0.0%	1	0.0%
346			1	0.1%	5	0.0%			3	0.1%	9	0.1%
347					3	0.0%					3	0.0%
348			1	0.1%	34	0.3%			21	0.5%	56	0.3%
349			2	0.2%	41	0.4%			13	0.3%	56	0.3%
350												
351												
352	1	0.9%	7	0.6%	75	0.7%			53	1.2%	136	0.8%
353	1	0.9%	9	0.7%	46	0.4%			41	1.0%	97	0.6%
354					1	0.0%			1	0.0%	2	0.0%
355	2	1.9%	10	0.8%	38	0.3%			37	0.9%	87	0.5%
356					1	0.0%					1	0.0%
357	2	1.9%	40	3.3%	221	1.9%			150	3.5%	413	2.4%
358												
359	1	0.9%	7	0.6%	55	0.5%			23	0.5%	86	0.5%
360			51	4.2%	140	1.2%			96	2.2%	287	1.7%
361					1	0.0%					1	0.0%
362	1	0.9%	1	0.1%	35	0.3%			19	0.4%	56	0.3%
371												
372												
373												
381	4	3.7%	67	5.6%	777	6.7%	1	9.1%	165	3.9%	1,014	5.9%
382												
402					8	0.1%			2	0.0%	10	0.1%
403					7	0.1%			6	0.1%	13	0.1%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 01

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	108	0.6%	1,204	7.0%	11,528	67.3%	11	0.1%	4,271	24.9%	17,122	100.0%
413												
414												
415												
416												
417												
418												
419	25	23.1%	165	13.7%	1,436	12.5%	1	9.1%	345	8.1%	1,972	11.5%
420												
421	3	2.8%	43	3.6%	235	2.0%	3	27.3%	111	2.6%	395	2.3%
422	86	79.6%	876	72.8%	5,586	48.5%	5	45.5%	2,451	57.4%	9,004	52.6%
423	1	0.9%	1	0.1%	148	1.3%			19	0.4%	169	1.0%
424			3	0.2%	13	0.1%			2	0.0%	18	0.1%
425	67	62.0%	890	73.9%	8,159	70.8%	9	81.8%	2,794	65.4%	11,919	69.6%
426												
501			3	0.2%	55	0.5%			25	0.6%	83	0.5%
502	1	0.9%	3	0.2%	44	0.4%			34	0.8%	82	0.5%
601												
602												
603												
701												
702												
703												
704												
801			4	0.3%	3	0.0%			3	0.1%	10	0.1%
802					42	0.4%					42	0.2%
901	1	0.9%	4	0.3%	22	0.2%			10	0.2%	37	0.2%
902					2	0.0%			1	0.0%	3	0.0%
903			20	1.7%	45	0.4%			35	0.8%	100	0.6%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of children

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 01

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	83	0.9%	748	8.2%	5,476	60.2%	13	0.1%	2,771	30.5%	9,091	100.0%
101												
102												
103	10	12.0%	90	12.0%	475	8.7%	1	7.7%	315	11.4%	891	9.8%
111												
112												
113												
114			5	0.7%	25	0.5%	1	7.7%	17	0.6%	48	0.5%
121	10	12.0%	120	16.0%	551	10.1%			301	10.9%	982	10.8%
131												
132												
133												
134												
135					3	0.1%	1	7.7%	4	0.1%	8	0.1%
141	16	19.3%	108	14.4%	408	7.5%	1	7.7%	251	9.1%	784	8.6%
142	14	16.9%	150	20.1%	810	14.8%	1	7.7%	460	16.6%	1,435	15.8%
151					9	0.2%			3	0.1%	12	0.1%
152					1	0.0%					1	0.0%
153	1	1.2%	15	2.0%	129	2.4%	1	7.7%	74	2.7%	220	2.4%
201			1	0.1%	7	0.1%			14	0.5%	22	0.2%
211												
301												
302												
303												
311												
312												
321												
331												
332												
333												
334												
335												
336												
337												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 01

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	83	0.9%	748	8.2%	5,476	60.2%	13	0.1%	2,771	30.5%	9,091	100.0%
338												
339												
341									1	0.0%	1	0.0%
342			4	0.5%	6	0.1%			12	0.4%	22	0.2%
343												
344					1	0.0%					1	0.0%
345			1	0.1%							1	0.0%
346					1	0.0%					1	0.0%
347												
348					2	0.0%					2	0.0%
349			1	0.1%	13	0.2%			15	0.5%	29	0.3%
350					2	0.0%			1	0.0%	3	0.0%
351												
352			2	0.3%	13	0.2%			14	0.5%	29	0.3%
353					2	0.0%					2	0.0%
354												
355			1	0.1%	10	0.2%			18	0.6%	29	0.3%
356					2	0.0%					2	0.0%
357			8	1.1%	66	1.2%			46	1.7%	120	1.3%
358												
359			6	0.8%	51	0.9%			41	1.5%	98	1.1%
360	2	2.4%	7	0.9%	40	0.7%			27	1.0%	76	0.8%
361												
362	1	1.2%	6	0.8%	18	0.3%			14	0.5%	39	0.4%
371												
372												
373												
381												
382												
402												
403					4	0.1%					4	0.0%
411	13	15.7%	205	27.4%	1,045	19.1%	2	15.4%	484	17.5%	1,749	19.2%
412	1	1.2%	19	2.5%	58	1.1%			74	2.7%	152	1.7%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 01

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	83	0.9%	748	8.2%	5,476	60.2%	13	0.1%	2,771	30.5%	9,091	100.0%
413			1	0.1%	4	0.1%			2	0.1%	7	0.1%
414			3	0.4%	4	0.1%			3	0.1%	10	0.1%
415	4	4.8%	32	4.3%	149	2.7%			50	1.8%	235	2.6%
416	2	2.4%	47	6.3%	289	5.3%	1	7.7%	147	5.3%	486	5.3%
417	12	14.5%	364	48.7%	2,390	43.6%	4	30.8%	1,067	38.5%	3,837	42.2%
418	2	2.4%	5	0.7%	33	0.6%			33	1.2%	73	0.8%
419	3	3.6%	42	5.6%	270	4.9%			125	4.5%	440	4.8%
420												
421												
422												
423					177	3.2%			5	0.2%	182	2.0%
424					6	0.1%			1	0.0%	7	0.1%
425												
426												
501												
502	2	2.4%	3	0.4%	60	1.1%			48	1.7%	113	1.2%
601												
602												
603	5	6.0%	16	2.1%	291	5.3%	1	7.7%	126	4.5%	439	4.8%
701	58	69.9%	568	75.9%	4,395	80.3%	9	69.2%	1,936	69.9%	6,966	76.6%
702	3	3.6%	3	0.4%	31	0.6%	1	7.7%	31	1.1%	69	0.8%
703			2	0.3%	8	0.1%			9	0.3%	19	0.2%
704	4	4.8%	66	8.8%	335	6.1%	1	7.7%	224	8.1%	630	6.9%
801					4	0.1%			1	0.0%	5	0.1%
802					13	0.2%					13	0.1%
901			1	0.1%	8	0.1%	1	7.7%	1	0.0%	11	0.1%
902			21	2.8%	92	1.7%			19	0.7%	132	1.5%
903			9	1.2%	19	0.3%	1	7.7%	26	0.9%	55	0.6%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of infants

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 01

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	25	0.7%	274	7.7%	2,190	61.6%	3	0.1%	1,061	29.9%	3,553	100.0%
101	4	16.0%	21	7.7%	99	4.5%			63	5.9%	187	5.3%
102												
103												
111	7	28.0%	129	47.1%	977	44.6%	1	33.3%	453	42.7%	1,567	44.1%
112												
113												
114												
121												
131												
132												
133	5	20.0%	116	42.3%	875	40.0%	1	33.3%	448	42.2%	1,445	40.7%
134												
135												
141												
142												
151												
152												
153												
201	10	40.0%	116	42.3%	825	37.7%			316	29.8%	1,267	35.7%
211									1	0.1%	1	0.0%
301												
302												
303	2	8.0%	4	1.5%	66	3.0%			18	1.7%	90	2.5%
311	5	20.0%	56	20.4%	317	14.5%	1	33.3%	172	16.2%	551	15.5%
312	3	12.0%	39	14.2%	159	7.3%			89	8.4%	290	8.2%
321	2	8.0%	8	2.9%	53	2.4%			13	1.2%	76	2.1%
331	2	8.0%	43	15.7%	299	13.7%			89	8.4%	433	12.2%
332	4	16.0%	62	22.6%	463	21.1%			235	22.1%	764	21.5%
333			4	1.5%	32	1.5%			10	0.9%	46	1.3%
334												
335	1	4.0%	4	1.5%	16	0.7%			10	0.9%	31	0.9%
336												
337			6	2.2%	65	3.0%			29	2.7%	100	2.8%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 01

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	25	0.7%	274	7.7%	2,190	61.6%	3	0.1%	1,061	29.9%	3,553	100.0%
338												
339					2	0.1%					2	0.1%
341												
342					8	0.4%			2	0.2%	10	0.3%
343			4	1.5%	22	1.0%			5	0.5%	31	0.9%
344			2	0.7%	11	0.5%			5	0.5%	18	0.5%
345			18	6.6%	45	2.1%			24	2.3%	87	2.4%
346					2	0.1%			2	0.2%	4	0.1%
347									1	0.1%	1	0.0%
348			1	0.4%	4	0.2%			7	0.7%	12	0.3%
349			1	0.4%							1	0.0%
350												
351									1	0.1%	1	0.0%
352					3	0.1%			6	0.6%	9	0.3%
353									2	0.2%	2	0.1%
354												
355			1	0.4%	4	0.2%			4	0.4%	9	0.3%
356					1	0.0%			1	0.1%	2	0.1%
357	1	4.0%	26	9.5%	113	5.2%			54	5.1%	194	5.5%
358			2	0.7%	6	0.3%					8	0.2%
359	3	12.0%	72	26.3%	512	23.4%			265	25.0%	852	24.0%
360	1	4.0%	8	2.9%	17	0.8%			17	1.6%	43	1.2%
361			1	0.4%	7	0.3%			5	0.5%	13	0.4%
362			1	0.4%							1	0.0%
371												
372					3	0.1%			4	0.4%	7	0.2%
373												
381			9	3.3%	34	1.6%			29	2.7%	72	2.0%
382												
402					3	0.1%					3	0.1%
403					5	0.2%			3	0.3%	8	0.2%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 01

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	25	0.7%	274	7.7%	2,190	61.6%	3	0.1%	1,061	29.9%	3,553	100.0%
413												
414												
415												
416												
417												
418												
419												
420												
421	1	4.0%	15	5.5%	54	2.5%			20	1.9%	90	2.5%
422	17	68.0%	223	81.4%	1,316	60.1%	2	66.7%	735	69.3%	2,293	64.5%
423			1	0.4%	17	0.8%			13	1.2%	31	0.9%
424					1	0.0%					1	0.0%
425												
426	7	28.0%	113	41.2%	873	39.9%	2	66.7%	294	27.7%	1,289	36.3%
501					2	0.1%			2	0.2%	4	0.1%
502	1	4.0%			10	0.5%			16	1.5%	27	0.8%
601												
602												
603												
701												
702												
703												
704												
801					2	0.1%			1	0.1%	3	0.1%
802	1	4.0%			4	0.2%					5	0.1%
901			1	0.4%	16	0.7%			5	0.5%	22	0.6%
902			7	2.6%	49	2.2%			12	1.1%	68	1.9%
903												

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of postpartum women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 01

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	43	1.1%	228	5.6%	2,497	61.6%	1	0.0%	1,285	31.7%	4,054	100.0%
101	11	25.6%	26	11.4%	181	7.2%			153	11.9%	371	9.2%
102												
103												
111	5	11.6%	92	40.4%	1,054	42.2%			474	36.9%	1,625	40.1%
112												
113												
114												
121												
131	7	16.3%	50	21.9%	512	20.5%			204	15.9%	773	19.1%
132	5	11.6%	43	18.9%	442	17.7%			171	13.3%	661	16.3%
133	5	11.6%	40	17.5%	376	15.1%			203	15.8%	624	15.4%
134												
135												
141												
142												
151												
152												
153												
201	3	7.0%	30	13.2%	225	9.0%			75	5.8%	333	8.2%
211												
301			3	1.3%	47	1.9%			16	1.2%	66	1.6%
302			1	0.4%	11	0.4%			6	0.5%	18	0.4%
303			2	0.9%	18	0.7%			13	1.0%	33	0.8%
311			16	7.0%	120	4.8%			66	5.1%	202	5.0%
312	1	2.3%	15	6.6%	123	4.9%			64	5.0%	203	5.0%
321	1	2.3%	18	7.9%	108	4.3%			70	5.4%	197	4.9%
331	3	7.0%	25	11.0%	341	13.7%			135	10.5%	504	12.4%
332	11	25.6%	53	23.2%	486	19.5%			244	19.0%	794	19.6%
333			3	1.3%	11	0.4%			3	0.2%	17	0.4%
334			5	2.2%	124	5.0%			29	2.3%	158	3.9%
335	1	2.3%			10	0.4%			12	0.9%	23	0.6%
336												
337			4	1.8%	52	2.1%			28	2.2%	84	2.1%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 01

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	43	1.1%	228	5.6%	2,497	61.6%	1	0.0%	1,285	31.7%	4,054	100.0%
338					11	0.4%			5	0.4%	16	0.4%
339					1	0.0%					1	0.0%
341					2	0.1%					2	0.0%
342					10	0.4%			7	0.5%	17	0.4%
343			2	0.9%	22	0.9%			9	0.7%	33	0.8%
344					20	0.8%			13	1.0%	33	0.8%
345			6	2.6%	14	0.6%			17	1.3%	37	0.9%
346												
347					2	0.1%			3	0.2%	5	0.1%
348					7	0.3%			9	0.7%	16	0.4%
349			1	0.4%					1	0.1%	2	0.0%
350												
351												
352					5	0.2%			4	0.3%	9	0.2%
353					1	0.0%			3	0.2%	4	0.1%
354									1	0.1%	1	0.0%
355					4	0.2%			6	0.5%	10	0.2%
356					4	0.2%			6	0.5%	10	0.2%
357			5	2.2%	85	3.4%			43	3.3%	133	3.3%
358			1	0.4%	11	0.4%			8	0.6%	20	0.5%
359			5	2.2%	11	0.4%			9	0.7%	25	0.6%
360			6	2.6%	24	1.0%			29	2.3%	59	1.5%
361			2	0.9%	6	0.2%			12	0.9%	20	0.5%
362												
371			29	12.7%	95	3.8%			286	22.3%	410	10.1%
372	1	2.3%			8	0.3%			5	0.4%	14	0.3%
373					3	0.1%			6	0.5%	9	0.2%
381			12	5.3%	84	3.4%			58	4.5%	154	3.8%
382												
402					1	0.0%			5	0.4%	6	0.1%
403			1	0.4%	6	0.2%			2	0.2%	9	0.2%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 01

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	43	1.1%	228	5.6%	2,497	61.6%	1	0.0%	1,285	31.7%	4,054	100.0%
413												
414												
415												
416												
417												
418												
419												
420												
421	2	4.7%	25	11.0%	104	4.2%			48	3.7%	179	4.4%
422	34	79.1%	174	76.3%	1,267	50.7%			817	63.6%	2,292	56.5%
423			1	0.4%	26	1.0%			11	0.9%	38	0.9%
424	12	27.9%	52	22.8%	693	27.8%			220	17.1%	977	24.1%
425												
426												
501												
502			1	0.4%	13	0.5%			10	0.8%	24	0.6%
601												
602												
603												
701												
702												
703												
704												
801									2	0.2%	2	0.0%
802					7	0.3%					7	0.2%
901			5	2.2%	86	3.4%			12	0.9%	103	2.5%
902	1	2.3%	4	1.8%	83	3.3%			25	1.9%	113	2.8%
903												

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of pregnant women

with an active certification extending into the period November 1, 2003 to November 30, 2003.