

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 03

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	397	2.9%	1,346	9.8%	10,100	73.5%	12	0.1%	1,881	13.7%	13,736	100.0%
101	30	7.6%	47	3.5%	198	2.0%			72	3.8%	347	2.5%
102	5	1.3%	6	0.4%	57	0.6%			19	1.0%	87	0.6%
103												
111	98	24.7%	564	41.9%	3,368	33.3%	2	16.7%	594	31.6%	4,626	33.7%
112	37	9.3%	197	14.6%	1,669	16.5%	3	25.0%	187	9.9%	2,093	15.2%
113												
114												
121												
131												
132												
133	104	26.2%	626	46.5%	3,278	32.5%	6	50.0%	765	40.7%	4,779	34.8%
134												
135												
141												
142												
151												
152												
153												
201	51	12.8%	304	22.6%	1,856	18.4%			286	15.2%	2,497	18.2%
211			1	0.1%	4	0.0%					5	0.0%
301												
302												
303	9	2.3%	33	2.5%	175	1.7%			27	1.4%	244	1.8%
311	24	6.0%	158	11.7%	595	5.9%			204	10.8%	981	7.1%
312	20	5.0%	110	8.2%	441	4.4%			83	4.4%	654	4.8%
321	3	0.8%	13	1.0%	48	0.5%			9	0.5%	73	0.5%
331	2	0.5%	46	3.4%	384	3.8%	2	16.7%	52	2.8%	486	3.5%
332	46	11.6%	226	16.8%	1,465	14.5%	1	8.3%	283	15.0%	2,021	14.7%
333	1	0.3%	7	0.5%	30	0.3%			9	0.5%	47	0.3%
334												
335	3	0.8%	19	1.4%	62	0.6%			27	1.4%	111	0.8%
336												
337	21	5.3%	70	5.2%	689	6.8%	2	16.7%	120	6.4%	902	6.6%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 03

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	397	2.9%	1,346	9.8%	10,100	73.5%	12	0.1%	1,881	13.7%	13,736	100.0%
338												
339	1	0.3%			1	0.0%			1	0.1%	3	0.0%
341									1	0.1%	1	0.0%
342	1	0.3%	4	0.3%	16	0.2%			15	0.8%	36	0.3%
343	4	1.0%	9	0.7%	48	0.5%			14	0.7%	75	0.5%
344	7	1.8%	6	0.4%	35	0.3%			33	1.8%	81	0.6%
345	1	0.3%	49	3.6%	84	0.8%			31	1.6%	165	1.2%
346			1	0.1%	8	0.1%			4	0.2%	13	0.1%
347					1	0.0%			1	0.1%	2	0.0%
348	1	0.3%	4	0.3%	11	0.1%			6	0.3%	22	0.2%
349			2	0.1%	4	0.0%			1	0.1%	7	0.1%
350												
351												
352	1	0.3%	3	0.2%	2	0.0%			3	0.2%	9	0.1%
353			5	0.4%	10	0.1%			4	0.2%	19	0.1%
354			1	0.1%	1	0.0%					2	0.0%
355	3	0.8%	6	0.4%	16	0.2%			10	0.5%	35	0.3%
356					5	0.0%			8	0.4%	13	0.1%
357	9	2.3%	78	5.8%	218	2.2%	1	8.3%	154	8.2%	460	3.3%
358			4	0.3%	13	0.1%			6	0.3%	23	0.2%
359	40	10.1%	233	17.3%	1,097	10.9%	2	16.7%	299	15.9%	1,671	12.2%
360	3	0.8%	23	1.7%	27	0.3%			29	1.5%	82	0.6%
361			5	0.4%	12	0.1%			32	1.7%	49	0.4%
362			1	0.1%							1	0.0%
371	1	0.3%	23	1.7%	44	0.4%	3	25.0%	200	10.6%	271	2.0%
372			5	0.4%	2	0.0%	1	8.3%	6	0.3%	14	0.1%
373			1	0.1%	1	0.0%					2	0.0%
381	17	4.3%	66	4.9%	570	5.6%	1	8.3%	108	5.7%	762	5.5%
382												
402			3	0.2%	5	0.0%			1	0.1%	9	0.1%
403	1	0.3%	3	0.2%	17	0.2%			3	0.2%	24	0.2%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 03

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	397	2.9%	1,346	9.8%	10,100	73.5%	12	0.1%	1,881	13.7%	13,736	100.0%
413												
414												
415												
416												
417												
418												
419												
420	13	3.3%	45	3.3%	185	1.8%	2	16.7%	142	7.5%	387	2.8%
421	3	0.8%	45	3.3%	135	1.3%	1	8.3%	31	1.6%	215	1.6%
422	148	37.3%	445	33.1%	3,037	30.1%	4	33.3%	892	47.4%	4,526	32.9%
423	10	2.5%	22	1.6%	218	2.2%			37	2.0%	287	2.1%
424												
425												
426	193	48.6%	652	48.4%	5,920	58.6%	2	16.7%	542	28.8%	7,309	53.2%
501					8	0.1%			1	0.1%	9	0.1%
502	1	0.3%	10	0.7%	17	0.2%			13	0.7%	41	0.3%
601					14	0.1%			3	0.2%	17	0.1%
602	10	2.5%	54	4.0%	281	2.8%			109	5.8%	454	3.3%
603												
701												
702												
703												
704												
801					1	0.0%					1	0.0%
802												
901			1	0.1%	8	0.1%			2	0.1%	11	0.1%
902			2	0.1%	13	0.1%			2	0.1%	17	0.1%
903												

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of breastfeeding women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 03

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	1,916	2.1%	14,195	15.8%	57,489	64.0%	123	0.1%	16,070	17.9%	89,793	100.0%
101												
102												
103	147	7.7%	941	6.6%	2,156	3.8%	3	2.4%	842	5.2%	4,089	4.6%
111												
112												
113	112	5.8%	925	6.5%	5,847	10.2%	14	11.4%	1,113	6.9%	8,011	8.9%
114	125	6.5%	969	6.8%	5,007	8.7%	14	11.4%	1,223	7.6%	7,338	8.2%
121	210	11.0%	1,377	9.7%	5,115	8.9%	20	16.3%	1,604	10.0%	8,326	9.3%
131												
132												
133												
134	7	0.4%	20	0.1%	46	0.1%			27	0.2%	100	0.1%
135	28	1.5%	57	0.4%	340	0.6%			93	0.6%	518	0.6%
141	19	1.0%	196	1.4%	295	0.5%			141	0.9%	651	0.7%
142												
151	2	0.1%	9	0.1%	14	0.0%			7	0.0%	32	0.0%
152												
153												
201	140	7.3%	1,631	11.5%	5,931	10.3%	12	9.8%	1,432	8.9%	9,146	10.2%
211			4	0.0%	12	0.0%			1	0.0%	17	0.0%
301												
302												
303												
311												
312												
321												
331												
332												
333												
334												
335												
336												
337												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 03

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	1,916	2.1%	14,195	15.8%	57,489	64.0%	123	0.1%	16,070	17.9%	89,793	100.0%
338												
339												
341			1	0.0%	6	0.0%			2	0.0%	9	0.0%
342	6	0.3%	39	0.3%	53	0.1%			78	0.5%	176	0.2%
343			4	0.0%	6	0.0%			4	0.0%	14	0.0%
344			5	0.0%	28	0.0%			18	0.1%	51	0.1%
345					4	0.0%			2	0.0%	6	0.0%
346	2	0.1%	9	0.1%	26	0.0%			24	0.1%	61	0.1%
347			7	0.0%	15	0.0%			3	0.0%	25	0.0%
348	2	0.1%	48	0.3%	108	0.2%			74	0.5%	232	0.3%
349	10	0.5%	62	0.4%	155	0.3%	1	0.8%	46	0.3%	274	0.3%
350												
351			1	0.0%	13	0.0%			9	0.1%	23	0.0%
352	4	0.2%	75	0.5%	126	0.2%	1	0.8%	49	0.3%	255	0.3%
353	12	0.6%	102	0.7%	107	0.2%	1	0.8%	102	0.6%	324	0.4%
354			2	0.0%	8	0.0%			2	0.0%	12	0.0%
355	9	0.5%	83	0.6%	88	0.2%	1	0.8%	120	0.7%	301	0.3%
356			4	0.0%	7	0.0%			6	0.0%	17	0.0%
357	51	2.7%	686	4.8%	1,024	1.8%	4	3.3%	708	4.4%	2,473	2.8%
358												
359	9	0.5%	48	0.3%	109	0.2%			94	0.6%	260	0.3%
360	26	1.4%	594	4.2%	544	0.9%	2	1.6%	400	2.5%	1,566	1.7%
361			4	0.0%	2	0.0%			3	0.0%	9	0.0%
362	13	0.7%	60	0.4%	203	0.4%			118	0.7%	394	0.4%
371												
372												
373												
381	89	4.6%	521	3.7%	3,836	6.7%	12	9.8%	746	4.6%	5,204	5.8%
382			2	0.0%	3	0.0%			2	0.0%	7	0.0%
402	3	0.2%	8	0.1%	26	0.0%			12	0.1%	49	0.1%
403	1	0.1%	7	0.0%	21	0.0%			17	0.1%	46	0.1%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 03

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	1,916	2.1%	14,195	15.8%	57,489	64.0%	123	0.1%	16,070	17.9%	89,793	100.0%
413												
414												
415												
416												
417												
418												
419	402	21.0%	900	6.3%	7,561	13.2%	12	9.8%	1,380	8.6%	10,255	11.4%
420												
421	10	0.5%	74	0.5%	250	0.4%	2	1.6%	187	1.2%	523	0.6%
422	952	49.7%	6,087	42.9%	22,802	39.7%	38	30.9%	7,598	47.3%	37,477	41.7%
423	17	0.9%	59	0.4%	809	1.4%			126	0.8%	1,011	1.1%
424	8	0.4%	55	0.4%	200	0.3%	1	0.8%	132	0.8%	396	0.4%
425	1,019	53.2%	8,379	59.0%	32,846	57.1%	75	61.0%	8,750	54.4%	51,069	56.9%
426												
501	15	0.8%	60	0.4%	297	0.5%			138	0.9%	510	0.6%
502	5	0.3%	39	0.3%	110	0.2%	2	1.6%	108	0.7%	264	0.3%
601												
602												
603												
701												
702												
703												
704												
801			2	0.0%	3	0.0%					5	0.0%
802					2	0.0%					2	0.0%
901			17	0.1%	46	0.1%			34	0.2%	97	0.1%
902			1	0.0%	2	0.0%			6	0.0%	9	0.0%
903	5	0.3%	85	0.6%	52	0.1%			104	0.6%	246	0.3%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of children

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 03

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	1,622	3.0%	10,739	19.6%	30,057	54.9%	58	0.1%	12,237	22.4%	54,713	100.0%
101												
102												
103	91	5.6%	326	3.0%	524	1.7%	1	1.7%	335	2.7%	1,277	2.3%
111												
112												
113												
114	20	1.2%	127	1.2%	366	1.2%	1	1.7%	133	1.1%	647	1.2%
121	146	9.0%	1,249	11.6%	2,097	7.0%	6	10.3%	1,211	9.9%	4,709	8.6%
131												
132												
133												
134			6	0.1%	6	0.0%			6	0.0%	18	0.0%
135	1	0.1%	5	0.0%	16	0.1%			13	0.1%	35	0.1%
141	96	5.9%	1,157	10.8%	1,710	5.7%	4	6.9%	858	7.0%	3,825	7.0%
142	118	7.3%	1,546	14.4%	2,484	8.3%	5	8.6%	1,723	14.1%	5,876	10.7%
151			22	0.2%	27	0.1%			22	0.2%	71	0.1%
152			6	0.1%	7	0.0%			4	0.0%	17	0.0%
153	49	3.0%	307	2.9%	1,561	5.2%	4	6.9%	514	4.2%	2,435	4.5%
201	8	0.5%	37	0.3%	68	0.2%			38	0.3%	151	0.3%
211			1	0.0%	1	0.0%			1	0.0%	3	0.0%
301												
302												
303												
311												
312												
321												
331												
332												
333												
334												
335												
336												
337												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 03

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	1,622	3.0%	10,739	19.6%	30,057	54.9%	58	0.1%	12,237	22.4%	54,713	100.0%
338												
339												
341			2	0.0%	8	0.0%			1	0.0%	11	0.0%
342	4	0.2%	68	0.6%	66	0.2%			192	1.6%	330	0.6%
343					1	0.0%					1	0.0%
344	1	0.1%	3	0.0%	11	0.0%			5	0.0%	20	0.0%
345	1	0.1%	1	0.0%					2	0.0%	4	0.0%
346			6	0.1%	16	0.1%			16	0.1%	38	0.1%
347									1	0.0%	1	0.0%
348			8	0.1%	13	0.0%			10	0.1%	31	0.1%
349	3	0.2%	15	0.1%	48	0.2%	1	1.7%	18	0.1%	85	0.2%
350					2	0.0%			4	0.0%	6	0.0%
351	1	0.1%	2	0.0%	1	0.0%			3	0.0%	7	0.0%
352	7	0.4%	37	0.3%	86	0.3%	1	1.7%	38	0.3%	169	0.3%
353	1	0.1%	6	0.1%	6	0.0%			14	0.1%	27	0.0%
354												
355			14	0.1%	12	0.0%	1	1.7%	40	0.3%	67	0.1%
356			3	0.0%	6	0.0%			3	0.0%	12	0.0%
357	17	1.0%	202	1.9%	314	1.0%	2	3.4%	375	3.1%	910	1.7%
358												
359	6	0.4%	69	0.6%	108	0.4%			112	0.9%	295	0.5%
360	3	0.2%	57	0.5%	80	0.3%			107	0.9%	247	0.5%
361												
362	2	0.1%	19	0.2%	45	0.1%			49	0.4%	115	0.2%
371												
372												
373												
381			1	0.0%					2	0.0%	3	0.0%
382			1	0.0%	1	0.0%			2	0.0%	4	0.0%
402			2	0.0%	5	0.0%			2	0.0%	9	0.0%
403			1	0.0%	2	0.0%			1	0.0%	4	0.0%
411	104	6.4%	1,619	15.1%	2,283	7.6%	9	15.5%	1,639	13.4%	5,654	10.3%
412	11	0.7%	376	3.5%	273	0.9%			591	4.8%	1,251	2.3%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 03

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	1,622	3.0%	10,739	19.6%	30,057	54.9%	58	0.1%	12,237	22.4%	54,713	100.0%
413	2	0.1%	4	0.0%	20	0.1%			14	0.1%	40	0.1%
414	3	0.2%	11	0.1%	32	0.1%	1	1.7%	18	0.1%	65	0.1%
415	24	1.5%	254	2.4%	703	2.3%			143	1.2%	1,124	2.1%
416	38	2.3%	465	4.3%	1,655	5.5%	2	3.4%	552	4.5%	2,712	5.0%
417	278	17.1%	2,664	24.8%	6,361	21.2%	11	19.0%	4,550	37.2%	13,864	25.3%
418	3	0.2%	20	0.2%	92	0.3%			45	0.4%	160	0.3%
419	143	8.8%	1,159	10.8%	3,485	11.6%	3	5.2%	1,053	8.6%	5,843	10.7%
420												
421												
422												
423	8	0.5%	17	0.2%	2,145	7.1%			41	0.3%	2,211	4.0%
424			10	0.1%	23	0.1%			7	0.1%	40	0.1%
425												
426												
501												
502	25	1.5%	160	1.5%	209	0.7%	1	1.7%	187	1.5%	582	1.1%
601												
602												
603	47	2.9%	172	1.6%	1,160	3.9%	1	1.7%	355	2.9%	1,735	3.2%
701	889	54.8%	6,996	65.1%	19,769	65.8%	34	58.6%	6,867	56.1%	34,555	63.2%
702	62	3.8%	130	1.2%	994	3.3%	1	1.7%	317	2.6%	1,504	2.7%
703	1	0.1%	52	0.5%	29	0.1%			43	0.4%	125	0.2%
704	277	17.1%	1,493	13.9%	3,545	11.8%	5	8.6%	1,449	11.8%	6,769	12.4%
801			1	0.0%	3	0.0%			1	0.0%	5	0.0%
802					1	0.0%					1	0.0%
901	2	0.1%	9	0.1%	15	0.0%			33	0.3%	59	0.1%
902			85	0.8%	96	0.3%			40	0.3%	221	0.4%
903	2	0.1%	112	1.0%	63	0.2%	2	3.4%	169	1.4%	348	0.6%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of infants

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 03

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	514	3.1%	3,812	22.8%	7,819	46.8%	25	0.1%	4,524	27.1%	16,694	100.0%
101	61	11.9%	168	4.4%	230	2.9%			291	6.4%	750	4.5%
102												
103												
111	118	23.0%	1,769	46.4%	3,382	43.3%	10	40.0%	1,602	35.4%	6,881	41.2%
112												
113												
114												
121												
131												
132												
133	110	21.4%	1,654	43.4%	2,771	35.4%	13	52.0%	1,795	39.7%	6,343	38.0%
134												
135												
141												
142												
151												
152												
153												
201	63	12.3%	1,224	32.1%	1,872	23.9%	5	20.0%	903	20.0%	4,067	24.4%
211			4	0.1%	6	0.1%			1	0.0%	11	0.1%
301												
302												
303	11	2.1%	58	1.5%	144	1.8%	2	8.0%	64	1.4%	279	1.7%
311	44	8.6%	511	13.4%	641	8.2%	5	20.0%	573	12.7%	1,774	10.6%
312	30	5.8%	390	10.2%	415	5.3%	3	12.0%	281	6.2%	1,119	6.7%
321	8	1.6%	62	1.6%	159	2.0%			103	2.3%	332	2.0%
331	9	1.8%	369	9.7%	638	8.2%	4	16.0%	304	6.7%	1,324	7.9%
332	68	13.2%	747	19.6%	1,244	15.9%	8	32.0%	669	14.8%	2,736	16.4%
333			40	1.0%	51	0.7%			26	0.6%	117	0.7%
334												
335	3	0.6%	72	1.9%	69	0.9%			74	1.6%	218	1.3%
336												
337	14	2.7%	96	2.5%	386	4.9%	2	8.0%	202	4.5%	700	4.2%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 03

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	514	3.1%	3,812	22.8%	7,819	46.8%	25	0.1%	4,524	27.1%	16,694	100.0%
338												
339	1	0.2%			11	0.1%			2	0.0%	14	0.1%
341			3	0.1%					2	0.0%	5	0.0%
342			15	0.4%	26	0.3%			32	0.7%	73	0.4%
343	1	0.2%	23	0.6%	48	0.6%			44	1.0%	116	0.7%
344	7	1.4%	12	0.3%	26	0.3%			50	1.1%	95	0.6%
345	2	0.4%	179	4.7%	106	1.4%			111	2.5%	398	2.4%
346			5	0.1%	3	0.0%			2	0.0%	10	0.1%
347	1	0.2%	4	0.1%	3	0.0%			7	0.2%	15	0.1%
348			11	0.3%	14	0.2%			23	0.5%	48	0.3%
349	1	0.2%	12	0.3%	2	0.0%			4	0.1%	19	0.1%
350												
351									5	0.1%	5	0.0%
352	1	0.2%	20	0.5%	11	0.1%			15	0.3%	47	0.3%
353			9	0.2%	4	0.1%			10	0.2%	23	0.1%
354			3	0.1%	3	0.0%			1	0.0%	7	0.0%
355	2	0.4%	19	0.5%	8	0.1%			17	0.4%	46	0.3%
356			1	0.0%	3	0.0%			8	0.2%	12	0.1%
357	16	3.1%	259	6.8%	281	3.6%	2	8.0%	372	8.2%	930	5.6%
358	1	0.2%	15	0.4%	20	0.3%			15	0.3%	51	0.3%
359	69	13.4%	815	21.4%	1,149	14.7%	6	24.0%	923	20.4%	2,962	17.7%
360	4	0.8%	86	2.3%	41	0.5%			74	1.6%	205	1.2%
361	1	0.2%	15	0.4%	38	0.5%			101	2.2%	155	0.9%
362	1	0.2%			1	0.0%			1	0.0%	3	0.0%
371												
372			10	0.3%	7	0.1%			8	0.2%	25	0.1%
373			1	0.0%	4	0.1%			2	0.0%	7	0.0%
381	14	2.7%	166	4.4%	268	3.4%	1	4.0%	269	5.9%	718	4.3%
382												
402			2	0.1%	6	0.1%			6	0.1%	14	0.1%
403			9	0.2%	11	0.1%			17	0.4%	37	0.2%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 03

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	514	3.1%	3,812	22.8%	7,819	46.8%	25	0.1%	4,524	27.1%	16,694	100.0%
413												
414												
415												
416												
417												
418												
419												
420												
421	4	0.8%	135	3.5%	122	1.6%			91	2.0%	352	2.1%
422	217	42.2%	1,290	33.8%	2,997	38.3%	3	12.0%	2,219	49.0%	6,726	40.3%
423	6	1.2%	21	0.6%	108	1.4%			44	1.0%	179	1.1%
424												
425												
426	292	56.8%	2,181	57.2%	4,459	57.0%	13	52.0%	1,926	42.6%	8,871	53.1%
501	1	0.2%	3	0.1%	4	0.1%			2	0.0%	10	0.1%
502	7	1.4%	17	0.4%	24	0.3%			33	0.7%	81	0.5%
601												
602												
603												
701												
702												
703												
704												
801												
802												
901			2	0.1%	6	0.1%			6	0.1%	14	0.1%
902	1	0.2%	47	1.2%	44	0.6%			31	0.7%	123	0.7%
903			1	0.0%							1	0.0%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of postpartum women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 03

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	560	2.8%	3,642	18.2%	11,025	55.0%	24	0.1%	4,785	23.9%	20,036	100.0%
101	99	17.7%	270	7.4%	673	6.1%	2	8.3%	621	13.0%	1,665	8.3%
102												
103												
111	152	27.1%	1,602	44.0%	4,357	39.5%	9	37.5%	1,651	34.5%	7,771	38.8%
112												
113												
114												
121												
131	114	20.4%	529	14.5%	2,282	20.7%	1	4.2%	601	12.6%	3,527	17.6%
132	56	10.0%	465	12.8%	1,676	15.2%	1	4.2%	584	12.2%	2,782	13.9%
133	80	14.3%	887	24.4%	1,897	17.2%	4	16.7%	1,000	20.9%	3,868	19.3%
134												
135												
141												
142												
151												
152												
153												
201	49	8.8%	551	15.1%	1,248	11.3%	3	12.5%	408	8.5%	2,259	11.3%
211			3	0.1%	3	0.0%			3	0.1%	9	0.0%
301	10	1.8%	61	1.7%	142	1.3%			97	2.0%	310	1.5%
302	2	0.4%	15	0.4%	75	0.7%			26	0.5%	118	0.6%
303	1	0.2%	11	0.3%	41	0.4%			24	0.5%	77	0.4%
311	8	1.4%	132	3.6%	263	2.4%	3	12.5%	186	3.9%	592	3.0%
312	9	1.6%	181	5.0%	271	2.5%	3	12.5%	123	2.6%	587	2.9%
321	14	2.5%	173	4.8%	291	2.6%	3	12.5%	257	5.4%	738	3.7%
331	25	4.5%	338	9.3%	845	7.7%	4	16.7%	346	7.2%	1,558	7.8%
332	93	16.6%	696	19.1%	2,039	18.5%	5	20.8%	917	19.2%	3,750	18.7%
333			11	0.3%	24	0.2%			10	0.2%	45	0.2%
334	39	7.0%	194	5.3%	833	7.6%	5	20.8%	264	5.5%	1,335	6.7%
335	4	0.7%	35	1.0%	34	0.3%	1	4.2%	39	0.8%	113	0.6%
336												
337	6	1.1%	56	1.5%	289	2.6%	1	4.2%	109	2.3%	461	2.3%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 03

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	560	2.8%	3,642	18.2%	11,025	55.0%	24	0.1%	4,785	23.9%	20,036	100.0%
338			3	0.1%	22	0.2%			19	0.4%	44	0.2%
339			4	0.1%	2	0.0%			2	0.0%	8	0.0%
341			1	0.0%	2	0.0%			2	0.0%	5	0.0%
342	1	0.2%	15	0.4%	41	0.4%			37	0.8%	94	0.5%
343	5	0.9%	52	1.4%	76	0.7%			39	0.8%	172	0.9%
344	2	0.4%	19	0.5%	51	0.5%			57	1.2%	129	0.6%
345	4	0.7%	90	2.5%	71	0.6%			62	1.3%	227	1.1%
346			2	0.1%	10	0.1%			7	0.1%	19	0.1%
347			4	0.1%	5	0.0%			5	0.1%	14	0.1%
348	1	0.2%	10	0.3%	17	0.2%	1	4.2%	25	0.5%	54	0.3%
349			9	0.2%	4	0.0%			2	0.0%	15	0.1%
350												
351					2	0.0%			2	0.0%	4	0.0%
352	2	0.4%	15	0.4%	14	0.1%	1	4.2%	22	0.5%	54	0.3%
353			10	0.3%	4	0.0%			16	0.3%	30	0.1%
354			3	0.1%	3	0.0%					6	0.0%
355	4	0.7%	25	0.7%	22	0.2%			39	0.8%	90	0.4%
356			3	0.1%	3	0.0%			22	0.5%	28	0.1%
357	17	3.0%	173	4.8%	205	1.9%			293	6.1%	688	3.4%
358			4	0.1%	10	0.1%			16	0.3%	30	0.1%
359			15	0.4%	20	0.2%			23	0.5%	58	0.3%
360	6	1.1%	76	2.1%	64	0.6%			97	2.0%	243	1.2%
361			9	0.2%	23	0.2%			64	1.3%	96	0.5%
362			2	0.1%							2	0.0%
371	15	2.7%	146	4.0%	95	0.9%	3	12.5%	834	17.4%	1,093	5.5%
372			9	0.2%	9	0.1%			18	0.4%	36	0.2%
373	1	0.2%	7	0.2%	4	0.0%			6	0.1%	18	0.1%
381	22	3.9%	177	4.9%	522	4.7%	2	8.3%	367	7.7%	1,090	5.4%
382												
402			1	0.0%	3	0.0%			2	0.0%	6	0.0%
403			6	0.2%	11	0.1%			7	0.1%	24	0.1%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 03

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	560	2.8%	3,642	18.2%	11,025	55.0%	24	0.1%	4,785	23.9%	20,036	100.0%
413												
414												
415												
416												
417												
418												
419												
420												
421	2	0.4%	162	4.4%	214	1.9%			114	2.4%	492	2.5%
422	204	36.4%	1,247	34.2%	3,940	35.7%	6	25.0%	2,150	44.9%	7,547	37.7%
423	7	1.3%	31	0.9%	123	1.1%			65	1.4%	226	1.1%
424	121	21.6%	733	20.1%	2,930	26.6%	6	25.0%	936	19.6%	4,726	23.6%
425												
426												
501												
502	4	0.7%	11	0.3%	39	0.4%			39	0.8%	93	0.5%
601												
602												
603												
701												
702												
703												
704												
801					1	0.0%			2	0.0%	3	0.0%
802					1	0.0%			1	0.0%	2	0.0%
901	1	0.2%	4	0.1%	14	0.1%			16	0.3%	35	0.2%
902			61	1.7%	39	0.4%			38	0.8%	138	0.7%
903												

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of pregnant women

with an active certification extending into the period November 1, 2003 to November 30, 2003.