

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 04

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	15	0.8%	183	9.8%	940	50.5%			724	38.9%	1,862	100.0%
101			5	2.7%	33	3.5%			31	4.3%	69	3.7%
102			4	2.2%	11	1.2%			6	0.8%	21	1.1%
103												
111	5	33.3%	94	51.4%	288	30.6%			259	35.8%	646	34.7%
112			18	9.8%	128	13.6%			70	9.7%	216	11.6%
113												
114												
121												
131												
132												
133	6	40.0%	75	41.0%	272	28.9%			329	45.4%	682	36.6%
134												
135												
141												
142												
151												
152												
153												
201	4	26.7%	72	39.3%	286	30.4%			152	21.0%	514	27.6%
211									1	0.1%	1	0.1%
301												
302												
303			4	2.2%	13	1.4%			19	2.6%	36	1.9%
311			23	12.6%	41	4.4%			74	10.2%	138	7.4%
312			12	6.6%	34	3.6%			34	4.7%	80	4.3%
321					3	0.3%			3	0.4%	6	0.3%
331			8	4.4%	44	4.7%			22	3.0%	74	4.0%
332			24	13.1%	122	13.0%			115	15.9%	261	14.0%
333									4	0.6%	4	0.2%
334												
335					8	0.9%			9	1.2%	17	0.9%
336												
337	1	6.7%	6	3.3%	85	9.0%			75	10.4%	167	9.0%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 04

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	15	0.8%	183	9.8%	940	50.5%			724	38.9%	1,862	100.0%
338												
339												
341												
342			1	0.5%	2	0.2%			6	0.8%	9	0.5%
343			2	1.1%	4	0.4%			8	1.1%	14	0.8%
344			1	0.5%	1	0.1%			4	0.6%	6	0.3%
345			9	4.9%	6	0.6%			13	1.8%	28	1.5%
346												
347									2	0.3%	2	0.1%
348					1	0.1%					1	0.1%
349												
350												
351												
352	1	6.7%	1	0.5%	1	0.1%			2	0.3%	5	0.3%
353			2	1.1%					4	0.6%	6	0.3%
354												
355					1	0.1%			3	0.4%	4	0.2%
356									2	0.3%	2	0.1%
357			18	9.8%	32	3.4%			56	7.7%	106	5.7%
358			1	0.5%	3	0.3%			1	0.1%	5	0.3%
359	2	13.3%	37	20.2%	113	12.0%			140	19.3%	292	15.7%
360			1	0.5%	4	0.4%			9	1.2%	14	0.8%
361					2	0.2%			5	0.7%	7	0.4%
362												
371	1	6.7%	4	2.2%	6	0.6%			90	12.4%	101	5.4%
372			1	0.5%					3	0.4%	4	0.2%
373					1	0.1%					1	0.1%
381	2	13.3%	8	4.4%	51	5.4%			63	8.7%	124	6.7%
382												
402	1	6.7%			1	0.1%					2	0.1%
403			1	0.5%	2	0.2%			1	0.1%	4	0.2%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 04

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	15	0.8%	183	9.8%	940	50.5%			724	38.9%	1,862	100.0%
413												
414												
415												
416												
417												
418												
419												
420	1	6.7%	21	11.5%	23	2.4%			88	12.2%	133	7.1%
421			3	1.6%	9	1.0%			10	1.4%	22	1.2%
422	1	6.7%	21	11.5%	108	11.5%			113	15.6%	243	13.1%
423			1	0.5%	16	1.7%			7	1.0%	24	1.3%
424												
425												
426	4	26.7%	75	41.0%	490	52.1%			182	25.1%	751	40.3%
501					1	0.1%					1	0.1%
502			1	0.5%	4	0.4%			5	0.7%	10	0.5%
601					3	0.3%			5	0.7%	8	0.4%
602			22	12.0%	55	5.9%			45	6.2%	122	6.6%
603												
701												
702												
703												
704												
801									1	0.1%	1	0.1%
802												
901			1	0.5%	4	0.4%			3	0.4%	8	0.4%
902					5	0.5%			4	0.6%	9	0.5%
903												

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of breastfeeding women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 04

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	43	0.2%	4,249	23.2%	5,984	32.7%	33	0.2%	8,004	43.7%	18,313	100.0%
101												
102												
103	2	4.7%	322	7.6%	292	4.9%			492	6.1%	1,108	6.1%
111												
112												
113	3	7.0%	366	8.6%	790	13.2%	3	9.1%	648	8.1%	1,810	9.9%
114	4	9.3%	354	8.3%	655	10.9%	4	12.1%	714	8.9%	1,731	9.5%
121	4	9.3%	396	9.3%	647	10.8%			986	12.3%	2,033	11.1%
131												
132												
133												
134			9	0.2%	6	0.1%			15	0.2%	30	0.2%
135			22	0.5%	52	0.9%			55	0.7%	129	0.7%
141			63	1.5%	35	0.6%			87	1.1%	185	1.0%
142												
151			1	0.0%					2	0.0%	3	0.0%
152												
153												
201	9	20.9%	1,159	27.3%	1,260	21.1%	7	21.2%	1,224	15.3%	3,659	20.0%
211					1	0.0%			3	0.0%	4	0.0%
301												
302												
303												
311												
312												
321												
331												
332												
333												
334												
335												
336												
337												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 04

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	43	0.2%	4,249	23.2%	5,984	32.7%	33	0.2%	8,004	43.7%	18,313	100.0%
338												
339												
341			1	0.0%					1	0.0%	2	0.0%
342			15	0.4%	4	0.1%			36	0.4%	55	0.3%
343									2	0.0%	2	0.0%
344			1	0.0%	4	0.1%			4	0.0%	9	0.0%
345			2	0.0%	1	0.0%			1	0.0%	4	0.0%
346			3	0.1%	2	0.0%			12	0.1%	17	0.1%
347					2	0.0%			4	0.0%	6	0.0%
348			10	0.2%	9	0.2%			33	0.4%	52	0.3%
349			24	0.6%	12	0.2%			31	0.4%	67	0.4%
350												
351			1	0.0%	1	0.0%			4	0.0%	6	0.0%
352			27	0.6%	17	0.3%			41	0.5%	85	0.5%
353			25	0.6%	7	0.1%	1	3.0%	68	0.8%	101	0.6%
354					1	0.0%			3	0.0%	4	0.0%
355			30	0.7%	10	0.2%	1	3.0%	55	0.7%	96	0.5%
356												
357	2	4.7%	323	7.6%	138	2.3%	2	6.1%	595	7.4%	1,060	5.8%
358												
359	1	2.3%	38	0.9%	37	0.6%			88	1.1%	164	0.9%
360			156	3.7%	64	1.1%	2	6.1%	238	3.0%	460	2.5%
361					1	0.0%			1	0.0%	2	0.0%
362			20	0.5%	13	0.2%			46	0.6%	79	0.4%
371												
372												
373												
381	5	11.6%	288	6.8%	714	11.9%	6	18.2%	605	7.6%	1,618	8.8%
382			1	0.0%					2	0.0%	3	0.0%
402	1	2.3%	2	0.0%	2	0.0%			2	0.0%	7	0.0%
403			2	0.0%	3	0.1%			9	0.1%	14	0.1%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 04

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	43	0.2%	4,249	23.2%	5,984	32.7%	33	0.2%	8,004	43.7%	18,313	100.0%
413												
414												
415												
416												
417												
418												
419	8	18.6%	282	6.6%	817	13.7%	3	9.1%	565	7.1%	1,675	9.1%
420												
421			101	2.4%	39	0.7%	3	9.1%	194	2.4%	337	1.8%
422	8	18.6%	876	20.6%	496	8.3%	7	21.2%	1,554	19.4%	2,941	16.1%
423			12	0.3%	90	1.5%	1	3.0%	59	0.7%	162	0.9%
424	5	11.6%	638	15.0%	686	11.5%	3	9.1%	898	11.2%	2,230	12.2%
425	33	76.7%	3,498	82.3%	4,968	83.0%	24	72.7%	5,716	71.4%	14,239	77.8%
426												
501			4	0.1%	4	0.1%			10	0.1%	18	0.1%
502			4	0.1%	13	0.2%	1	3.0%	32	0.4%	50	0.3%
601												
602												
603												
701												
702												
703												
704												
801									3	0.0%	3	0.0%
802					1	0.0%					1	0.0%
901			9	0.2%	7	0.1%	2	6.1%	19	0.2%	37	0.2%
902			5	0.1%					3	0.0%	8	0.0%
903			17	0.4%	6	0.1%			77	1.0%	100	0.5%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of children

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 04

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	40	0.4%	2,416	23.7%	2,534	24.8%	13	0.1%	5,209	51.0%	10,212	100.0%
101												
102												
103	4	10.0%	233	9.6%	147	5.8%	1	7.7%	374	7.2%	759	7.4%
111												
112												
113												
114	1	2.5%	108	4.5%	44	1.7%	2	15.4%	148	2.8%	303	3.0%
121	3	7.5%	420	17.4%	265	10.5%	2	15.4%	809	15.5%	1,499	14.7%
131												
132												
133												
134			2	0.1%	1	0.0%			6	0.1%	9	0.1%
135			1	0.0%					6	0.1%	7	0.1%
141	1	2.5%	289	12.0%	131	5.2%			373	7.2%	794	7.8%
142	2	5.0%	427	17.7%	201	7.9%			755	14.5%	1,385	13.6%
151			1	0.0%	1	0.0%			10	0.2%	12	0.1%
152			1	0.0%					1	0.0%	2	0.0%
153	3	7.5%	45	1.9%	122	4.8%			192	3.7%	362	3.5%
201	1	2.5%	14	0.6%	12	0.5%			21	0.4%	48	0.5%
211					2	0.1%			1	0.0%	3	0.0%
301												
302												
303												
311												
312												
321												
331												
332												
333												
334												
335												
336												
337												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 04

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	40	0.4%	2,416	23.7%	2,534	24.8%	13	0.1%	5,209	51.0%	10,212	100.0%
338												
339												
341									3	0.1%	3	0.0%
342			14	0.6%	6	0.2%			73	1.4%	93	0.9%
343									1	0.0%	1	0.0%
344			1	0.0%					5	0.1%	6	0.1%
345									2	0.0%	2	0.0%
346			3	0.1%	2	0.1%			1	0.0%	6	0.1%
347												
348			3	0.1%					3	0.1%	6	0.1%
349			2	0.1%	9	0.4%			12	0.2%	23	0.2%
350									1	0.0%	1	0.0%
351			1	0.0%					1	0.0%	2	0.0%
352			5	0.2%	10	0.4%	1	7.7%	31	0.6%	47	0.5%
353			4	0.2%	1	0.0%			5	0.1%	10	0.1%
354												
355			6	0.2%	2	0.1%			26	0.5%	34	0.3%
356			3	0.1%	1	0.0%			5	0.1%	9	0.1%
357	1	2.5%	55	2.3%	31	1.2%	1	7.7%	183	3.5%	271	2.7%
358												
359			17	0.7%	17	0.7%			54	1.0%	88	0.9%
360			8	0.3%	9	0.4%			37	0.7%	54	0.5%
361												
362			8	0.3%	8	0.3%			15	0.3%	31	0.3%
371												
372												
373												
381												
382												
402									3	0.1%	3	0.0%
403			1	0.0%					1	0.0%	2	0.0%
411	5	12.5%	639	26.4%	305	12.0%	3	23.1%	893	17.1%	1,845	18.1%
412			51	2.1%	23	0.9%	3	23.1%	257	4.9%	334	3.3%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 04

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	40	0.4%	2,416	23.7%	2,534	24.8%	13	0.1%	5,209	51.0%	10,212	100.0%
413					1	0.0%			4	0.1%	5	0.0%
414			4	0.2%	1	0.0%			2	0.0%	7	0.1%
415			68	2.8%	54	2.1%			88	1.7%	210	2.1%
416			109	4.5%	104	4.1%			233	4.5%	446	4.4%
417	9	22.5%	879	36.4%	621	24.5%	5	38.5%	2,105	40.4%	3,619	35.4%
418			6	0.2%	23	0.9%			28	0.5%	57	0.6%
419	3	7.5%	273	11.3%	279	11.0%	2	15.4%	410	7.9%	967	9.5%
420												
421												
422												
423					138	5.4%			14	0.3%	152	1.5%
424			2	0.1%	1	0.0%			5	0.1%	8	0.1%
425												
426												
501												
502	2	5.0%	14	0.6%	13	0.5%	1	7.7%	63	1.2%	93	0.9%
601												
602												
603	3	7.5%	56	2.3%	160	6.3%			163	3.1%	382	3.7%
701	16	40.0%	1,647	68.2%	1,740	68.7%	6	46.2%	3,232	62.0%	6,641	65.0%
702	3	7.5%	38	1.6%	91	3.6%			118	2.3%	250	2.4%
703			6	0.2%	4	0.2%			16	0.3%	26	0.3%
704	3	7.5%	145	6.0%	137	5.4%	1	7.7%	416	8.0%	702	6.9%
801	1	2.5%							2	0.0%	3	0.0%
802					1	0.0%			1	0.0%	2	0.0%
901			8	0.3%	4	0.2%			10	0.2%	22	0.2%
902			31	1.3%	11	0.4%			44	0.8%	86	0.8%
903			27	1.1%	3	0.1%			49	0.9%	79	0.8%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of infants

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 04

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	17	0.5%	949	26.4%	566	15.8%	3	0.1%	2,058	57.3%	3,593	100.0%
101	2	11.8%	41	4.3%	27	4.8%			163	7.9%	233	6.5%
102												
103												
111	5	29.4%	430	45.3%	242	42.8%			803	39.0%	1,480	41.2%
112												
113												
114												
121												
131												
132												
133	2	11.8%	416	43.8%	168	29.7%	2	66.7%	898	43.6%	1,486	41.4%
134												
135												
141												
142												
151												
152												
153												
201	7	41.2%	485	51.1%	221	39.0%	2	66.7%	674	32.8%	1,389	38.7%
211			1	0.1%	1	0.2%			2	0.1%	4	0.1%
301												
302												
303			9	0.9%	12	2.1%			28	1.4%	49	1.4%
311	3	17.6%	172	18.1%	47	8.3%			322	15.6%	544	15.1%
312			115	12.1%	34	6.0%			141	6.9%	290	8.1%
321			22	2.3%	16	2.8%			43	2.1%	81	2.3%
331	1	5.9%	94	9.9%	40	7.1%			149	7.2%	284	7.9%
332	1	5.9%	189	19.9%	73	12.9%			344	16.7%	607	16.9%
333			7	0.7%	1	0.2%			4	0.2%	12	0.3%
334												
335			14	1.5%	6	1.1%			31	1.5%	51	1.4%
336												
337	2	11.8%	21	2.2%	35	6.2%			101	4.9%	159	4.4%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 04

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	17	0.5%	949	26.4%	566	15.8%	3	0.1%	2,058	57.3%	3,593	100.0%
338												
339									1	0.0%	1	0.0%
341									1	0.0%	1	0.0%
342			1	0.1%	1	0.2%			22	1.1%	24	0.7%
343			9	0.9%	7	1.2%			14	0.7%	30	0.8%
344			3	0.3%	2	0.4%			22	1.1%	27	0.8%
345	1	5.9%	44	4.6%	6	1.1%			85	4.1%	136	3.8%
346					1	0.2%			1	0.0%	2	0.1%
347			2	0.2%					1	0.0%	3	0.1%
348			6	0.6%					7	0.3%	13	0.4%
349			2	0.2%					1	0.0%	3	0.1%
350												
351												
352			3	0.3%					12	0.6%	15	0.4%
353			3	0.3%	1	0.2%			6	0.3%	10	0.3%
354									2	0.1%	2	0.1%
355			2	0.2%			1	33.3%	2	0.1%	5	0.1%
356			1	0.1%					9	0.4%	10	0.3%
357	2	11.8%	109	11.5%	20	3.5%			284	13.8%	415	11.6%
358			4	0.4%	1	0.2%			6	0.3%	11	0.3%
359	3	17.6%	282	29.7%	88	15.5%			509	24.7%	882	24.5%
360	1	5.9%	18	1.9%	2	0.4%			30	1.5%	51	1.4%
361			3	0.3%	2	0.4%			43	2.1%	48	1.3%
362												
371												
372			3	0.3%	1	0.2%			13	0.6%	17	0.5%
373												
381			49	5.2%	27	4.8%			168	8.2%	244	6.8%
382												
402									1	0.0%	1	0.0%
403			2	0.2%	2	0.4%			7	0.3%	11	0.3%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 04

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	17	0.5%	949	26.4%	566	15.8%	3	0.1%	2,058	57.3%	3,593	100.0%
413												
414												
415												
416												
417												
418												
419												
420												
421	1	5.9%	50	5.3%	7	1.2%	1	33.3%	51	2.5%	110	3.1%
422	1	5.9%	223	23.5%	80	14.1%	1	33.3%	372	18.1%	677	18.8%
423			4	0.4%	5	0.9%			13	0.6%	22	0.6%
424												
425												
426	12	70.6%	454	47.8%	281	49.6%	1	33.3%	864	42.0%	1,612	44.9%
501									1	0.0%	1	0.0%
502	1	5.9%	3	0.3%	2	0.4%			18	0.9%	24	0.7%
601												
602												
603												
701												
702												
703												
704												
801												
802					1	0.2%					1	0.0%
901			2	0.2%	1	0.2%			5	0.2%	8	0.2%
902			20	2.1%	2	0.4%			35	1.7%	57	1.6%
903									1	0.0%	1	0.0%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of postpartum women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 04

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	28	0.6%	989	22.7%	1,062	24.3%	4	0.1%	2,281	52.3%	4,364	100.0%
101	5	17.9%	67	6.8%	74	7.0%			328	14.4%	474	10.9%
102												
103												
111	7	25.0%	420	42.5%	402	37.9%	3	75.0%	781	34.2%	1,613	37.0%
112												
113												
114												
121												
131	3	10.7%	167	16.9%	172	16.2%	2	50.0%	329	14.4%	673	15.4%
132	3	10.7%	145	14.7%	181	17.0%	1	25.0%	290	12.7%	620	14.2%
133	5	17.9%	165	16.7%	165	15.5%			390	17.1%	725	16.6%
134												
135												
141												
142												
151												
152												
153												
201	4	14.3%	206	20.8%	145	13.7%	1	25.0%	238	10.4%	594	13.6%
211									1	0.0%	1	0.0%
301	2	7.1%	11	1.1%	5	0.5%			24	1.1%	42	1.0%
302			6	0.6%	3	0.3%			10	0.4%	19	0.4%
303			4	0.4%	5	0.5%			17	0.7%	26	0.6%
311			34	3.4%	28	2.6%			107	4.7%	169	3.9%
312	1	3.6%	39	3.9%	34	3.2%			77	3.4%	151	3.5%
321	1	3.6%	42	4.2%	35	3.3%			132	5.8%	210	4.8%
331			100	10.1%	95	8.9%			215	9.4%	410	9.4%
332	2	7.1%	131	13.2%	166	15.6%	1	25.0%	422	18.5%	722	16.5%
333			2	0.2%	2	0.2%			4	0.2%	8	0.2%
334	2	7.1%	72	7.3%	93	8.8%			151	6.6%	318	7.3%
335	1	3.6%	7	0.7%					15	0.7%	23	0.5%
336												
337			6	0.6%	17	1.6%			50	2.2%	73	1.7%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 04

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	28	0.6%	989	22.7%	1,062	24.3%	4	0.1%	2,281	52.3%	4,364	100.0%
338			1	0.1%	5	0.5%			3	0.1%	9	0.2%
339									3	0.1%	3	0.1%
341			2	0.2%					3	0.1%	5	0.1%
342			7	0.7%					19	0.8%	26	0.6%
343			13	1.3%	11	1.0%			18	0.8%	42	1.0%
344			6	0.6%	8	0.8%			22	1.0%	36	0.8%
345	1	3.6%	26	2.6%	11	1.0%			22	1.0%	60	1.4%
346									1	0.0%	1	0.0%
347									3	0.1%	3	0.1%
348			4	0.4%	1	0.1%			14	0.6%	19	0.4%
349									1	0.0%	1	0.0%
350												
351												
352			6	0.6%					7	0.3%	13	0.3%
353	1	3.6%	5	0.5%	1	0.1%			7	0.3%	14	0.3%
354									1	0.0%	1	0.0%
355			3	0.3%	1	0.1%			11	0.5%	15	0.3%
356					1	0.1%			13	0.6%	14	0.3%
357	1	3.6%	50	5.1%	19	1.8%			158	6.9%	228	5.2%
358			6	0.6%	1	0.1%			17	0.7%	24	0.5%
359			4	0.4%	5	0.5%			19	0.8%	28	0.6%
360			16	1.6%	4	0.4%			33	1.4%	53	1.2%
361			4	0.4%	1	0.1%			31	1.4%	36	0.8%
362												
371	2	7.1%	63	6.4%	13	1.2%			551	24.2%	629	14.4%
372			6	0.6%	2	0.2%			10	0.4%	18	0.4%
373			1	0.1%					5	0.2%	6	0.1%
381	1	3.6%	53	5.4%	41	3.9%	1	25.0%	212	9.3%	308	7.1%
382												
402									3	0.1%	3	0.1%
403					1	0.1%			4	0.2%	5	0.1%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 04

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	28	0.6%	989	22.7%	1,062	24.3%	4	0.1%	2,281	52.3%	4,364	100.0%
413												
414												
415												
416												
417												
418												
419												
420												
421	2	7.1%	71	7.2%	27	2.5%			87	3.8%	187	4.3%
422	3	10.7%	189	19.1%	146	13.7%	1	25.0%	444	19.5%	783	17.9%
423			5	0.5%	9	0.8%			21	0.9%	35	0.8%
424	7	25.0%	219	22.1%	273	25.7%			348	15.3%	847	19.4%
425												
426												
501												
502			3	0.3%	3	0.3%			8	0.4%	14	0.3%
601												
602												
603												
701												
702												
703												
704												
801									1	0.0%	1	0.0%
802												
901			4	0.4%	2	0.2%			7	0.3%	13	0.3%
902			16	1.6%	10	0.9%			41	1.8%	67	1.5%
903									2	0.1%	2	0.0%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of pregnant women

with an active certification extending into the period November 1, 2003 to November 30, 2003.