

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 05

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	13	1.1%	172	14.4%	548	45.9%	3	0.3%	459	38.4%	1,195	100.0%
101			6	3.5%	17	3.1%			28	6.1%	51	4.3%
102			1	0.6%	6	1.1%			4	0.9%	11	0.9%
103												
111	3	23.1%	84	48.8%	215	39.2%	1	33.3%	195	42.5%	498	41.7%
112	1	7.7%	18	10.5%	90	16.4%	2	66.7%	33	7.2%	144	12.1%
113												
114												
121												
131												
132												
133	4	30.8%	68	39.5%	162	29.6%	1	33.3%	177	38.6%	412	34.5%
134												
135												
141												
142												
151												
152												
153												
201	4	30.8%	59	34.3%	171	31.2%	1	33.3%	126	27.5%	361	30.2%
211												
301												
302												
303			4	2.3%	12	2.2%			19	4.1%	35	2.9%
311	4	30.8%	22	12.8%	25	4.6%			56	12.2%	107	9.0%
312	1	7.7%	12	7.0%	19	3.5%			15	3.3%	47	3.9%
321									2	0.4%	2	0.2%
331			11	6.4%	39	7.1%			19	4.1%	69	5.8%
332	4	30.8%	33	19.2%	93	17.0%			83	18.1%	213	17.8%
333					1	0.2%			1	0.2%	2	0.2%
334												
335			3	1.7%	1	0.2%			4	0.9%	8	0.7%
336												
337			12	7.0%	34	6.2%	1	33.3%	36	7.8%	83	6.9%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 05

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	13	1.1%	172	14.4%	548	45.9%	3	0.3%	459	38.4%	1,195	100.0%
338												
339												
341												
342			2	1.2%					2	0.4%	4	0.3%
343			3	1.7%	4	0.7%			4	0.9%	11	0.9%
344									3	0.7%	3	0.3%
345			7	4.1%	6	1.1%			7	1.5%	20	1.7%
346					1	0.2%			1	0.2%	2	0.2%
347									1	0.2%	1	0.1%
348					1	0.2%			2	0.4%	3	0.3%
349												
350												
351												
352			1	0.6%					1	0.2%	2	0.2%
353			1	0.6%	1	0.2%			1	0.2%	3	0.3%
354												
355			1	0.6%					1	0.2%	2	0.2%
356									4	0.9%	4	0.3%
357			10	5.8%	7	1.3%			22	4.8%	39	3.3%
358	1	7.7%							1	0.2%	2	0.2%
359	2	15.4%	34	19.8%	84	15.3%	1	33.3%	103	22.4%	224	18.7%
360			3	1.7%	2	0.4%			6	1.3%	11	0.9%
361					1	0.2%			3	0.7%	4	0.3%
362												
371	2	15.4%	6	3.5%	4	0.7%			75	16.3%	87	7.3%
372												
373												
381			5	2.9%	18	3.3%			22	4.8%	45	3.8%
382												
402												
403			1	0.6%							1	0.1%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 05

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	13	1.1%	172	14.4%	548	45.9%	3	0.3%	459	38.4%	1,195	100.0%
413												
414												
415												
416												
417												
418												
419												
420			7	4.1%	11	2.0%			59	12.9%	77	6.4%
421	1	7.7%	4	2.3%	1	0.2%			3	0.7%	9	0.8%
422	6	46.2%	79	45.9%	242	44.2%			216	47.1%	543	45.4%
423			2	1.2%	7	1.3%			3	0.7%	12	1.0%
424												
425												
426	3	23.1%	56	32.6%	218	39.8%	2	66.7%	96	20.9%	375	31.4%
501	1	7.7%									1	0.1%
502			2	1.2%	1	0.2%			2	0.4%	5	0.4%
601												
602			6	3.5%	20	3.6%			33	7.2%	59	4.9%
603												
701												
702												
703												
704												
801												
802												
901					2	0.4%			1	0.2%	3	0.3%
902			2	1.2%	6	1.1%			4	0.9%	12	1.0%
903												

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of breastfeeding women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 05

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	161	1.2%	3,860	29.5%	3,537	27.1%	25	0.2%	5,492	42.0%	13,075	100.0%
101												
102												
103	7	4.3%	278	7.2%	155	4.4%			404	7.4%	844	6.5%
111												
112												
113	21	13.0%	337	8.7%	495	14.0%	4	16.0%	449	8.2%	1,306	10.0%
114	11	6.8%	338	8.8%	394	11.1%	2	8.0%	461	8.4%	1,206	9.2%
121	29	18.0%	362	9.4%	359	10.1%	2	8.0%	545	9.9%	1,297	9.9%
131												
132												
133												
134			3	0.1%	3	0.1%			3	0.1%	9	0.1%
135	1	0.6%	91	2.4%	59	1.7%			36	0.7%	187	1.4%
141	2	1.2%	70	1.8%	23	0.7%			42	0.8%	137	1.0%
142												
151			1	0.0%	1	0.0%			1	0.0%	3	0.0%
152												
153												
201	23	14.3%	768	19.9%	635	18.0%	2	8.0%	896	16.3%	2,324	17.8%
211					2	0.1%			1	0.0%	3	0.0%
301												
302												
303												
311												
312												
321												
331												
332												
333												
334												
335												
336												
337												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 05

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	161	1.2%	3,860	29.5%	3,537	27.1%	25	0.2%	5,492	42.0%	13,075	100.0%
338												
339												
341												
342			3	0.1%	1	0.0%			22	0.4%	26	0.2%
343									1	0.0%	1	0.0%
344			1	0.0%	3	0.1%			1	0.0%	5	0.0%
345			4	0.1%					1	0.0%	5	0.0%
346					2	0.1%			7	0.1%	9	0.1%
347									1	0.0%	1	0.0%
348	1	0.6%	15	0.4%	11	0.3%	1	4.0%	32	0.6%	60	0.5%
349			17	0.4%	7	0.2%			20	0.4%	44	0.3%
350												
351			1	0.0%					1	0.0%	2	0.0%
352			32	0.8%	15	0.4%			40	0.7%	87	0.7%
353			11	0.3%	6	0.2%			34	0.6%	51	0.4%
354												
355			14	0.4%	7	0.2%			24	0.4%	45	0.3%
356			3	0.1%					3	0.1%	6	0.0%
357	2	1.2%	120	3.1%	57	1.6%	1	4.0%	286	5.2%	466	3.6%
358												
359			9	0.2%	5	0.1%			16	0.3%	30	0.2%
360			89	2.3%	24	0.7%			130	2.4%	243	1.9%
361												
362			24	0.6%	7	0.2%			31	0.6%	62	0.5%
371												
372												
373												
381	3	1.9%	181	4.7%	287	8.1%			287	5.2%	758	5.8%
382			1	0.0%					1	0.0%	2	0.0%
402			2	0.1%	2	0.1%			1	0.0%	5	0.0%
403			2	0.1%	1	0.0%			4	0.1%	7	0.1%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 05

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	161	1.2%	3,860	29.5%	3,537	27.1%	25	0.2%	5,492	42.0%	13,075	100.0%
413												
414												
415												
416												
417												
418												
419	30	18.6%	327	8.5%	503	14.2%	4	16.0%	510	9.3%	1,374	10.5%
420												
421	1	0.6%	24	0.6%	18	0.5%			54	1.0%	97	0.7%
422	114	70.8%	1,795	46.5%	1,952	55.2%	14	56.0%	3,070	55.9%	6,945	53.1%
423			13	0.3%	24	0.7%			65	1.2%	102	0.8%
424	2	1.2%	35	0.9%	25	0.7%			134	2.4%	196	1.5%
425	65	40.4%	2,491	64.5%	2,277	64.4%	12	48.0%	2,984	54.3%	7,829	59.9%
426												
501	1	0.6%	13	0.3%	15	0.4%			27	0.5%	56	0.4%
502			8	0.2%	8	0.2%			24	0.4%	40	0.3%
601												
602												
603												
701												
702												
703												
704												
801												
802					2	0.1%					2	0.0%
901					1	0.0%			13	0.2%	14	0.1%
902			3	0.1%	2	0.1%			5	0.1%	10	0.1%
903			10	0.3%	5	0.1%			32	0.6%	47	0.4%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of children

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 05

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	97	1.3%	2,254	30.9%	1,477	20.3%	16	0.2%	3,447	47.3%	7,291	100.0%
101												
102												
103	4	4.1%	205	9.1%	94	6.4%	4	25.0%	266	7.7%	573	7.9%
111												
112												
113												
114			66	2.9%	88	6.0%			124	3.6%	278	3.8%
121	16	16.5%	399	17.7%	158	10.7%	2	12.5%	474	13.8%	1,049	14.4%
131												
132												
133												
134									2	0.1%	2	0.0%
135					2	0.1%			2	0.1%	4	0.1%
141	16	16.5%	250	11.1%	67	4.5%	1	6.3%	263	7.6%	597	8.2%
142	19	19.6%	377	16.7%	115	7.8%	2	12.5%	474	13.8%	987	13.5%
151			5	0.2%	1	0.1%			7	0.2%	13	0.2%
152												
153			57	2.5%	81	5.5%	2	12.5%	182	5.3%	322	4.4%
201			1	0.0%	2	0.1%			10	0.3%	13	0.2%
211												
301												
302												
303												
311												
312												
321												
331												
332												
333												
334												
335												
336												
337												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 05

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	97	1.3%	2,254	30.9%	1,477	20.3%	16	0.2%	3,447	47.3%	7,291	100.0%
338												
339												
341												
342			2	0.1%	6	0.4%			39	1.1%	47	0.6%
343												
344			2	0.1%					3	0.1%	5	0.1%
345			1	0.0%					2	0.1%	3	0.0%
346			1	0.0%	1	0.1%			5	0.1%	7	0.1%
347												
348					1	0.1%			3	0.1%	4	0.1%
349			3	0.1%	1	0.1%			10	0.3%	14	0.2%
350												
351			1	0.0%							1	0.0%
352			7	0.3%	7	0.5%			11	0.3%	25	0.3%
353									5	0.1%	5	0.1%
354												
355					1	0.1%			4	0.1%	5	0.1%
356									1	0.0%	1	0.0%
357			13	0.6%	4	0.3%			70	2.0%	87	1.2%
358												
359			4	0.2%	2	0.1%			21	0.6%	27	0.4%
360			4	0.2%	2	0.1%			14	0.4%	20	0.3%
361												
362	1	1.0%	3	0.1%	2	0.1%			6	0.2%	12	0.2%
371												
372												
373												
381												
382												
402			1	0.0%							1	0.0%
403			1	0.0%							1	0.0%
411	7	7.2%	582	25.8%	145	9.8%	7	43.8%	649	18.8%	1,390	19.1%
412			90	4.0%	18	1.2%	1	6.3%	176	5.1%	285	3.9%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 05

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	97	1.3%	2,254	30.9%	1,477	20.3%	16	0.2%	3,447	47.3%	7,291	100.0%
413			1	0.0%					4	0.1%	5	0.1%
414			4	0.2%	1	0.1%			5	0.1%	10	0.1%
415	2	2.1%	49	2.2%	86	5.8%	3	18.8%	109	3.2%	249	3.4%
416	2	2.1%	181	8.0%	95	6.4%			240	7.0%	518	7.1%
417	11	11.3%	768	34.1%	421	28.5%	10	62.5%	1,351	39.2%	2,561	35.1%
418			4	0.2%	5	0.3%	1	6.3%	6	0.2%	16	0.2%
419	1	1.0%	123	5.5%	101	6.8%	1	6.3%	164	4.8%	390	5.3%
420												
421												
422												
423			3	0.1%	93	6.3%			1	0.0%	97	1.3%
424			1	0.0%	1	0.1%			3	0.1%	5	0.1%
425												
426												
501												
502	1	1.0%	20	0.9%	16	1.1%			46	1.3%	83	1.1%
601												
602												
603	3	3.1%	54	2.4%	108	7.3%	1	6.3%	112	3.2%	278	3.8%
701	59	60.8%	1,769	78.5%	1,222	82.7%	14	87.5%	2,541	73.7%	5,605	76.9%
702	2	2.1%	15	0.7%	32	2.2%			55	1.6%	104	1.4%
703			2	0.1%					5	0.1%	7	0.1%
704	16	16.5%	219	9.7%	86	5.8%	1	6.3%	365	10.6%	687	9.4%
801			3	0.1%					3	0.1%	6	0.1%
802												
901			2	0.1%					4	0.1%	6	0.1%
902			31	1.4%	18	1.2%			35	1.0%	84	1.2%
903	1	1.0%	14	0.6%	2	0.1%			12	0.3%	29	0.4%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of infants

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 05

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	48	1.9%	846	32.7%	340	13.1%	7	0.3%	1,350	52.1%	2,591	100.0%
101	3	6.3%	38	4.5%	16	4.7%			119	8.8%	176	6.8%
102												
103												
111	4	8.3%	438	51.8%	168	49.4%	3	42.9%	514	38.1%	1,127	43.5%
112												
113												
114												
121												
131												
132												
133	4	8.3%	336	39.7%	133	39.1%	2	28.6%	563	41.7%	1,038	40.1%
134												
135												
141												
142												
151												
152												
153												
201	13	27.1%	398	47.0%	137	40.3%	4	57.1%	479	35.5%	1,031	39.8%
211	1	2.1%							1	0.1%	2	0.1%
301												
302												
303	2	4.2%	16	1.9%	14	4.1%			45	3.3%	77	3.0%
311	4	8.3%	123	14.5%	29	8.5%	3	42.9%	179	13.3%	338	13.0%
312	6	12.5%	80	9.5%	19	5.6%	1	14.3%	102	7.6%	208	8.0%
321			16	1.9%	12	3.5%			34	2.5%	62	2.4%
331	2	4.2%	98	11.6%	43	12.6%			100	7.4%	243	9.4%
332	4	8.3%	174	20.6%	66	19.4%	3	42.9%	230	17.0%	477	18.4%
333			6	0.7%	3	0.9%			3	0.2%	12	0.5%
334												
335			19	2.2%	3	0.9%			16	1.2%	38	1.5%
336												
337			24	2.8%	27	7.9%	1	14.3%	77	5.7%	129	5.0%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 05

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	48	1.9%	846	32.7%	340	13.1%	7	0.3%	1,350	52.1%	2,591	100.0%
338												
339			1	0.1%							1	0.0%
341												
342			4	0.5%	1	0.3%			6	0.4%	11	0.4%
343			13	1.5%	3	0.9%			12	0.9%	28	1.1%
344			2	0.2%	1	0.3%			15	1.1%	18	0.7%
345			47	5.6%	6	1.8%			47	3.5%	100	3.9%
346												
347									3	0.2%	3	0.1%
348			2	0.2%	1	0.3%			7	0.5%	10	0.4%
349			1	0.1%							1	0.0%
350												
351												
352			3	0.4%	1	0.3%			4	0.3%	8	0.3%
353			1	0.1%					5	0.4%	6	0.2%
354												
355			2	0.2%					4	0.3%	6	0.2%
356			2	0.2%	1	0.3%			5	0.4%	8	0.3%
357	1	2.1%	52	6.1%	18	5.3%			102	7.6%	173	6.7%
358			2	0.2%	1	0.3%			2	0.1%	5	0.2%
359	6	12.5%	274	32.4%	77	22.6%	1	14.3%	399	29.6%	757	29.2%
360			10	1.2%	3	0.9%			18	1.3%	31	1.2%
361			1	0.1%	1	0.3%			15	1.1%	17	0.7%
362									1	0.1%	1	0.0%
371												
372			2	0.2%					5	0.4%	7	0.3%
373			2	0.2%					1	0.1%	3	0.1%
381			17	2.0%	6	1.8%			66	4.9%	89	3.4%
382												
402												
403			1	0.1%	1	0.3%			3	0.2%	5	0.2%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 05

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	48	1.9%	846	32.7%	340	13.1%	7	0.3%	1,350	52.1%	2,591	100.0%
413												
414												
415												
416												
417												
418												
419												
420												
421			14	1.7%	2	0.6%			26	1.9%	42	1.6%
422	32	66.7%	330	39.0%	182	53.5%	1	14.3%	637	47.2%	1,182	45.6%
423	1	2.1%	6	0.7%	4	1.2%			4	0.3%	15	0.6%
424												
425												
426	13	27.1%	386	45.6%	125	36.8%	2	28.6%	497	36.8%	1,023	39.5%
501												
502	1	2.1%	5	0.6%	2	0.6%			10	0.7%	18	0.7%
601												
602												
603												
701												
702												
703												
704												
801			1	0.1%					1	0.1%	2	0.1%
802												
901					1	0.3%			2	0.1%	3	0.1%
902	1	2.1%	11	1.3%	8	2.4%			19	1.4%	39	1.5%
903												

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of postpartum women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 05

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	47	1.5%	914	29.0%	655	20.8%	5	0.2%	1,530	48.6%	3,151	100.0%
101	11	23.4%	87	9.5%	35	5.3%			212	13.9%	345	10.9%
102												
103												
111	7	14.9%	407	44.5%	279	42.6%	1	20.0%	611	39.9%	1,305	41.4%
112												
113												
114												
121												
131	8	17.0%	195	21.3%	167	25.5%			263	17.2%	633	20.1%
132	7	14.9%	150	16.4%	138	21.1%			225	14.7%	520	16.5%
133	2	4.3%	91	10.0%	55	8.4%			173	11.3%	321	10.2%
134												
135												
141												
142												
151												
152												
153												
201	3	6.4%	175	19.1%	85	13.0%	1	20.0%	171	11.2%	435	13.8%
211												
301			4	0.4%	2	0.3%			13	0.8%	19	0.6%
302			4	0.4%	1	0.2%			8	0.5%	13	0.4%
303	2	4.3%	10	1.1%	12	1.8%			15	1.0%	39	1.2%
311	1	2.1%	49	5.4%	21	3.2%			82	5.4%	153	4.9%
312	2	4.3%	53	5.8%	33	5.0%			43	2.8%	131	4.2%
321			31	3.4%	24	3.7%			68	4.4%	123	3.9%
331	3	6.4%	126	13.8%	53	8.1%			135	8.8%	317	10.1%
332	10	21.3%	144	15.8%	111	16.9%	2	40.0%	330	21.6%	597	18.9%
333									3	0.2%	3	0.1%
334	1	2.1%	31	3.4%	36	5.5%	2	40.0%	44	2.9%	114	3.6%
335			6	0.7%	4	0.6%			10	0.7%	20	0.6%
336												
337			14	1.5%	23	3.5%			44	2.9%	81	2.6%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 05

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	47	1.5%	914	29.0%	655	20.8%	5	0.2%	1,530	48.6%	3,151	100.0%
338	1	2.1%	1	0.1%	2	0.3%					4	0.1%
339			1	0.1%							1	0.0%
341									3	0.2%	3	0.1%
342			1	0.1%	1	0.2%			11	0.7%	13	0.4%
343			9	1.0%	8	1.2%			16	1.0%	33	1.0%
344			5	0.5%	4	0.6%			15	1.0%	24	0.8%
345			17	1.9%	4	0.6%			22	1.4%	43	1.4%
346			2	0.2%							2	0.1%
347			1	0.1%	1	0.2%			4	0.3%	6	0.2%
348			3	0.3%	1	0.2%			10	0.7%	14	0.4%
349			1	0.1%							1	0.0%
350												
351												
352			2	0.2%					7	0.5%	9	0.3%
353			1	0.1%	3	0.5%			6	0.4%	10	0.3%
354												
355			1	0.1%					11	0.7%	12	0.4%
356			2	0.2%					10	0.7%	12	0.4%
357			9	1.0%	11	1.7%			46	3.0%	66	2.1%
358					2	0.3%	1	20.0%	9	0.6%	12	0.4%
359			1	0.1%					6	0.4%	7	0.2%
360			11	1.2%	4	0.6%			18	1.2%	33	1.0%
361			2	0.2%	1	0.2%			8	0.5%	11	0.3%
362												
371	1	2.1%	60	6.6%	7	1.1%	1	20.0%	384	25.1%	453	14.4%
372			5	0.5%	5	0.8%			32	2.1%	42	1.3%
373			2	0.2%	2	0.3%	1	20.0%	1	0.1%	6	0.2%
381			27	3.0%	17	2.6%			90	5.9%	134	4.3%
382												
402			1	0.1%	1	0.2%			1	0.1%	3	0.1%
403					3	0.5%			3	0.2%	6	0.2%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 05

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	47	1.5%	914	29.0%	655	20.8%	5	0.2%	1,530	48.6%	3,151	100.0%
413												
414												
415												
416												
417												
418												
419												
420												
421			26	2.8%	9	1.4%			32	2.1%	67	2.1%
422	30	63.8%	330	36.1%	310	47.3%			720	47.1%	1,390	44.1%
423			6	0.7%	3	0.5%			16	1.0%	25	0.8%
424	3	6.4%	179	19.6%	154	23.5%	1	20.0%	240	15.7%	577	18.3%
425												
426												
501												
502	1	2.1%	6	0.7%	4	0.6%			6	0.4%	17	0.5%
601												
602												
603												
701												
702												
703												
704												
801												
802												
901			2	0.2%	1	0.2%			4	0.3%	7	0.2%
902			20	2.2%	14	2.1%			19	1.2%	53	1.7%
903			1	0.1%							1	0.0%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of pregnant women

with an active certification extending into the period November 1, 2003 to November 30, 2003.