

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

Public Health Region 06

**Breastfeeding**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	473	2.9%	1,865	11.2%	12,980	78.3%	16	0.1%	1,251	7.5%	16,585	100.0%
<b>101</b>	33	7.0%	36	1.9%	239	1.8%			58	4.6%	366	2.2%
<b>102</b>	4	0.8%	13	0.7%	59	0.5%			14	1.1%	90	0.5%
<b>103</b>												
<b>111</b>	90	19.0%	779	41.8%	4,373	33.7%	6	37.5%	456	36.5%	5,704	34.4%
<b>112</b>	45	9.5%	237	12.7%	2,144	16.5%	3	18.8%	117	9.4%	2,546	15.4%
<b>113</b>												
<b>114</b>												
<b>121</b>												
<b>131</b>												
<b>132</b>												
<b>133</b>	118	24.9%	754	40.4%	4,006	30.9%	10	62.5%	546	43.6%	5,434	32.8%
<b>134</b>												
<b>135</b>												
<b>141</b>												
<b>142</b>												
<b>151</b>												
<b>152</b>												
<b>153</b>												
<b>201</b>	79	16.7%	486	26.1%	3,097	23.9%	5	31.3%	244	19.5%	3,911	23.6%
<b>211</b>			1	0.1%	6	0.0%					7	0.0%
<b>301</b>												
<b>302</b>												
<b>303</b>	15	3.2%	27	1.4%	231	1.8%	1	6.3%	26	2.1%	300	1.8%
<b>311</b>	54	11.4%	252	13.5%	889	6.8%	2	12.5%	173	13.8%	1,370	8.3%
<b>312</b>	31	6.6%	160	8.6%	551	4.2%	2	12.5%	76	6.1%	820	4.9%
<b>321</b>			4	0.2%	22	0.2%			4	0.3%	30	0.2%
<b>331</b>	6	1.3%	61	3.3%	472	3.6%			39	3.1%	578	3.5%
<b>332</b>	51	10.8%	206	11.0%	1,282	9.9%	1	6.3%	184	14.7%	1,724	10.4%
<b>333</b>	1	0.2%	4	0.2%	31	0.2%			7	0.6%	43	0.3%
<b>334</b>												
<b>335</b>	5	1.1%	28	1.5%	84	0.6%			17	1.4%	134	0.8%
<b>336</b>												
<b>337</b>	13	2.7%	87	4.7%	815	6.3%	1	6.3%	98	7.8%	1,014	6.1%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

Public Health Region 06

**Breastfeeding**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	473	2.9%	1,865	11.2%	12,980	78.3%	16	0.1%	1,251	7.5%	16,585	100.0%
<b>338</b>												
<b>339</b>					1	0.0%					1	0.0%
<b>341</b>			2	0.1%					1	0.1%	3	0.0%
<b>342</b>	1	0.2%	5	0.3%	22	0.2%			8	0.6%	36	0.2%
<b>343</b>	1	0.2%	16	0.9%	46	0.4%			10	0.8%	73	0.4%
<b>344</b>	5	1.1%	9	0.5%	45	0.3%			23	1.8%	82	0.5%
<b>345</b>	4	0.8%	53	2.8%	78	0.6%			22	1.8%	157	0.9%
<b>346</b>					1	0.0%			2	0.2%	3	0.0%
<b>347</b>					2	0.0%			1	0.1%	3	0.0%
<b>348</b>	1	0.2%			6	0.0%			3	0.2%	10	0.1%
<b>349</b>	1	0.2%	4	0.2%	4	0.0%					9	0.1%
<b>350</b>												
<b>351</b>					3	0.0%					3	0.0%
<b>352</b>	2	0.4%	2	0.1%	7	0.1%			4	0.3%	15	0.1%
<b>353</b>			3	0.2%	3	0.0%			7	0.6%	13	0.1%
<b>354</b>					1	0.0%					1	0.0%
<b>355</b>	1	0.2%	20	1.1%	26	0.2%			11	0.9%	58	0.3%
<b>356</b>	1	0.2%			4	0.0%			3	0.2%	8	0.0%
<b>357</b>	8	1.7%	79	4.2%	312	2.4%			80	6.4%	479	2.9%
<b>358</b>	5	1.1%	3	0.2%	12	0.1%			3	0.2%	23	0.1%
<b>359</b>	64	13.5%	346	18.6%	1,557	12.0%	1	6.3%	206	16.5%	2,174	13.1%
<b>360</b>			15	0.8%	40	0.3%			20	1.6%	75	0.5%
<b>361</b>			2	0.1%	12	0.1%			19	1.5%	33	0.2%
<b>362</b>					3	0.0%					3	0.0%
<b>371</b>	2	0.4%	23	1.2%	50	0.4%			136	10.9%	211	1.3%
<b>372</b>			1	0.1%	5	0.0%			6	0.5%	12	0.1%
<b>373</b>			1	0.1%							1	0.0%
<b>381</b>	11	2.3%	35	1.9%	365	2.8%	1	6.3%	69	5.5%	481	2.9%
<b>382</b>												
<b>402</b>	2	0.4%	1	0.1%	6	0.0%					9	0.1%
<b>403</b>			3	0.2%	13	0.1%			5	0.4%	21	0.1%
<b>411</b>												
<b>412</b>												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 06**

**Breastfeeding**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	473	2.9%	1,865	11.2%	12,980	78.3%	16	0.1%	1,251	7.5%	16,585	100.0%
<b>413</b>												
<b>414</b>												
<b>415</b>												
<b>416</b>												
<b>417</b>												
<b>418</b>												
<b>419</b>												
<b>420</b>	12	2.5%	28	1.5%	266	2.0%			80	6.4%	386	2.3%
<b>421</b>	1	0.2%	24	1.3%	58	0.4%			15	1.2%	98	0.6%
<b>422</b>	339	71.7%	1,431	76.7%	9,665	74.5%	12	75.0%	823	65.8%	12,270	74.0%
<b>423</b>	16	3.4%	26	1.4%	280	2.2%	1	6.3%	23	1.8%	346	2.1%
<b>424</b>												
<b>425</b>												
<b>426</b>	184	38.9%	535	28.7%	5,860	45.1%	6	37.5%	302	24.1%	6,887	41.5%
<b>501</b>	4	0.8%	1	0.1%	28	0.2%			1	0.1%	34	0.2%
<b>502</b>	1	0.2%	6	0.3%	16	0.1%			4	0.3%	27	0.2%
<b>601</b>	2	0.4%			25	0.2%			2	0.2%	29	0.2%
<b>602</b>	21	4.4%	62	3.3%	390	3.0%	1	6.3%	63	5.0%	537	3.2%
<b>603</b>												
<b>701</b>												
<b>702</b>												
<b>703</b>												
<b>704</b>												
<b>801</b>												
<b>802</b>					1	0.0%					1	0.0%
<b>901</b>			3	0.2%	30	0.2%			1	0.1%	34	0.2%
<b>902</b>	1	0.2%	22	1.2%	144	1.1%			9	0.7%	176	1.1%
<b>903</b>					1	0.0%					1	0.0%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of breastfeeding women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 06**

**Child**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	2,196	2.3%	15,687	16.3%	68,491	71.1%	66	0.1%	9,874	10.3%	96,314	100.0%
<b>101</b>												
<b>102</b>												
<b>103</b>	232	10.6%	1,121	7.1%	3,360	4.9%	4	6.1%	563	5.7%	5,280	5.5%
<b>111</b>												
<b>112</b>												
<b>113</b>	151	6.9%	1,179	7.5%	7,989	11.7%	3	4.5%	733	7.4%	10,055	10.4%
<b>114</b>	131	6.0%	1,173	7.5%	5,783	8.4%	3	4.5%	828	8.4%	7,918	8.2%
<b>121</b>	313	14.3%	1,273	8.1%	6,563	9.6%	7	10.6%	1,047	10.6%	9,203	9.6%
<b>131</b>												
<b>132</b>												
<b>133</b>												
<b>134</b>	7	0.3%	30	0.2%	69	0.1%	1	1.5%	21	0.2%	128	0.1%
<b>135</b>	57	2.6%	90	0.6%	534	0.8%	1	1.5%	36	0.4%	718	0.7%
<b>141</b>	13	0.6%	162	1.0%	245	0.4%			89	0.9%	509	0.5%
<b>142</b>												
<b>151</b>			9	0.1%	9	0.0%			2	0.0%	20	0.0%
<b>152</b>												
<b>153</b>												
<b>201</b>	249	11.3%	2,946	18.8%	10,683	15.6%	13	19.7%	1,390	14.1%	15,281	15.9%
<b>211</b>			1	0.0%	10	0.0%			1	0.0%	12	0.0%
<b>301</b>												
<b>302</b>												
<b>303</b>												
<b>311</b>												
<b>312</b>												
<b>321</b>												
<b>331</b>												
<b>332</b>												
<b>333</b>												
<b>334</b>												
<b>335</b>												
<b>336</b>												
<b>337</b>												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 06**

**Child**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	2,196	2.3%	15,687	16.3%	68,491	71.1%	66	0.1%	9,874	10.3%	96,314	100.0%
<b>338</b>												
<b>339</b>												
<b>341</b>	1	0.0%	3	0.0%	5	0.0%			2	0.0%	11	0.0%
<b>342</b>	3	0.1%	38	0.2%	66	0.1%			44	0.4%	151	0.2%
<b>343</b>	1	0.0%	2	0.0%	5	0.0%			2	0.0%	10	0.0%
<b>344</b>	1	0.0%	8	0.1%	24	0.0%			4	0.0%	37	0.0%
<b>345</b>			1	0.0%	3	0.0%			1	0.0%	5	0.0%
<b>346</b>	2	0.1%	2	0.0%	27	0.0%	1	1.5%	18	0.2%	50	0.1%
<b>347</b>			1	0.0%	9	0.0%			3	0.0%	13	0.0%
<b>348</b>	4	0.2%	41	0.3%	126	0.2%			48	0.5%	219	0.2%
<b>349</b>	12	0.5%	59	0.4%	181	0.3%	1	1.5%	46	0.5%	299	0.3%
<b>350</b>												
<b>351</b>			3	0.0%	12	0.0%			6	0.1%	21	0.0%
<b>352</b>	1	0.0%	55	0.4%	132	0.2%			45	0.5%	233	0.2%
<b>353</b>	11	0.5%	59	0.4%	100	0.1%			63	0.6%	233	0.2%
<b>354</b>					1	0.0%			1	0.0%	2	0.0%
<b>355</b>	7	0.3%	83	0.5%	114	0.2%	1	1.5%	61	0.6%	266	0.3%
<b>356</b>			1	0.0%	5	0.0%			1	0.0%	7	0.0%
<b>357</b>	32	1.5%	455	2.9%	1,093	1.6%	1	1.5%	324	3.3%	1,905	2.0%
<b>358</b>												
<b>359</b>	7	0.3%	92	0.6%	200	0.3%	1	1.5%	70	0.7%	370	0.4%
<b>360</b>	11	0.5%	343	2.2%	553	0.8%	1	1.5%	196	2.0%	1,104	1.1%
<b>361</b>	1	0.0%									1	0.0%
<b>362</b>	13	0.6%	79	0.5%	213	0.3%	2	3.0%	62	0.6%	369	0.4%
<b>371</b>												
<b>372</b>												
<b>373</b>												
<b>381</b>	64	2.9%	405	2.6%	3,246	4.7%	4	6.1%	461	4.7%	4,180	4.3%
<b>382</b>	1	0.0%	2	0.0%	1	0.0%			1	0.0%	5	0.0%
<b>402</b>	7	0.3%	5	0.0%	24	0.0%			7	0.1%	43	0.0%
<b>403</b>	3	0.1%	7	0.0%	36	0.1%			20	0.2%	66	0.1%
<b>411</b>												
<b>412</b>												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 06**

**Child**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	2,196	2.3%	15,687	16.3%	68,491	71.1%	66	0.1%	9,874	10.3%	96,314	100.0%
<b>413</b>												
<b>414</b>												
<b>415</b>												
<b>416</b>												
<b>417</b>												
<b>418</b>												
<b>419</b>	742	33.8%	1,690	10.8%	14,573	21.3%	12	18.2%	1,224	12.4%	18,241	18.9%
<b>420</b>												
<b>421</b>	8	0.4%	67	0.4%	343	0.5%			86	0.9%	504	0.5%
<b>422</b>	1,484	67.6%	11,564	73.7%	50,262	73.4%	48	72.7%	6,461	65.4%	69,819	72.5%
<b>423</b>	6	0.3%	88	0.6%	660	1.0%			72	0.7%	826	0.9%
<b>424</b>	12	0.5%	337	2.1%	684	1.0%	2	3.0%	220	2.2%	1,255	1.3%
<b>425</b>	1,441	65.6%	11,826	75.4%	51,522	75.2%	50	75.8%	6,107	61.8%	70,946	73.7%
<b>426</b>												
<b>501</b>	10	0.5%	40	0.3%	203	0.3%			49	0.5%	302	0.3%
<b>502</b>	6	0.3%	19	0.1%	78	0.1%			38	0.4%	141	0.1%
<b>601</b>												
<b>602</b>												
<b>603</b>												
<b>701</b>												
<b>702</b>												
<b>703</b>												
<b>704</b>												
<b>801</b>	2	0.1%	1	0.0%	2	0.0%			3	0.0%	8	0.0%
<b>802</b>					3	0.0%					3	0.0%
<b>901</b>	2	0.1%	10	0.1%	64	0.1%			27	0.3%	103	0.1%
<b>902</b>			10	0.1%	22	0.0%			3	0.0%	35	0.0%
<b>903</b>	1	0.0%	107	0.7%	98	0.1%			67	0.7%	273	0.3%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of children

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 06**

**Infant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	1,631	2.9%	11,827	21.1%	34,764	62.0%	32	0.1%	7,811	13.9%	56,065	100.0%
<b>101</b>												
<b>102</b>												
<b>103</b>	77	4.7%	639	5.4%	1,312	3.8%			400	5.1%	2,428	4.3%
<b>111</b>												
<b>112</b>												
<b>113</b>												
<b>114</b>	9	0.6%	507	4.3%	1,075	3.1%	1	3.1%	209	2.7%	1,801	3.2%
<b>121</b>	174	10.7%	1,602	13.5%	3,271	9.4%	3	9.4%	966	12.4%	6,016	10.7%
<b>131</b>												
<b>132</b>												
<b>133</b>												
<b>134</b>			4	0.0%	10	0.0%			1	0.0%	15	0.0%
<b>135</b>	6	0.4%	27	0.2%	88	0.3%			30	0.4%	151	0.3%
<b>141</b>	123	7.5%	1,246	10.5%	1,962	5.6%	2	6.3%	536	6.9%	3,869	6.9%
<b>142</b>	198	12.1%	1,902	16.1%	3,428	9.9%	4	12.5%	1,235	15.8%	6,767	12.1%
<b>151</b>			49	0.4%	55	0.2%			6	0.1%	110	0.2%
<b>152</b>	1	0.1%	13	0.1%	15	0.0%			1	0.0%	30	0.1%
<b>153</b>	39	2.4%	330	2.8%	1,635	4.7%	2	6.3%	372	4.8%	2,378	4.2%
<b>201</b>	4	0.2%	30	0.3%	102	0.3%			57	0.7%	193	0.3%
<b>211</b>					3	0.0%					3	0.0%
<b>301</b>												
<b>302</b>												
<b>303</b>												
<b>311</b>												
<b>312</b>												
<b>321</b>												
<b>331</b>												
<b>332</b>												
<b>333</b>												
<b>334</b>												
<b>335</b>												
<b>336</b>												
<b>337</b>												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 06**

**Infant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	1,631	2.9%	11,827	21.1%	34,764	62.0%	32	0.1%	7,811	13.9%	56,065	100.0%
<b>338</b>												
<b>339</b>												
<b>341</b>			2	0.0%	4	0.0%			2	0.0%	8	0.0%
<b>342</b>	8	0.5%	31	0.3%	86	0.2%			109	1.4%	234	0.4%
<b>343</b>									1	0.0%	1	0.0%
<b>344</b>	1	0.1%	6	0.1%	12	0.0%			3	0.0%	22	0.0%
<b>345</b>	1	0.1%	1	0.0%	5	0.0%			2	0.0%	9	0.0%
<b>346</b>	1	0.1%	2	0.0%	17	0.0%			9	0.1%	29	0.1%
<b>347</b>												
<b>348</b>	1	0.1%	3	0.0%	10	0.0%			10	0.1%	24	0.0%
<b>349</b>	3	0.2%	27	0.2%	67	0.2%			13	0.2%	110	0.2%
<b>350</b>			1	0.0%	4	0.0%			6	0.1%	11	0.0%
<b>351</b>			1	0.0%	5	0.0%			1	0.0%	7	0.0%
<b>352</b>			24	0.2%	23	0.1%			30	0.4%	77	0.1%
<b>353</b>			11	0.1%	16	0.0%			22	0.3%	49	0.1%
<b>354</b>									1	0.0%	1	0.0%
<b>355</b>	1	0.1%	16	0.1%	22	0.1%			41	0.5%	80	0.1%
<b>356</b>			3	0.0%	10	0.0%					13	0.0%
<b>357</b>	20	1.2%	146	1.2%	326	0.9%			167	2.1%	659	1.2%
<b>358</b>												
<b>359</b>	6	0.4%	257	2.2%	251	0.7%			107	1.4%	621	1.1%
<b>360</b>	8	0.5%	46	0.4%	133	0.4%			56	0.7%	243	0.4%
<b>361</b>												
<b>362</b>	1	0.1%	31	0.3%	73	0.2%			31	0.4%	136	0.2%
<b>371</b>												
<b>372</b>												
<b>373</b>												
<b>381</b>					1	0.0%					1	0.0%
<b>382</b>									1	0.0%	1	0.0%
<b>402</b>	1	0.1%	2	0.0%	3	0.0%			2	0.0%	8	0.0%
<b>403</b>	1	0.1%	3	0.0%	12	0.0%			1	0.0%	17	0.0%
<b>411</b>	158	9.7%	2,024	17.1%	3,642	10.5%	6	18.8%	1,368	17.5%	7,198	12.8%
<b>412</b>	27	1.7%	349	3.0%	315	0.9%			418	5.4%	1,109	2.0%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 06**

**Infant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	1,631	2.9%	11,827	21.1%	34,764	62.0%	32	0.1%	7,811	13.9%	56,065	100.0%
<b>413</b>	1	0.1%	83	0.7%	205	0.6%			57	0.7%	346	0.6%
<b>414</b>	4	0.2%	13	0.1%	50	0.1%			17	0.2%	84	0.1%
<b>415</b>	42	2.6%	239	2.0%	868	2.5%	3	9.4%	186	2.4%	1,338	2.4%
<b>416</b>	53	3.2%	473	4.0%	1,778	5.1%	2	6.3%	462	5.9%	2,768	4.9%
<b>417</b>	391	24.0%	3,732	31.6%	10,261	29.5%	11	34.4%	3,590	46.0%	17,985	32.1%
<b>418</b>	1	0.1%	14	0.1%	88	0.3%			31	0.4%	134	0.2%
<b>419</b>	75	4.6%	695	5.9%	2,364	6.8%	3	9.4%	641	8.2%	3,778	6.7%
<b>420</b>												
<b>421</b>												
<b>422</b>												
<b>423</b>	5	0.3%	14	0.1%	1,590	4.6%			31	0.4%	1,640	2.9%
<b>424</b>			9	0.1%	20	0.1%			4	0.1%	33	0.1%
<b>425</b>												
<b>426</b>												
<b>501</b>												
<b>502</b>	12	0.7%	60	0.5%	169	0.5%	1	3.1%	69	0.9%	311	0.6%
<b>601</b>												
<b>602</b>												
<b>603</b>	61	3.7%	194	1.6%	1,500	4.3%	2	6.3%	185	2.4%	1,942	3.5%
<b>701</b>	1,014	62.2%	8,129	68.7%	25,556	73.5%	20	62.5%	4,993	63.9%	39,712	70.8%
<b>702</b>	56	3.4%	218	1.8%	1,236	3.6%	1	3.1%	107	1.4%	1,618	2.9%
<b>703</b>			23	0.2%	40	0.1%			23	0.3%	86	0.2%
<b>704</b>	150	9.2%	742	6.3%	1,803	5.2%	4	12.5%	735	9.4%	3,434	6.1%
<b>801</b>	2	0.1%	2	0.0%							4	0.0%
<b>802</b>					3	0.0%			1	0.0%	4	0.0%
<b>901</b>	1	0.1%	10	0.1%	32	0.1%			11	0.1%	54	0.1%
<b>902</b>	5	0.3%	164	1.4%	465	1.3%			62	0.8%	696	1.2%
<b>903</b>	1	0.1%	100	0.8%	76	0.2%			79	1.0%	256	0.5%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of infants

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 06**

**Postpartum**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	437	2.9%	3,801	25.6%	7,723	52.0%	10	0.1%	2,868	19.3%	14,839	100.0%
<b>101</b>	53	12.1%	120	3.2%	232	3.0%			195	6.8%	600	4.0%
<b>102</b>												
<b>103</b>												
<b>111</b>	92	21.1%	1,769	46.5%	3,460	44.8%	3	30.0%	1,129	39.4%	6,453	43.5%
<b>112</b>												
<b>113</b>												
<b>114</b>												
<b>121</b>												
<b>131</b>												
<b>132</b>												
<b>133</b>	117	26.8%	1,511	39.8%	2,618	33.9%	6	60.0%	1,268	44.2%	5,520	37.2%
<b>134</b>												
<b>135</b>												
<b>141</b>												
<b>142</b>												
<b>151</b>												
<b>152</b>												
<b>153</b>												
<b>201</b>	105	24.0%	1,362	35.8%	2,506	32.4%	5	50.0%	782	27.3%	4,760	32.1%
<b>211</b>			2	0.1%					1	0.0%	3	0.0%
<b>301</b>												
<b>302</b>												
<b>303</b>	15	3.4%	67	1.8%	164	2.1%			51	1.8%	297	2.0%
<b>311</b>	53	12.1%	566	14.9%	770	10.0%	1	10.0%	393	13.7%	1,783	12.0%
<b>312</b>	30	6.9%	378	9.9%	402	5.2%			173	6.0%	983	6.6%
<b>321</b>	6	1.4%	43	1.1%	147	1.9%			48	1.7%	244	1.6%
<b>331</b>	11	2.5%	242	6.4%	534	6.9%			195	6.8%	982	6.6%
<b>332</b>	61	14.0%	449	11.8%	917	11.9%			401	14.0%	1,828	12.3%
<b>333</b>			17	0.4%	39	0.5%			7	0.2%	63	0.4%
<b>334</b>												
<b>335</b>	4	0.9%	48	1.3%	79	1.0%			35	1.2%	166	1.1%
<b>336</b>												
<b>337</b>	11	2.5%	109	2.9%	422	5.5%			176	6.1%	718	4.8%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 06**

**Postpartum**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	437	2.9%	3,801	25.6%	7,723	52.0%	10	0.1%	2,868	19.3%	14,839	100.0%
<b>338</b>												
<b>339</b>					2	0.0%					2	0.0%
<b>341</b>												
<b>342</b>			10	0.3%	15	0.2%			23	0.8%	48	0.3%
<b>343</b>	2	0.5%	20	0.5%	56	0.7%			22	0.8%	100	0.7%
<b>344</b>	4	0.9%	9	0.2%	31	0.4%			27	0.9%	71	0.5%
<b>345</b>	3	0.7%	125	3.3%	92	1.2%			64	2.2%	284	1.9%
<b>346</b>			2	0.1%	4	0.1%			4	0.1%	10	0.1%
<b>347</b>			3	0.1%	2	0.0%			1	0.0%	6	0.0%
<b>348</b>	1	0.2%	4	0.1%	13	0.2%			16	0.6%	34	0.2%
<b>349</b>			5	0.1%	4	0.1%			2	0.1%	11	0.1%
<b>350</b>												
<b>351</b>			1	0.0%	2	0.0%			1	0.0%	4	0.0%
<b>352</b>	2	0.5%	15	0.4%	8	0.1%			13	0.5%	38	0.3%
<b>353</b>			5	0.1%	3	0.0%			2	0.1%	10	0.1%
<b>354</b>			1	0.0%	1	0.0%			1	0.0%	3	0.0%
<b>355</b>	1	0.2%	12	0.3%	9	0.1%			12	0.4%	34	0.2%
<b>356</b>			3	0.1%	5	0.1%			5	0.2%	13	0.1%
<b>357</b>	16	3.7%	212	5.6%	287	3.7%			180	6.3%	695	4.7%
<b>358</b>			13	0.3%	12	0.2%			17	0.6%	42	0.3%
<b>359</b>	98	22.4%	756	19.9%	1,412	18.3%	5	50.0%	608	21.2%	2,879	19.4%
<b>360</b>			35	0.9%	26	0.3%			32	1.1%	93	0.6%
<b>361</b>			8	0.2%	16	0.2%			49	1.7%	73	0.5%
<b>362</b>									1	0.0%	1	0.0%
<b>371</b>												
<b>372</b>			12	0.3%	6	0.1%			26	0.9%	44	0.3%
<b>373</b>					3	0.0%					3	0.0%
<b>381</b>	7	1.6%	51	1.3%	139	1.8%			128	4.5%	325	2.2%
<b>382</b>												
<b>402</b>	2	0.5%	4	0.1%	2	0.0%			3	0.1%	11	0.1%
<b>403</b>	1	0.2%	12	0.3%	11	0.1%			10	0.3%	34	0.2%
<b>411</b>												
<b>412</b>												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 06**

**Postpartum**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	437	2.9%	3,801	25.6%	7,723	52.0%	10	0.1%	2,868	19.3%	14,839	100.0%
<b>413</b>												
<b>414</b>												
<b>415</b>												
<b>416</b>												
<b>417</b>												
<b>418</b>												
<b>419</b>												
<b>420</b>												
<b>421</b>	1	0.2%	34	0.9%	66	0.9%			40	1.4%	141	1.0%
<b>422</b>	335	76.7%	3,028	79.7%	6,004	77.7%	9	90.0%	1,985	69.2%	11,361	76.6%
<b>423</b>	13	3.0%	83	2.2%	139	1.8%	1	10.0%	42	1.5%	278	1.9%
<b>424</b>												
<b>425</b>												
<b>426</b>	177	40.5%	1,482	39.0%	3,658	47.4%	5	50.0%	1,118	39.0%	6,440	43.4%
<b>501</b>	3	0.7%	6	0.2%	36	0.5%			9	0.3%	54	0.4%
<b>502</b>	3	0.7%	9	0.2%	27	0.3%			14	0.5%	53	0.4%
<b>601</b>												
<b>602</b>												
<b>603</b>												
<b>701</b>												
<b>702</b>												
<b>703</b>												
<b>704</b>												
<b>801</b>												
<b>802</b>												
<b>901</b>	1	0.2%	5	0.1%	26	0.3%			9	0.3%	41	0.3%
<b>902</b>	3	0.7%	96	2.5%	183	2.4%			50	1.7%	332	2.2%
<b>903</b>					2	0.0%					2	0.0%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of postpartum women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 06**

**Pregnant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	610	2.8%	4,057	18.8%	13,571	62.9%	20	0.1%	3,321	15.4%	21,579	100.0%
<b>101</b>	124	20.3%	326	8.0%	876	6.5%	1	5.0%	409	12.3%	1,736	8.0%
<b>102</b>												
<b>103</b>												
<b>111</b>	90	14.8%	1,671	41.2%	5,186	38.2%	7	35.0%	1,164	35.0%	8,118	37.6%
<b>112</b>												
<b>113</b>												
<b>114</b>												
<b>121</b>												
<b>131</b>	121	19.8%	607	15.0%	2,525	18.6%	2	10.0%	509	15.3%	3,764	17.4%
<b>132</b>	62	10.2%	534	13.2%	2,066	15.2%	3	15.0%	366	11.0%	3,031	14.0%
<b>133</b>	34	5.6%	636	15.7%	1,427	10.5%	2	10.0%	430	12.9%	2,529	11.7%
<b>134</b>												
<b>135</b>												
<b>141</b>												
<b>142</b>												
<b>151</b>												
<b>152</b>												
<b>153</b>												
<b>201</b>	62	10.2%	717	17.7%	1,589	11.7%			391	11.8%	2,759	12.8%
<b>211</b>			3	0.1%							3	0.0%
<b>301</b>	4	0.7%	23	0.6%	34	0.3%			22	0.7%	83	0.4%
<b>302</b>	4	0.7%	23	0.6%	116	0.9%			21	0.6%	164	0.8%
<b>303</b>	3	0.5%	22	0.5%	74	0.5%			29	0.9%	128	0.6%
<b>311</b>	10	1.6%	110	2.7%	276	2.0%	1	5.0%	112	3.4%	509	2.4%
<b>312</b>	20	3.3%	138	3.4%	374	2.8%	1	5.0%	90	2.7%	623	2.9%
<b>321</b>	15	2.5%	135	3.3%	385	2.8%	1	5.0%	169	5.1%	705	3.3%
<b>331</b>	9	1.5%	265	6.5%	903	6.7%			226	6.8%	1,403	6.5%
<b>332</b>	88	14.4%	496	12.2%	1,916	14.1%	4	20.0%	603	18.2%	3,107	14.4%
<b>333</b>			7	0.2%	25	0.2%			4	0.1%	36	0.2%
<b>334</b>	30	4.9%	148	3.6%	872	6.4%	1	5.0%	134	4.0%	1,185	5.5%
<b>335</b>	4	0.7%	35	0.9%	34	0.3%			23	0.7%	96	0.4%
<b>336</b>					1	0.0%			1	0.0%	2	0.0%
<b>337</b>	11	1.8%	60	1.5%	389	2.9%			104	3.1%	564	2.6%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 06**

**Pregnant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	610	2.8%	4,057	18.8%	13,571	62.9%	20	0.1%	3,321	15.4%	21,579	100.0%
<b>338</b>			6	0.1%	27	0.2%			7	0.2%	40	0.2%
<b>339</b>					4	0.0%			4	0.1%	8	0.0%
<b>341</b>			1	0.0%	1	0.0%			3	0.1%	5	0.0%
<b>342</b>			19	0.5%	30	0.2%			16	0.5%	65	0.3%
<b>343</b>	3	0.5%	37	0.9%	85	0.6%			29	0.9%	154	0.7%
<b>344</b>	3	0.5%	16	0.4%	59	0.4%			36	1.1%	114	0.5%
<b>345</b>	1	0.2%	80	2.0%	79	0.6%			43	1.3%	203	0.9%
<b>346</b>			2	0.0%	8	0.1%			9	0.3%	19	0.1%
<b>347</b>			2	0.0%	4	0.0%			7	0.2%	13	0.1%
<b>348</b>			4	0.1%	21	0.2%			23	0.7%	48	0.2%
<b>349</b>			5	0.1%	4	0.0%			2	0.1%	11	0.1%
<b>350</b>												
<b>351</b>									1	0.0%	1	0.0%
<b>352</b>	2	0.3%	3	0.1%	13	0.1%			13	0.4%	31	0.1%
<b>353</b>	1	0.2%	9	0.2%	6	0.0%			4	0.1%	20	0.1%
<b>354</b>					3	0.0%					3	0.0%
<b>355</b>	3	0.5%	24	0.6%	18	0.1%			13	0.4%	58	0.3%
<b>356</b>			1	0.0%	4	0.0%			15	0.5%	20	0.1%
<b>357</b>	9	1.5%	111	2.7%	229	1.7%			163	4.9%	512	2.4%
<b>358</b>			8	0.2%	23	0.2%			24	0.7%	55	0.3%
<b>359</b>	3	0.5%	38	0.9%	53	0.4%			22	0.7%	116	0.5%
<b>360</b>	4	0.7%	35	0.9%	56	0.4%			48	1.4%	143	0.7%
<b>361</b>			5	0.1%	10	0.1%			44	1.3%	59	0.3%
<b>362</b>			1	0.0%	1	0.0%					2	0.0%
<b>371</b>	2	0.3%	110	2.7%	108	0.8%	1	5.0%	572	17.2%	793	3.7%
<b>372</b>	1	0.2%	8	0.2%	22	0.2%			8	0.2%	39	0.2%
<b>373</b>			2	0.0%	5	0.0%			9	0.3%	16	0.1%
<b>381</b>	13	2.1%	88	2.2%	423	3.1%			185	5.6%	709	3.3%
<b>382</b>												
<b>402</b>					8	0.1%			3	0.1%	11	0.1%
<b>403</b>			7	0.2%	20	0.1%			8	0.2%	35	0.2%
<b>411</b>												
<b>412</b>												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 06**

**Pregnant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	610	2.8%	4,057	18.8%	13,571	62.9%	20	0.1%	3,321	15.4%	21,579	100.0%
<b>413</b>												
<b>414</b>												
<b>415</b>												
<b>416</b>												
<b>417</b>												
<b>418</b>												
<b>419</b>												
<b>420</b>												
<b>421</b>	6	1.0%	117	2.9%	236	1.7%			85	2.6%	444	2.1%
<b>422</b>	392	64.3%	2,900	71.5%	9,499	70.0%	13	65.0%	2,086	62.8%	14,890	69.0%
<b>423</b>	19	3.1%	60	1.5%	218	1.6%			73	2.2%	370	1.7%
<b>424</b>	84	13.8%	426	10.5%	2,115	15.6%	4	20.0%	369	11.1%	2,998	13.9%
<b>425</b>												
<b>426</b>												
<b>501</b>												
<b>502</b>	3	0.5%	7	0.2%	26	0.2%			8	0.2%	44	0.2%
<b>601</b>												
<b>602</b>												
<b>603</b>												
<b>701</b>												
<b>702</b>												
<b>703</b>												
<b>704</b>												
<b>801</b>			2	0.0%	1	0.0%			2	0.1%	5	0.0%
<b>802</b>					1	0.0%					1	0.0%
<b>901</b>	1	0.2%	28	0.7%	100	0.7%			21	0.6%	150	0.7%
<b>902</b>			98	2.4%	279	2.1%			39	1.2%	416	1.9%
<b>903</b>			1	0.0%	1	0.0%					2	0.0%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of pregnant women

with an active certification extending into the period November 1, 2003 to November 30, 2003.