

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 07

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	177	3.0%	481	8.1%	3,943	66.8%	5	0.1%	1,301	22.0%	5,907	100.0%
101	17	9.6%	13	2.7%	66	1.7%			50	3.8%	146	2.5%
102	3	1.7%	5	1.0%	29	0.7%			17	1.3%	54	0.9%
103												
111	32	18.1%	206	42.8%	1,361	34.5%	2	40.0%	485	37.3%	2,086	35.3%
112	7	4.0%	60	12.5%	735	18.6%	1	20.0%	142	10.9%	945	16.0%
113												
114												
121												
131												
132												
133	37	20.9%	191	39.7%	1,151	29.2%	3	60.0%	553	42.5%	1,935	32.8%
134												
135												
141												
142												
151												
152												
153												
201	43	24.3%	141	29.3%	756	19.2%	2	40.0%	273	21.0%	1,215	20.6%
211					2	0.1%					2	0.0%
301												
302												
303	12	6.8%	10	2.1%	105	2.7%	1	20.0%	44	3.4%	172	2.9%
311	19	10.7%	71	14.8%	289	7.3%	2	40.0%	137	10.5%	518	8.8%
312	7	4.0%	43	8.9%	157	4.0%			59	4.5%	266	4.5%
321			1	0.2%	6	0.2%			6	0.5%	13	0.2%
331	3	1.7%	21	4.4%	167	4.2%			46	3.5%	237	4.0%
332	21	11.9%	90	18.7%	509	12.9%	1	20.0%	250	19.2%	871	14.7%
333	2	1.1%			14	0.4%	1	20.0%	2	0.2%	19	0.3%
334												
335	2	1.1%	10	2.1%	27	0.7%			21	1.6%	60	1.0%
336												
337	8	4.5%	25	5.2%	252	6.4%	1	20.0%	115	8.8%	401	6.8%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 07

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	177	3.0%	481	8.1%	3,943	66.8%	5	0.1%	1,301	22.0%	5,907	100.0%
338												
339			1	0.2%							1	0.0%
341					1	0.0%			1	0.1%	2	0.0%
342			2	0.4%	13	0.3%			12	0.9%	27	0.5%
343	2	1.1%	3	0.6%	29	0.7%			9	0.7%	43	0.7%
344			2	0.4%	12	0.3%			21	1.6%	35	0.6%
345	1	0.6%	18	3.7%	31	0.8%			25	1.9%	75	1.3%
346			2	0.4%					2	0.2%	4	0.1%
347					1	0.0%					1	0.0%
348					5	0.1%			7	0.5%	12	0.2%
349			1	0.2%	1	0.0%					2	0.0%
350												
351					2	0.1%			2	0.2%	4	0.1%
352			2	0.4%	5	0.1%			3	0.2%	10	0.2%
353			4	0.8%	9	0.2%			10	0.8%	23	0.4%
354												
355	2	1.1%	4	0.8%	6	0.2%			14	1.1%	26	0.4%
356					1	0.0%			3	0.2%	4	0.1%
357	5	2.8%	41	8.5%	203	5.1%			138	10.6%	387	6.6%
358			1	0.2%	2	0.1%			2	0.2%	5	0.1%
359	15	8.5%	87	18.1%	443	11.2%	1	20.0%	184	14.1%	730	12.4%
360	2	1.1%	7	1.5%	12	0.3%			25	1.9%	46	0.8%
361					8	0.2%			35	2.7%	43	0.7%
362												
371	4	2.3%	24	5.0%	36	0.9%	1	20.0%	178	13.7%	243	4.1%
372					2	0.1%			7	0.5%	9	0.2%
373					1	0.0%					1	0.0%
381	3	1.7%	14	2.9%	207	5.2%	1	20.0%	66	5.1%	291	4.9%
382												
402												
403					5	0.1%			2	0.2%	7	0.1%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 07

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	177	3.0%	481	8.1%	3,943	66.8%	5	0.1%	1,301	22.0%	5,907	100.0%
413												
414												
415												
416												
417												
418												
419												
420	1	0.6%	18	3.7%	105	2.7%			114	8.8%	238	4.0%
421	1	0.6%	8	1.7%	17	0.4%			7	0.5%	33	0.6%
422	63	35.6%	204	42.4%	1,176	29.8%	5	100.0%	725	55.7%	2,173	36.8%
423	4	2.3%	6	1.2%	90	2.3%			40	3.1%	140	2.4%
424												
425												
426	52	29.4%	147	30.6%	1,806	45.8%			283	21.8%	2,288	38.7%
501	3	1.7%			4	0.1%			2	0.2%	9	0.2%
502	1	0.6%	1	0.2%	10	0.3%			3	0.2%	15	0.3%
601	3	1.7%	2	0.4%	21	0.5%			4	0.3%	30	0.5%
602	12	6.8%	41	8.5%	214	5.4%	1	20.0%	74	5.7%	342	5.8%
603												
701												
702												
703												
704												
801					1	0.0%					1	0.0%
802												
901					6	0.2%			2	0.2%	8	0.1%
902			5	1.0%	31	0.8%			9	0.7%	45	0.8%
903												

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of breastfeeding women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 07

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	610	1.5%	6,917	16.5%	24,023	57.3%	43	0.1%	10,311	24.6%	41,904	100.0%
101												
102												
103	59	9.7%	515	7.4%	1,098	4.6%	5	11.6%	708	6.9%	2,385	5.7%
111												
112												
113	36	5.9%	484	7.0%	2,511	10.5%	3	7.0%	666	6.5%	3,700	8.8%
114	36	5.9%	573	8.3%	2,297	9.6%	1	2.3%	872	8.5%	3,779	9.0%
121	48	7.9%	619	8.9%	2,502	10.4%	3	7.0%	1,060	10.3%	4,232	10.1%
131												
132												
133												
134	1	0.2%	12	0.2%	25	0.1%			20	0.2%	58	0.1%
135	4	0.7%	40	0.6%	242	1.0%			40	0.4%	326	0.8%
141	12	2.0%	165	2.4%	198	0.8%			146	1.4%	521	1.2%
142												
151			2	0.0%	6	0.0%					8	0.0%
152												
153												
201	80	13.1%	1,552	22.4%	3,910	16.3%	8	18.6%	1,736	16.8%	7,286	17.4%
211			2	0.0%	11	0.0%			1	0.0%	14	0.0%
301												
302												
303												
311												
312												
321												
331												
332												
333												
334												
335												
336												
337												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 07

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	610	1.5%	6,917	16.5%	24,023	57.3%	43	0.1%	10,311	24.6%	41,904	100.0%
338												
339												
341					2	0.0%			2	0.0%	4	0.0%
342			18	0.3%	23	0.1%	1	2.3%	60	0.6%	102	0.2%
343					3	0.0%			6	0.1%	9	0.0%
344			7	0.1%	14	0.1%			3	0.0%	24	0.1%
345			2	0.0%	6	0.0%			2	0.0%	10	0.0%
346	1	0.2%	2	0.0%	11	0.0%			6	0.1%	20	0.0%
347			1	0.0%	6	0.0%			5	0.0%	12	0.0%
348			27	0.4%	40	0.2%	2	4.7%	55	0.5%	124	0.3%
349	2	0.3%	31	0.4%	75	0.3%			35	0.3%	143	0.3%
350												
351	1	0.2%	5	0.1%	9	0.0%			3	0.0%	18	0.0%
352	1	0.2%	29	0.4%	77	0.3%			52	0.5%	159	0.4%
353	4	0.7%	59	0.9%	65	0.3%	1	2.3%	107	1.0%	236	0.6%
354					1	0.0%			2	0.0%	3	0.0%
355	3	0.5%	57	0.8%	70	0.3%	1	2.3%	103	1.0%	234	0.6%
356			1	0.0%	2	0.0%			4	0.0%	7	0.0%
357	12	2.0%	312	4.5%	621	2.6%	1	2.3%	481	4.7%	1,427	3.4%
358												
359	3	0.5%	34	0.5%	98	0.4%			78	0.8%	213	0.5%
360	5	0.8%	206	3.0%	265	1.1%			278	2.7%	754	1.8%
361					3	0.0%			4	0.0%	7	0.0%
362	2	0.3%	30	0.4%	65	0.3%			65	0.6%	162	0.4%
371												
372												
373												
381	22	3.6%	343	5.0%	2,052	8.5%	1	2.3%	545	5.3%	2,963	7.1%
382					3	0.0%			1	0.0%	4	0.0%
402	2	0.3%	1	0.0%	8	0.0%			5	0.0%	16	0.0%
403			3	0.0%	10	0.0%			2	0.0%	15	0.0%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 07

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	610	1.5%	6,917	16.5%	24,023	57.3%	43	0.1%	10,311	24.6%	41,904	100.0%
413												
414												
415												
416												
417												
418												
419	112	18.4%	768	11.1%	3,604	15.0%	4	9.3%	1,030	10.0%	5,518	13.2%
420												
421	2	0.3%	48	0.7%	103	0.4%			87	0.8%	240	0.6%
422	265	43.4%	3,294	47.6%	8,975	37.4%	20	46.5%	5,566	54.0%	18,120	43.2%
423	7	1.1%	15	0.2%	248	1.0%			55	0.5%	325	0.8%
424	4	0.7%	14	0.2%	84	0.3%	4	9.3%	69	0.7%	175	0.4%
425	322	52.8%	4,910	71.0%	16,677	69.4%	29	67.4%	6,455	62.6%	28,393	67.8%
426												
501	9	1.5%	30	0.4%	89	0.4%			119	1.2%	247	0.6%
502	2	0.3%	31	0.4%	42	0.2%			50	0.5%	125	0.3%
601												
602												
603												
701												
702												
703												
704												
801			1	0.0%	5	0.0%			4	0.0%	10	0.0%
802					4	0.0%					4	0.0%
901			7	0.1%	27	0.1%			23	0.2%	57	0.1%
902			6	0.1%	7	0.0%			4	0.0%	17	0.0%
903	1	0.2%	56	0.8%	53	0.2%	1	2.3%	78	0.8%	189	0.5%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of children

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 07

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	396	1.8%	4,158	18.6%	11,295	50.5%	28	0.1%	6,471	29.0%	22,348	100.0%
101												
102												
103	34	8.6%	411	9.9%	590	5.2%	2	7.1%	580	9.0%	1,617	7.2%
111												
112												
113												
114			43	1.0%	110	1.0%			79	1.2%	232	1.0%
121	35	8.8%	658	15.8%	1,033	9.1%	6	21.4%	780	12.1%	2,512	11.2%
131												
132												
133												
134			3	0.1%	5	0.0%			2	0.0%	10	0.0%
135			1	0.0%	4	0.0%			5	0.1%	10	0.0%
141	33	8.3%	461	11.1%	640	5.7%	4	14.3%	452	7.0%	1,590	7.1%
142	44	11.1%	735	17.7%	1,228	10.9%	5	17.9%	905	14.0%	2,917	13.1%
151	2	0.5%	4	0.1%	16	0.1%			10	0.2%	32	0.1%
152			1	0.0%	1	0.0%			1	0.0%	3	0.0%
153	9	2.3%	131	3.2%	565	5.0%	3	10.7%	360	5.6%	1,068	4.8%
201			17	0.4%	34	0.3%			47	0.7%	98	0.4%
211					1	0.0%					1	0.0%
301												
302												
303												
311												
312												
321												
331												
332												
333												
334												
335												
336												
337												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 07

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	396	1.8%	4,158	18.6%	11,295	50.5%	28	0.1%	6,471	29.0%	22,348	100.0%
338												
339												
341			1	0.0%	2	0.0%			2	0.0%	5	0.0%
342	2	0.5%	11	0.3%	22	0.2%			50	0.8%	85	0.4%
343					1	0.0%					1	0.0%
344			2	0.0%	4	0.0%			4	0.1%	10	0.0%
345			1	0.0%					2	0.0%	3	0.0%
346	1	0.3%			6	0.1%			2	0.0%	9	0.0%
347									1	0.0%	1	0.0%
348			3	0.1%	7	0.1%			6	0.1%	16	0.1%
349	2	0.5%	12	0.3%	39	0.3%			21	0.3%	74	0.3%
350									4	0.1%	4	0.0%
351			2	0.0%	2	0.0%			3	0.0%	7	0.0%
352			10	0.2%	18	0.2%			20	0.3%	48	0.2%
353			5	0.1%	6	0.1%			12	0.2%	23	0.1%
354			1	0.0%							1	0.0%
355			12	0.3%	10	0.1%	1	3.6%	17	0.3%	40	0.2%
356			1	0.0%	5	0.0%			2	0.0%	8	0.0%
357	3	0.8%	73	1.8%	181	1.6%			178	2.8%	435	1.9%
358												
359	2	0.5%	33	0.8%	69	0.6%			63	1.0%	167	0.7%
360	2	0.5%	13	0.3%	26	0.2%			34	0.5%	75	0.3%
361												
362	1	0.3%	14	0.3%	23	0.2%			20	0.3%	58	0.3%
371												
372												
373												
381												
382	2	0.5%	1	0.0%							3	0.0%
402					2	0.0%			1	0.0%	3	0.0%
403			1	0.0%					9	0.1%	10	0.0%
411	36	9.1%	934	22.5%	1,309	11.6%	6	21.4%	1,159	17.9%	3,444	15.4%
412	6	1.5%	134	3.2%	112	1.0%			280	4.3%	532	2.4%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 07

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	396	1.8%	4,158	18.6%	11,295	50.5%	28	0.1%	6,471	29.0%	22,348	100.0%
413	2	0.5%	3	0.1%	2	0.0%			5	0.1%	12	0.1%
414			3	0.1%	12	0.1%			5	0.1%	20	0.1%
415	6	1.5%	159	3.8%	343	3.0%			93	1.4%	601	2.7%
416	4	1.0%	148	3.6%	519	4.6%			247	3.8%	918	4.1%
417	111	28.0%	1,916	46.1%	3,649	32.3%	13	46.4%	3,023	46.7%	8,712	39.0%
418	2	0.5%	7	0.2%	36	0.3%			52	0.8%	97	0.4%
419	22	5.6%	310	7.5%	960	8.5%	1	3.6%	465	7.2%	1,758	7.9%
420												
421												
422												
423			3	0.1%	386	3.4%			17	0.3%	406	1.8%
424			6	0.1%	6	0.1%			4	0.1%	16	0.1%
425												
426												
501												
502	7	1.8%	68	1.6%	63	0.6%			101	1.6%	239	1.1%
601												
602												
603	36	9.1%	188	4.5%	770	6.8%	2	7.1%	351	5.4%	1,347	6.0%
701	239	60.4%	3,046	73.3%	8,467	75.0%	22	78.6%	4,321	66.8%	16,095	72.0%
702	19	4.8%	36	0.9%	348	3.1%			141	2.2%	544	2.4%
703			13	0.3%	12	0.1%			16	0.2%	41	0.2%
704	43	10.9%	308	7.4%	607	5.4%	2	7.1%	521	8.1%	1,481	6.6%
801			1	0.0%					3	0.0%	4	0.0%
802					1	0.0%					1	0.0%
901			7	0.2%	9	0.1%			13	0.2%	29	0.1%
902			44	1.1%	91	0.8%			44	0.7%	179	0.8%
903	2	0.5%	48	1.2%	47	0.4%			55	0.8%	152	0.7%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of infants

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 07

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	127	1.8%	1,489	21.4%	2,916	41.9%	15	0.2%	2,420	34.7%	6,967	100.0%
101	20	15.7%	67	4.5%	102	3.5%	1	6.7%	179	7.4%	369	5.3%
102												
103												
111	33	26.0%	707	47.5%	1,492	51.2%	8	53.3%	1,077	44.5%	3,317	47.6%
112												
113												
114												
121												
131												
132												
133	43	33.9%	618	41.5%	1,121	38.4%	8	53.3%	1,040	43.0%	2,830	40.6%
134												
135												
141												
142												
151												
152												
153												
201	40	31.5%	650	43.7%	1,112	38.1%	5	33.3%	733	30.3%	2,540	36.5%
211			1	0.1%	2	0.1%					3	0.0%
301												
302												
303	6	4.7%	32	2.1%	84	2.9%			62	2.6%	184	2.6%
311	13	10.2%	222	14.9%	295	10.1%	2	13.3%	336	13.9%	868	12.5%
312	10	7.9%	129	8.7%	145	5.0%			170	7.0%	454	6.5%
321	2	1.6%	30	2.0%	79	2.7%	1	6.7%	62	2.6%	174	2.5%
331	2	1.6%	143	9.6%	301	10.3%			173	7.1%	619	8.9%
332	20	15.7%	328	22.0%	594	20.4%	2	13.3%	518	21.4%	1,462	21.0%
333	1	0.8%	9	0.6%	25	0.9%			6	0.2%	41	0.6%
334												
335	2	1.6%	25	1.7%	31	1.1%			43	1.8%	101	1.4%
336												
337	9	7.1%	60	4.0%	181	6.2%	1	6.7%	182	7.5%	433	6.2%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 07

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	127	1.8%	1,489	21.4%	2,916	41.9%	15	0.2%	2,420	34.7%	6,967	100.0%
338												
339					1	0.0%			3	0.1%	4	0.1%
341			1	0.1%	1	0.0%					2	0.0%
342			5	0.3%	14	0.5%			21	0.9%	40	0.6%
343			8	0.5%	38	1.3%			20	0.8%	66	0.9%
344	1	0.8%	10	0.7%	16	0.5%			24	1.0%	51	0.7%
345	2	1.6%	47	3.2%	56	1.9%			60	2.5%	165	2.4%
346					2	0.1%			2	0.1%	4	0.1%
347									3	0.1%	3	0.0%
348			2	0.1%	14	0.5%			10	0.4%	26	0.4%
349			2	0.1%	3	0.1%			3	0.1%	8	0.1%
350												
351			1	0.1%	1	0.0%					2	0.0%
352	1	0.8%	4	0.3%	8	0.3%			12	0.5%	25	0.4%
353	1	0.8%	4	0.3%	4	0.1%			11	0.5%	20	0.3%
354			1	0.1%							1	0.0%
355			12	0.8%	10	0.3%			7	0.3%	29	0.4%
356	1	0.8%	1	0.1%	1	0.0%			9	0.4%	12	0.2%
357	8	6.3%	105	7.1%	244	8.4%	3	20.0%	251	10.4%	611	8.8%
358			8	0.5%	3	0.1%			5	0.2%	16	0.2%
359	29	22.8%	332	22.3%	519	17.8%	2	13.3%	535	22.1%	1,417	20.3%
360			20	1.3%	14	0.5%			52	2.1%	86	1.2%
361	3	2.4%	5	0.3%	13	0.4%			69	2.9%	90	1.3%
362												
371												
372			4	0.3%					6	0.2%	10	0.1%
373			2	0.1%	1	0.0%			1	0.0%	4	0.1%
381	3	2.4%	47	3.2%	82	2.8%	2	13.3%	120	5.0%	254	3.6%
382												
402					2	0.1%			2	0.1%	4	0.1%
403			3	0.2%	12	0.4%			3	0.1%	18	0.3%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 07

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	127	1.8%	1,489	21.4%	2,916	41.9%	15	0.2%	2,420	34.7%	6,967	100.0%
413												
414												
415												
416												
417												
418												
419												
420												
421	1	0.8%	36	2.4%	26	0.9%			31	1.3%	94	1.3%
422	68	53.5%	803	53.9%	1,281	43.9%	7	46.7%	1,500	62.0%	3,659	52.5%
423	1	0.8%	4	0.3%	34	1.2%			22	0.9%	61	0.9%
424												
425												
426	47	37.0%	732	49.2%	1,475	50.6%	8	53.3%	1,014	41.9%	3,276	47.0%
501			2	0.1%	2	0.1%			2	0.1%	6	0.1%
502	2	1.6%	13	0.9%	7	0.2%			23	1.0%	45	0.6%
601												
602												
603												
701												
702												
703												
704												
801									1	0.0%	1	0.0%
802					1	0.0%					1	0.0%
901			9	0.6%	14	0.5%			11	0.5%	34	0.5%
902	1	0.8%	25	1.7%	51	1.7%			32	1.3%	109	1.6%
903									1	0.0%	1	0.0%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of postpartum women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 07

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	169	1.8%	1,507	16.0%	4,734	50.4%	8	0.1%	2,977	31.7%	9,395	100.0%
101	39	23.1%	127	8.4%	301	6.4%			409	13.7%	876	9.3%
102												
103												
111	32	18.9%	669	44.4%	2,039	43.1%	2	25.0%	1,064	35.7%	3,806	40.5%
112												
113												
114												
121												
131	51	30.2%	242	16.1%	903	19.1%	2	25.0%	450	15.1%	1,648	17.5%
132	22	13.0%	243	16.1%	829	17.5%	2	25.0%	435	14.6%	1,531	16.3%
133	7	4.1%	206	13.7%	495	10.5%	1	12.5%	294	9.9%	1,003	10.7%
134												
135												
141												
142												
151												
152												
153												
201	13	7.7%	264	17.5%	555	11.7%	1	12.5%	294	9.9%	1,127	12.0%
211					2	0.0%					2	0.0%
301			20	1.3%	58	1.2%			27	0.9%	105	1.1%
302	2	1.2%	6	0.4%	26	0.5%			12	0.4%	46	0.5%
303			12	0.8%	37	0.8%			34	1.1%	83	0.9%
311	10	5.9%	135	9.0%	179	3.8%	1	12.5%	195	6.6%	520	5.5%
312	7	4.1%	124	8.2%	168	3.5%	1	12.5%	118	4.0%	418	4.4%
321	5	3.0%	105	7.0%	166	3.5%	1	12.5%	197	6.6%	474	5.0%
331	9	5.3%	146	9.7%	454	9.6%			212	7.1%	821	8.7%
332	32	18.9%	332	22.0%	1,009	21.3%	1	12.5%	720	24.2%	2,094	22.3%
333	1	0.6%	4	0.3%	16	0.3%			7	0.2%	28	0.3%
334	11	6.5%	90	6.0%	523	11.0%			202	6.8%	826	8.8%
335	1	0.6%	13	0.9%	31	0.7%			23	0.8%	68	0.7%
336												
337	2	1.2%	32	2.1%	145	3.1%			114	3.8%	293	3.1%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 07

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	169	1.8%	1,507	16.0%	4,734	50.4%	8	0.1%	2,977	31.7%	9,395	100.0%
338	1	0.6%	2	0.1%	21	0.4%			21	0.7%	45	0.5%
339					2	0.0%			2	0.1%	4	0.0%
341									1	0.0%	1	0.0%
342			5	0.3%	19	0.4%			34	1.1%	58	0.6%
343			14	0.9%	56	1.2%			22	0.7%	92	1.0%
344	1	0.6%	7	0.5%	27	0.6%			35	1.2%	70	0.7%
345			42	2.8%	38	0.8%			32	1.1%	112	1.2%
346			3	0.2%	3	0.1%			6	0.2%	12	0.1%
347			1	0.1%	2	0.0%			5	0.2%	8	0.1%
348			4	0.3%	12	0.3%			20	0.7%	36	0.4%
349			1	0.1%	4	0.1%					5	0.1%
350												
351									1	0.0%	1	0.0%
352	4	2.4%	4	0.3%	14	0.3%			13	0.4%	35	0.4%
353			5	0.3%	4	0.1%			18	0.6%	27	0.3%
354			1	0.1%	1	0.0%			2	0.1%	4	0.0%
355	1	0.6%	11	0.7%	21	0.4%			21	0.7%	54	0.6%
356			1	0.1%	4	0.1%			11	0.4%	16	0.2%
357	4	2.4%	77	5.1%	170	3.6%			192	6.4%	443	4.7%
358			2	0.1%	12	0.3%			10	0.3%	24	0.3%
359			5	0.3%	17	0.4%			14	0.5%	36	0.4%
360			15	1.0%	31	0.7%			45	1.5%	91	1.0%
361			9	0.6%	16	0.3%			54	1.8%	79	0.8%
362												
371	7	4.1%	111	7.4%	101	2.1%			626	21.0%	845	9.0%
372	1	0.6%	8	0.5%	13	0.3%			19	0.6%	41	0.4%
373			3	0.2%	5	0.1%			9	0.3%	17	0.2%
381	6	3.6%	79	5.2%	192	4.1%			181	6.1%	458	4.9%
382												
402			1	0.1%					2	0.1%	3	0.0%
403			4	0.3%	9	0.2%			7	0.2%	20	0.2%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 07

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	169	1.8%	1,507	16.0%	4,734	50.4%	8	0.1%	2,977	31.7%	9,395	100.0%
413												
414												
415												
416												
417												
418												
419												
420												
421	2	1.2%	65	4.3%	71	1.5%			59	2.0%	197	2.1%
422	78	46.2%	769	51.0%	1,829	38.6%	6	75.0%	1,628	54.7%	4,310	45.9%
423	3	1.8%	9	0.6%	54	1.1%			41	1.4%	107	1.1%
424	32	18.9%	353	23.4%	1,292	27.3%	2	25.0%	526	17.7%	2,205	23.5%
425												
426												
501												
502	2	1.2%	4	0.3%	9	0.2%			15	0.5%	30	0.3%
601												
602												
603												
701												
702												
703												
704												
801			1	0.1%					4	0.1%	5	0.1%
802					1	0.0%					1	0.0%
901	1	0.6%	23	1.5%	29	0.6%			20	0.7%	73	0.8%
902			22	1.5%	78	1.6%			40	1.3%	140	1.5%
903					2	0.0%					2	0.0%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of pregnant women

with an active certification extending into the period November 1, 2003 to November 30, 2003.