

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

Public Health Region 08

**Breastfeeding**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	45	1.0%	171	3.9%	3,457	78.6%	9	0.2%	718	16.3%	4,400	100.0%
<b>101</b>	4	8.9%	5	2.9%	62	1.8%			24	3.3%	95	2.2%
<b>102</b>			1	0.6%	25	0.7%			6	0.8%	32	0.7%
<b>103</b>												
<b>111</b>	10	22.2%	78	45.6%	1,379	39.9%	2	22.2%	259	36.1%	1,728	39.3%
<b>112</b>	3	6.7%	15	8.8%	482	13.9%	1	11.1%	78	10.9%	579	13.2%
<b>113</b>												
<b>114</b>												
<b>121</b>												
<b>131</b>												
<b>132</b>												
<b>133</b>	13	28.9%	72	42.1%	1,215	35.1%	2	22.2%	299	41.6%	1,601	36.4%
<b>134</b>												
<b>135</b>												
<b>141</b>												
<b>142</b>												
<b>151</b>												
<b>152</b>												
<b>153</b>												
<b>201</b>	8	17.8%	45	26.3%	956	27.7%	2	22.2%	132	18.4%	1,143	26.0%
<b>211</b>												
<b>301</b>												
<b>302</b>												
<b>303</b>	2	4.4%	2	1.2%	130	3.8%			12	1.7%	146	3.3%
<b>311</b>	4	8.9%	32	18.7%	422	12.2%			93	13.0%	551	12.5%
<b>312</b>	1	2.2%	18	10.5%	181	5.2%			36	5.0%	236	5.4%
<b>321</b>					16	0.5%			5	0.7%	21	0.5%
<b>331</b>	2	4.4%	7	4.1%	181	5.2%			19	2.6%	209	4.8%
<b>332</b>	5	11.1%	22	12.9%	488	14.1%	1	11.1%	124	17.3%	640	14.5%
<b>333</b>					17	0.5%			1	0.1%	18	0.4%
<b>334</b>												
<b>335</b>			5	2.9%	34	1.0%			13	1.8%	52	1.2%
<b>336</b>												
<b>337</b>	6	13.3%	4	2.3%	152	4.4%			34	4.7%	196	4.5%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

Public Health Region 08

**Breastfeeding**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	45	1.0%	171	3.9%	3,457	78.6%	9	0.2%	718	16.3%	4,400	100.0%
338												
339					1	0.0%					1	0.0%
341												
342			3	1.8%	11	0.3%			6	0.8%	20	0.5%
343	1	2.2%	3	1.8%	40	1.2%			4	0.6%	48	1.1%
344	1	2.2%	1	0.6%	23	0.7%			15	2.1%	40	0.9%
345			9	5.3%	46	1.3%			16	2.2%	71	1.6%
346					5	0.1%			3	0.4%	8	0.2%
347					1	0.0%			2	0.3%	3	0.1%
348			1	0.6%	4	0.1%			2	0.3%	7	0.2%
349									1	0.1%	1	0.0%
350												
351												
352					5	0.1%			1	0.1%	6	0.1%
353	1	2.2%			11	0.3%			2	0.3%	14	0.3%
354												
355			3	1.8%	18	0.5%			5	0.7%	26	0.6%
356									2	0.3%	2	0.0%
357	4	8.9%	16	9.4%	241	7.0%			94	13.1%	355	8.1%
358			3	1.8%	10	0.3%			2	0.3%	15	0.3%
359	5	11.1%	37	21.6%	577	16.7%	1	11.1%	111	15.5%	731	16.6%
360			4	2.3%	21	0.6%			14	1.9%	39	0.9%
361	1	2.2%			10	0.3%			14	1.9%	25	0.6%
362												
371			9	5.3%	43	1.2%			55	7.7%	107	2.4%
372					10	0.3%			3	0.4%	13	0.3%
373												
381	2	4.4%	6	3.5%	103	3.0%			19	2.6%	130	3.0%
382												
402					1	0.0%	1	11.1%	2	0.3%	4	0.1%
403					6	0.2%			2	0.3%	8	0.2%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

Public Health Region 08

**Breastfeeding**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	45	1.0%	171	3.9%	3,457	78.6%	9	0.2%	718	16.3%	4,400	100.0%
<b>413</b>												
<b>414</b>												
<b>415</b>												
<b>416</b>												
<b>417</b>												
<b>418</b>												
<b>419</b>												
<b>420</b>	2	4.4%	4	2.3%	176	5.1%	4	44.4%	53	7.4%	239	5.4%
<b>421</b>			7	4.1%	31	0.9%			5	0.7%	43	1.0%
<b>422</b>	9	20.0%	19	11.1%	696	20.1%	2	22.2%	219	30.5%	945	21.5%
<b>423</b>	5	11.1%	7	4.1%	157	4.5%			34	4.7%	203	4.6%
<b>424</b>												
<b>425</b>												
<b>426</b>	25	55.6%	55	32.2%	1,526	44.1%	4	44.4%	173	24.1%	1,783	40.5%
<b>501</b>					3	0.1%					3	0.1%
<b>502</b>	1	2.2%	3	1.8%	4	0.1%			6	0.8%	14	0.3%
<b>601</b>					9	0.3%			3	0.4%	12	0.3%
<b>602</b>	1	2.2%	14	8.2%	225	6.5%			38	5.3%	278	6.3%
<b>603</b>												
<b>701</b>												
<b>702</b>												
<b>703</b>												
<b>704</b>												
<b>801</b>												
<b>802</b>	1	2.2%			48	1.4%					49	1.1%
<b>901</b>			2	1.2%	11	0.3%					13	0.3%
<b>902</b>	1	2.2%	6	3.5%	51	1.5%			2	0.3%	60	1.4%
<b>903</b>												

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of breastfeeding women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 08**

**Child**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	229	0.4%	2,795	5.4%	43,702	84.0%	55	0.1%	5,263	10.1%	52,044	100.0%
<b>101</b>												
<b>102</b>												
<b>103</b>	33	14.4%	199	7.1%	2,254	5.2%	1	1.8%	366	7.0%	2,853	5.5%
<b>111</b>												
<b>112</b>												
<b>113</b>	11	4.8%	181	6.5%	4,749	10.9%	13	23.6%	368	7.0%	5,322	10.2%
<b>114</b>	10	4.4%	158	5.7%	3,817	8.7%	5	9.1%	353	6.7%	4,343	8.3%
<b>121</b>	28	12.2%	246	8.8%	5,432	12.4%	10	18.2%	485	9.2%	6,201	11.9%
<b>131</b>												
<b>132</b>												
<b>133</b>												
<b>134</b>	2	0.9%	6	0.2%	59	0.1%			19	0.4%	86	0.2%
<b>135</b>	4	1.7%	6	0.2%	316	0.7%			29	0.6%	355	0.7%
<b>141</b>	2	0.9%	20	0.7%	259	0.6%			45	0.9%	326	0.6%
<b>142</b>												
<b>151</b>					9	0.0%			3	0.1%	12	0.0%
<b>152</b>												
<b>153</b>												
<b>201</b>	17	7.4%	379	13.6%	6,173	14.1%	16	29.1%	592	11.2%	7,177	13.8%
<b>211</b>					11	0.0%					11	0.0%
<b>301</b>												
<b>302</b>												
<b>303</b>												
<b>311</b>												
<b>312</b>												
<b>321</b>												
<b>331</b>												
<b>332</b>												
<b>333</b>												
<b>334</b>												
<b>335</b>												
<b>336</b>												
<b>337</b>												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 08**

**Child**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	229	0.4%	2,795	5.4%	43,702	84.0%	55	0.1%	5,263	10.1%	52,044	100.0%
<b>338</b>												
<b>339</b>												
<b>341</b>			2	0.1%	1	0.0%			2	0.0%	5	0.0%
<b>342</b>			14	0.5%	115	0.3%			45	0.9%	174	0.3%
<b>343</b>					6	0.0%			2	0.0%	8	0.0%
<b>344</b>	2	0.9%			33	0.1%			7	0.1%	42	0.1%
<b>345</b>	1	0.4%	1	0.0%	6	0.0%			2	0.0%	10	0.0%
<b>346</b>	1	0.4%			41	0.1%			12	0.2%	54	0.1%
<b>347</b>					8	0.0%			7	0.1%	15	0.0%
<b>348</b>	1	0.4%	13	0.5%	166	0.4%			30	0.6%	210	0.4%
<b>349</b>	1	0.4%	13	0.5%	126	0.3%			21	0.4%	161	0.3%
<b>350</b>												
<b>351</b>					8	0.0%			5	0.1%	13	0.0%
<b>352</b>	2	0.9%	13	0.5%	180	0.4%	2	3.6%	33	0.6%	230	0.4%
<b>353</b>			22	0.8%	149	0.3%			65	1.2%	236	0.5%
<b>354</b>					3	0.0%			4	0.1%	7	0.0%
<b>355</b>	2	0.9%	40	1.4%	224	0.5%			69	1.3%	335	0.6%
<b>356</b>			1	0.0%	2	0.0%					3	0.0%
<b>357</b>	10	4.4%	198	7.1%	2,202	5.0%	7	12.7%	367	7.0%	2,784	5.3%
<b>358</b>												
<b>359</b>			13	0.5%	232	0.5%			44	0.8%	289	0.6%
<b>360</b>	3	1.3%	155	5.5%	1,220	2.8%	4	7.3%	188	3.6%	1,570	3.0%
<b>361</b>					3	0.0%			4	0.1%	7	0.0%
<b>362</b>	3	1.3%	11	0.4%	151	0.3%			47	0.9%	212	0.4%
<b>371</b>												
<b>372</b>												
<b>373</b>												
<b>381</b>	23	10.0%	98	3.5%	2,777	6.4%	5	9.1%	242	4.6%	3,145	6.0%
<b>382</b>					4	0.0%					4	0.0%
<b>402</b>					12	0.0%			2	0.0%	14	0.0%
<b>403</b>			1	0.0%	25	0.1%			8	0.2%	34	0.1%
<b>411</b>												
<b>412</b>												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 08**

**Child**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	229	0.4%	2,795	5.4%	43,702	84.0%	55	0.1%	5,263	10.1%	52,044	100.0%
<b>413</b>												
<b>414</b>												
<b>415</b>												
<b>416</b>												
<b>417</b>												
<b>418</b>												
<b>419</b>	33	14.4%	202	7.2%	6,001	13.7%	11	20.0%	523	9.9%	6,770	13.0%
<b>420</b>												
<b>421</b>	3	1.3%	14	0.5%	217	0.5%			37	0.7%	271	0.5%
<b>422</b>	28	12.2%	477	17.1%	9,371	21.4%	11	20.0%	1,672	31.8%	11,559	22.2%
<b>423</b>	4	1.7%	24	0.9%	821	1.9%	2	3.6%	65	1.2%	916	1.8%
<b>424</b>	3	1.3%	52	1.9%	1,557	3.6%	1	1.8%	338	6.4%	1,951	3.7%
<b>425</b>	155	67.7%	2,033	72.7%	31,475	72.0%	36	65.5%	3,320	63.1%	37,019	71.1%
<b>426</b>												
<b>501</b>			17	0.6%	139	0.3%			41	0.8%	197	0.4%
<b>502</b>	5	2.2%	16	0.6%	44	0.1%			27	0.5%	92	0.2%
<b>601</b>												
<b>602</b>												
<b>603</b>												
<b>701</b>												
<b>702</b>												
<b>703</b>												
<b>704</b>												
<b>801</b>			1	0.0%	5	0.0%			1	0.0%	7	0.0%
<b>802</b>			1	0.0%	587	1.3%	1	1.8%			589	1.1%
<b>901</b>			11	0.4%	67	0.2%			15	0.3%	93	0.2%
<b>902</b>			1	0.0%	10	0.0%			5	0.1%	16	0.0%
<b>903</b>			27	1.0%	137	0.3%			22	0.4%	186	0.4%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of children

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 08**

**Infant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	138	0.5%	1,518	6.0%	20,166	79.8%	33	0.1%	3,426	13.6%	25,281	100.0%
<b>101</b>												
<b>102</b>												
<b>103</b>	6	4.3%	90	5.9%	945	4.7%	2	6.1%	177	5.2%	1,220	4.8%
<b>111</b>												
<b>112</b>												
<b>113</b>												
<b>114</b>			17	1.1%	478	2.4%	1	3.0%	26	0.8%	522	2.1%
<b>121</b>	9	6.5%	121	8.0%	1,664	8.3%	4	12.1%	284	8.3%	2,082	8.2%
<b>131</b>												
<b>132</b>												
<b>133</b>												
<b>134</b>					8	0.0%			4	0.1%	12	0.0%
<b>135</b>					8	0.0%			1	0.0%	9	0.0%
<b>141</b>	13	9.4%	156	10.3%	1,403	7.0%	3	9.1%	254	7.4%	1,829	7.2%
<b>142</b>	18	13.0%	281	18.5%	3,408	16.9%	4	12.1%	608	17.7%	4,319	17.1%
<b>151</b>	1	0.7%	3	0.2%	29	0.1%			1	0.0%	34	0.1%
<b>152</b>			1	0.1%	7	0.0%					8	0.0%
<b>153</b>	5	3.6%	36	2.4%	676	3.4%	3	9.1%	170	5.0%	890	3.5%
<b>201</b>			4	0.3%	34	0.2%			20	0.6%	58	0.2%
<b>211</b>												
<b>301</b>												
<b>302</b>												
<b>303</b>												
<b>311</b>												
<b>312</b>												
<b>321</b>												
<b>331</b>												
<b>332</b>												
<b>333</b>												
<b>334</b>												
<b>335</b>												
<b>336</b>												
<b>337</b>												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 08**

**Infant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	138	0.5%	1,518	6.0%	20,166	79.8%	33	0.1%	3,426	13.6%	25,281	100.0%
<b>338</b>												
<b>339</b>												
<b>341</b>					12	0.1%			2	0.1%	14	0.1%
<b>342</b>	4	2.9%	15	1.0%	136	0.7%	1	3.0%	60	1.8%	216	0.9%
<b>343</b>					3	0.0%					3	0.0%
<b>344</b>			1	0.1%	5	0.0%					6	0.0%
<b>345</b>			1	0.1%	5	0.0%					6	0.0%
<b>346</b>			2	0.1%	12	0.1%			6	0.2%	20	0.1%
<b>347</b>												
<b>348</b>			1	0.1%	14	0.1%			4	0.1%	19	0.1%
<b>349</b>	3	2.2%	2	0.1%	42	0.2%			9	0.3%	56	0.2%
<b>350</b>					4	0.0%			3	0.1%	7	0.0%
<b>351</b>					3	0.0%					3	0.0%
<b>352</b>			1	0.1%	25	0.1%			11	0.3%	37	0.1%
<b>353</b>			2	0.1%	30	0.1%			11	0.3%	43	0.2%
<b>354</b>					1	0.0%					1	0.0%
<b>355</b>	1	0.7%	7	0.5%	35	0.2%			14	0.4%	57	0.2%
<b>356</b>					12	0.1%			2	0.1%	14	0.1%
<b>357</b>	3	2.2%	29	1.9%	347	1.7%	1	3.0%	117	3.4%	497	2.0%
<b>358</b>												
<b>359</b>	1	0.7%	18	1.2%	116	0.6%	1	3.0%	18	0.5%	154	0.6%
<b>360</b>	1	0.7%	12	0.8%	118	0.6%	2	6.1%	31	0.9%	164	0.6%
<b>361</b>												
<b>362</b>			6	0.4%	62	0.3%	1	3.0%	16	0.5%	85	0.3%
<b>371</b>												
<b>372</b>												
<b>373</b>												
<b>381</b>												
<b>382</b>					1	0.0%			1	0.0%	2	0.0%
<b>402</b>					1	0.0%					1	0.0%
<b>403</b>			1	0.1%	7	0.0%					8	0.0%
<b>411</b>	16	11.6%	379	25.0%	4,245	21.1%	7	21.2%	543	15.8%	5,190	20.5%
<b>412</b>	2	1.4%	44	2.9%	170	0.8%			129	3.8%	345	1.4%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 08**

**Infant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	138	0.5%	1,518	6.0%	20,166	79.8%	33	0.1%	3,426	13.6%	25,281	100.0%
<b>413</b>			1	0.1%	9	0.0%			5	0.1%	15	0.1%
<b>414</b>			5	0.3%	27	0.1%			7	0.2%	39	0.2%
<b>415</b>	9	6.5%	73	4.8%	688	3.4%			125	3.6%	895	3.5%
<b>416</b>	2	1.4%	64	4.2%	616	3.1%	2	6.1%	127	3.7%	811	3.2%
<b>417</b>	53	38.4%	850	56.0%	9,942	49.3%	16	48.5%	1,725	50.4%	12,586	49.8%
<b>418</b>	1	0.7%	5	0.3%	54	0.3%			13	0.4%	73	0.3%
<b>419</b>	7	5.1%	103	6.8%	890	4.4%	2	6.1%	212	6.2%	1,214	4.8%
<b>420</b>												
<b>421</b>												
<b>422</b>												
<b>423</b>	2	1.4%	3	0.2%	525	2.6%	1	3.0%	18	0.5%	549	2.2%
<b>424</b>			1	0.1%	12	0.1%			4	0.1%	17	0.1%
<b>425</b>												
<b>426</b>												
<b>501</b>												
<b>502</b>	5	3.6%	20	1.3%	85	0.4%			58	1.7%	168	0.7%
<b>601</b>												
<b>602</b>												
<b>603</b>	10	7.2%	57	3.8%	1,089	5.4%	2	6.1%	171	5.0%	1,329	5.3%
<b>701</b>	77	55.8%	1,094	72.1%	15,331	76.0%	21	63.6%	2,236	65.3%	18,759	74.2%
<b>702</b>	5	3.6%	9	0.6%	241	1.2%			52	1.5%	307	1.2%
<b>703</b>			4	0.3%	40	0.2%			8	0.2%	52	0.2%
<b>704</b>	10	7.2%	48	3.2%	608	3.0%			181	5.3%	847	3.4%
<b>801</b>					9	0.0%					9	0.0%
<b>802</b>					170	0.8%	1	3.0%			171	0.7%
<b>901</b>			3	0.2%	25	0.1%			3	0.1%	31	0.1%
<b>902</b>	1	0.7%	22	1.4%	327	1.6%	1	3.0%	35	1.0%	386	1.5%
<b>903</b>			8	0.5%	91	0.5%			27	0.8%	126	0.5%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of infants

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 08**

**Postpartum**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	55	0.6%	531	5.5%	7,702	80.2%	11	0.1%	1,305	13.6%	9,604	100.0%
<b>101</b>	6	10.9%	26	4.9%	292	3.8%	1	9.1%	69	5.3%	394	4.1%
<b>102</b>												
<b>103</b>												
<b>111</b>	11	20.0%	228	42.9%	3,944	51.2%	7	63.6%	542	41.5%	4,732	49.3%
<b>112</b>												
<b>113</b>												
<b>114</b>												
<b>121</b>												
<b>131</b>												
<b>132</b>												
<b>133</b>	13	23.6%	221	41.6%	3,061	39.7%	5	45.5%	559	42.8%	3,859	40.2%
<b>134</b>												
<b>135</b>												
<b>141</b>												
<b>142</b>												
<b>151</b>												
<b>152</b>												
<b>153</b>												
<b>201</b>	9	16.4%	209	39.4%	3,099	40.2%	6	54.5%	334	25.6%	3,657	38.1%
<b>211</b>			1	0.2%	2	0.0%					3	0.0%
<b>301</b>												
<b>302</b>												
<b>303</b>			8	1.5%	205	2.7%			27	2.1%	240	2.5%
<b>311</b>	8	14.5%	80	15.1%	1,216	15.8%			200	15.3%	1,504	15.7%
<b>312</b>	5	9.1%	54	10.2%	496	6.4%			79	6.1%	634	6.6%
<b>321</b>	2	3.6%	13	2.4%	224	2.9%			32	2.5%	271	2.8%
<b>331</b>	2	3.6%	44	8.3%	799	10.4%	4	36.4%	93	7.1%	942	9.8%
<b>332</b>	11	20.0%	103	19.4%	1,554	20.2%	2	18.2%	250	19.2%	1,920	20.0%
<b>333</b>			4	0.8%	70	0.9%	1	9.1%	4	0.3%	79	0.8%
<b>334</b>												
<b>335</b>	1	1.8%	6	1.1%	67	0.9%			20	1.5%	94	1.0%
<b>336</b>												
<b>337</b>	2	3.6%	12	2.3%	299	3.9%	2	18.2%	60	4.6%	375	3.9%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

Public Health Region 08

**Postpartum**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	55	0.6%	531	5.5%	7,702	80.2%	11	0.1%	1,305	13.6%	9,604	100.0%
<b>338</b>												
<b>339</b>					4	0.1%					4	0.0%
<b>341</b>									1	0.1%	1	0.0%
<b>342</b>	1	1.8%	3	0.6%	27	0.4%			9	0.7%	40	0.4%
<b>343</b>			2	0.4%	84	1.1%			11	0.8%	97	1.0%
<b>344</b>			2	0.4%	55	0.7%			11	0.8%	68	0.7%
<b>345</b>	1	1.8%	33	6.2%	164	2.1%	1	9.1%	32	2.5%	231	2.4%
<b>346</b>	1	1.8%			12	0.2%			1	0.1%	14	0.1%
<b>347</b>					8	0.1%			2	0.2%	10	0.1%
<b>348</b>			1	0.2%	26	0.3%			9	0.7%	36	0.4%
<b>349</b>	1	1.8%			3	0.0%			2	0.2%	6	0.1%
<b>350</b>												
<b>351</b>					2	0.0%					2	0.0%
<b>352</b>			2	0.4%	19	0.2%			5	0.4%	26	0.3%
<b>353</b>			1	0.2%	5	0.1%			2	0.2%	8	0.1%
<b>354</b>												
<b>355</b>	1	1.8%	1	0.2%	14	0.2%			4	0.3%	20	0.2%
<b>356</b>					4	0.1%			6	0.5%	10	0.1%
<b>357</b>	6	10.9%	55	10.4%	793	10.3%	1	9.1%	137	10.5%	992	10.3%
<b>358</b>			3	0.6%	25	0.3%			9	0.7%	37	0.4%
<b>359</b>	10	18.2%	147	27.7%	1,838	23.9%	2	18.2%	315	24.1%	2,312	24.1%
<b>360</b>			10	1.9%	81	1.1%			21	1.6%	112	1.2%
<b>361</b>			4	0.8%	34	0.4%			31	2.4%	69	0.7%
<b>362</b>					2	0.0%			1	0.1%	3	0.0%
<b>371</b>												
<b>372</b>			1	0.2%	18	0.2%			8	0.6%	27	0.3%
<b>373</b>			1	0.2%							1	0.0%
<b>381</b>	1	1.8%	16	3.0%	151	2.0%			40	3.1%	208	2.2%
<b>382</b>												
<b>402</b>					1	0.0%					1	0.0%
<b>403</b>			1	0.2%	13	0.2%			3	0.2%	17	0.2%
<b>411</b>												
<b>412</b>												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 08**

**Postpartum**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	55	0.6%	531	5.5%	7,702	80.2%	11	0.1%	1,305	13.6%	9,604	100.0%
<b>413</b>												
<b>414</b>												
<b>415</b>												
<b>416</b>												
<b>417</b>												
<b>418</b>												
<b>419</b>												
<b>420</b>												
<b>421</b>	1	1.8%	12	2.3%	104	1.4%			13	1.0%	130	1.4%
<b>422</b>	15	27.3%	54	10.2%	1,374	17.8%	2	18.2%	380	29.1%	1,825	19.0%
<b>423</b>	2	3.6%	13	2.4%	175	2.3%			27	2.1%	217	2.3%
<b>424</b>												
<b>425</b>												
<b>426</b>	26	47.3%	258	48.6%	4,028	52.3%	6	54.5%	492	37.7%	4,810	50.1%
<b>501</b>					2	0.0%					2	0.0%
<b>502</b>			4	0.8%	12	0.2%			8	0.6%	24	0.2%
<b>601</b>												
<b>602</b>												
<b>603</b>												
<b>701</b>												
<b>702</b>												
<b>703</b>												
<b>704</b>												
<b>801</b>					1	0.0%					1	0.0%
<b>802</b>	1	1.8%			43	0.6%					44	0.5%
<b>901</b>			5	0.9%	58	0.8%			4	0.3%	67	0.7%
<b>902</b>			13	2.4%	190	2.5%	4	36.4%	24	1.8%	231	2.4%
<b>903</b>												

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of postpartum women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 08**

**Pregnant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	80	0.8%	539	5.1%	8,557	80.3%	12	0.1%	1,470	13.8%	10,658	100.0%
<b>101</b>	18	22.5%	62	11.5%	641	7.5%	1	8.3%	224	15.2%	946	8.9%
<b>102</b>												
<b>103</b>												
<b>111</b>	20	25.0%	230	42.7%	4,095	47.9%	8	66.7%	555	37.8%	4,908	46.0%
<b>112</b>												
<b>113</b>												
<b>114</b>												
<b>121</b>												
<b>131</b>	16	20.0%	55	10.2%	1,464	17.1%	1	8.3%	188	12.8%	1,724	16.2%
<b>132</b>	12	15.0%	78	14.5%	1,414	16.5%	2	16.7%	197	13.4%	1,703	16.0%
<b>133</b>	7	8.8%	41	7.6%	714	8.3%	1	8.3%	142	9.7%	905	8.5%
<b>134</b>												
<b>135</b>												
<b>141</b>												
<b>142</b>												
<b>151</b>												
<b>152</b>												
<b>153</b>												
<b>201</b>	6	7.5%	64	11.9%	1,016	11.9%	3	25.0%	123	8.4%	1,212	11.4%
<b>211</b>					1	0.0%					1	0.0%
<b>301</b>	1	1.3%	3	0.6%	46	0.5%			20	1.4%	70	0.7%
<b>302</b>					70	0.8%	1	8.3%	15	1.0%	86	0.8%
<b>303</b>			3	0.6%	98	1.1%	1	8.3%	18	1.2%	120	1.1%
<b>311</b>	2	2.5%	33	6.1%	389	4.5%	1	8.3%	76	5.2%	501	4.7%
<b>312</b>	2	2.5%	32	5.9%	354	4.1%	1	8.3%	52	3.5%	441	4.1%
<b>321</b>	3	3.8%	29	5.4%	373	4.4%			82	5.6%	487	4.6%
<b>331</b>	3	3.8%	49	9.1%	909	10.6%	1	8.3%	98	6.7%	1,060	9.9%
<b>332</b>	18	22.5%	122	22.6%	1,833	21.4%	5	41.7%	314	21.4%	2,292	21.5%
<b>333</b>			4	0.7%	36	0.4%			12	0.8%	52	0.5%
<b>334</b>	4	5.0%	29	5.4%	406	4.7%			59	4.0%	498	4.7%
<b>335</b>	2	2.5%	8	1.5%	37	0.4%			9	0.6%	56	0.5%
<b>336</b>					1	0.0%					1	0.0%
<b>337</b>	4	5.0%	11	2.0%	259	3.0%			49	3.3%	323	3.0%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 08**

**Pregnant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	80	0.8%	539	5.1%	8,557	80.3%	12	0.1%	1,470	13.8%	10,658	100.0%
<b>338</b>					22	0.3%			7	0.5%	29	0.3%
<b>339</b>					2	0.0%			1	0.1%	3	0.0%
<b>341</b>												
<b>342</b>			4	0.7%	37	0.4%			12	0.8%	53	0.5%
<b>343</b>			8	1.5%	114	1.3%			10	0.7%	132	1.2%
<b>344</b>	1	1.3%	3	0.6%	66	0.8%			20	1.4%	90	0.8%
<b>345</b>			13	2.4%	84	1.0%	1	8.3%	20	1.4%	118	1.1%
<b>346</b>					13	0.2%			5	0.3%	18	0.2%
<b>347</b>			1	0.2%	2	0.0%			2	0.1%	5	0.0%
<b>348</b>			2	0.4%	24	0.3%			6	0.4%	32	0.3%
<b>349</b>					3	0.0%			1	0.1%	4	0.0%
<b>350</b>												
<b>351</b>					1	0.0%			1	0.1%	2	0.0%
<b>352</b>			1	0.2%	17	0.2%			6	0.4%	24	0.2%
<b>353</b>			3	0.6%	9	0.1%			6	0.4%	18	0.2%
<b>354</b>												
<b>355</b>			5	0.9%	41	0.5%			13	0.9%	59	0.6%
<b>356</b>					7	0.1%			6	0.4%	13	0.1%
<b>357</b>	1	1.3%	37	6.9%	405	4.7%	1	8.3%	126	8.6%	570	5.3%
<b>358</b>	1	1.3%	8	1.5%	35	0.4%			13	0.9%	57	0.5%
<b>359</b>			4	0.7%	42	0.5%			9	0.6%	55	0.5%
<b>360</b>			11	2.0%	84	1.0%			40	2.7%	135	1.3%
<b>361</b>	1	1.3%	5	0.9%	31	0.4%			28	1.9%	65	0.6%
<b>362</b>			2	0.4%					2	0.1%	4	0.0%
<b>371</b>			27	5.0%	156	1.8%	1	8.3%	220	15.0%	404	3.8%
<b>372</b>			2	0.4%	26	0.3%			9	0.6%	37	0.3%
<b>373</b>					12	0.1%			2	0.1%	14	0.1%
<b>381</b>			19	3.5%	246	2.9%			80	5.4%	345	3.2%
<b>382</b>												
<b>402</b>					1	0.0%					1	0.0%
<b>403</b>					24	0.3%			4	0.3%	28	0.3%
<b>411</b>												
<b>412</b>												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 08**

**Pregnant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	80	0.8%	539	5.1%	8,557	80.3%	12	0.1%	1,470	13.8%	10,658	100.0%
<b>413</b>												
<b>414</b>												
<b>415</b>												
<b>416</b>												
<b>417</b>												
<b>418</b>												
<b>419</b>												
<b>420</b>												
<b>421</b>	1	1.3%	14	2.6%	130	1.5%			19	1.3%	164	1.5%
<b>422</b>	22	27.5%	97	18.0%	1,881	22.0%	1	8.3%	451	30.7%	2,452	23.0%
<b>423</b>	3	3.8%	12	2.2%	204	2.4%			64	4.4%	283	2.7%
<b>424</b>	12	15.0%	90	16.7%	2,111	24.7%	3	25.0%	225	15.3%	2,441	22.9%
<b>425</b>												
<b>426</b>												
<b>501</b>												
<b>502</b>			2	0.4%	9	0.1%			10	0.7%	21	0.2%
<b>601</b>												
<b>602</b>												
<b>603</b>												
<b>701</b>												
<b>702</b>												
<b>703</b>												
<b>704</b>												
<b>801</b>					3	0.0%			2	0.1%	5	0.0%
<b>802</b>					100	1.2%					100	0.9%
<b>901</b>			12	2.2%	156	1.8%			15	1.0%	183	1.7%
<b>902</b>			20	3.7%	235	2.7%			24	1.6%	279	2.6%
<b>903</b>												

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of pregnant women

with an active certification extending into the period November 1, 2003 to November 30, 2003.