

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 10

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	20	0.7%	34	1.2%	2,705	94.3%	2	0.1%	106	3.7%	2,867	100.0%
101					66	2.4%			4	3.8%	70	2.4%
102					19	0.7%			1	0.9%	20	0.7%
103												
111	4	20.0%	12	35.3%	1,065	39.4%	1	50.0%	39	36.8%	1,121	39.1%
112	2	10.0%	4	11.8%	344	12.7%			8	7.5%	358	12.5%
113												
114												
121												
131												
132												
133	4	20.0%	14	41.2%	827	30.6%	1	50.0%	35	33.0%	881	30.7%
134												
135												
141												
142												
151												
152												
153												
201	1	5.0%	3	8.8%	355	13.1%			4	3.8%	363	12.7%
211												
301												
302												
303			2	5.9%	45	1.7%			1	0.9%	48	1.7%
311	4	20.0%	5	14.7%	238	8.8%			8	7.5%	255	8.9%
312	2	10.0%	5	14.7%	106	3.9%			4	3.8%	117	4.1%
321			1	2.9%	20	0.7%					21	0.7%
331	1	5.0%	1	2.9%	154	5.7%					156	5.4%
332	1	5.0%	4	11.8%	305	11.3%			9	8.5%	319	11.1%
333			1	2.9%	12	0.4%					13	0.5%
334												
335					16	0.6%			2	1.9%	18	0.6%
336												
337	1	5.0%			105	3.9%			7	6.6%	113	3.9%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 10

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	20	0.7%	34	1.2%	2,705	94.3%	2	0.1%	106	3.7%	2,867	100.0%
338												
339					1	0.0%					1	0.0%
341												
342					4	0.1%			1	0.9%	5	0.2%
343					3	0.1%			3	2.8%	6	0.2%
344					19	0.7%			4	3.8%	23	0.8%
345			2	5.9%	11	0.4%			1	0.9%	14	0.5%
346			1	2.9%	1	0.0%					2	0.1%
347												
348					4	0.1%			1	0.9%	5	0.2%
349												
350												
351												
352												
353					3	0.1%			1	0.9%	4	0.1%
354												
355					4	0.1%					4	0.1%
356												
357					64	2.4%	1	50.0%	8	7.5%	73	2.5%
358					9	0.3%			1	0.9%	10	0.3%
359	2	10.0%	6	17.6%	301	11.1%	1	50.0%	18	17.0%	328	11.4%
360			1	2.9%	7	0.3%			1	0.9%	9	0.3%
361									3	2.8%	3	0.1%
362												
371			3	8.8%	27	1.0%			4	3.8%	34	1.2%
372					3	0.1%			1	0.9%	4	0.1%
373												
381					55	2.0%			1	0.9%	56	2.0%
382												
402					1	0.0%					1	0.0%
403					4	0.1%					4	0.1%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 10

Breastfeeding

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	20	0.7%	34	1.2%	2,705	94.3%	2	0.1%	106	3.7%	2,867	100.0%
413												
414												
415												
416												
417												
418												
419												
420			2	5.9%	61	2.3%			3	2.8%	66	2.3%
421					20	0.7%			1	0.9%	21	0.7%
422	6	30.0%	8	23.5%	628	23.2%			28	26.4%	670	23.4%
423	1	5.0%			119	4.4%			6	5.7%	126	4.4%
424												
425												
426	8	40.0%	14	41.2%	1,079	39.9%			34	32.1%	1,135	39.6%
501					4	0.1%					4	0.1%
502			2	5.9%	8	0.3%			1	0.9%	11	0.4%
601					1	0.0%					1	0.0%
602	1	5.0%	1	2.9%	112	4.1%			6	5.7%	120	4.2%
603												
701												
702												
703												
704												
801					2	0.1%					2	0.1%
802												
901					34	1.3%					34	1.2%
902					2	0.1%					2	0.1%
903												

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of breastfeeding women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 10

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	60	0.2%	410	1.4%	27,647	94.9%	15	0.1%	1,013	3.5%	29,145	100.0%
101												
102												
103	2	3.3%	19	4.6%	1,606	5.8%			59	5.8%	1,686	5.8%
111												
112												
113	2	3.3%	23	5.6%	2,175	7.9%			49	4.8%	2,249	7.7%
114	3	5.0%	28	6.8%	2,297	8.3%	1	6.7%	67	6.6%	2,396	8.2%
121	4	6.7%	48	11.7%	3,548	12.8%	3	20.0%	127	12.5%	3,730	12.8%
131												
132												
133												
134					9	0.0%			4	0.4%	13	0.0%
135					51	0.2%			1	0.1%	52	0.2%
141			1	0.2%	79	0.3%			6	0.6%	86	0.3%
142												
151					1	0.0%					1	0.0%
152												
153												
201			1	0.2%	291	1.1%			5	0.5%	297	1.0%
211					2	0.0%					2	0.0%
301												
302												
303												
311												
312												
321												
331												
332												
333												
334												
335												
336												
337												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 10

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	60	0.2%	410	1.4%	27,647	94.9%	15	0.1%	1,013	3.5%	29,145	100.0%
338												
339												
341					1	0.0%					1	0.0%
342					17	0.1%			2	0.2%	19	0.1%
343					9	0.0%			1	0.1%	10	0.0%
344					15	0.1%			2	0.2%	17	0.1%
345					1	0.0%			1	0.1%	2	0.0%
346					18	0.1%			1	0.1%	19	0.1%
347					7	0.0%					7	0.0%
348			1	0.2%	56	0.2%					57	0.2%
349			2	0.5%	60	0.2%			3	0.3%	65	0.2%
350												
351					1	0.0%					1	0.0%
352					43	0.2%			3	0.3%	46	0.2%
353					68	0.2%			3	0.3%	71	0.2%
354					3	0.0%			1	0.1%	4	0.0%
355			2	0.5%	73	0.3%	1	6.7%	8	0.8%	84	0.3%
356					3	0.0%					3	0.0%
357	1	1.7%	15	3.7%	839	3.0%	1	6.7%	41	4.0%	897	3.1%
358												
359			7	1.7%	106	0.4%			5	0.5%	118	0.4%
360	1	1.7%	11	2.7%	226	0.8%	1	6.7%	13	1.3%	252	0.9%
361					1	0.0%					1	0.0%
362			1	0.2%	55	0.2%			3	0.3%	59	0.2%
371												
372												
373												
381	5	8.3%	21	5.1%	1,744	6.3%			47	4.6%	1,817	6.2%
382			1	0.2%							1	0.0%
402					5	0.0%					5	0.0%
403					7	0.0%			2	0.2%	9	0.0%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 10

Child

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	60	0.2%	410	1.4%	27,647	94.9%	15	0.1%	1,013	3.5%	29,145	100.0%
413												
414												
415												
416												
417												
418												
419	7	11.7%	20	4.9%	2,577	9.3%			64	6.3%	2,668	9.2%
420												
421			4	1.0%	299	1.1%			16	1.6%	319	1.1%
422	19	31.7%	93	22.7%	8,382	30.3%	5	33.3%	326	32.2%	8,825	30.3%
423	1	1.7%	1	0.2%	541	2.0%			12	1.2%	555	1.9%
424					24	0.1%			3	0.3%	27	0.1%
425	37	61.7%	282	68.8%	17,495	63.3%	7	46.7%	554	54.7%	18,375	63.0%
426												
501	2	3.3%			146	0.5%			11	1.1%	159	0.5%
502	1	1.7%	4	1.0%	71	0.3%			13	1.3%	89	0.3%
601												
602												
603												
701												
702												
703												
704												
801					7	0.0%					7	0.0%
802												
901					23	0.1%			3	0.3%	26	0.1%
902					1	0.0%					1	0.0%
903					22	0.1%					22	0.1%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of children

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 10

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	49	0.4%	208	1.7%	11,683	93.7%	15	0.1%	519	4.2%	12,474	100.0%
101												
102												
103	1	2.0%	12	5.8%	1,224	10.5%	1	6.7%	27	5.2%	1,265	10.1%
111												
112												
113												
114			1	0.5%	103	0.9%			5	1.0%	109	0.9%
121	7	14.3%	15	7.2%	986	8.4%	4	26.7%	46	8.9%	1,058	8.5%
131												
132												
133												
134					3	0.0%					3	0.0%
135					4	0.0%					4	0.0%
141	10	20.4%	23	11.1%	735	6.3%	3	20.0%	39	7.5%	810	6.5%
142	11	22.4%	26	12.5%	1,423	12.2%	4	26.7%	84	16.2%	1,548	12.4%
151					4	0.0%			1	0.2%	5	0.0%
152												
153			4	1.9%	341	2.9%	2	13.3%	14	2.7%	361	2.9%
201					7	0.1%					7	0.1%
211					1	0.0%					1	0.0%
301												
302												
303												
311												
312												
321												
331												
332												
333												
334												
335												
336												
337												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 10

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	49	0.4%	208	1.7%	11,683	93.7%	15	0.1%	519	4.2%	12,474	100.0%
338												
339												
341					1	0.0%					1	0.0%
342					13	0.1%			1	0.2%	14	0.1%
343												
344					5	0.0%					5	0.0%
345					1	0.0%					1	0.0%
346					5	0.0%					5	0.0%
347												
348					6	0.1%					6	0.0%
349					17	0.1%			3	0.6%	20	0.2%
350												
351					1	0.0%			1	0.2%	2	0.0%
352					13	0.1%			2	0.4%	15	0.1%
353					3	0.0%					3	0.0%
354												
355					26	0.2%			1	0.2%	27	0.2%
356					1	0.0%					1	0.0%
357	1	2.0%	4	1.9%	163	1.4%			13	2.5%	181	1.5%
358												
359			1	0.5%	48	0.4%			1	0.2%	50	0.4%
360	1	2.0%			20	0.2%			1	0.2%	22	0.2%
361												
362			1	0.5%	15	0.1%			2	0.4%	18	0.1%
371												
372												
373												
381												
382												
402												
403					6	0.1%					6	0.0%
411	6	12.2%	22	10.6%	1,928	16.5%	1	6.7%	62	11.9%	2,019	16.2%
412	1	2.0%	2	1.0%	56	0.5%			5	1.0%	64	0.5%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 10

Infant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	49	0.4%	208	1.7%	11,683	93.7%	15	0.1%	519	4.2%	12,474	100.0%
413					4	0.0%					4	0.0%
414					12	0.1%					12	0.1%
415	1	2.0%	1	0.5%	453	3.9%			6	1.2%	461	3.7%
416	3	6.1%	7	3.4%	380	3.3%			10	1.9%	400	3.2%
417	10	20.4%	41	19.7%	2,726	23.3%	2	13.3%	106	20.4%	2,885	23.1%
418	1	2.0%			72	0.6%			3	0.6%	76	0.6%
419	6	12.2%	15	7.2%	1,095	9.4%			37	7.1%	1,153	9.2%
420												
421												
422												
423					455	3.9%			5	1.0%	460	3.7%
424					7	0.1%					7	0.1%
425												
426												
501												
502	4	8.2%	11	5.3%	121	1.0%	1	6.7%	27	5.2%	164	1.3%
601												
602												
603	3	6.1%	9	4.3%	1,145	9.8%	2	13.3%	26	5.0%	1,185	9.5%
701	27	55.1%	138	66.3%	7,700	65.9%	8	53.3%	300	57.8%	8,173	65.5%
702	4	8.2%	17	8.2%	819	7.0%	1	6.7%	58	11.2%	899	7.2%
703					7	0.1%			3	0.6%	10	0.1%
704	1	2.0%	3	1.4%	267	2.3%			8	1.5%	279	2.2%
801					8	0.1%			1	0.2%	9	0.1%
802												
901					6	0.1%					6	0.0%
902					30	0.3%			2	0.4%	32	0.3%
903					8	0.1%			2	0.4%	10	0.1%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of infants

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 10

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	21	0.6%	64	1.7%	3,491	93.0%	3	0.1%	173	4.6%	3,752	100.0%
101	2	9.5%	1	1.6%	125	3.6%			7	4.0%	135	3.6%
102												
103												
111	6	28.6%	28	43.8%	1,726	49.4%	3	100.0%	68	39.3%	1,831	48.8%
112												
113												
114												
121												
131												
132												
133	6	28.6%	25	39.1%	1,113	31.9%	1	33.3%	55	31.8%	1,200	32.0%
134												
135												
141												
142												
151												
152												
153												
201	3	14.3%	11	17.2%	693	19.9%	1	33.3%	22	12.7%	730	19.5%
211					4	0.1%					4	0.1%
301												
302												
303			1	1.6%	44	1.3%			2	1.2%	47	1.3%
311	3	14.3%	7	10.9%	412	11.8%			24	13.9%	446	11.9%
312	2	9.5%	5	7.8%	225	6.4%			12	6.9%	244	6.5%
321	1	4.8%	2	3.1%	97	2.8%			7	4.0%	107	2.9%
331	2	9.5%	2	3.1%	262	7.5%			5	2.9%	271	7.2%
332	1	4.8%	6	9.4%	412	11.8%	1	33.3%	21	12.1%	441	11.8%
333					18	0.5%					18	0.5%
334												
335	1	4.8%			37	1.1%			4	2.3%	42	1.1%
336												
337					110	3.2%			2	1.2%	112	3.0%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 10

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	21	0.6%	64	1.7%	3,491	93.0%	3	0.1%	173	4.6%	3,752	100.0%
338												
339					2	0.1%					2	0.1%
341												
342					7	0.2%			1	0.6%	8	0.2%
343					18	0.5%					18	0.5%
344					30	0.9%			1	0.6%	31	0.8%
345			4	6.3%	37	1.1%			2	1.2%	43	1.1%
346					1	0.0%					1	0.0%
347					1	0.0%					1	0.0%
348					10	0.3%			1	0.6%	11	0.3%
349					1	0.0%					1	0.0%
350												
351												
352					5	0.1%			1	0.6%	6	0.2%
353					2	0.1%					2	0.1%
354												
355					6	0.2%					6	0.2%
356												
357			4	6.3%	179	5.1%			8	4.6%	191	5.1%
358			2	3.1%	10	0.3%			1	0.6%	13	0.3%
359	3	14.3%	14	21.9%	650	18.6%			32	18.5%	699	18.6%
360					21	0.6%			3	1.7%	24	0.6%
361					6	0.2%					6	0.2%
362					2	0.1%					2	0.1%
371												
372					2	0.1%			3	1.7%	5	0.1%
373												
381			1	1.6%	45	1.3%			3	1.7%	49	1.3%
382												
402					4	0.1%	1	33.3%			5	0.1%
403					7	0.2%					7	0.2%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 10

Postpartum

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	21	0.6%	64	1.7%	3,491	93.0%	3	0.1%	173	4.6%	3,752	100.0%
413												
414												
415												
416												
417												
418												
419												
420												
421			2	3.1%	32	0.9%			1	0.6%	35	0.9%
422	6	28.6%	17	26.6%	830	23.8%	1	33.3%	32	18.5%	886	23.6%
423	1	4.8%	5	7.8%	141	4.0%			2	1.2%	149	4.0%
424												
425												
426	7	33.3%	34	53.1%	1,515	43.4%	1	33.3%	68	39.3%	1,625	43.3%
501					2	0.1%					2	0.1%
502			3	4.7%	19	0.5%			9	5.2%	31	0.8%
601												
602												
603												
701												
702												
703												
704												
801					1	0.0%					1	0.0%
802												
901	1	4.8%	1	1.6%	83	2.4%			2	1.2%	87	2.3%
902					13	0.4%					13	0.3%
903												

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of postpartum women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 10

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	28	0.5%	89	1.5%	5,456	93.0%	5	0.1%	286	4.9%	5,864	100.0%
101	2	7.1%	5	5.6%	380	7.0%	2	40.0%	37	12.9%	426	7.3%
102												
103												
111	7	25.0%	28	31.5%	1,853	34.0%	1	20.0%	80	28.0%	1,969	33.6%
112												
113												
114												
121												
131	3	10.7%	5	5.6%	715	13.1%	1	20.0%	36	12.6%	760	13.0%
132	5	17.9%	12	13.5%	708	13.0%			29	10.1%	754	12.9%
133	1	3.6%	3	3.4%	283	5.2%			13	4.5%	300	5.1%
134												
135												
141												
142												
151												
152												
153												
201			3	3.4%	62	1.1%			3	1.0%	68	1.2%
211												
301	2	7.1%			67	1.2%			5	1.7%	74	1.3%
302					25	0.5%					25	0.4%
303	1	3.6%	1	1.1%	20	0.4%			4	1.4%	26	0.4%
311	1	3.6%	2	2.2%	66	1.2%			5	1.7%	74	1.3%
312	1	3.6%	4	4.5%	88	1.6%			6	2.1%	99	1.7%
321	1	3.6%	3	3.4%	209	3.8%			16	5.6%	229	3.9%
331	4	14.3%			427	7.8%			10	3.5%	441	7.5%
332	5	17.9%	15	16.9%	801	14.7%	2	40.0%	50	17.5%	873	14.9%
333					14	0.3%					14	0.2%
334					242	4.4%			7	2.4%	249	4.2%
335					16	0.3%			5	1.7%	21	0.4%
336					1	0.0%					1	0.0%
337	1	3.6%	1	1.1%	78	1.4%			5	1.7%	85	1.4%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 10

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	28	0.5%	89	1.5%	5,456	93.0%	5	0.1%	286	4.9%	5,864	100.0%
338					4	0.1%			1	0.3%	5	0.1%
339					1	0.0%					1	0.0%
341									1	0.3%	1	0.0%
342					18	0.3%					18	0.3%
343					31	0.6%					31	0.5%
344			1	1.1%	48	0.9%			2	0.7%	51	0.9%
345					31	0.6%			3	1.0%	34	0.6%
346			1	1.1%	6	0.1%			4	1.4%	11	0.2%
347									2	0.7%	2	0.0%
348			1	1.1%	9	0.2%					10	0.2%
349					1	0.0%					1	0.0%
350												
351					2	0.0%					2	0.0%
352			1	1.1%	7	0.1%					8	0.1%
353					2	0.0%					2	0.0%
354					3	0.1%					3	0.1%
355					11	0.2%			1	0.3%	12	0.2%
356												
357	2	7.1%	3	3.4%	151	2.8%			14	4.9%	170	2.9%
358	2	7.1%	1	1.1%	35	0.6%			2	0.7%	40	0.7%
359					10	0.2%			1	0.3%	11	0.2%
360			1	1.1%	32	0.6%			7	2.4%	40	0.7%
361					3	0.1%					3	0.1%
362					1	0.0%					1	0.0%
371			1	1.1%	68	1.2%			25	8.7%	94	1.6%
372	2	7.1%			13	0.2%			1	0.3%	16	0.3%
373	1	3.6%			5	0.1%					6	0.1%
381			1	1.1%	110	2.0%			12	4.2%	123	2.1%
382												
402	1	3.6%			3	0.1%					4	0.1%
403			1	1.1%	10	0.2%					11	0.2%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES
2004 NUTRITIONAL RISK REPORT**

Public Health Region 10

Pregnant

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	28	0.5%	89	1.5%	5,456	93.0%	5	0.1%	286	4.9%	5,864	100.0%
413												
414												
415												
416												
417												
418												
419												
420												
421			2	2.2%	88	1.6%			4	1.4%	94	1.6%
422	9	32.1%	22	24.7%	1,305	23.9%	1	20.0%	82	28.7%	1,419	24.2%
423					153	2.8%			18	6.3%	171	2.9%
424	6	21.4%	3	3.4%	1,334	24.5%	1	20.0%	23	8.0%	1,367	23.3%
425												
426												
501												
502	1	3.6%	2	2.2%	14	0.3%			8	2.8%	25	0.4%
601												
602												
603												
701												
702												
703												
704												
801									1	0.3%	1	0.0%
802												
901	2	7.1%			160	2.9%			2	0.7%	164	2.8%
902					13	0.2%			2	0.7%	15	0.3%
903												

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of pregnant women

with an active certification extending into the period November 1, 2003 to November 30, 2003.