

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 11**

**Breastfeeding**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	27	0.2%	34	0.3%	10,499	96.9%	1	0.0%	273	2.5%	10,834	100.0%
<b>101</b>			1	2.9%	235	2.2%			14	5.1%	250	2.3%
<b>102</b>	1	3.7%			72	0.7%			2	0.7%	75	0.7%
<b>103</b>												
<b>111</b>	8	29.6%	19	55.9%	4,231	40.3%			99	36.3%	4,357	40.2%
<b>112</b>	5	18.5%	5	14.7%	1,700	16.2%			26	9.5%	1,736	16.0%
<b>113</b>												
<b>114</b>												
<b>121</b>												
<b>131</b>												
<b>132</b>												
<b>133</b>	6	22.2%	19	55.9%	3,253	31.0%			99	36.3%	3,377	31.2%
<b>134</b>												
<b>135</b>												
<b>141</b>												
<b>142</b>												
<b>151</b>												
<b>152</b>												
<b>153</b>												
<b>201</b>	6	22.2%	13	38.2%	3,851	36.7%			65	23.8%	3,935	36.3%
<b>211</b>					2	0.0%					2	0.0%
<b>301</b>												
<b>302</b>												
<b>303</b>	2	7.4%			290	2.8%			4	1.5%	296	2.7%
<b>311</b>	6	22.2%	10	29.4%	1,255	12.0%			44	16.1%	1,315	12.1%
<b>312</b>	3	11.1%	4	11.8%	443	4.2%			15	5.5%	465	4.3%
<b>321</b>					36	0.3%			3	1.1%	39	0.4%
<b>331</b>					544	5.2%			10	3.7%	554	5.1%
<b>332</b>	2	7.4%	6	17.6%	1,430	13.6%			54	19.8%	1,492	13.8%
<b>333</b>					34	0.3%			1	0.4%	35	0.3%
<b>334</b>												
<b>335</b>					94	0.9%			6	2.2%	100	0.9%
<b>336</b>												
<b>337</b>	1	3.7%			580	5.5%			21	7.7%	602	5.6%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 11**

**Breastfeeding**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	27	0.2%	34	0.3%	10,499	96.9%	1	0.0%	273	2.5%	10,834	100.0%
<b>338</b>												
<b>339</b>					2	0.0%					2	0.0%
<b>341</b>												
<b>342</b>					20	0.2%					20	0.2%
<b>343</b>					51	0.5%			2	0.7%	53	0.5%
<b>344</b>					61	0.6%			5	1.8%	66	0.6%
<b>345</b>			2	5.9%	105	1.0%			2	0.7%	109	1.0%
<b>346</b>					6	0.1%					6	0.1%
<b>347</b>					4	0.0%					4	0.0%
<b>348</b>					7	0.1%			1	0.4%	8	0.1%
<b>349</b>					6	0.1%					6	0.1%
<b>350</b>												
<b>351</b>					1	0.0%					1	0.0%
<b>352</b>	1	3.7%			5	0.0%			1	0.4%	7	0.1%
<b>353</b>	1	3.7%			7	0.1%					8	0.1%
<b>354</b>					1	0.0%					1	0.0%
<b>355</b>			1	2.9%	15	0.1%			5	1.8%	21	0.2%
<b>356</b>					4	0.0%					4	0.0%
<b>357</b>	2	7.4%	1	2.9%	250	2.4%			23	8.4%	276	2.5%
<b>358</b>					14	0.1%			1	0.4%	15	0.1%
<b>359</b>	7	25.9%	11	32.4%	2,446	23.3%			55	20.1%	2,519	23.3%
<b>360</b>	1	3.7%	1	2.9%	40	0.4%			5	1.8%	47	0.4%
<b>361</b>					3	0.0%			2	0.7%	5	0.0%
<b>362</b>												
<b>371</b>	2	7.4%			68	0.6%			25	9.2%	95	0.9%
<b>372</b>					13	0.1%			2	0.7%	15	0.1%
<b>373</b>												
<b>381</b>			1	2.9%	293	2.8%			10	3.7%	304	2.8%
<b>382</b>												
<b>402</b>			1	2.9%	1	0.0%					2	0.0%
<b>403</b>					14	0.1%			1	0.4%	15	0.1%
<b>411</b>												
<b>412</b>												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 11**

**Breastfeeding**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	27	0.2%	34	0.3%	10,499	96.9%	1	0.0%	273	2.5%	10,834	100.0%
<b>413</b>												
<b>414</b>												
<b>415</b>												
<b>416</b>												
<b>417</b>												
<b>418</b>												
<b>419</b>												
<b>420</b>	2	7.4%			659	6.3%			23	8.4%	684	6.3%
<b>421</b>			1	2.9%	101	1.0%			4	1.5%	106	1.0%
<b>422</b>	2	7.4%	2	5.9%	445	4.2%	1	100.0%	37	13.6%	487	4.5%
<b>423</b>	1	3.7%			463	4.4%			7	2.6%	471	4.3%
<b>424</b>												
<b>425</b>												
<b>426</b>	15	55.6%	11	32.4%	6,203	59.1%			58	21.2%	6,287	58.0%
<b>501</b>					9	0.1%					9	0.1%
<b>502</b>					24	0.2%			1	0.4%	25	0.2%
<b>601</b>					4	0.0%			3	1.1%	7	0.1%
<b>602</b>	2	7.4%	2	5.9%	650	6.2%			39	14.3%	693	6.4%
<b>603</b>												
<b>701</b>												
<b>702</b>												
<b>703</b>												
<b>704</b>												
<b>801</b>					3	0.0%					3	0.0%
<b>802</b>					207	2.0%					207	1.9%
<b>901</b>					23	0.2%					23	0.2%
<b>902</b>					77	0.7%			3	1.1%	80	0.7%
<b>903</b>					1	0.0%					1	0.0%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of breastfeeding women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 11**

**Child**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	94	0.1%	544	0.6%	87,036	96.8%	25	0.0%	2,234	2.5%	89,933	100.0%
<b>101</b>												
<b>102</b>												
<b>103</b>	6	6.4%	27	5.0%	4,346	5.0%			99	4.4%	4,478	5.0%
<b>111</b>												
<b>112</b>												
<b>113</b>	3	3.2%	57	10.5%	9,890	11.4%	4	16.0%	192	8.6%	10,146	11.3%
<b>114</b>	11	11.7%	73	13.4%	7,809	9.0%	3	12.0%	263	11.8%	8,159	9.1%
<b>121</b>	13	13.8%	51	9.4%	9,773	11.2%	1	4.0%	253	11.3%	10,091	11.2%
<b>131</b>												
<b>132</b>												
<b>133</b>												
<b>134</b>			1	0.2%	67	0.1%			5	0.2%	73	0.1%
<b>135</b>	4	4.3%	8	1.5%	536	0.6%			34	1.5%	582	0.6%
<b>141</b>	1	1.1%	9	1.7%	325	0.4%			26	1.2%	361	0.4%
<b>142</b>												
<b>151</b>					18	0.0%			1	0.0%	19	0.0%
<b>152</b>												
<b>153</b>												
<b>201</b>	24	25.5%	146	26.8%	17,212	19.8%	2	8.0%	399	17.9%	17,783	19.8%
<b>211</b>					13	0.0%			1	0.0%	14	0.0%
<b>301</b>												
<b>302</b>												
<b>303</b>												
<b>311</b>												
<b>312</b>												
<b>321</b>												
<b>331</b>												
<b>332</b>												
<b>333</b>												
<b>334</b>												
<b>335</b>												
<b>336</b>												
<b>337</b>												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 11**

**Child**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	94	0.1%	544	0.6%	87,036	96.8%	25	0.0%	2,234	2.5%	89,933	100.0%
<b>338</b>												
<b>339</b>												
<b>341</b>					7	0.0%			2	0.1%	9	0.0%
<b>342</b>			1	0.2%	90	0.1%			7	0.3%	98	0.1%
<b>343</b>					10	0.0%					10	0.0%
<b>344</b>					58	0.1%			2	0.1%	60	0.1%
<b>345</b>					11	0.0%					11	0.0%
<b>346</b>					34	0.0%			2	0.1%	36	0.0%
<b>347</b>					22	0.0%					22	0.0%
<b>348</b>			5	0.9%	236	0.3%			11	0.5%	252	0.3%
<b>349</b>	2	2.1%	2	0.4%	221	0.3%			4	0.2%	229	0.3%
<b>350</b>												
<b>351</b>					10	0.0%			2	0.1%	12	0.0%
<b>352</b>			2	0.4%	214	0.2%			10	0.4%	226	0.3%
<b>353</b>	2	2.1%	3	0.6%	196	0.2%			26	1.2%	227	0.3%
<b>354</b>					1	0.0%					1	0.0%
<b>355</b>	1	1.1%	4	0.7%	168	0.2%			26	1.2%	199	0.2%
<b>356</b>					4	0.0%			1	0.0%	5	0.0%
<b>357</b>	1	1.1%	31	5.7%	2,461	2.8%	1	4.0%	144	6.4%	2,638	2.9%
<b>358</b>												
<b>359</b>	1	1.1%	2	0.4%	325	0.4%			14	0.6%	342	0.4%
<b>360</b>			19	3.5%	913	1.0%			65	2.9%	997	1.1%
<b>361</b>					7	0.0%			1	0.0%	8	0.0%
<b>362</b>	1	1.1%	2	0.4%	210	0.2%			9	0.4%	222	0.2%
<b>371</b>												
<b>372</b>												
<b>373</b>												
<b>381</b>	12	12.8%	22	4.0%	5,031	5.8%			106	4.7%	5,171	5.7%
<b>382</b>					2	0.0%			1	0.0%	3	0.0%
<b>402</b>					16	0.0%			1	0.0%	17	0.0%
<b>403</b>			1	0.2%	41	0.0%			4	0.2%	46	0.1%
<b>411</b>												
<b>412</b>												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 11**

**Child**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	94	0.1%	544	0.6%	87,036	96.8%	25	0.0%	2,234	2.5%	89,933	100.0%
<b>413</b>												
<b>414</b>												
<b>415</b>												
<b>416</b>												
<b>417</b>												
<b>418</b>												
<b>419</b>	21	22.3%	54	9.9%	17,750	20.4%	5	20.0%	258	11.5%	18,088	20.1%
<b>420</b>												
<b>421</b>	1	1.1%	2	0.4%	810	0.9%			11	0.5%	824	0.9%
<b>422</b>	11	11.7%	63	11.6%	6,012	6.9%	6	24.0%	379	17.0%	6,471	7.2%
<b>423</b>	1	1.1%	3	0.6%	1,410	1.6%			35	1.6%	1,449	1.6%
<b>424</b>	6	6.4%	9	1.7%	766	0.9%			98	4.4%	879	1.0%
<b>425</b>	63	67.0%	391	71.9%	68,862	79.1%	14	56.0%	1,435	64.2%	70,765	78.7%
<b>426</b>												
<b>501</b>	1	1.1%			101	0.1%			8	0.4%	110	0.1%
<b>502</b>	1	1.1%	3	0.6%	368	0.4%	1	4.0%	15	0.7%	388	0.4%
<b>601</b>												
<b>602</b>												
<b>603</b>												
<b>701</b>												
<b>702</b>												
<b>703</b>												
<b>704</b>												
<b>801</b>					6	0.0%			1	0.0%	7	0.0%
<b>802</b>			2	0.4%	2,169	2.5%	2	8.0%	4	0.2%	2,177	2.4%
<b>901</b>					135	0.2%			10	0.4%	145	0.2%
<b>902</b>					19	0.0%			1	0.0%	20	0.0%
<b>903</b>	1	1.1%	8	1.5%	134	0.2%			11	0.5%	154	0.2%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of children

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 11**

**Infant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	67	0.2%	254	0.7%	34,654	95.9%	3	0.0%	1,155	3.2%	36,133	100.0%
<b>101</b>												
<b>102</b>												
<b>103</b>	4	6.0%	16	6.3%	1,892	5.5%			63	5.5%	1,975	5.5%
<b>111</b>												
<b>112</b>												
<b>113</b>												
<b>114</b>	1	1.5%	12	4.7%	450	1.3%			30	2.6%	493	1.4%
<b>121</b>	9	13.4%	25	9.8%	2,492	7.2%			84	7.3%	2,610	7.2%
<b>131</b>												
<b>132</b>												
<b>133</b>												
<b>134</b>					4	0.0%					4	0.0%
<b>135</b>					8	0.0%					8	0.0%
<b>141</b>	9	13.4%	27	10.6%	1,988	5.7%			81	7.0%	2,105	5.8%
<b>142</b>	13	19.4%	49	19.3%	5,020	14.5%			180	15.6%	5,262	14.6%
<b>151</b>	1	1.5%			69	0.2%					70	0.2%
<b>152</b>					50	0.1%					50	0.1%
<b>153</b>	1	1.5%	11	4.3%	1,263	3.6%			47	4.1%	1,322	3.7%
<b>201</b>	1	1.5%			104	0.3%			7	0.6%	112	0.3%
<b>211</b>					1	0.0%					1	0.0%
<b>301</b>												
<b>302</b>												
<b>303</b>												
<b>311</b>												
<b>312</b>												
<b>321</b>												
<b>331</b>												
<b>332</b>												
<b>333</b>												
<b>334</b>												
<b>335</b>												
<b>336</b>												
<b>337</b>												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 11**

**Infant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	67	0.2%	254	0.7%	34,654	95.9%	3	0.0%	1,155	3.2%	36,133	100.0%
<b>338</b>												
<b>339</b>												
<b>341</b>			2	0.8%	30	0.1%					32	0.1%
<b>342</b>			7	2.8%	127	0.4%			15	1.3%	149	0.4%
<b>343</b>					1	0.0%					1	0.0%
<b>344</b>					7	0.0%					7	0.0%
<b>345</b>					5	0.0%					5	0.0%
<b>346</b>			1	0.4%	19	0.1%			1	0.1%	21	0.1%
<b>347</b>												
<b>348</b>					15	0.0%			1	0.1%	16	0.0%
<b>349</b>			1	0.4%	57	0.2%			5	0.4%	63	0.2%
<b>350</b>					1	0.0%					1	0.0%
<b>351</b>					7	0.0%					7	0.0%
<b>352</b>	1	1.5%			43	0.1%					44	0.1%
<b>353</b>					17	0.0%			1	0.1%	18	0.0%
<b>354</b>												
<b>355</b>			2	0.8%	21	0.1%			8	0.7%	31	0.1%
<b>356</b>			3	1.2%	16	0.0%					19	0.1%
<b>357</b>			8	3.1%	389	1.1%			34	2.9%	431	1.2%
<b>358</b>												
<b>359</b>			2	0.8%	174	0.5%			11	1.0%	187	0.5%
<b>360</b>			4	1.6%	180	0.5%			8	0.7%	192	0.5%
<b>361</b>												
<b>362</b>					49	0.1%			3	0.3%	52	0.1%
<b>371</b>												
<b>372</b>												
<b>373</b>												
<b>381</b>					1	0.0%					1	0.0%
<b>382</b>												
<b>402</b>												
<b>403</b>					14	0.0%			1	0.1%	15	0.0%
<b>411</b>	7	10.4%	62	24.4%	5,209	15.0%	1	33.3%	157	13.6%	5,436	15.0%
<b>412</b>			1	0.4%	122	0.4%			24	2.1%	147	0.4%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 11**

**Infant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	67	0.2%	254	0.7%	34,654	95.9%	3	0.0%	1,155	3.2%	36,133	100.0%
<b>413</b>					17	0.0%			1	0.1%	18	0.0%
<b>414</b>					49	0.1%			3	0.3%	52	0.1%
<b>415</b>	4	6.0%	4	1.6%	1,040	3.0%			13	1.1%	1,061	2.9%
<b>416</b>	2	3.0%	6	2.4%	1,036	3.0%			29	2.5%	1,073	3.0%
<b>417</b>	20	29.9%	90	35.4%	16,706	48.2%	2	66.7%	429	37.1%	17,247	47.7%
<b>418</b>			1	0.4%	72	0.2%			3	0.3%	76	0.2%
<b>419</b>	2	3.0%	9	3.5%	2,450	7.1%			48	4.2%	2,509	6.9%
<b>420</b>												
<b>421</b>												
<b>422</b>												
<b>423</b>			1	0.4%	3,242	9.4%			7	0.6%	3,250	9.0%
<b>424</b>					44	0.1%			1	0.1%	45	0.1%
<b>425</b>												
<b>426</b>												
<b>501</b>												
<b>502</b>	2	3.0%	3	1.2%	244	0.7%			35	3.0%	284	0.8%
<b>601</b>												
<b>602</b>												
<b>603</b>	10	14.9%	15	5.9%	3,317	9.6%			114	9.9%	3,456	9.6%
<b>701</b>	38	56.7%	192	75.6%	27,829	80.3%	2	66.7%	777	67.3%	28,838	79.8%
<b>702</b>	1	1.5%	2	0.8%	189	0.5%			12	1.0%	204	0.6%
<b>703</b>					43	0.1%			4	0.3%	47	0.1%
<b>704</b>	4	6.0%	13	5.1%	1,055	3.0%			88	7.6%	1,160	3.2%
<b>801</b>					9	0.0%			1	0.1%	10	0.0%
<b>802</b>			2	0.8%	738	2.1%			3	0.3%	743	2.1%
<b>901</b>					40	0.1%			3	0.3%	43	0.1%
<b>902</b>					181	0.5%			9	0.8%	190	0.5%
<b>903</b>			4	1.6%	67	0.2%			8	0.7%	79	0.2%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of infants

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 11**

**Postpartum**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	36	0.3%	71	0.7%	9,839	94.9%	2	0.0%	417	4.0%	10,365	100.0%
<b>101</b>	2	5.6%	1	1.4%	350	3.6%			26	6.2%	379	3.7%
<b>102</b>												
<b>103</b>												
<b>111</b>	11	30.6%	28	39.4%	4,907	49.9%	1	50.0%	169	40.5%	5,116	49.4%
<b>112</b>												
<b>113</b>												
<b>114</b>												
<b>121</b>												
<b>131</b>												
<b>132</b>												
<b>133</b>	5	13.9%	27	38.0%	3,203	32.6%	1	50.0%	166	39.8%	3,402	32.8%
<b>134</b>												
<b>135</b>												
<b>141</b>												
<b>142</b>												
<b>151</b>												
<b>152</b>												
<b>153</b>												
<b>201</b>	12	33.3%	32	45.1%	4,334	44.0%			137	32.9%	4,515	43.6%
<b>211</b>					2	0.0%					2	0.0%
<b>301</b>												
<b>302</b>												
<b>303</b>	1	2.8%			252	2.6%			9	2.2%	262	2.5%
<b>311</b>	5	13.9%	9	12.7%	1,320	13.4%	1	50.0%	69	16.5%	1,404	13.5%
<b>312</b>	4	11.1%	8	11.3%	531	5.4%			32	7.7%	575	5.5%
<b>321</b>			2	2.8%	502	5.1%			17	4.1%	521	5.0%
<b>331</b>	2	5.6%	6	8.5%	769	7.8%			30	7.2%	807	7.8%
<b>332</b>	5	13.9%	11	15.5%	1,487	15.1%	1	50.0%	88	21.1%	1,592	15.4%
<b>333</b>			1	1.4%	58	0.6%			4	1.0%	63	0.6%
<b>334</b>												
<b>335</b>	1	2.8%	1	1.4%	84	0.9%			5	1.2%	91	0.9%
<b>336</b>												
<b>337</b>			1	1.4%	406	4.1%			23	5.5%	430	4.1%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 11**

**Postpartum**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	36	0.3%	71	0.7%	9,839	94.9%	2	0.0%	417	4.0%	10,365	100.0%
<b>338</b>												
<b>339</b>					7	0.1%					7	0.1%
<b>341</b>					3	0.0%			1	0.2%	4	0.0%
<b>342</b>					25	0.3%			5	1.2%	30	0.3%
<b>343</b>					111	1.1%			8	1.9%	119	1.1%
<b>344</b>	1	2.8%	2	2.8%	83	0.8%			8	1.9%	94	0.9%
<b>345</b>	1	2.8%			196	2.0%			11	2.6%	208	2.0%
<b>346</b>					6	0.1%			1	0.2%	7	0.1%
<b>347</b>			1	1.4%	11	0.1%			1	0.2%	13	0.1%
<b>348</b>	1	2.8%			25	0.3%			3	0.7%	29	0.3%
<b>349</b>					5	0.1%					5	0.0%
<b>350</b>												
<b>351</b>												
<b>352</b>					16	0.2%			6	1.4%	22	0.2%
<b>353</b>			1	1.4%	5	0.1%			1	0.2%	7	0.1%
<b>354</b>					3	0.0%					3	0.0%
<b>355</b>					7	0.1%			1	0.2%	8	0.1%
<b>356</b>					2	0.0%			2	0.5%	4	0.0%
<b>357</b>	4	11.1%	2	2.8%	471	4.8%			51	12.2%	528	5.1%
<b>358</b>					23	0.2%					23	0.2%
<b>359</b>	7	19.4%	9	12.7%	2,910	29.6%			113	27.1%	3,039	29.3%
<b>360</b>			1	1.4%	64	0.7%			4	1.0%	69	0.7%
<b>361</b>					23	0.2%			8	1.9%	31	0.3%
<b>362</b>												
<b>371</b>												
<b>372</b>			3	4.2%	9	0.1%			3	0.7%	15	0.1%
<b>373</b>					4	0.0%					4	0.0%
<b>381</b>			3	4.2%	256	2.6%			23	5.5%	282	2.7%
<b>382</b>												
<b>402</b>					3	0.0%					3	0.0%
<b>403</b>					42	0.4%			6	1.4%	48	0.5%
<b>411</b>												
<b>412</b>												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 11**

**Postpartum**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	36	0.3%	71	0.7%	9,839	94.9%	2	0.0%	417	4.0%	10,365	100.0%
<b>413</b>												
<b>414</b>												
<b>415</b>												
<b>416</b>												
<b>417</b>												
<b>418</b>												
<b>419</b>												
<b>420</b>												
<b>421</b>	1	2.8%			152	1.5%			9	2.2%	162	1.6%
<b>422</b>	4	11.1%	11	15.5%	513	5.2%			45	10.8%	573	5.5%
<b>423</b>	1	2.8%			294	3.0%	1	50.0%	4	1.0%	300	2.9%
<b>424</b>												
<b>425</b>												
<b>426</b>	23	63.9%	26	36.6%	5,774	58.7%	2	100.0%	159	38.1%	5,984	57.7%
<b>501</b>					2	0.0%					2	0.0%
<b>502</b>			2	2.8%	53	0.5%			8	1.9%	63	0.6%
<b>601</b>												
<b>602</b>												
<b>603</b>												
<b>701</b>												
<b>702</b>												
<b>703</b>												
<b>704</b>												
<b>801</b>					1	0.0%					1	0.0%
<b>802</b>					231	2.3%			3	0.7%	234	2.3%
<b>901</b>					32	0.3%			1	0.2%	33	0.3%
<b>902</b>			1	1.4%	89	0.9%			3	0.7%	93	0.9%
<b>903</b>					1	0.0%					1	0.0%

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of postpartum women

with an active certification extending into the period November 1, 2003 to November 30, 2003.

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 11**

**Pregnant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	40	0.2%	89	0.5%	15,741	95.4%	8	0.0%	620	3.8%	16,498	100.0%
<b>101</b>	4	10.0%	7	7.9%	1,113	7.1%			64	10.3%	1,188	7.2%
<b>102</b>												
<b>103</b>												
<b>111</b>	11	27.5%	32	36.0%	6,777	43.1%	4	50.0%	233	37.6%	7,057	42.8%
<b>112</b>												
<b>113</b>												
<b>114</b>												
<b>121</b>												
<b>131</b>	5	12.5%	8	9.0%	2,745	17.4%	1	12.5%	84	13.5%	2,843	17.2%
<b>132</b>	5	12.5%	7	7.9%	2,434	15.5%	1	12.5%	77	12.4%	2,524	15.3%
<b>133</b>	9	22.5%	20	22.5%	2,073	13.2%	1	12.5%	82	13.2%	2,185	13.2%
<b>134</b>												
<b>135</b>												
<b>141</b>												
<b>142</b>												
<b>151</b>												
<b>152</b>												
<b>153</b>												
<b>201</b>	6	15.0%	19	21.3%	1,949	12.4%			64	10.3%	2,038	12.4%
<b>211</b>												
<b>301</b>			1	1.1%	87	0.6%			2	0.3%	90	0.5%
<b>302</b>	2	5.0%			113	0.7%			3	0.5%	118	0.7%
<b>303</b>					141	0.9%			7	1.1%	148	0.9%
<b>311</b>	1	2.5%	2	2.2%	575	3.7%			33	5.3%	611	3.7%
<b>312</b>	1	2.5%	3	3.4%	537	3.4%			26	4.2%	567	3.4%
<b>321</b>	2	5.0%	5	5.6%	661	4.2%			40	6.5%	708	4.3%
<b>331</b>	3	7.5%	10	11.2%	1,333	8.5%	3	37.5%	38	6.1%	1,387	8.4%
<b>332</b>	7	17.5%	12	13.5%	2,787	17.7%			143	23.1%	2,949	17.9%
<b>333</b>	1	2.5%			47	0.3%			6	1.0%	54	0.3%
<b>334</b>	1	2.5%	6	6.7%	1,287	8.2%			19	3.1%	1,313	8.0%
<b>335</b>					57	0.4%			5	0.8%	62	0.4%
<b>336</b>					3	0.0%					3	0.0%
<b>337</b>	2	5.0%			441	2.8%			25	4.0%	468	2.8%

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 11**

**Pregnant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
ENR	40	0.2%	89	0.5%	15,741	95.4%	8	0.0%	620	3.8%	16,498	100.0%
338					44	0.3%			1	0.2%	45	0.3%
339					11	0.1%					11	0.1%
341					2	0.0%					2	0.0%
342					54	0.3%			2	0.3%	56	0.3%
343			1	1.1%	145	0.9%			6	1.0%	152	0.9%
344	1	2.5%			104	0.7%			14	2.3%	119	0.7%
345					129	0.8%			12	1.9%	141	0.9%
346					9	0.1%					9	0.1%
347					7	0.0%					7	0.0%
348					24	0.2%			2	0.3%	26	0.2%
349					5	0.0%					5	0.0%
350												
351					2	0.0%					2	0.0%
352					12	0.1%			3	0.5%	15	0.1%
353					18	0.1%			2	0.3%	20	0.1%
354					4	0.0%					4	0.0%
355	1	2.5%			29	0.2%			4	0.6%	34	0.2%
356					3	0.0%	1	12.5%	2	0.3%	6	0.0%
357	2	5.0%	3	3.4%	340	2.2%	1	12.5%	44	7.1%	390	2.4%
358					29	0.2%			3	0.5%	32	0.2%
359					48	0.3%			2	0.3%	50	0.3%
360					88	0.6%			9	1.5%	97	0.6%
361					17	0.1%			5	0.8%	22	0.1%
362												
371	1	2.5%	6	6.7%	195	1.2%	1	12.5%	90	14.5%	293	1.8%
372					47	0.3%			8	1.3%	55	0.3%
373			1	1.1%	16	0.1%			3	0.5%	20	0.1%
381	2	5.0%	2	2.2%	462	2.9%	1	12.5%	16	2.6%	483	2.9%
382												
402					3	0.0%					3	0.0%
403					32	0.2%			2	0.3%	34	0.2%
411												
412												

**TEXAS DEPARTMENT OF HEALTH, BUREAU OF NUTRITION SERVICES  
2004 NUTRITIONAL RISK REPORT**

**Public Health Region 11**

**Pregnant**

	Asian or Pacific Islander		Black		Hispanic		Native American or Alaskan		White		All Race Groups	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>ENR</b>	40	0.2%	89	0.5%	15,741	95.4%	8	0.0%	620	3.8%	16,498	100.0%
<b>413</b>												
<b>414</b>												
<b>415</b>												
<b>416</b>												
<b>417</b>												
<b>418</b>												
<b>419</b>												
<b>420</b>												
<b>421</b>	2	5.0%	1	1.1%	407	2.6%			9	1.5%	419	2.5%
<b>422</b>	10	25.0%	9	10.1%	1,189	7.6%	1	12.5%	91	14.7%	1,300	7.9%
<b>423</b>	1	2.5%	1	1.1%	335	2.1%			11	1.8%	348	2.1%
<b>424</b>	5	12.5%	13	14.6%	5,740	36.5%	1	12.5%	86	13.9%	5,845	35.4%
<b>425</b>												
<b>426</b>												
<b>501</b>												
<b>502</b>					76	0.5%			7	1.1%	83	0.5%
<b>601</b>												
<b>602</b>												
<b>603</b>												
<b>701</b>												
<b>702</b>												
<b>703</b>												
<b>704</b>												
<b>801</b>					7	0.0%			2	0.3%	9	0.1%
<b>802</b>			1	1.1%	359	2.3%	1	12.5%	2	0.3%	363	2.2%
<b>901</b>					106	0.7%					106	0.6%
<b>902</b>			1	1.1%	198	1.3%	1	12.5%	7	1.1%	207	1.3%
<b>903</b>												

Notes: Missing cells indicate no clients with that Risk Code;

ENR = total enrollment of pregnant women

with an active certification extending into the period November 1, 2003 to November 30, 2003.