

August 2011

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 | |
|-----------|---------------------|--------------|----------------------|------------------------------------|----|----|----|----|----|----|----|----|----|----|-----|-----|-------------------------|------------------------|--------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | | |
| 088 | ACERFLEX PWD 454G | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 9 | 9 | 11 | 76 |
| 088 | ACERFLEX PWD 454G | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 5 | 5 | | |
| 088 | ACERFLEX PWD 454G | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 | 12 | 12 | | |
| 088 | ACERFLEX PWD 454G | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 6 | 6 | | |
| 409 | ALIMENTUM PWD 16 OZ | E | FF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 7 | 115 |
| 409 | ALIMENTUM PWD 16 OZ | E | MBF | | 3 | 3 | 3 | 4 | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| 409 | ALIMENTUM PWD 16 OZ | E | NFF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | |
| 409 | ALIMENTUM PWD 16 OZ | E | NFMBF | | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 395 | ALIMENTUM RTU 32OZ | E | FF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 28 | 32 |
| 395 | ALIMENTUM RTU 32OZ | E | MBF | | 12 | 12 | 12 | 12 | 14 | 14 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 395 | ALIMENTUM RTU 32OZ | E | NFF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | | |
| 395 | ALIMENTUM RTU 32OZ | E | NFMBF | | 12 | 12 | 12 | 12 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | | |
| 463 | BCAD 1 PWD 16OZ | E | FF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 6 | 6 | 6 | 5 | 5 | 5 | 5 | 11 | 114/76 |
| 463 | BCAD 1 PWD 16OZ | E | MBF | | 3 | 3 | 3 | 4 | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | 2 | | |
| 463 | BCAD 1 PWD 16OZ | E | NFF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | |
| 463 | BCAD 1 PWD 16OZ | E | NFMBF | | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 278 | BCAD 2 PWD 16OZ | E | | | | | | | | | | | | | | | | 14 | 93/62 |
| 278 | BCAD 2 PWD 16OZ | E | | | | | | | | | | | | | | | | | |
| 274 | BOOST HP RTU 8OZ | E | | | | | | | | | | | | | | | | 113 | 8 |
| 274 | BOOST HP RTU 8OZ | E | | | | | | | | | | | | | | | | | |
| 429 | BOOST PLS RTU 8OZ | E | | | | | | | | | | | | | | | | 113 | 8 |
| 429 | BOOST PLS RTU 8OZ | E | | | | | | | | | | | | | | | | | |
| 275 | BOOST PUDD RTU 5OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 128 | 128 | 128 | 182 | 5 |
| 275 | BOOST PUDD RTU 5OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 64 | 64 | 64 | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 | |
|-----------|---------------------------------------|--------------|----------------------|------------------------------------|----|---|---|---|----|----|----|----|----|----|-----|-----|-------------------------|------------------------|------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | | |
| 275 | BOOST PUDD RTU 5OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 179 | 179 | 179 | | |
| 275 | BOOST PUDD RTU 5OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 89 | 89 | 89 | | |
| 428 | BOOST RTU 8OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 80 | 80 | 80 | 113 | 8 |
| 428 | BOOST RTU 8OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | 40 | 40 | | |
| 428 | BOOST RTU 8OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 | 112 | 112 | | |
| 428 | BOOST RTU 8OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 56 | 56 | 56 | | |
| 434 | BRIGHT BEGIN SOY RTU 8OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 80 | 80 | 80 | 113 | 8 |
| 434 | BRIGHT BEGIN SOY RTU 8OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | 40 | 40 | | |
| 434 | BRIGHT BEGIN SOY RTU 8OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 | 112 | 112 | | |
| 434 | BRIGHT BEGIN SOY RTU 8OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 56 | 56 | 56 | | |
| 470 | CALCILO XD PWD 13.2OZ | E | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 9 | 96 |
| 470 | CALCILO XD PWD 13.2OZ | E | MBF | | 4 | 4 | 4 | 4 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 470 | CALCILO XD PWD 13.2OZ | E | NFF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 470 | CALCILO XD PWD 13.2OZ | E | NFMBF | | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| 454 | CIB LACTOSE FREE VHC RTU 250ML | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 75 | 75 | 75 | 107 | 8.45 |
| 454 | CIB LACTOSE FREE VHC RTU 250ML | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 37 | 37 | 37 | | |
| 454 | CIB LACTOSE FREE VHC RTU 250ML | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 106 | 106 | 106 | | |
| 454 | CIB LACTOSE FREE VHC RTU 250ML | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 53 | 53 | 53 | | |
| 101 | COMPLEAT PEDIATRIC RTU 250ML | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 75 | 75 | 75 | 107 | 8.45 |
| 101 | COMPLEAT PEDIATRIC RTU 250ML | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 37 | 37 | 37 | | |
| 101 | COMPLEAT PEDIATRIC RTU 250ML | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 106 | 106 | 106 | | |
| 101 | COMPLEAT PEDIATRIC RTU 250ML | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 53 | 53 | 53 | | |
| 102 | COMPLEAT RTU 250ML | E | | | | | | | | | | | | | | | | 107 | 8.45 |
| 102 | COMPLEAT RTU 250ML | E | | | | | | | | | | | | | | | | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 |
|-----------|----------------------------|--------------|----------------------|------------------------------------|----|----|----|----|----|----|----|----|----|-----|-----|-----|-------------------------|------------------------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| 105 | CRUCIAL RTU 250ML | E | | | | | | | | | | | | | | | 107 | 8.45 |
| 105 | CRUCIAL RTU 250ML | E | | | | | | | | | | | | | | | | |
| 342 | CYCLINEX 1 PWD 14.1OZ | E | FF | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 7 | 6 | 6 | 6 | 6 | 13 | 102/68 | |
| 342 | CYCLINEX 1 PWD 14.1OZ | E | MBF | | 3 | 3 | 4 | 4 | 4 | 5 | 4 | 3 | 3 | 3 | 3 | | | |
| 342 | CYCLINEX 1 PWD 14.1OZ | E | NFF | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | | | |
| 342 | CYCLINEX 1 PWD 14.1OZ | E | NFMBF | | 3 | 3 | 4 | 4 | 4 | 5 | 5 | 5 | 4 | 4 | 4 | | | |
| 343 | CYCLINEX 2 PWD 14.1OZ | E | | | | | | | | | | | | | | 15 | 88/59 | |
| 343 | CYCLINEX 2 PWD 14.1OZ | E | | | | | | | | | | | | | | | | |
| 109 | DIABETISOURCE AC RTU 250ML | E | | | | | | | | | | | | | | 107 | 8.45 | |
| 109 | DIABETISOURCE AC RTU 250ML | E | | | | | | | | | | | | | | | | |
| 238 | DUOCAL PWD 400G | E | FF | 13 | 13 | 13 | 13 | 13 | 14 | 14 | 10 | 10 | 10 | 10 | 10 | 13 | 66 | |
| 238 | DUOCAL PWD 400G | E | MBF | | 6 | 6 | 6 | 6 | 7 | 7 | 5 | 5 | 5 | 5 | 5 | | | |
| 238 | DUOCAL PWD 400G | E | NFF | 13 | 13 | 13 | 13 | 13 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | | | |
| 238 | DUOCAL PWD 400G | E | NFMBF | | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | | |
| 294 | EO28 SPLASH RTU 8OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 80 | 80 | 113 | 8 | |
| 294 | EO28 SPLASH RTU 8OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | 40 | | | |
| 294 | EO28 SPLASH RTU 8OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 | 112 | | | |
| 294 | EO28 SPLASH RTU 8OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 56 | 56 | | | |
| 479 | ELECARE DHA/ARA PWD 14.1OZ | E | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 14 | 95/62 | |
| 479 | ELECARE DHA/ARA PWD 14.1OZ | E | MBF | | 4 | 4 | 4 | 4 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | | | |
| 479 | ELECARE DHA/ARA PWD 14.1OZ | E | NFF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | | | |
| 479 | ELECARE DHA/ARA PWD 14.1OZ | E | NFMBF | | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | | |
| 515 | ELECARE JR PWD 14.1OZ | E | | | | | | | | | | | | | | 14 | 62 | |
| 515 | ELECARE JR PWD 14.1OZ | E | | | | | | | | | | | | | | | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 |
|-----------|--------------------------------|--------------|----------------------|------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------------------|------------------------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| 110 | ELECARE PWD 14.1OZ | E | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 14 | 95/62 |
| 110 | ELECARE PWD 14.1OZ | E | MBF | | 4 | 4 | 4 | 4 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 110 | ELECARE PWD 14.1OZ | E | NFF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 110 | ELECARE PWD 14.1OZ | E | NFMBF | | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| 443 | ENF PREMATURE 24 /IRON RTU 2OZ | E | FF | 416 | 416 | 416 | 416 | 416 | 448 | 448 | 320 | 320 | 320 | 320 | 320 | 320 | 455 | 2 |
| 443 | ENF PREMATURE 24 /IRON RTU 2OZ | E | MBF | | 192 | 192 | 192 | 192 | 224 | 224 | 160 | 160 | 160 | 160 | 160 | 160 | | |
| 443 | ENF PREMATURE 24 /IRON RTU 2OZ | E | NFF | 416 | 416 | 416 | 416 | 416 | 448 | 448 | 448 | 448 | 448 | 448 | 448 | 448 | | |
| 443 | ENF PREMATURE 24 /IRON RTU 2OZ | E | NFMBF | | 192 | 192 | 192 | 192 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | | |
| 509 | ENF PREMATURE HI PRO24 RTU 2OZ | E | FF | 416 | 416 | 416 | 416 | 416 | 448 | 448 | 320 | 320 | 320 | 320 | 320 | 320 | 455 | 2 |
| 509 | ENF PREMATURE HI PRO24 RTU 2OZ | E | MBF | | 192 | 192 | 192 | 192 | 224 | 224 | 160 | 160 | 160 | 160 | 160 | 160 | | |
| 509 | ENF PREMATURE HI PRO24 RTU 2OZ | E | NFF | 416 | 416 | 416 | 416 | 416 | 448 | 448 | 448 | 448 | 448 | 448 | 448 | 448 | | |
| 509 | ENF PREMATURE HI PRO24 RTU 2OZ | E | NFMBF | | 192 | 192 | 192 | 192 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | | |
| 371 | ENFACARE PWD 12.8OZ | E | FF | 10 | 10 | 10 | 10 | 10 | 11 | 11 | 8 | 8 | 8 | 8 | 8 | 8 | 11 | 82 |
| 371 | ENFACARE PWD 12.8OZ | E | MBF | | 5 | 5 | 5 | 5 | 6 | 6 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 371 | ENFACARE PWD 12.8OZ | E | NFF | 10 | 10 | 10 | 10 | 10 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | | |
| 371 | ENFACARE PWD 12.8OZ | E | NFMBF | | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | |
| 442 | ENFACARE RTU 32OZ | E | FF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 20 | 20 | 20 | 20 | 20 | 20 | 28 | 32 |
| 442 | ENFACARE RTU 32OZ | E | MBF | | 12 | 12 | 12 | 12 | 14 | 14 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 442 | ENFACARE RTU 32OZ | E | NFF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | | |
| 442 | ENFACARE RTU 32OZ | E | NFMBF | | 12 | 12 | 12 | 12 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | | |
| 410 | ENFAMIL AR PWD 12.9OZ | S | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 9 | 91 |
| 410 | ENFAMIL AR PWD 12.9OZ | S | MBF | | 4 | 4 | 4 | 4 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 401 | ENFAMIL AR RTU 32OZ | S | FF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 20 | 20 | 20 | 20 | 20 | 20 | 28 | 32 |
| 401 | ENFAMIL AR RTU 32OZ | S | MBF | | 12 | 12 | 12 | 12 | 14 | 14 | 10 | 10 | 10 | 10 | 10 | 10 | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 |
|-----------|--------------------------------|--------------|----------------------|------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------------------|------------------------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| 305 | ENFAMIL HMF PWD .71G | E | FF | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 700 | 700 | 700 | 700 | 700 | 700 | 0 | N/A |
| 305 | ENFAMIL HMF PWD .71G | E | MBF | | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | | |
| 305 | ENFAMIL HMF PWD .71G | E | NFF | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | | |
| 305 | ENFAMIL HMF PWD .71G | E | NFMBF | | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | | |
| 459 | ENFAMIL LIPIL 24 RTU 2OZ | E | FF | 416 | 416 | 416 | 416 | 416 | 448 | 448 | 320 | 320 | 320 | 320 | 320 | 320 | 455 | 2 |
| 459 | ENFAMIL LIPIL 24 RTU 2OZ | E | MBF | | 192 | 192 | 192 | 192 | 224 | 224 | 160 | 160 | 160 | 160 | 160 | 160 | | |
| 459 | ENFAMIL LIPIL 24 RTU 2OZ | E | NFF | 416 | 416 | 416 | 416 | 416 | 448 | 448 | 448 | 448 | 448 | 448 | 448 | 448 | | |
| 459 | ENFAMIL LIPIL 24 RTU 2OZ | E | NFMBF | | 192 | 192 | 192 | 192 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | | |
| 510 | ENFAMIL LIQUID HMF RTU 5ML | E | FF | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 700 | 700 | 700 | 700 | 700 | 700 | 0 | N/A |
| 510 | ENFAMIL LIQUID HMF RTU 5ML | E | MBF | | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | | |
| 510 | ENFAMIL LIQUID HMF RTU 5ML | E | NFF | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | | |
| 510 | ENFAMIL LIQUID HMF RTU 5ML | E | NFMBF | | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | | |
| 486 | ENFAMIL PREMIUM INF CON 13OZ | S | FF | 31 | 31 | 31 | 31 | 31 | 34 | 34 | 24 | 24 | 24 | 24 | 24 | 24 | 35 | 26 |
| 486 | ENFAMIL PREMIUM INF CON 13OZ | S | MBF | | 14 | 14 | 14 | 14 | 17 | 17 | 12 | 12 | 12 | 12 | 12 | 12 | | |
| 483 | ENFAMIL PREMIUM INF PWD 12.5OZ | S | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 10 | 90 |
| 483 | ENFAMIL PREMIUM INF PWD 12.5OZ | S | MBF | | 4 | 4 | 4 | 5 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 487 | ENFAMIL PREMIUM INF RTU 32OZ | S | FF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 20 | 20 | 20 | 20 | 20 | 20 | 28 | 32 |
| 487 | ENFAMIL PREMIUM INF RTU 32OZ | S | MBF | | 12 | 12 | 12 | 12 | 14 | 14 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 481 | ENFAPORT LIPIL RTU 8OZ | E | FF | 104 | 104 | 104 | 104 | 104 | 112 | 112 | 80 | 80 | 80 | 80 | 80 | 80 | 113 | 8 |
| 481 | ENFAPORT LIPIL RTU 8OZ | E | MBF | | 48 | 48 | 48 | 48 | 56 | 56 | 40 | 40 | 40 | 40 | 40 | 40 | | |
| 481 | ENFAPORT LIPIL RTU 8OZ | E | NFF | 104 | 104 | 104 | 104 | 104 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | | |
| 481 | ENFAPORT LIPIL RTU 8OZ | E | NFMBF | | 48 | 48 | 48 | 48 | 56 | 56 | 56 | 56 | 56 | 56 | 56 | 56 | | |
| 495 | ENLIVE RTU 8.1OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 78 | 78 | 78 | 112 | 8.1 |
| 495 | ENLIVE RTU 8.1OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 39 | 39 | 39 | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 | |
|-----------|--------------------------|--------------|----------------------|------------------------------------|----|---|---|---|---|---|---|---|---|---|-----|-----|-------------------------|------------------------|------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | | |
| 495 | ENLIVE RTU 8.1OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 110 | 110 | 110 | | |
| 495 | ENLIVE RTU 8.1OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 55 | 55 | 55 | | |
| 279 | ENSURE HC RTU 8OZ | E | | | | | | | | | | | | | | | | 113 | 8 |
| 279 | ENSURE HC RTU 8OZ | E | | | | | | | | | | | | | | | | | |
| 118 | ENSURE HP RTU 8OZ | E | | | | | | | | | | | | | | | | 113 | 8 |
| 118 | ENSURE HP RTU 8OZ | E | | | | | | | | | | | | | | | | | |
| 121 | ENSURE PLS RTU 32OZ | E | | | | | | | | | | | | | | | | 28 | 32 |
| 121 | ENSURE PLS RTU 32OZ | E | | | | | | | | | | | | | | | | | |
| 120 | ENSURE PLS RTU 8OZ | E | | | | | | | | | | | | | | | | 113 | 8 |
| 120 | ENSURE PLS RTU 8OZ | E | | | | | | | | | | | | | | | | | |
| 122 | ENSURE PUDD RTU 4OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 156 | 156 | 156 | 227 | 4 |
| 122 | ENSURE PUDD RTU 4OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 78 | 78 | 78 | | |
| 122 | ENSURE PUDD RTU 4OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 221 | 221 | 221 | | |
| 122 | ENSURE PUDD RTU 4OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 111 | 111 | 111 | | |
| 075 | ENSURE RTU 8OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 80 | 80 | 80 | 113 | 8 |
| 075 | ENSURE RTU 8OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | 40 | 40 | | |
| 075 | ENSURE RTU 8OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 | 112 | 112 | | |
| 075 | ENSURE RTU 8OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 56 | 56 | 56 | | |
| 126 | FIBERSOURCE HN RTU 250ML | E | | | | | | | | | | | | | | | | 107 | 8.45 |
| 126 | FIBERSOURCE HN RTU 250ML | E | | | | | | | | | | | | | | | | | |
| 464 | GA PWD 16OZ | E | FF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 6 | 6 | 6 | 5 | 5 | 5 | 11 | 114/76 | |
| 464 | GA PWD 16OZ | E | MBF | | 3 | 3 | 3 | 4 | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 2 | | | |
| 464 | GA PWD 16OZ | E | NFF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | | |
| 464 | GA PWD 16OZ | E | NFMBF | | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 |
|-----------|-------------------------|--------------|----------------------|------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------------------|------------------------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| 512 | GENTLEASE PWD 12.4OZ | S | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 10 | 90 |
| 512 | GENTLEASE PWD 12.4OZ | S | MBF | | 4 | 4 | 4 | 5 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 431 | GENTLEASE PWD 12OZ | S | FF | 10 | 10 | 10 | 10 | 10 | 11 | 11 | 8 | 8 | 8 | 8 | 8 | 8 | 10 | 87 |
| 431 | GENTLEASE PWD 12OZ | S | MBF | | 5 | 5 | 5 | 5 | 6 | 6 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 500 | GENTLEASE RTU 32OZ | S | FF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 20 | 20 | 20 | 20 | 20 | 20 | 28 | 32 |
| 500 | GENTLEASE RTU 32OZ | S | MBF | | 12 | 12 | 12 | 12 | 14 | 14 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 344 | GLUTAREX 1 PWD 14.1OZ | E | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 14 | 96/64 |
| 344 | GLUTAREX 1 PWD 14.1OZ | E | MBF | | 4 | 4 | 4 | 4 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 344 | GLUTAREX 1 PWD 14.1OZ | E | NFF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 344 | GLUTAREX 1 PWD 14.1OZ | E | NFMBF | | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| 345 | GLUTAREX 2 PWD 14.1OZ | E | | | | | | | | | | | | | | | 16 | 82/55 |
| 345 | GLUTAREX 2 PWD 14.1OZ | E | | | | | | | | | | | | | | | | |
| 132 | GLYTROL RTU 250ML | E | | | | | | | | | | | | | | | 107 | 8.45 |
| 132 | GLYTROL RTU 250ML | E | | | | | | | | | | | | | | | | |
| 490 | GS 2 SOY PLS PWD 24OZ | S | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 4 | 4 | 5 | 170 |
| 490 | GS 2 SOY PLS PWD 24OZ | S | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 2 | | |
| 385 | GS GENTLE PLS RTU 32OZ | S | FF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 20 | 20 | 20 | 20 | 20 | 20 | 28 | 32 |
| 385 | GS GENTLE PLS RTU 32OZ | S | MBF | | 12 | 12 | 12 | 12 | 14 | 14 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 477 | GS PREMATURE 24 RTU 3OZ | E | FF | 277 | 277 | 277 | 277 | 277 | 298 | 298 | 213 | 213 | 213 | 213 | 213 | 213 | 303 | 3 |
| 477 | GS PREMATURE 24 RTU 3OZ | E | MBF | | 128 | 128 | 128 | 128 | 149 | 149 | 106 | 106 | 106 | 106 | 106 | 106 | | |
| 477 | GS PREMATURE 24 RTU 3OZ | E | NFF | 277 | 277 | 277 | 277 | 277 | 298 | 298 | 298 | 298 | 298 | 298 | 298 | 298 | | |
| 477 | GS PREMATURE 24 RTU 3OZ | E | NFMBF | | 128 | 128 | 128 | 128 | 149 | 149 | 149 | 149 | 149 | 149 | 149 | 149 | | |
| 422 | GS SOY PLS CON 13OZ | S | FF | 31 | 31 | 31 | 31 | 31 | 34 | 34 | 24 | 24 | 24 | 24 | 24 | 24 | 35 | 26 |
| 422 | GS SOY PLS CON 13OZ | S | MBF | | 14 | 14 | 14 | 14 | 17 | 17 | 12 | 12 | 12 | 12 | 12 | 12 | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 |
|-----------|------------------------|--------------|----------------------|------------------------------------|----|----|----|----|----|----|----|----|----|----|----|----|-------------------------|------------------------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| 416 | GS SOY PLS PWD 12.9OZ | S | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 10 | 91 |
| 416 | GS SOY PLS PWD 12.9OZ | S | MBF | | 4 | 4 | 4 | 4 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 423 | GS SOY PLS RTU 32OZ | S | FF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 20 | 20 | 20 | 20 | 20 | 20 | 28 | 32 |
| 423 | GS SOY PLS RTU 32OZ | S | MBF | | 12 | 12 | 12 | 12 | 14 | 14 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 465 | HCY 1 PWD 16OZ | E | FF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 6 | 6 | 6 | 5 | 5 | 5 | 11 | 114/76 |
| 465 | HCY 1 PWD 16OZ | E | MBF | | 3 | 3 | 3 | 4 | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 2 | | |
| 465 | HCY 1 PWD 16OZ | E | NFF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | |
| 465 | HCY 1 PWD 16OZ | E | NFMBF | | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 328 | HCY 2 PWD 16OZ | E | | | | | | | | | | | | | | | 14 | 93/62 |
| 328 | HCY 2 PWD 16OZ | E | | | | | | | | | | | | | | | | |
| 133 | HEPATIC AID II PWD 3OZ | E | | | | | | | | | | | | | | | 82 | 11 |
| 133 | HEPATIC AID II PWD 3OZ | E | | | | | | | | | | | | | | | | |
| 285 | HOM 2 PWD 500G | E | | | | | | | | | | | | | | | 18 | 73/48 |
| 285 | HOM 2 PWD 500G | E | | | | | | | | | | | | | | | | |
| 346 | HOMINEX 1 PWD 14.1OZ | E | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 14 | 96/64 |
| 346 | HOMINEX 1 PWD 14.1OZ | E | MBF | | 4 | 4 | 4 | 4 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 346 | HOMINEX 1 PWD 14.1OZ | E | NFF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 346 | HOMINEX 1 PWD 14.1OZ | E | NFMBF | | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| 347 | HOMINEX 2 PWD 14.1OZ | E | | | | | | | | | | | | | | | 16 | 82/55 |
| 347 | HOMINEX 2 PWD 14.1OZ | E | | | | | | | | | | | | | | | | |
| 348 | I VALEX 1 PWD 14.1.OZ | E | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 14 | 96/64 |
| 348 | I VALEX 1 PWD 14.1.OZ | E | MBF | | 4 | 4 | 4 | 4 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 348 | I VALEX 1 PWD 14.1.OZ | E | NFF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 348 | I VALEX 1 PWD 14.1.OZ | E | NFMBF | | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 | |
|-----------|-------------------------|--------------|----------------------|------------------------------------|----|----|----|----|----|----|----|----|----|----|----|----|-------------------------|------------------------|-------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | | |
| 349 | I VALEX 2 PWD 14.1OZ | E | | | | | | | | | | | | | | | | 16 | 82/55 |
| 349 | I VALEX 2 PWD 14.1OZ | E | | | | | | | | | | | | | | | | | |
| 141 | IMPACT 1.5 RTU 250ML | E | | | | | | | | | | | | | | | | 107 | 8.45 |
| 141 | IMPACT 1.5 RTU 250ML | E | | | | | | | | | | | | | | | | | |
| 140 | IMPACT RTU 250ML | E | | | | | | | | | | | | | | | | 107 | 8.45 |
| 140 | IMPACT RTU 250ML | E | | | | | | | | | | | | | | | | | |
| 142 | IMPACT W/FBR RTU 250ML | E | | | | | | | | | | | | | | | | 107 | 8.45 |
| 142 | IMPACT W/FBR RTU 250ML | E | | | | | | | | | | | | | | | | | |
| 152 | ISOSOURCE 1.5 RTU 250ML | E | | | | | | | | | | | | | | | | 107 | 8.45 |
| 152 | ISOSOURCE 1.5 RTU 250ML | E | | | | | | | | | | | | | | | | | |
| 153 | ISOSOURCE HN RTU 250ML | E | | | | | | | | | | | | | | | | 107 | 8.45 |
| 153 | ISOSOURCE HN RTU 250ML | E | | | | | | | | | | | | | | | | | |
| 155 | JEVITY RTU 8OZ | E | | | | | | | | | | | | | | | | 113 | 8 |
| 155 | JEVITY RTU 8OZ | E | | | | | | | | | | | | | | | | | |
| 456 | KETOCAL 3:1 PWD 300G | E | FF | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 6 | 6 | 6 | 6 | 6 | 6 | 13 | 105/70 | |
| 456 | KETOCAL 3:1 PWD 300G | E | MBF | | 4 | 4 | 4 | 4 | 4 | 5 | 3 | 3 | 3 | 3 | 3 | 3 | | | |
| 456 | KETOCAL 3:1 PWD 300G | E | NFF | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | | | |
| 456 | KETOCAL 3:1 PWD 300G | E | NFMBF | | 4 | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 4 | 4 | 4 | 4 | | | |
| 364 | KETOCAL 4:1 PWD 300G | E | FF | 17 | 17 | 17 | 17 | 17 | 18 | 18 | 13 | 13 | 13 | 13 | 13 | 13 | 18 | 50 | |
| 364 | KETOCAL 4:1 PWD 300G | E | MBF | | 8 | 8 | 8 | 8 | 9 | 9 | 7 | 7 | 7 | 7 | 7 | 7 | | | |
| 364 | KETOCAL 4:1 PWD 300G | E | NFF | 17 | 17 | 17 | 17 | 17 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | 18 | | | |
| 364 | KETOCAL 4:1 PWD 300G | E | NFMBF | | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | | | |
| 505 | KETOCAL 4:1 RTU 8OZ | E | | | | | | | | | | | | | | | 113 | 8 | |
| 505 | KETOCAL 4:1 RTU 8OZ | E | | | | | | | | | | | | | | | | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 |
|-----------|--------------------------------|--------------|----------------------|------------------------------------|----|---|---|---|----|----|----|----|----|-----|-----|-----|-------------------------|------------------------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| 350 | KETONEX 1 PWD 14.1OZ | E | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 16 | 96/55 |
| 350 | KETONEX 1 PWD 14.1OZ | E | MBF | | 4 | 4 | 4 | 4 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 350 | KETONEX 1 PWD 14.1OZ | E | NFF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 350 | KETONEX 1 PWD 14.1OZ | E | NFMBF | | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| 351 | KETONEX 2 PWD 14.1OZ | E | | | | | | | | | | | | | | | 16 | 82/55 |
| 351 | KETONEX 2 PWD 14.1OZ | E | | | | | | | | | | | | | | | | |
| 476 | KID ESSENTIALS 1.5 FBR RTU 8OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 80 | 80 | 80 | 113 | 8 |
| 476 | KID ESSENTIALS 1.5 FBR RTU 8OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | 40 | 40 | | |
| 476 | KID ESSENTIALS 1.5 FBR RTU 8OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 | 112 | 112 | | |
| 476 | KID ESSENTIALS 1.5 FBR RTU 8OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 56 | 56 | 56 | | |
| 475 | KID ESSENTIALS 1.5 RTU 8OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 80 | 80 | 80 | 113 | 8 |
| 475 | KID ESSENTIALS 1.5 RTU 8OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | 40 | 40 | | |
| 475 | KID ESSENTIALS 1.5 RTU 8OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 | 112 | 112 | | |
| 475 | KID ESSENTIALS 1.5 RTU 8OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 56 | 56 | 56 | | |
| 492 | KID ESSENTIALS RTU 8.25OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 76 | 76 | 76 | 110 | 8.25 |
| 492 | KID ESSENTIALS RTU 8.25OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 38 | 38 | 38 | | |
| 492 | KID ESSENTIALS RTU 8.25OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 108 | 108 | 108 | | |
| 492 | KID ESSENTIALS RTU 8.25OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 54 | 54 | 54 | | |
| 498 | LIPISTART PWD 400G | E | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 10 | 90 |
| 498 | LIPISTART PWD 400G | E | MBF | | 4 | 4 | 4 | 5 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 498 | LIPISTART PWD 400G | E | NFF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 498 | LIPISTART PWD 400G | E | NFMBF | | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| 453 | LMD PWD 16OZ | E | FF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 6 | 6 | 6 | 5 | 5 | 5 | 11 | 114/76 |
| 453 | LMD PWD 16OZ | E | MBF | | 3 | 3 | 3 | 4 | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 2 | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 |
|-----------|-------------------------|--------------|----------------------|------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------------------|------------------------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| 453 | LMD PWD 16OZ | E | NFF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | |
| 453 | LMD PWD 16OZ | E | NFMBF | | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 499 | LOPHLEX LQ 20 RTU 4.2OZ | E | | | | | | | | | | | | | | | 216 | 4.2 |
| 499 | LOPHLEX LQ 20 RTU 4.2OZ | E | | | | | | | | | | | | | | | | |
| 425 | MCT OIL RTU 32OZ | E | FF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 20 | 20 | 20 | 20 | 20 | 20 | 28 | 32 |
| 425 | MCT OIL RTU 32OZ | E | MBF | | 12 | 12 | 12 | 12 | 14 | 14 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 425 | MCT OIL RTU 32OZ | E | NFF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | | |
| 425 | MCT OIL RTU 32OZ | E | NFMBF | | 12 | 12 | 12 | 12 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | | |
| 424 | MICROLIPID RTU 3OZ | E | FF | 277 | 277 | 277 | 277 | 277 | 298 | 298 | 213 | 213 | 213 | 213 | 213 | 213 | 303 | 3 |
| 424 | MICROLIPID RTU 3OZ | E | MBF | | 128 | 128 | 128 | 128 | 149 | 149 | 106 | 106 | 106 | 106 | 106 | 106 | | |
| 424 | MICROLIPID RTU 3OZ | E | NFF | 277 | 277 | 277 | 277 | 277 | 298 | 298 | 298 | 298 | 298 | 298 | 298 | 298 | | |
| 424 | MICROLIPID RTU 3OZ | E | NFMBF | | 128 | 128 | 128 | 128 | 149 | 149 | 149 | 149 | 149 | 149 | 149 | 149 | | |
| 449 | MONOGEN PWD 400G | E | FF | 11 | 11 | 11 | 11 | 11 | 12 | 12 | 9 | 9 | 9 | 9 | 9 | 9 | 16 | 76/56 |
| 449 | MONOGEN PWD 400G | E | MBF | | 5 | 5 | 5 | 5 | 6 | 6 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| 449 | MONOGEN PWD 400G | E | NFF | 11 | 11 | 11 | 11 | 11 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | | |
| 449 | MONOGEN PWD 400G | E | NFMBF | | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | |
| 310 | MSUD 2 PWD 500G | E | | | | | | | | | | | | | | | 18 | 75/50 |
| 310 | MSUD 2 PWD 500G | E | | | | | | | | | | | | | | | | |
| 171 | MSUD ANALOG PWD 400G | E | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 14 | 95/63 |
| 171 | MSUD ANALOG PWD 400G | E | MBF | | 4 | 4 | 4 | 4 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 171 | MSUD ANALOG PWD 400G | E | NFF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 171 | MSUD ANALOG PWD 400G | E | NFMBF | | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| 172 | MSUD MAXAMAID PWD 454G | E | | | | | | | | | | | | | | | 11 | 78 |
| 172 | MSUD MAXAMAID PWD 454G | E | | | | | | | | | | | | | | | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 | |
|-----------|--------------------------------|--------------|----------------------|------------------------------------|----|----|----|----|----|----|----|----|----|----|----|----|-------------------------|------------------------|----|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | | |
| 173 | MSUD MAXAMUM PWD 454G | E | | | | | | | | | | | | | | | | 11 | 78 |
| 173 | MSUD MAXAMUM PWD 454G | E | | | | | | | | | | | | | | | | | |
| 440 | NEOCATE DHA/ARA PWD 400G | E | FF | 10 | 10 | 10 | 10 | 10 | 11 | 11 | 8 | 8 | 8 | 8 | 8 | 8 | | 10 | 85 |
| 440 | NEOCATE DHA/ARA PWD 400G | E | MBF | | 5 | 5 | 5 | 5 | 6 | 6 | 4 | 4 | 4 | 4 | 4 | 4 | | | |
| 440 | NEOCATE DHA/ARA PWD 400G | E | NFF | 10 | 10 | 10 | 10 | 10 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | | | |
| 440 | NEOCATE DHA/ARA PWD 400G | E | NFMBF | | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | | |
| 504 | NEOCATE JR PREBIOTICS PWD 400G | E | | | | | | | | | | | | | | | | 14 | 62 |
| 504 | NEOCATE JR PREBIOTICS PWD 400G | E | | | | | | | | | | | | | | | | | |
| 332 | NEOCATE JR PWD 400G | E | | | | | | | | | | | | | | | | 14 | 62 |
| 332 | NEOCATE JR PWD 400G | E | | | | | | | | | | | | | | | | | |
| 370 | NEOSURE PWD 13.1OZ | E | FF | 10 | 10 | 10 | 10 | 10 | 11 | 11 | 8 | 8 | 8 | 8 | 8 | 8 | | 10 | 87 |
| 370 | NEOSURE PWD 13.1OZ | E | MBF | | 5 | 5 | 5 | 5 | 6 | 6 | 4 | 4 | 4 | 4 | 4 | 4 | | | |
| 370 | NEOSURE PWD 13.1OZ | E | NFF | 10 | 10 | 10 | 10 | 10 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | | | |
| 370 | NEOSURE PWD 13.1OZ | E | NFMBF | | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | | |
| 430 | NEOSURE RTU 32OZ | E | FF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 20 | 20 | 20 | 20 | 20 | 20 | | 28 | 32 |
| 430 | NEOSURE RTU 32OZ | E | MBF | | 12 | 12 | 12 | 12 | 14 | 14 | 10 | 10 | 10 | 10 | 10 | 10 | | | |
| 430 | NEOSURE RTU 32OZ | E | NFF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | | | |
| 430 | NEOSURE RTU 32OZ | E | NFMBF | | 12 | 12 | 12 | 12 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | | | |
| 174 | NEPRO RTU 8OZ | E | | | | | | | | | | | | | | | | 113 | 8 |
| 174 | NEPRO RTU 8OZ | E | | | | | | | | | | | | | | | | | |
| 176 | NOVASOURCE RENAL RTU 8OZ | E | | | | | | | | | | | | | | | | 113 | 8 |
| 176 | NOVASOURCE RENAL RTU 8OZ | E | | | | | | | | | | | | | | | | | |
| 460 | NUTRAMIGEN AA LIPIL PWD 14.1OZ | E | FF | 8 | 8 | 8 | 8 | 9 | 9 | 10 | 7 | 7 | 7 | 6 | 6 | 6 | | 9 | 98 |
| 460 | NUTRAMIGEN AA LIPIL PWD 14.1OZ | E | MBF | | 4 | 4 | 4 | 4 | 5 | 5 | 4 | 4 | 3 | 3 | 3 | 3 | | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 |
|-----------|--------------------------------|--------------|----------------------|------------------------------------|----|----|----|----|----|----|----|----|----|-----|-----|-----|-------------------------|------------------------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| 460 | NUTRAMIGEN AA LIPIL PWD 14.1OZ | E | NFF | 8 | 8 | 8 | 8 | 9 | 9 | 10 | 10 | 9 | 9 | 9 | 9 | 9 | | |
| 460 | NUTRAMIGEN AA LIPIL PWD 14.1OZ | E | NFMBF | | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| 480 | NUTRAMIGEN LIP LGG PWD 12.6OZ | E | FF | 10 | 10 | 10 | 10 | 10 | 11 | 11 | 8 | 8 | 8 | 8 | 8 | 8 | 10 | 87 |
| 480 | NUTRAMIGEN LIP LGG PWD 12.6OZ | E | MBF | | 5 | 5 | 5 | 5 | 6 | 6 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 480 | NUTRAMIGEN LIP LGG PWD 12.6OZ | E | NFF | 10 | 10 | 10 | 10 | 10 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | | |
| 480 | NUTRAMIGEN LIP LGG PWD 12.6OZ | E | NFMBF | | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | |
| 031 | NUTRAMIGEN LIPIL CON 13OZ | E | FF | 31 | 31 | 31 | 31 | 31 | 34 | 34 | 24 | 24 | 24 | 24 | 24 | 24 | 35 | 26 |
| 031 | NUTRAMIGEN LIPIL CON 13OZ | E | MBF | | 14 | 14 | 14 | 14 | 17 | 17 | 12 | 12 | 12 | 12 | 12 | 12 | | |
| 031 | NUTRAMIGEN LIPIL CON 13OZ | E | NFF | 31 | 31 | 31 | 31 | 31 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | | |
| 031 | NUTRAMIGEN LIPIL CON 13OZ | E | NFMBF | | 14 | 14 | 14 | 14 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | | |
| 024 | NUTRAMIGEN LIPIL RTU 32OZ | E | FF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 20 | 20 | 20 | 20 | 20 | 20 | 28 | 32 |
| 024 | NUTRAMIGEN LIPIL RTU 32OZ | E | MBF | | 12 | 12 | 12 | 12 | 14 | 14 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 024 | NUTRAMIGEN LIPIL RTU 32OZ | E | NFF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | | |
| 024 | NUTRAMIGEN LIPIL RTU 32OZ | E | NFMBF | | 12 | 12 | 12 | 12 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | | |
| 183 | NUTREN 1.0 RTU 250ML | E | | | | | | | | | | | | | | | 107 | 8.45 |
| 183 | NUTREN 1.0 RTU 250ML | E | | | | | | | | | | | | | | | | |
| 184 | NUTREN 1.0 W/FBR RTU 250ML | E | | | | | | | | | | | | | | | 107 | 8.45 |
| 184 | NUTREN 1.0 W/FBR RTU 250ML | E | | | | | | | | | | | | | | | | |
| 187 | NUTREN 2.0 RTU 250ML | E | | | | | | | | | | | | | | | 107 | 8.45 |
| 187 | NUTREN 2.0 RTU 250ML | E | | | | | | | | | | | | | | | | |
| 189 | NUTREN JR RTU 250ML | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 75 | 75 | 75 | 107 | 8.45 |
| 189 | NUTREN JR RTU 250ML | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 37 | 37 | 37 | | |
| 189 | NUTREN JR RTU 250ML | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 106 | 106 | 106 | | |
| 189 | NUTREN JR RTU 250ML | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 53 | 53 | 53 | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 | |
|-----------|----------------------------|--------------|----------------------|------------------------------------|----|---|---|---|---|---|---|---|---|---|-----|-----|-------------------------|------------------------|-------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | | |
| 188 | NUTREN JR W/FBR RTU 250ML | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 75 | 75 | 75 | 107 | 8.45 |
| 188 | NUTREN JR W/FBR RTU 250ML | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 37 | 37 | 37 | | |
| 188 | NUTREN JR W/FBR RTU 250ML | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 106 | 106 | 106 | | |
| 188 | NUTREN JR W/FBR RTU 250ML | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 53 | 53 | 53 | | |
| 192 | NUTREN PULMONARY RTU 250ML | E | | | | | | | | | | | | | | | | 107 | 8.45 |
| 192 | NUTREN PULMONARY RTU 250ML | E | | | | | | | | | | | | | | | | | |
| 190 | NUTRIHEP RTU 250ML | E | | | | | | | | | | | | | | | | 107 | 8.45 |
| 190 | NUTRIHEP RTU 250ML | E | | | | | | | | | | | | | | | | | |
| 445 | OA 1 PWD 16OZ | E | FF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 6 | 6 | 6 | 5 | 5 | 5 | 11 | 114/76 | |
| 445 | OA 1 PWD 16OZ | E | MBF | | 3 | 3 | 3 | 4 | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 2 | | | |
| 445 | OA 1 PWD 16OZ | E | NFF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | | |
| 445 | OA 1 PWD 16OZ | E | NFMBF | | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | | |
| 446 | OA 2 PWD 16OZ | E | | | | | | | | | | | | | | | | 14 | 93/62 |
| 446 | OA 2 PWD 16OZ | E | | | | | | | | | | | | | | | | | |
| 288 | OPTIMENTAL RTU 8OZ | E | | | | | | | | | | | | | | | | 113 | 8 |
| 288 | OPTIMENTAL RTU 8OZ | E | | | | | | | | | | | | | | | | | |
| 290 | OS 2 PWD 500G | E | | | | | | | | | | | | | | | | 18 | 75/50 |
| 290 | OS 2 PWD 500G | E | | | | | | | | | | | | | | | | | |
| 062 | OSMOLITE 1.0 RTU 8OZ | E | | | | | | | | | | | | | | | | 113 | 8 |
| 062 | OSMOLITE 1.0 RTU 8OZ | E | | | | | | | | | | | | | | | | | |
| 193 | OSMOLITE 1.2 RTU 8OZ | E | | | | | | | | | | | | | | | | 113 | 8 |
| 193 | OSMOLITE 1.2 RTU 8OZ | E | | | | | | | | | | | | | | | | | |
| 196 | OXEPA RTU 8OZ | E | | | | | | | | | | | | | | | | 113 | 8 |
| 196 | OXEPA RTU 8OZ | E | | | | | | | | | | | | | | | | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 | | |
|-----------|-------------------------------|--------------|----------------------|------------------------------------|----|---|---|---|---|---|---|---|---|-----|-------------------------|------------------------|-----|----|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | | 10 | 11 |
| 506 | PEDIASURE 1.5 RTU 8OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 80 | 80 | 80 | 113 | 8 |
| 506 | PEDIASURE 1.5 RTU 8OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | 40 | 40 | | |
| 506 | PEDIASURE 1.5 RTU 8OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 | 112 | 112 | | |
| 506 | PEDIASURE 1.5 RTU 8OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 56 | 56 | 56 | | |
| 507 | PEDIASURE 1.5 W/FBR RTU 8OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 80 | 80 | 80 | 113 | 8 |
| 507 | PEDIASURE 1.5 W/FBR RTU 8OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | 40 | 40 | | |
| 507 | PEDIASURE 1.5 W/FBR RTU 8OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 | 112 | 112 | | |
| 507 | PEDIASURE 1.5 W/FBR RTU 8OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 56 | 56 | 56 | | |
| 292 | PEDIASURE ENTER RTU 8OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 80 | 80 | 80 | 113 | 8 |
| 292 | PEDIASURE ENTER RTU 8OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | 40 | 40 | | |
| 292 | PEDIASURE ENTER RTU 8OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 | 112 | 112 | | |
| 292 | PEDIASURE ENTER RTU 8OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 56 | 56 | 56 | | |
| 293 | PEDIASURE ENTER W/FBR RTU 8OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 80 | 80 | 80 | 113 | 8 |
| 293 | PEDIASURE ENTER W/FBR RTU 8OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | 40 | 40 | | |
| 293 | PEDIASURE ENTER W/FBR RTU 8OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 | 112 | 112 | | |
| 293 | PEDIASURE ENTER W/FBR RTU 8OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 56 | 56 | 56 | | |
| 514 | PEDIASURE PEPTIDE 1.0 RTU 8OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 80 | 80 | 80 | 113 | 8 |
| 514 | PEDIASURE PEPTIDE 1.0 RTU 8OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | 40 | 40 | | |
| 514 | PEDIASURE PEPTIDE 1.0 RTU 8OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 | 112 | 112 | | |
| 514 | PEDIASURE PEPTIDE 1.0 RTU 8OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 56 | 56 | 56 | | |
| 034 | PEDIASURE RTU 8OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 80 | 80 | 80 | 113 | 8 |
| 034 | PEDIASURE RTU 8OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | 40 | 40 | | |
| 034 | PEDIASURE RTU 8OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 | 112 | 112 | | |
| 034 | PEDIASURE RTU 8OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 56 | 56 | 56 | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 | | |
|-----------|------------------------------|--------------|----------------------|------------------------------------|----|---|---|---|---|---|---|---|---|-----|-------------------------|------------------------|-----|------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | | 10 | 11 |
| 035 | PEDIASURE W/FBR RTU 8OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 80 | 80 | 80 | 113 | 8 |
| 035 | PEDIASURE W/FBR RTU 8OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | 40 | 40 | | |
| 035 | PEDIASURE W/FBR RTU 8OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 | 112 | 112 | | |
| 035 | PEDIASURE W/FBR RTU 8OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 56 | 56 | 56 | | |
| 295 | PEPDITE JR PWD 51G | E | | | | | | | | | | | | | | | 113 | 8 |
| 295 | PEPDITE JR PWD 51G | E | | | | | | | | | | | | | | | | |
| 199 | PEPTAMEN 1.5 RTU 250ML | E | | | | | | | | | | | | | | | 107 | 8.45 |
| 199 | PEPTAMEN 1.5 RTU 250ML | E | | | | | | | | | | | | | | | | |
| 478 | PEPTAMEN JR 1.5 RTU 250ML | E | | | | | | | | | | | | | | | 107 | 8.45 |
| 478 | PEPTAMEN JR 1.5 RTU 250ML | E | | | | | | | | | | | | | | | | |
| 438 | PEPTAMEN JR PREBIO RTU 250ML | E | | | | | | | | | | | | | | | 107 | 8.45 |
| 438 | PEPTAMEN JR PREBIO RTU 250ML | E | | | | | | | | | | | | | | | | |
| 051 | PEPTAMEN JR RTU 250ML | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 75 | 75 | 75 | 107 | 8.45 |
| 051 | PEPTAMEN JR RTU 250ML | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 37 | 37 | 37 | | |
| 051 | PEPTAMEN JR RTU 250ML | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 106 | 106 | 106 | | |
| 051 | PEPTAMEN JR RTU 250ML | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 53 | 53 | 53 | | |
| 469 | PEPTAMEN JR W/FBR RTU 250ML | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 75 | 75 | 75 | 107 | 8.45 |
| 469 | PEPTAMEN JR W/FBR RTU 250ML | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 37 | 37 | 37 | | |
| 469 | PEPTAMEN JR W/FBR RTU 250ML | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 106 | 106 | 106 | | |
| 469 | PEPTAMEN JR W/FBR RTU 250ML | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 53 | 53 | 53 | | |
| 197 | PEPTAMEN RTU 250ML | E | | | | | | | | | | | | | | | 107 | 8.45 |
| 197 | PEPTAMEN RTU 250ML | E | | | | | | | | | | | | | | | | |
| 200 | PERATIVE RTU 8OZ | E | | | | | | | | | | | | | | | 113 | 8 |
| 200 | PERATIVE RTU 8OZ | E | | | | | | | | | | | | | | | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 |
|-----------|--------------------------|--------------|----------------------|------------------------------------|----|----|----|----|----|----|----|----|----|----|----|----|-------------------------|------------------------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| 265 | PERIFLEX INFANT PWD 400G | E | FF | 10 | 10 | 10 | 10 | 10 | 11 | 11 | 8 | 8 | 8 | 8 | 8 | 8 | 10 | 84 |
| 265 | PERIFLEX INFANT PWD 400G | E | MBF | | 5 | 5 | 5 | 5 | 6 | 6 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 265 | PERIFLEX INFANT PWD 400G | E | NFF | 10 | 10 | 10 | 10 | 10 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | | |
| 265 | PERIFLEX INFANT PWD 400G | E | NFMBF | | 5 | 5 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | |
| 201 | PERIFLEX JR PWD 454G | E | | | | | | | | | | | | | | | 15 | 57 |
| 201 | PERIFLEX JR PWD 454G | E | | | | | | | | | | | | | | | | |
| 466 | PFD 1 PWD 16OZ | E | FF | 6 | 6 | 7 | 7 | 7 | 7 | 8 | 6 | 5 | 5 | 5 | 5 | 5 | 11 | 121/80 |
| 466 | PFD 1 PWD 16OZ | E | MBF | | 3 | 3 | 3 | 3 | 4 | 4 | 3 | 3 | 3 | 3 | 2 | 2 | | |
| 466 | PFD 1 PWD 16OZ | E | NFF | 6 | 6 | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 7 | 7 | 7 | 7 | | |
| 466 | PFD 1 PWD 16OZ | E | NFMBF | | 3 | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 3 | 3 | | |
| 329 | PFD 2 PWD 16OZ | E | | | | | | | | | | | | | | | 14 | 91/61 |
| 329 | PFD 2 PWD 16OZ | E | | | | | | | | | | | | | | | | |
| 352 | PHENEX 1 PWD 14.1OZ | E | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 14 | 96/64 |
| 352 | PHENEX 1 PWD 14.1OZ | E | MBF | | 4 | 4 | 4 | 4 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 352 | PHENEX 1 PWD 14.1OZ | E | NFF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 352 | PHENEX 1 PWD 14.1OZ | E | NFMBF | | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| 353 | PHENEX 2 PWD 14.1OZ | E | | | | | | | | | | | | | | | 16 | 55 |
| 353 | PHENEX 2 PWD 14.1OZ | E | | | | | | | | | | | | | | | | |
| 311 | PHENYL FREE 1 PWD 16OZ | E | FF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 6 | 6 | 6 | 5 | 5 | 5 | 11 | 114/76 |
| 311 | PHENYL FREE 1 PWD 16OZ | E | MBF | | 3 | 3 | 3 | 4 | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 2 | | |
| 311 | PHENYL FREE 1 PWD 16OZ | E | NFF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | |
| 311 | PHENYL FREE 1 PWD 16OZ | E | NFMBF | | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 297 | PHENYL FREE 2 PWD 16OZ | E | | | | | | | | | | | | | | | 14 | 93/62 |
| 297 | PHENYL FREE 2 PWD 16OZ | E | | | | | | | | | | | | | | | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 |
|-----------|------------------------------|--------------|----------------------|------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------------------|------------------------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| 298 | PHENYL FREE 2HP PWD 16OZ | E | | | | | | | | | | | | | | | 15 | 89/59 |
| 298 | PHENYL FREE 2HP PWD 16OZ | E | | | | | | | | | | | | | | | | |
| 501 | PHENYLADE ESSENTIAL PWD 454G | E | | | | | | | | | | | | | | | 10 | 89 |
| 501 | PHENYLADE ESSENTIAL PWD 454G | E | | | | | | | | | | | | | | | | |
| 338 | PHENYLADE PWD 454G | E | | | | | | | | | | | | | | | 10 | 90 |
| 338 | PHENYLADE PWD 454G | E | | | | | | | | | | | | | | | | |
| 439 | PHLEXY 10 DRINK PWD 20G | E | | | | | | | | | | | | | | | 303 | 3 |
| 439 | PHLEXY 10 DRINK PWD 20G | E | | | | | | | | | | | | | | | | |
| 300 | PKU 2 PWD 500G | E | | | | | | | | | | | | | | | 18 | 73/48 |
| 300 | PKU 2 PWD 500G | E | | | | | | | | | | | | | | | | |
| 301 | PKU 3 PWD 500G | E | | | | | | | | | | | | | | | 19 | 70/47 |
| 301 | PKU 3 PWD 500G | E | | | | | | | | | | | | | | | | |
| 008 | PORTAGEN PWD 16OZ | E | FF | 12 | 12 | 12 | 12 | 12 | 13 | 13 | 9 | 9 | 9 | 9 | 9 | 9 | 13 | 70 |
| 008 | PORTAGEN PWD 16OZ | E | MBF | | 6 | 6 | 6 | 6 | 7 | 7 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| 008 | PORTAGEN PWD 16OZ | E | NFF | 12 | 12 | 12 | 12 | 12 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | 13 | | |
| 008 | PORTAGEN PWD 16OZ | E | NFMBF | | 6 | 6 | 6 | 6 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | | |
| 462 | PREGESTIMIL LIPIL 20 RTU 2OZ | E | FF | 416 | 416 | 416 | 416 | 416 | 448 | 448 | 320 | 320 | 320 | 320 | 320 | 320 | 455 | 2 |
| 462 | PREGESTIMIL LIPIL 20 RTU 2OZ | E | MBF | | 192 | 192 | 192 | 192 | 224 | 224 | 160 | 160 | 160 | 160 | 160 | 160 | | |
| 462 | PREGESTIMIL LIPIL 20 RTU 2OZ | E | NFF | 416 | 416 | 416 | 416 | 416 | 448 | 448 | 448 | 448 | 448 | 448 | 448 | 448 | | |
| 462 | PREGESTIMIL LIPIL 20 RTU 2OZ | E | NFMBF | | 192 | 192 | 192 | 192 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | | |
| 461 | PREGESTIMIL LIPIL 24 RTU 2OZ | E | FF | 416 | 416 | 416 | 416 | 416 | 448 | 448 | 320 | 320 | 320 | 320 | 320 | 320 | 455 | 2 |
| 461 | PREGESTIMIL LIPIL 24 RTU 2OZ | E | MBF | | 192 | 192 | 192 | 192 | 224 | 224 | 160 | 160 | 160 | 160 | 160 | 160 | | |
| 461 | PREGESTIMIL LIPIL 24 RTU 2OZ | E | NFF | 416 | 416 | 416 | 416 | 416 | 448 | 448 | 448 | 448 | 448 | 448 | 448 | 448 | | |
| 461 | PREGESTIMIL LIPIL 24 RTU 2OZ | E | NFMBF | | 192 | 192 | 192 | 192 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 |
|-----------|----------------------------|--------------|----------------------|------------------------------------|----|----|----|----|----|----|----|----|----|----|----|----|-------------------------|------------------------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| | | | | | | | | | | | | | | | | | | |
| 036 | PREGESTIMIL LIPIL PWD 16OZ | E | FF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 6 | 6 | 6 | 6 | 6 | 6 | 8 | 112 |
| 036 | PREGESTIMIL LIPIL PWD 16OZ | E | MBF | | 3 | 3 | 3 | 4 | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| 036 | PREGESTIMIL LIPIL PWD 16OZ | E | NFF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | |
| 036 | PREGESTIMIL LIPIL PWD 16OZ | E | NFMBF | | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| | | | | | | | | | | | | | | | | | | |
| 356 | PRO PHREE PWD 14.1OZ | E | FF | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 7 | 6 | 6 | 6 | 6 | 6 | 13 | 102/68 |
| 356 | PRO PHREE PWD 14.1OZ | E | MBF | | 3 | 3 | 4 | 4 | 4 | 5 | 4 | 3 | 3 | 3 | 3 | 3 | | |
| 356 | PRO PHREE PWD 14.1OZ | E | NFF | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | | |
| 356 | PRO PHREE PWD 14.1OZ | E | NFMBF | | 3 | 3 | 4 | 4 | 4 | 5 | 5 | 5 | 4 | 4 | 4 | 4 | | |
| | | | | | | | | | | | | | | | | | | |
| 213 | PROMOTE RTU 8OZ | E | | | | | | | | | | | | | | | 113 | 8 |
| 213 | PROMOTE RTU 8OZ | E | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| 214 | PROMOTE W/FBR RTU 8OZ | E | | | | | | | | | | | | | | | 113 | 8 |
| 214 | PROMOTE W/FBR RTU 8OZ | E | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| 354 | PROPIMEX 1 PWD 14.1OZ | E | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 14 | 96/64 |
| 354 | PROPIMEX 1 PWD 14.1OZ | E | MBF | | 4 | 4 | 4 | 4 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 354 | PROPIMEX 1 PWD 14.1OZ | E | NFF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 354 | PROPIMEX 1 PWD 14.1OZ | E | NFMBF | | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| | | | | | | | | | | | | | | | | | | |
| 355 | PROPIMEX 2 PWD 14.1OZ | E | | | | | | | | | | | | | | | 16 | 55 |
| 355 | PROPIMEX 2 PWD 14.1OZ | E | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| 373 | PROSOBEE CON 13OZ | S | FF | 31 | 31 | 31 | 31 | 31 | 34 | 34 | 24 | 24 | 24 | 24 | 24 | 24 | 35 | 26 |
| 373 | PROSOBEE CON 13OZ | S | MBF | | 14 | 14 | 14 | 14 | 17 | 17 | 12 | 12 | 12 | 12 | 12 | 12 | | |
| | | | | | | | | | | | | | | | | | | |
| 376 | PROSOBEE PWD 12.9OZ | S | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 9 | 92 |
| 376 | PROSOBEE PWD 12.9OZ | S | MBF | | 4 | 4 | 4 | 4 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| | | | | | | | | | | | | | | | | | | |
| 375 | PROSOBEE RTU 32OZ | S | FF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 20 | 20 | 20 | 20 | 20 | 20 | 28 | 32 |
| 375 | PROSOBEE RTU 32OZ | S | MBF | | 12 | 12 | 12 | 12 | 14 | 14 | 10 | 10 | 10 | 10 | 10 | 10 | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 |
|-----------|----------------------------|--------------|----------------------|------------------------------------|----|----|----|----|----|----|----|----|----|-----|-----|-----|-------------------------|------------------------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| 219 | PULMOCARE RTU 8OZ | E | | | | | | | | | | | | | | | 113 | 8 |
| 219 | PULMOCARE RTU 8OZ | E | | | | | | | | | | | | | | | | |
| 230 | RCF CON 13OZ | E | FF | 31 | 31 | 31 | 31 | 31 | 34 | 34 | 24 | 24 | 24 | 24 | 24 | 24 | 35 | 26 |
| 230 | RCF CON 13OZ | E | MBF | | 14 | 14 | 14 | 14 | 17 | 17 | 12 | 12 | 12 | 12 | 12 | 12 | | |
| 230 | RCF CON 13OZ | E | NFF | 31 | 31 | 31 | 31 | 31 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | 34 | | |
| 230 | RCF CON 13OZ | E | NFMBF | | 14 | 14 | 14 | 14 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | 17 | | |
| 222 | RENALCAL RTU 250ML | E | | | | | | | | | | | | | | | 107 | 8.45 |
| 222 | RENALCAL RTU 250ML | E | | | | | | | | | | | | | | | | |
| 508 | RENASTART PWD 1000G | E | | | | | | | | | | | | | | | 2 | 338 |
| 508 | RENASTART PWD 1000G | E | | | | | | | | | | | | | | | | |
| 224 | REPLETE W/FBR RTU 250ML | E | | | | | | | | | | | | | | | 107 | 8.45 |
| 224 | REPLETE W/FBR RTU 250ML | E | | | | | | | | | | | | | | | | |
| 177 | RESOURCE 2.0 RTU 8OZ | E | | | | | | | | | | | | | | | 113 | 8 |
| 177 | RESOURCE 2.0 RTU 8OZ | E | | | | | | | | | | | | | | | | |
| 496 | RESOURCE BREEZE RTU 8OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 80 | 80 | 80 | 113 | 8 |
| 496 | RESOURCE BREEZE RTU 8OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | 40 | 40 | | |
| 496 | RESOURCE BREEZE RTU 8OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 | 112 | 112 | | |
| 496 | RESOURCE BREEZE RTU 8OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 56 | 56 | 56 | | |
| 232 | SCANDISHAKE LF PWD 12OZ | E | | | | | | | | | | | | | | | 28 | 32 |
| 232 | SCANDISHAKE LF PWD 12OZ | E | | | | | | | | | | | | | | | | |
| 233 | SCANDISHAKE PWD 12OZ | E | | | | | | | | | | | | | | | 28 | 32 |
| 233 | SCANDISHAKE PWD 12OZ | E | | | | | | | | | | | | | | | | |
| 234 | SCANDISHAKE W/ASP PWD 18OZ | E | | | | | | | | | | | | | | | 18 | 48 |
| 234 | SCANDISHAKE W/ASP PWD 18OZ | E | | | | | | | | | | | | | | | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 | | | |
|-----------|---------------------------------|--------------|----------------------|------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------------------|------------------------|-----|-----|-----|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | | 10 | 11 | |
| 471 | SIM GO&GROW MILK PWD 22OZ | S | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 4 | 4 | 5 | 162 |
| 471 | SIM GO&GROW MILK PWD 22OZ | S | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 2 | | |
| 472 | SIM GO&GROW SOY PWD 22OZ | S | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 4 | 4 | 5 | 160 |
| 472 | SIM GO&GROW SOY PWD 22OZ | S | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 2 | | |
| 042 | SIM PM60/40 LOW IRON PWD 14.1OZ | E | FF | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 7 | 6 | 6 | 6 | 6 | 6 | 6 | 8 | 102 |
| 042 | SIM PM60/40 LOW IRON PWD 14.1OZ | E | MBF | | 3 | 3 | 4 | 4 | 4 | 5 | 4 | 3 | 3 | 3 | 3 | 3 | 3 | | |
| 042 | SIM PM60/40 LOW IRON PWD 14.1OZ | E | NFF | 8 | 8 | 8 | 8 | 8 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | | |
| 042 | SIM PM60/40 LOW IRON PWD 14.1OZ | E | NFMBF | | 3 | 3 | 4 | 4 | 4 | 5 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | | |
| 482 | SIM SENS FOR SPITUP PWD 12.3OZ | S | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 10 | 90 |
| 482 | SIM SENS FOR SPITUP PWD 12.3OZ | S | MBF | | 4 | 4 | 4 | 5 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 450 | SIM SENS FOR SPITUP RTU 32OZ | S | FF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 20 | 20 | 20 | 20 | 20 | 20 | 20 | 28 | 32 |
| 450 | SIM SENS FOR SPITUP RTU 32OZ | S | MBF | | 12 | 12 | 12 | 12 | 14 | 14 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 441 | SIM SPEC CARE24 W/IRON RTU 2OZ | E | FF | 416 | 416 | 416 | 416 | 416 | 448 | 448 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 455 | 2 |
| 441 | SIM SPEC CARE24 W/IRON RTU 2OZ | E | MBF | | 192 | 192 | 192 | 192 | 224 | 224 | 160 | 160 | 160 | 160 | 160 | 160 | 160 | | |
| 441 | SIM SPEC CARE24 W/IRON RTU 2OZ | E | NFF | 416 | 416 | 416 | 416 | 416 | 448 | 448 | 448 | 448 | 448 | 448 | 448 | 448 | 448 | | |
| 441 | SIM SPEC CARE24 W/IRON RTU 2OZ | E | NFMBF | | 192 | 192 | 192 | 192 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | | |
| 503 | SIM SPECIAL CARE 30 RTU 2OZ | E | FF | 416 | 416 | 416 | 416 | 416 | 448 | 448 | 320 | 320 | 320 | 320 | 320 | 320 | 320 | 455 | 2 |
| 503 | SIM SPECIAL CARE 30 RTU 2OZ | E | MBF | | 192 | 192 | 192 | 192 | 224 | 224 | 160 | 160 | 160 | 160 | 160 | 160 | 160 | | |
| 503 | SIM SPECIAL CARE 30 RTU 2OZ | E | NFF | 416 | 416 | 416 | 416 | 416 | 448 | 448 | 448 | 448 | 448 | 448 | 448 | 448 | 448 | | |
| 503 | SIM SPECIAL CARE 30 RTU 2OZ | E | NFMBF | | 192 | 192 | 192 | 192 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | 224 | | |
| 388 | SIMILAC ADVANCE CON 13OZ | S | FF | 31 | 31 | 31 | 31 | 31 | 34 | 34 | 24 | 24 | 24 | 24 | 24 | 24 | 24 | 35 | 26 |
| 388 | SIMILAC ADVANCE CON 13OZ | S | MBF | | 14 | 14 | 14 | 14 | 17 | 17 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | | |
| 414 | SIMILAC ADVANCE PWD 12.4OZ | S | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 10 | 90 |
| 414 | SIMILAC ADVANCE PWD 12.4OZ | S | MBF | | 4 | 4 | 4 | 5 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 |
|-----------|-------------------------------|--------------|----------------------|------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------------------|------------------------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| 365 | SIMILAC ADVANCE RTU 32OZ | S | FF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 20 | 20 | 20 | 20 | 20 | 20 | 28 | 32 |
| 365 | SIMILAC ADVANCE RTU 32OZ | S | MBF | | 12 | 12 | 12 | 12 | 14 | 14 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 019 | SIMILAC FOR DIARRHEA RTU 32OZ | E | FF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 20 | 20 | 20 | 20 | 20 | 20 | 28 | 32 |
| 019 | SIMILAC FOR DIARRHEA RTU 32OZ | E | MBF | | 12 | 12 | 12 | 12 | 14 | 14 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 019 | SIMILAC FOR DIARRHEA RTU 32OZ | E | NFF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | 28 | | |
| 019 | SIMILAC FOR DIARRHEA RTU 32OZ | E | NFMBF | | 12 | 12 | 12 | 12 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | 14 | | |
| 235 | SIMILAC HMF PWD 0.9G | E | FF | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 700 | 700 | 700 | 700 | 700 | 700 | 0 | N/A |
| 235 | SIMILAC HMF PWD 0.9G | E | MBF | | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | | |
| 235 | SIMILAC HMF PWD 0.9G | E | NFF | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | 800 | | |
| 235 | SIMILAC HMF PWD 0.9G | E | MNMBF | | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | 400 | | |
| 411 | SIMILAC SENSITIVE CON 13OZ | S | FF | 31 | 31 | 31 | 31 | 31 | 34 | 34 | 24 | 24 | 24 | 24 | 24 | 24 | 35 | 26 |
| 411 | SIMILAC SENSITIVE CON 13OZ | S | MBF | | 14 | 14 | 14 | 14 | 17 | 17 | 12 | 12 | 12 | 12 | 12 | 12 | | |
| 394 | SIMILAC SENSITIVE PWD 12.6OZ | S | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 10 | 90 |
| 394 | SIMILAC SENSITIVE PWD 12.6OZ | S | MBF | | 4 | 4 | 4 | 5 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 397 | SIMILAC SENSITIVE RTU 32OZ | S | FF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 20 | 20 | 20 | 20 | 20 | 20 | 28 | 32 |
| 397 | SIMILAC SENSITIVE RTU 32OZ | S | MBF | | 12 | 12 | 12 | 12 | 14 | 14 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 391 | SIMILAC SOY ISOMIL CON 13OZ | S | FF | 31 | 31 | 31 | 31 | 31 | 34 | 34 | 24 | 24 | 24 | 24 | 24 | 24 | 35 | 26 |
| 391 | SIMILAC SOY ISOMIL CON 13OZ | S | MBF | | 14 | 14 | 14 | 14 | 17 | 17 | 12 | 12 | 12 | 12 | 12 | 12 | | |
| 389 | SIMILAC SOY ISOMIL PWD 12.4OZ | S | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 10 | 90 |
| 389 | SIMILAC SOY ISOMIL PWD 12.4OZ | S | MBF | | 4 | 4 | 4 | 5 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 390 | SIMILAC SOY ISOMIL RTU 32OZ | S | FF | 26 | 26 | 26 | 26 | 26 | 28 | 28 | 20 | 20 | 20 | 20 | 20 | 20 | 28 | 32 |
| 390 | SIMILAC SOY ISOMIL RTU 32OZ | S | MBF | | 12 | 12 | 12 | 12 | 14 | 14 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 239 | SUPLENA RTU 8OZ | E | | | | | | | | | | | | | | | 113 | 8 |
| 239 | SUPLENA RTU 8OZ | E | | | | | | | | | | | | | | | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 |
|-----------|---------------------|--------------|----------------------|------------------------------------|----|----|----|----|----|----|----|----|----|----|----|----|-------------------------|------------------------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| 240 | TOLEREX PWD 2.82OZ | E | FF | 81 | 81 | 81 | 81 | 81 | 89 | 89 | 63 | 63 | 63 | 63 | 63 | 63 | 91 | 10 |
| 240 | TOLEREX PWD 2.82OZ | E | MBF | | 37 | 37 | 37 | 37 | 45 | 45 | 32 | 32 | 32 | 32 | 32 | 32 | | |
| 240 | TOLEREX PWD 2.82OZ | E | NFF | 81 | 81 | 81 | 81 | 81 | 89 | 89 | 89 | 89 | 89 | 89 | 89 | 89 | | |
| 240 | TOLEREX PWD 2.82OZ | E | MNMBF | | 37 | 37 | 37 | 37 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | 45 | | |
| 245 | TWOCAL HN RTU 8OZ | E | | | | | | | | | | | | | | | 113 | 8 |
| 245 | TWOCAL HN RTU 8OZ | E | | | | | | | | | | | | | | | | |
| 304 | TYR 2 PWD 500G | E | | | | | | | | | | | | | | | 18 | 75/50 |
| 304 | TYR 2 PWD 500G | E | | | | | | | | | | | | | | | | |
| 357 | TYREX 1 PWD 14.1OZ | E | FF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 7 | 7 | 7 | 7 | 7 | 7 | 14 | 96/64 |
| 357 | TYREX 1 PWD 14.1OZ | E | MBF | | 4 | 4 | 4 | 4 | 5 | 5 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 357 | TYREX 1 PWD 14.1OZ | E | NFF | 9 | 9 | 9 | 9 | 9 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | | |
| 357 | TYREX 1 PWD 14.1OZ | E | NFMBF | | 4 | 4 | 4 | 4 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | | |
| 358 | TYREX 2 PWD 14.1OZ | E | | | | | | | | | | | | | | | 16 | 82/55 |
| 358 | TYREX 2 PWD 14.1OZ | E | | | | | | | | | | | | | | | | |
| 467 | TYROS 1 PWD 16OZ | E | FF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 6 | 6 | 6 | 5 | 5 | 5 | 11 | 114/76 |
| 467 | TYROS 1 PWD 16OZ | E | MBF | | 3 | 3 | 3 | 4 | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 2 | | |
| 467 | TYROS 1 PWD 16OZ | E | NFF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | |
| 467 | TYROS 1 PWD 16OZ | E | NFMBF | | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 330 | TYROS 2 PWD 16OZ | E | | | | | | | | | | | | | | | 14 | 93/62 |
| 330 | TYROS 2 PWD 16OZ | E | | | | | | | | | | | | | | | | |
| 307 | UCD 2 PWD 500G | E | | | | | | | | | | | | | | | 18 | 73/48 |
| 307 | UCD 2 PWD 500G | E | | | | | | | | | | | | | | | | |
| 249 | VITAL HN PWD 2.79OZ | E | | | | | | | | | | | | | | | 101 | 9 |
| 249 | VITAL HN PWD 2.79OZ | E | | | | | | | | | | | | | | | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 |
|-----------|-----------------------------|--------------|----------------------|------------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------------------|------------------------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| 444 | VITAL JR RTU 8OZ | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 80 | 80 | 80 | 113 | 8 |
| 444 | VITAL JR RTU 8OZ | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 40 | 40 | 40 | | |
| 444 | VITAL JR RTU 8OZ | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 112 | 112 | 112 | | |
| 444 | VITAL JR RTU 8OZ | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 56 | 56 | 56 | | |
| 250 | VIVONEX PEDIATRIC PWD 1.7OZ | E | FF | 104 | 104 | 104 | 104 | 104 | 112 | 112 | 80 | 80 | 80 | 80 | 80 | 80 | 113 | 8 |
| 250 | VIVONEX PEDIATRIC PWD 1.7OZ | E | MBF | | 48 | 48 | 48 | 48 | 56 | 56 | 40 | 40 | 40 | 40 | 40 | 40 | | |
| 250 | VIVONEX PEDIATRIC PWD 1.7OZ | E | NFF | 104 | 104 | 104 | 104 | 104 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | 112 | | |
| 250 | VIVONEX PEDIATRIC PWD 1.7OZ | E | NFMBF | | 48 | 48 | 48 | 48 | 56 | 56 | 56 | 56 | 56 | 56 | 56 | 56 | | |
| 251 | VIVONEX PLS PWD 2.8OZ | E | | | | | | | | | | | | | | | 91 | 10 |
| 251 | VIVONEX PLS PWD 2.8OZ | E | | | | | | | | | | | | | | | | |
| 252 | VIVONEX TEN PWD 2.84OZ | E | | | | | | | | | | | | | | | 91 | 10 |
| 252 | VIVONEX TEN PWD 2.84OZ | E | | | | | | | | | | | | | | | | |
| 468 | WND 1 PWD 16OZ | E | FF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 6 | 6 | 6 | 5 | 5 | 5 | 11 | 114/76 |
| 468 | WND 1 PWD 16OZ | E | MBF | | 3 | 3 | 3 | 4 | 4 | 4 | 3 | 3 | 3 | 3 | 3 | 2 | | |
| 468 | WND 1 PWD 16OZ | E | NFF | 7 | 7 | 7 | 7 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | | |
| 468 | WND 1 PWD 16OZ | E | NFMBF | | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 331 | WND 2 PWD 16OZ | E | | | | | | | | | | | | | | | 14 | 93/62 |
| 331 | WND 2 PWD 16OZ | E | | | | | | | | | | | | | | | | |
| 253 | XLEU ANALOG PWD 400G | E | FF | 10 | 10 | 10 | 10 | 11 | 11 | 12 | 8 | 8 | 8 | 8 | 8 | 7 | 11 | 80 |
| 253 | XLEU ANALOG PWD 400G | E | MBF | | 4 | 4 | 5 | 5 | 6 | 6 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 253 | XLEU ANALOG PWD 400G | E | NFF | 10 | 10 | 10 | 10 | 11 | 11 | 12 | 12 | 11 | 11 | 11 | 11 | 11 | | |
| 253 | XLEU ANALOG PWD 400G | E | NFMBF | | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | |
| 254 | XLEU MAXAMAID PWD 454G | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 6 | 6 | 11 | 104/78 |
| 254 | XLEU MAXAMAID PWD 454G | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 3 | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 | |
|-----------|-----------------------------|--------------|----------------------|------------------------------------|----|----|----|----|----|----|----|----|----|----|----|----|-------------------------|------------------------|--------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | | |
| 254 | XLEU MAXAMAID PWD 454G | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 9 | 9 | | |
| 254 | XLEU MAXAMAID PWD 454G | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 5 | 5 | | |
| 255 | XLEU MAXAMUM PWD 454G | E | | | | | | | | | | | | | | | | 11 | 104/78 |
| 255 | XLEU MAXAMUM PWD 454G | E | | | | | | | | | | | | | | | | | |
| 256 | XLYS,XTRP ANALOG PWD 400G | E | FF | 10 | 10 | 10 | 10 | 11 | 11 | 12 | 8 | 8 | 8 | 8 | 8 | 7 | 11 | 80 | |
| 256 | XLYS,XTRP ANALOG PWD 400G | E | MBF | | 4 | 4 | 5 | 5 | 6 | 6 | 4 | 4 | 4 | 4 | 4 | 4 | | | |
| 256 | XLYS,XTRP ANALOG PWD 400G | E | NFF | 10 | 10 | 10 | 10 | 11 | 11 | 12 | 12 | 11 | 11 | 11 | 11 | 11 | | | |
| 256 | XLYS,XTRP ANALOG PWD 400G | E | NFMBF | | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | | |
| 257 | XLYS,XTRP MAXAMAID PWD 454G | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 6 | 6 | 11 | 104/78 |
| 257 | XLYS,XTRP MAXAMAID PWD 454G | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 3 | | |
| 257 | XLYS,XTRP MAXAMAID PWD 454G | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 9 | 9 | | | |
| 257 | XLYS,XTRP MAXAMAID PWD 454G | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 5 | 5 | | | |
| 258 | XLYS,XTRP MAXAMUM PWD 454G | E | | | | | | | | | | | | | | | | 11 | 104/78 |
| 258 | XLYS,XTRP MAXAMUM PWD 454G | E | | | | | | | | | | | | | | | | | |
| 259 | XMET ANALOG PWD 400G | E | FF | 10 | 10 | 10 | 10 | 11 | 11 | 12 | 8 | 8 | 8 | 8 | 8 | 7 | 11 | 80 | |
| 259 | XMET ANALOG PWD 400G | E | MBF | | 4 | 4 | 5 | 5 | 6 | 6 | 4 | 4 | 4 | 4 | 4 | 4 | | | |
| 259 | XMET ANALOG PWD 400G | E | NFF | 10 | 10 | 10 | 10 | 11 | 11 | 12 | 12 | 11 | 11 | 11 | 11 | 11 | | | |
| 259 | XMET ANALOG PWD 400G | E | NFMBF | | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | | |
| 260 | XMET MAXAMAID PWD 454G | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 6 | 6 | 11 | 104/78 |
| 260 | XMET MAXAMAID PWD 454G | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 3 | | |
| 260 | XMET MAXAMAID PWD 454G | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 9 | 9 | | | |
| 260 | XMET MAXAMAID PWD 454G | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 5 | 5 | | | |
| 261 | XMET MAXAMUM PWD 454G | E | | | | | | | | | | | | | | | | 11 | 104/78 |
| 261 | XMET MAXAMUM PWD 454G | E | | | | | | | | | | | | | | | | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 |
|-----------|------------------------------|--------------|----------------------|------------------------------------|----|----|----|----|----|----|----|----|----|----|----|----|-------------------------|------------------------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| 262 | XMTVI ANALOG PWD 400G | E | FF | 10 | 10 | 10 | 10 | 11 | 11 | 12 | 8 | 8 | 8 | 8 | 8 | 7 | 11 | 80 |
| 262 | XMTVI ANALOG PWD 400G | E | MBF | | 4 | 4 | 5 | 5 | 6 | 6 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 262 | XMTVI ANALOG PWD 400G | E | NFF | 10 | 10 | 10 | 10 | 11 | 11 | 12 | 12 | 11 | 11 | 11 | 11 | 11 | | |
| 262 | XMTVI ANALOG PWD 400G | E | NFMBF | | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | |
| 263 | XMTVI MAXAMAID PWD 454G | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 6 | 6 | 11 | 104/78 |
| 263 | XMTVI MAXAMAID PWD 454G | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 3 | | |
| 263 | XMTVI MAXAMAID PWD 454G | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 9 | 9 | | |
| 263 | XMTVI MAXAMAID PWD 454G | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 5 | 5 | | |
| 264 | XMTVI MAXAMUM PWD 454G | E | | | | | | | | | | | | | | | 11 | 104/78 |
| 264 | XMTVI MAXAMUM PWD 454G | E | | | | | | | | | | | | | | | | |
| 242 | XPHE MAXAMAID PWD 454G | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 6 | 6 | 11 | 104/78 |
| 242 | XPHE MAXAMAID PWD 454G | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 3 | | |
| 242 | XPHE MAXAMAID PWD 454G | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 9 | 9 | | |
| 242 | XPHE MAXAMAID PWD 454G | E | NFMBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 5 | 5 | | |
| 497 | XPHE MAXAMUM DRINK RTU 8.5OZ | E | | | | | | | | | | | | | | | 107 | 8.5 |
| 497 | XPHE MAXAMUM DRINK RTU 8.5OZ | E | | | | | | | | | | | | | | | | |
| 243 | XPHE MAXAMUM PWD 454G | E | | | | | | | | | | | | | | | 11 | 104/78 |
| 243 | XPHE MAXAMUM PWD 454G | E | | | | | | | | | | | | | | | | |
| 244 | XPHE,XTYR ANALOG PWD 400G | E | FF | 10 | 10 | 10 | 10 | 11 | 11 | 12 | 8 | 8 | 8 | 8 | 8 | 7 | 11 | 80 |
| 244 | XPHE,XTYR ANALOG PWD 400G | E | MBF | | 4 | 4 | 5 | 5 | 6 | 6 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| 244 | XPHE,XTYR ANALOG PWD 400G | E | NFF | 10 | 10 | 10 | 10 | 11 | 11 | 12 | 12 | 11 | 11 | 11 | 11 | 11 | | |
| 244 | XPHE,XTYR ANALOG PWD 400G | E | NFMBF | | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | |
| 135 | XPHE,XTYR MAXAMAID PWD 454G | E | FF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 6 | 6 | 6 | 11 | 104/78 |
| 135 | XPHE,XTYR MAXAMAID PWD 454G | E | MBF | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 3 | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed

August 2011

FORMULA MAXIMUM QUANTITY TABLE

| Form Code | Formula Description | Std or Exmpt | FormFed or Mostly BF | Infant Quantity per Issuance Month | | | | | | | | | | | | | Woman or Child Quantity | Reconst. Oz/Ctnr 20/30 |
|-----------|-----------------------------|--------------|----------------------|------------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|----------|----------|----------|-------------------------|------------------------|
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| | | | | 0 | <1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | | |
| 135 | XPHE,XTYR MAXAMAID PWD 454G | E | NFF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 9 | 9 | | |
| 135 | XPHE,XTYR MAXAMAID PWD 454G | E | NFMBF | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 5 | 5 | | |
| | | | | | | | | | | | | | | | | | | |
| 134 | XPTM ANALOG PWD 400G | E | FF | 10 | 10 | 10 | 10 | 11 | 11 | 12 | 8 | 8 | 8 | 8 | 8 | 7 | 11 | 80 |
| 134 | XPTM ANALOG PWD 400G | E | MBF | 10 | 4 | 4 | 5 | 5 | 6 | 6 | 4 | 4 | 4 | 4 | 4 | 4 | | |
| | | | | | | | | | | | | | | | | | | |
| 134 | XPTM ANALOG PWD 400G | E | NFF | 10 | 10 | 10 | 10 | 11 | 11 | 12 | 12 | 11 | 11 | 11 | 11 | 11 | | |
| 134 | XPTM ANALOG PWD 400G | E | NFMBF | 10 | 4 | 4 | 5 | 5 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | | |

FF=Formula fed
 MBF=Mostly breastfed
 NFF=No foods, formula fed
 NFMBF=No foods, mostly breastfed