

TABLE II
REPORTED DISEASE RATES¹ - TEXAS, 2008-2017
(CASES PER 100,000 POPULATION)

DISEASE	2017	2016	2015	2014	2013	2012	2011	2010	2009	2008
RELAPSING FEVER	NR	NR	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RUBELLA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
RICKETTSIA, UNSPECIFIED	0.0	0.0	0.0	NA ⁸						
RUBELLA, CONGENITAL SYNDROME ⁹	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SALMONELLOSIS	17.8	20.9	20.7	18.7	18.4	18.9	20.2	19.4	16.0	22.9
SHIGELLOSIS	5.3	15.5	20.3	10.0	8.9	7.3	9.8	10.3	9.3	19.2
SMALLPOX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SPOTTED FEVER RICKETTSIOSSES	0.4	0.3	0.2	0.3	0.3	0.3	0.2	0.1	0.1	0.3
ST LOUIS ENCEPHALITIS VIRUS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
STREPTOCOCCUS PNEUMONIAE	6.2	6.2	6.1	5.7	6.4	5.8	6.2	7.5	7.9	7.8
STREPTOCOCCUS, GROUP A	3.0	2.5	2.6	2.2	1.6	1.3	1.6	1.4	1.3	1.8
STREPTOCOCCUS, GROUP B	6.7	6.2	6.1	4.9	3.9	3.9	3.5	3.3	2.7	2.4
TAENIASIS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TETANUS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TRICHINOSIS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TRICHURIASIS	0.0	0.0	NR	NR	NR	NR	NR	NR	NR	NR
TULAREMIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TYPHOID FEVER	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1
TYPHUS, MURINE	1.8	1.3	1.2	1.1	0.8	1.0	1.1	0.5	0.8	0.6
VENEZUELAN EQUINE ENCEPHALITIS VIRUS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	NR
VIBRIO PARAHAEMLYTICUS	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0
VIBRIO VULNIFICUS	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
VIBRIO, OTHER/UNSPECIFIED	0.4	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1
VIRAL HEMORRHAGIC FEVER	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VISA	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
VRSA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WESTERN EQUINE ENCEPHALITIS VIRUS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
WEST NILE FEVER	0.2	0.4	0.3	0.5	0.3	7.1	0.0	0.0	0.1	0.1
WEST NILE NEUROINVASIVE DISEASE	0.3	0.9	0.7	0.9	0.4	0.0	0.1	0.3	0.4	0.2
YELLOW FEVER	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
YERSINIOSIS	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1
ZIKA VIRUS DISEASE	0.2	1.1	0.0	NR						

¹ Population data is from the Department of State Health Services, Center for Health Statistics <http://www.dshs.state.tx.us/chs/popdat/popup.shtm>.

For years 2008 (24,326,974) and 2009 (24,782,302), population estimates are used since projected population data was not captured in annual reports for those years. For years 2007 (23,936,227), 2010 (25,373,947), 2011 (25,883,999), 2012 (26,403,743), 2013 (26,932,619), 2014 (27,470,110), 2015 (27,695,284), 2016 (28,240,245), and 2017 (28,797,290) projected population is used.

² Condition not reportable (NR) in Texas.

³ Infant botulism rates are calculated using the population under 1 year of age.

⁴Data is not available (NA) for the whole year. MDR-A and CRE were not officially reportable until April 21st, 2014.

⁵ Rates are not available. The referent population, health care workers at Texas governmental entities, is unknown.

⁶ Perinatal hepatitis B cases are defined as infants >1 month of age through 24 months of age who were born in the US to HBsAg positive mothers. The rates were calculated using the population under 2 years of age, which approximates this cohort.

⁷ Influenza-associated pediatric mortality cases are calculated using the population under 18 years of age.

⁸Data is not available (NA) due to changes in case classification or surveillance practices.

⁹Congenital rubella rates are calculated using the population under 1 year of age.