

Influenza

» <u>Influenza</u> » Surveillance » <u>2009</u> » <u>Week \_25</u>: Surveillance



(Flu) ICD-9 487; ICD-10 J10,11 Related Topics: <u>Protecting Yourself During the Cold and Flu Season</u>, <u>Avian Flu</u>, <u>Vaccine Preventable Diseases</u>, <u>Asthma</u> and <u>SARS</u>

<u>Antiviral Guidance Conferences Other</u> <u>Sites Overview Reporting</u> Surveillance <u>Handbook Vaccine</u>

<b>ILINet</b>	<u>2010-2011</u>	<u> 2009 - 2010</u>	2008 - 2009	<u> 2007 - 2008</u>	<u> 2006 - 2007</u>	<u> 2005 - 2006</u>	<u> 2004 - 2005</u>
<u> 2003 - 2004</u>	<u> 2002 - 2003</u>	<u> 2001 - 2002</u>	<u> 2000 - 2001</u>	<u> 1999 - 2000</u>	<u> 1998 - 1999</u>		



2008 - 2009 Texas Influenza Surveillance Information

## Current Flu Activity Report in PDF Format

Influenza Surveillance Report for MMWR Week 25

The influenza (flu) activity level for Texas for the week ending June 27, 2009 was "local." During week 25, 9 (4.5%) specimens tested by NREVSS laboratories in Texas were positive for influenza. The percentage of visits for influenza-like illness as reported by ILINet providers in Texas was below the regional baseline.

## **Reports from Health Service Regions**

Reports were received from all Health Service Regions (HSRs) for week 25. HSR 2/3 reported an increased level of flu activity compared to week 24. HSRs 4/5N, 6/5S, 8, and 11 reported the same level of flu activity compared to week 24. HSRs 1, 7, and 9/10 reported a decreased level of flu activity compared to week 24. For a map of Health Service Regions, please visit the following website: **www.dshs.state.tx.us/regions/state.shtm** 

## Laboratory Results

During week 25, five hospital laboratories and public health agencies across Texas reported conducting a total of 201 influenza tests (antigen, culture, and PCR) to the National Respiratory and Enteric Virus Surveillance System (**NREVSS**) sponsored by the Centers for Disease Control and Prevention (CDC). Of the 160 antigen detection tests that were performed, 8 were positive for influenza A/not subtyped. The positive results were reported from Bexar and Collin counties.

A total of 24 reports of PCR- or culture-confirmed seasonal or unsubtyped influenza were received from public health laboratories, Scott & White Memorial Hospital in Temple, Texas Children's Hospital in Houston, the United States Air Force School of Aerospace Medicine (USAFSAM), and NREVSS for the following counties during week 25 (June 21-June 27):

Influenza A/H1 (seasonal)	Influenza A/H3	Influenza A/not subtyped	Influenza B
McLennan County	Bexar County	Dallas County	(none)
	Comal County	Harris County (16)	

#### Texas Department of State Health Services, Infectious Disease Control Unit > Surveillance

Maverick County (2) Morris County Zavala County

Positive point-of-care rapid tests for influenza were reported by providers throughout the state (see county map below).

## Novel Influenza A Virus Infections

Case investigations are ongoing, and the number of confirmed cases changes frequently. Please see the DSHS website <u>(www.dshs.state.tx.us/swineflu/default.shtm)</u> and the CDC website <u>(http://www.cdc.gov/h1n1flu/)</u> for more information on the current investigation.

## Antigenic Characterization

CDC has reported antigenic characterization results from 51 seasonal influenza isolates [20 influenza A/H1, 8 influenza A/H3, and 23 influenza B viruses] and 2 novel influenza A H1N1 viruses received from the DSHS Laboratory since the beginning of the 2008–09 flu season. Influenza A/H1 [20]

• All 20 viruses were characterized as A/Brisbane/59/2007, the influenza A/H1 component of the 2008–09 influenza vaccine for the Northern Hemisphere.

Influenza A/H3 [8]

• All 8 viruses were characterized as A/Brisbane/10/2007, the influenza A/H3 component of the 2008-09 influenza vaccine for the Northern Hemisphere.

Influenza B (B/Victoria/02/87 and B/Yamagata/16/88 lineages) [23]

Victoria lineage [16]

• Sixteen of the influenza B viruses were characterized as belonging to the B/Victoria lineage.

Yamagata lineage [7]

• Seven viruses were characterized as B/Florida/4/2006, the influenza B component for the 2008-09 influenza vaccine for the Northern Hemisphere.

Novel influenza A/H1 [2]

• Both viruses were characterized as A/California/07/2009-like (H1N1), the reference virus selected by WHO as a candidate for the novel influenza A H1N1 vaccine.

## **Antiviral Resistance**

Since September 28, 2008, 22 seasonal influenza A/H1 isolates, 7 influenza A/H3 isolates, 22 influenza B isolates, and 1 novel influenza A H1N1 isolate from the DSHS laboratory have been tested by CDC for antiviral resistance.

Antiviral Resistance

Flu Types/Subtypes	Isolates Tested (n)	Resistant Viruses, Number (%)			
		Oseltamivir	Zanamivir		Adamantanes
Influenza A/H1 (seasonal)	22	22 (100%)	0 (0)	22	0 (0)
Influenza A/H3	7	0 (0)	0 (0)	7	7 (100%)
Influenza B	22	0 (0)	0 (0)	N/A*	N/A*
Influenza A/H1 (novel)	1	0 (0)	0 (0)	1	1 (100%)

\*Adamantanes are not effective against influenza B viruses.

CDC has issued interim recommendations for use of antiviral medications in the 2008-09 influenza season. Those recommendations are available at:

http://www.cdc.gov/flu/professionals/antivirals/index.htm.

# Influenza-Associated Pediatric Mortality

No influenza-associated pediatric fatalities were reported during week 25. Texas has reported thirteen influenza-associated pediatric fatalities during the 2008-09 influenza season.

## School Closures and Institutional Outbreaks

No school closures or institutional outbreaks were reported for week 25. An outbreak of novel influenza A H1N1 was reported in a summer camp in Dallas County during week 25. CDC has issued interim guidance for cases of novel influenza A H1N1 in summer camps. This guidance is available at <u>http://www.cdc.gov/h1n1flu/camp.htm</u>.


# U.S. Outpatient Influenza-like Illness Surveillance Network

Fifty-one providers in Texas reported data to the U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet) (formerly known as the U.S. Influenza Sentinel Provider Surveillance System) on patients with influenza-like illness (ILI) and total patients seen for any reason during week 25. Of the 50 providers who reported seeing patients during week 25, 25 (50%) providers saw at least one patient with ILI. Of all patient visits during this week, 0.87% were due to ILI. The ILI baseline for HHS Region 6 (Arkansas, Louisiana, New Mexico, Oklahoma, and Texas) of the United States is 4.6% for the 2008-2009 season. The baseline is the mean percentage of patient visits for ILI during non-influenza weeks for the previous three seasons plus two standard deviations.

	-		6:	47:38 PI	1			
Week	# Reporting	Age 0-4	Age 5-24	Age 25-64	Age over 64	Total ILI	Total Patients	% ILI
2008- 40	78	84	133	127	22	366	20333	1.80
2008- 41	78	114	163	124	19	420	20105	2.09
2008- 42	79	107	156	90	7	360	19746	1.82
2008- 43	80	120	152	106	20	398	19857	2.00
2008- 44	82	136	199	104	26	465	20972	2.22
2008- 45	79	110	111	122	27	370	20959	1.77
2008- 46	74	110	107	103	23	343	19890	1.72
2008- 47	76	137	143	122	19	421	19907	2.11
2008- 48	80	132	132	125	37	426	17012	2.50
2008- 49	78	143	159	153	24	479	20446	2.34
2008- 50	76	133	146	108	28	415	19450	2.13
2008- 51	70	172	177	175	24	548	17663	3.10
2008- 52	77	194	153	154	34	535	13509	3.96
2008- 53	78	176	141	165	46	528	15329	3.44
2009- 01	79	162	182	188	38	570	18646	3.06
2009- 02	78	178	287	235	41	741	20222	3.66
2009- 03	79	174	468	341	43	1026	23058	4.45
2009- 04	79	260	679	333	47	1319	24350	5.42


2009- 05	74	282	884	467	40	1673	24734	6.76
2009- 06	80	301	965	392	59	1717	24320	7.06
2009- 07	80	320	816	316	57	1509	26024	5.80
2009- 08	74	221	552	283	57	1113	24664	4.51
2009- 09	77	194	423	245	71	933	22428	4.16
2009- 10	80	221	325	212	77	835	22635	3.69
2009- 11	77	167	269	178	58	672	19656	3.42
2009- 12	72	109	150	179	18	456	20910	2.18
2009- 13	73	114	143	163	16	436	18660	2.34
2009- 14	80	158	197	234	51	640	20843	3.07
2009- 15	77	92	136	156	23	407	21124	1.93
2009- 16	85	131	197	163	28	519	21938	2.37
2009- 17	77	260	570	348	44	1222	25406	4.81
2009- 18	72	200	361	185	31	777	22503	3.45
2009- 19	65	125	253	183	24	585	19066	3.07
2009- 20	63	122	255	134	7	518	19150	2.70
2009- 21	64	115	238	115	31	499	39616	1.26
2009- 22	61	109	202	97	23	431	40506	1.06
2009- 23	53	79	103	29	9	220	9735	2.26
2009- 24	49	67	132	86	5	290	37065	0.78
2009- 25	51	72	117	83	15	287	32849	0.87

Texas Department of State Health Services, Infectious Disease Control Unit > Surveillance




#### National Influenza Activity Map

The current U.S. flu weekly report may be found at http://www.cdc.gov/flu/weekly/fluactivity.htm.



\*This map indicates geographic spread and does not measure the severity of influenza activity.

For more information on flu surveillance activities in the State of Texas, please visit our main **<u>surveillance</u>** page.



#### Texas Department of State Health Services, Infectious Disease Control Unit > Surveillance

Last updated July 12, 2012