

Topics A-Z Contact IDCU

» <u>Influenza</u> » Surveillance » <u>2009</u> » <u>Week 39</u>: Surveillance

EAID Home

En Español



ICD-9 487; ICD-10 J10,11

Related Topics: Protecting Yourself During the Cold and Flu Season, Avian

Flu, Vaccine Preventable Diseases, Asthma and SARS

Antiviral Guidance Conferences Other

Sites Overview Reporting Surveillance Handbook Vaccine

<u>ILINet</u> <u>2010-2011</u> <u>2009 - 2010</u> 2008 - 2009 <u>2007 - 2008</u> <u>2006 - 2007</u> <u>2005 - 2006</u> <u>2004 - 2005</u>

<u>2003 - 2004</u> <u>2002 - 2003</u> <u>2001 - 2002</u> <u>2000 - 2001</u> <u>1999 - 2000</u> <u>1998 - 1999</u>



2008 - 2009 Texas Influenza Surveillance Information

Current Flu Activity Report in PDF Format

Influenza Surveillance Report for MMWR Week 39

The influenza (flu) activity level for Texas for the week ending October 3, 2009 was "widespread." For definitions of flu activity levels please see

http://www.cdc.gov/flu/weekly/fluactivity.htm. During week 39, 1,037 (29.9%) specimens tested by NREVSS laboratories in Texas were positive for influenza. The percentage of visits for influenza-like illness as reported by ILINet providers in Texas was above the regional baseline during week 39.

Reports from Health Service Regions

Reports were received from all Health Service Regions (HSRs) for week 39. HSRs 1, 7, 8, and 11 reported an increased level of flu activity compared to week 38. HSR 2/3, 6/5S and 9/10 reported the same level of flu activity compared to week 38. HSR 4/5N reported a decreased level of flu activity compared to week 38. For a map of Health Service Regions please visit the following website: www.dshs.state.tx.us/regions/state.shtm

Laboratory Results

During week 39, thirteen hospital laboratories and public health agencies across Texas reported conducting a total of 3,469 influenza tests (antigen, culture, and PCR) to the National Respiratory and Enteric Virus Surveillance System (NREVSS) sponsored by the Centers for Disease Control and Prevention (CDC). The majority (73%) of influenza tests reported to NREVSS were antigen detection tests; these tests cannot identify the subtype of influenza detected. The results from Texas participants in NREVSS are summarized in the table below.

Testing Information	Week 39
No. of specimens tested	3,469

No. of positive specimens (%)	1,037 (29.9%)						
Positive specimens by type/subtype							
Influenza A	1,037 (100%)						
A (novel H1N1)	340 (32.8%)						
A (subtyping not performed)	697 (67.2%)						
A (unable to subtype)	0 (0%)						
A (H3)	0 (0%)						
A (seasonal H1)	0 (0%)						
Influenza B	0 (0%)						

Additional influenza test results (rapid tests, culture, PCR) were reported from providers and public health departments throughout the state (see county map below).

Novel Influenza A Virus Infections

Please see the Texas Department of State Health Services (DSHS) novel influenza website (http://www.texasflu.org) and the CDC website (http://www.cdc.gov/h1n1flu/) for more information. Data collection for confirmed novel influenza A (H1N1) hospitalizations, intensive care unit (ICU) admissions, and deaths began in Texas on September 20, 2009. The table below summarizes the current data.

*Reporting for hospitalizations and ICU admissions began on 9/20/2009. ICU admissions are included in the hospitalization totals.

^{**}Reporting for deaths began 4/15/2009 and includes a child from Mexico.

	urveillance Case Sumi A (H1N1) Service Region and Co	•					
Health Service Region or County	Hospitalizations*	Intensive Care Unit (ICU) Admissions*	Deaths**				
Region 1							
Lubbock County	4	4	2				
Region 1 Total	Region 1 4 4						
Region 2/3	3						
Collin County	2	0	0				
Dallas County	50	5	8				
Denton County	1	0	0				
Ellis County	1	0	0				
Fisher County	1	1	0				
Kaufman County	2	0	0				
Tarrant County	30	5	1				
Region 2/3 Total	87	11	9				
Region 4/5	5N						
Bowie	2	1	1				

County			
Gregg County	5	1	0
Lamar County	1	1	0
Rusk County	2	1	1
Shelby County	1	0	0
Smith County	7	2	2
Van Zandt County	0	0	1
Region 4/5N Total	18	6	5
Region 6/5S		'	,
Brazoria County	0	0	1
Fort Bend County	6	3	2
Harris County	8	3	4
Jefferson County	2	1	0
Region 6/5S Total	16	7	7
Region 7			'
Bastrop County	0	0	1
Bell County	2	0	1
Burleson County	1	0	0
Caldwell County	1	1	0
Hamilton County	1	0	0
Hays County	2	1	0
McLennan County	5	0	0
Travis County	9	1	2
Williamson County	4	0	0
Region 7 Total	25	3	4
Region 8			
Bexar County	17	4	9
Dimmit County	1	0	0
Frio County	1	0	0
Gonzales County	0	0	1
Maverick County	3	0	1
Medina County	1	0	0
Uvalde County	1	0	0

Val Verde County	1	0	1
Victoria County	1	0	1
Wilson County	1	1	0
Zavala County	1	0	0
Region 8 Total	28	5	13
Region 9/1	0		
Andrews County	0	0	1
El Paso County	6	0	7
Hudspeth County	1	0	0
Midland County	2	0	0
Region 9/10 Total	9	0	8
Region 11			
Bee County	6	0	0
Brooks County	1	0	0
Cameron County	5	1	3
Hidalgo County	12	7	11
Jim Wells County	2	0	0
Kleberg County	7	0	0
Nueces County	10	2	6
San Patricio County	1	1	0
Webb County	2	2	1
Region 11 Total	46	13	21
Texas Total	233	49	69

Antigenic Characterization

CDC has reported antigenic characterization results from 51 seasonal influenza isolates [20 influenza A (H1N1), 8 influenza A (H3N2), and 23 influenza B viruses] and 8 novel influenza A (H1N1) viruses received from the DSHS Laboratory since the beginning of the 2008–09 flu season. Other laboratories in Texas submit influenza isolates to CDC for testing, but those results were not available for this report.

Influenza A (H1N1) seasonal [20]

• All 20 viruses were characterized as A/Brisbane/59/2007, the influenza A (H1) component of the 2008–09 influenza vaccine for the Northern Hemisphere.

Influenza A (H3N2) [8]

• All 8 viruses were characterized as A/Brisbane/10/2007, the influenza A (H3) component of the 2008-09 influenza vaccine for the Northern Hemisphere.

Influenza B (B/Victoria/02/87 and B/Yamagata/16/88 lineages) [23]

Victoria lineage [16]

- Sixteen of the influenza B viruses were characterized as belonging to the B/Victoria lineage.
 - Yamagata lineage [7]
- Seven viruses were characterized as B/Florida/4/2006, the influenza B component for the 2008-09 influenza vaccine for the Northern Hemisphere.

Novel influenza A (H1N1) [8]

 All 8 viruses were characterized as A/California/07/2009-like (H1N1), the reference virus selected by the World Health Organization (WHO) as a candidate for the novel influenza A (H1N1) vaccine.

Antiviral Resistance

Since September 28, 2008, 22 seasonal influenza A (H1N1) isolates, 8 influenza A (H3N2) isolates, and 23 influenza B isolates have been tested by CDC for antiviral resistance. Additionally, novel influenza A (H1N1) isolates from multiple Texas laboratories have been tested by CDC for antiviral resistance. Other laboratories in Texas submit influenza isolates to CDC for testing, but the majority of those results were not available for this report; however, information is available on additional novel influenza A (H1N1) isolates from Texas that were tested at CDC.

Flu Types/Subtypes	Isolates Tested (n)	Resistant Viruses, Number (%) Oseltamivir Zanamivir		Isolates Tested (n)	Resistant Viruses, Number (%)	
					Adamantanes	
Influenza A (H1N1) (seasonal)	22	22 (100)	0 (0)	22	0 (0)	
Influenza A (H3N2)	8	0 (0)	0 (0)	7	7 (100)	
Influenza B	23	0 (0)	0 (0)	N/A*	N/A*	
Influenza A (H1N1) (novel)	110	2 (2%)	0 (0)	42	42 (100%)	

^{*}Adamantanes are not effective against influenza B viruses.

CDC has issued interim recommendations for use of antiviral medications in the 2009-10 influenza season. Those recommendations are available at:

http://www.cdc.gov/h1n1flu/recommendations.htm.

Influenza-Associated Pediatric Mortality

Four new influenza-associated pediatric deaths occurred in week 39. The first death occurred in a 14-year-old resident of HSR 2/3 with no underlying medical conditions. A specimen from the child tested positive by PCR for novel influenza A (H1N1). The second death occurred in a 6-year-old resident of HSR 4/5N with significant underlying medical conditions. The child was positive via PCR testing for novel influenza A (H1N1). The third death occurred in a 9-year-old resident of HSR 4/5N with significant underlying conditions. The child's specimen tested positive for novel influenza A (H1N1) by PCR. The fourth death occurred in an 11-year-old resident of HSR 8 with significant underlying medical conditions. Although the child's specimen tested positive for influenza A by PCR, subtyping was not performed. Texas has reported 26 influenza-associated pediatric fatalities during the 2008-09 influenza season.

School Closures and Institutional Outbreaks

Multiple school closures were reported during week 39. One school in Dallas County closed. School districts in Bowie, Henderson, and Wood counties closed due to increased absenteeism related to flu. Multiple campuses in Walker County closed due to faculty illness and absenteeism. DSHS has issued guidance for cases of ILI and novel influenza A (H1N1) in


summer camps, schools, and congregate facilities. Please see http://www.texasflu.org for more information.

U.S. Outpatient Influenza-like Illness Surveillance Network

Forty providers in Texas reported data to the U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet) (formerly known as the U.S. Influenza Sentinel Provider Surveillance System) on patients with influenza-like illness (ILI) and total patients seen for any reason during week 39. Of these 39 providers who saw patients, 32 (82%) saw at least one patient with ILI. Of all patient visits during this week, 8.43% were due to ILI. The ILI baseline for HHS Region 6 (Arkansas, Louisiana, New Mexico, Oklahoma, and Texas) of the United States is 4.6% for the 2008-2009 season. The baseline is the mean percentage of patient visits for ILI during non-influenza weeks for the previous three seasons plus two standard deviations.

	entage of Visi nza-Like Illne		eillance N		ILINet)			
Week	# Reporting	Age 0-4	Age 5- 24	Age 25-64	Age over 64	Total ILI	Total Patients	% ILI
2008- 40	78	84	133	127	22	366	20333	1.80
2008- 41	78	114	163	124	19	420	20105	2.09
2008- 42	79	107	156	90	7	360	19746	1.82
2008- 43	80	120	152	106	20	398	19857	2.00
2008- 44	82	136	199	104	26	465	20972	2.22
2008- 45	79	110	111	122	27	370	20959	1.77
2008- 46	74	110	107	103	23	343	19890	1.72
2008- 47	76	137	143	122	19	421	19907	2.11
2008- 48	80	132	132	125	37	426	17012	2.50
2008- 49	78	143	159	153	24	479	20446	2.34
2008- 50	76	133	146	108	28	415	19450	2.13
2008- 51	70	172	177	175	24	548	17663	3.10
2008- 52	77	194	153	154	34	535	13509	3.96
2008- 53	78	176	141	165	46	528	15329	3.44
2009- 01	79	162	182	188	38	570	18646	3.06
2009- 02	78	178	287	235	41	741	20222	3.66
2009- 03	79	174	468	341	43	1026	23058	4.45
2009- 04	79	260	679	333	47	1319	24350	5.42
2009- 05	74	282	884	467	40	1673	24734	6.76
2009- 06	80	301	965	392	59	1717	24320	7.06
2009- 07	79	317	803	316	57	1493	25821	5.78
2009- 08	74	221	552	283	57	1113	24664	4.51


2009- 09	77	194	423	245	71	933	22428	4.16
2009- 10	80	221	325	212	77	835	22635	3.69
2009- 11	77	167	269	178	58	672	19656	3.42
2009- 12	72	109	150	179	18	456	20910	2.18
2009- 13	74	115	143	163	16	437	18760	2.33
2009- 14	81	158	199	234	51	642	20963	3.06
2009- 15	78	92	138	156	23	400	21254	1.92
2009- 16	87	133	200	163	28	524	22058	2.38
2009- 17	77	260	570	348	44	1222	25406	4.81
2009- 18	72	200	361	185	31	777	22503	3.45
2009- 19	65	125	253	183	24	585	19066	3.07
2009- 20	63	122	255	134	7	518	19150	2.70
2009- 21	64	115	221	111	31	478	17728	2.70
2009- 22	61	108	188	88	14	398	18573	2.14
2009- 23	55	79	103	29	9	220	10111	2.18
2009- 24	53	65	119	79	4	267	16773	1.59
2009- 25	59	72	114	79	15	280	16624	1.68
2009- 26	59	68	105	75	13	261	15326	1.70
2009- 27	58	72	90	72	15	249	16643	1.50
2009- 28	61	44	101	78	15	238	17296	1.38
2009- 29	59	67	101	73	14	255	16844	1.51
2009- 30	55	25	41	23	11	100	9965	1.00
2009- 31	59	56	92	95	9	252	17727	1.42
2009- 32	57	56	109	81	9	255	17856	1.43
2009- 33	54	46	111	124	13	294	19431	1.51
2009- 34	53	74	267	99	4	444	19483	2.28
2009- 35	51	128	426	99	7	660	20374	3.24
2009- 36	50	132	613	177	10	932	20079	4.64
2009- 37	50	263	1101	309	17	1690	25056	6.74
2009- 38	47	184	598	107	13	902	14102	6.40
2009-	40	213	1129	446	12	1800	21359	8.43



National Influenza Activity Map


The current U.S. flu weekly report may be found at

http://www.cdc.gov/flu/weekly/fluactivity.htm.



*This map indicates geographic spread and does not measure the severity of influenza activity.

For more information on flu surveillance activities in the State of Texas, please visit our main surveillance page.



weeks' activity.

²The majority of influenza cases are not reportable by law to the Texas Department of State Health Services. This map contains data from sentinel sites and does not represent all influenza cases in the state.

³Positive laboratory results are reported according to specimen collection date or date received in the lab if the former is unknown.

2008 - 2009 Texas Influenza Surveillance Information --- Flu Reports

For the week ending: 10/4/08; 10/11/08; 10/18/08; 10/25/08; 11/01/08; 11/08/08; 11/15/08; 11/22/08; 11/29/08; 12/06/08; 12/13/08; 12/20/08; <u>12/27/08</u>; <u>01/03/09</u>; <u>01/10/09</u>; <u>01/17/09</u>; <u>01/24/09</u>; <u>01/31/09</u>; <u>02/07/09</u>; 02/14/09; 02/21/09; 02/28/09; 03/07/09; 03/14/09; 03/21/09; 03/28/09; 04/04/09; 04/11/09; 04/18/09; 04/25/09; 05/02/09; 05/09/09; 05/16/09; <u>05/23/09;</u> <u>05/30/09;</u> <u>06/06/09;</u> <u>06/13/09;</u> <u>06/20/09;</u> <u>06/27/09;</u> <u>07/04/09;</u> <u>07/11/09;</u> <u>07/18/09;</u> <u>07/25/09;</u> <u>08/01/09;</u> <u>08/08/09;</u> <u>08/15/09;</u> <u>08/22/09;</u> <u>08/29/09</u>; <u>09/05/09</u>; <u>09/12/09</u>; <u>09/19/09</u>; <u>09/26/09</u>; <u>10/03/09</u>

Return to the Top of the Page

Texas Department of State Health Services - Infectious Disease Control Unit 1100 West 49th Street, Suite T801, Mail Code: 1960 PO BOX 149347 - Austin, TX 78714-9347 (512) 458-7676 - Fax: (512) 458-7616 - E-Mail

Topics A-Z / Site Map

Last updated January 10, 2011