

Texas Department of State Health Services



Texas Influenza Surveillance Report 2019-2020 Season/2020 MMWR Week 39

(September 20, 2020 – September 26, 2020) Report produced on 10/2/2020

Summary

*Please note, some aspects of influenza surveillance may be affected by current COVID-19 response activities. For information about COVID-19 in Texas, please visit <u>www.dshs.texas.gov/coronavirus</u>.

Compared to the previous week, the percentage of specimens testing positive for influenza reported by hospital laboratories has decreased. The percentage of patient visits due to influenza-like illness (ILI) has increased. No influenza-associated pediatric deaths were reported. No influenza-associated institutional outbreaks or school closures were reported.

Table 1: Summary of Texas Influenza (Flu) and Influenza-like Illness (ILI) Activity for the Current Week

Texas Surveillance Component	Change from Previous Week	Current Week	Previous Week [†]	Page of Report	
Statewide influenza activity level reported to CDC (geographic spread of influenza)	Not determined	N/A	N/A		
(geographic spread of influenza) Statewide ILINet Activity Indicator assigned by CDC (intensity of influenza-like illness)	during the summer Not determined during the summer	N/A	N/A		
Percentage of specimens positive for influenza by hospital laboratories	▼0.91%	0.58%	1.49%	1	
Percentage of visits due to ILI (ILINet)	▲0.05%	1.22%	1.17%	3	
Number of regions reporting increased flu/ILI activity	▼1	0	1	5	
Number of regions reporting decreased flu/ILI activity	▲1	1	0	5	
Number of variant/novel influenza infections	No cases reported	0	0	5	
Number of ILI/influenza outbreaks	No change	0	0	5	
Number of pediatric influenza deaths	No change	0	0	7	

Laboratory Results

Influenza

*In response to the COVID-19, influenza testing at Texas Public Health Laboratories has significantly decreased to increase capacity for SARS-CoV-2 testing. Please note, this will affect data in Table 3 and Figure 2.

Hospital laboratories across Texas voluntarily report influenza tests (antigen, culture, and PCR) to the National Respiratory and Enteric Virus Surveillance System (NREVSS). Providers throughout Texas also submit specimens for influenza testing (PCR) to Texas public health laboratories, including the Texas Department of State Health Services (DSHS) state laboratory in Austin and the nine Texas Laboratory Response Network (LRN) laboratories. The results reported by Texas NREVSS participants and public health laboratories for the current week are summarized in the two tables below. Additional influenza test results (rapid tests, culture, PCR) and ILI activity were reported from providers and public health departments throughout the state (see county map at the end of this report).

Table 2: Influenza Testing Performed by Texas Hospital Laboratories for the Current Week

	Week 39	Season to Date Week Ending: September 26, 2020
Number of labs reporting flu tests	12	
Number of specimens tested	517	230325
Number of positive specimens (%) [†]	3 (0.58%)	51948 (22.55%)
Percentage of total tests that were antigen detection tests	29.59%	
Positive specimens by type/subtype [n	(%)]	
Influenza A	2 (66.67%)	26590 (51.19%)
Subtyping performed	0 (0.00%)	2155 (8.10%)
A (H1N1)	0 (0.00%)	1975 (91.65%)
A (H3N2)	0 (0.00%)	180 (8.35%)
Subtyping not performed	2 (100.00%)	24435 (91.90%)
Influenza B	1 (33.33%)	25358 (48.81%)

Table 3: Influenza Testing Performed by Texas Public Health Laboratories for the Current Week

	Week 39	Season to Date Week Ending: September 26, 2020
Number of labs reporting flu tests	1	
Number of specimens tested	4	2309
Number of positive specimens (%) [†]	0 (0.00%)	1345 (58.25%)
Positive specimens by type/subty	/pe/lineage [n (%)]	· · · · · · ·
Influenza A	0 (0.00%)	733 (54.50%)
Subtyping performed	0 (0.00%)	718 (97.95%)
A (H1N1)	0 (0.00%)	682 (94.99%)
A (H3N2)	0 (0.00%)	36 (5.01%)
Subtyping not performed	0 (0.00%)	15 (2.05%)
Influenza B	0 (0.00%)	611 (45.43%)
Lineage testing performed	0 (0.00%)	566 (92.64%)
B/Victoria	0 (0.00%)	561 (99.12%)
B/Yamagata	0 (0.00%)	5 (0.88%)
Lineage testing not performed	0 (0.00%)	44 (7.20%)
Other	0 (0.00%)	1 (0.07%)

*Other denotes specimens with coinfections (i.e. one specimen was positive for both influenza A (H1N1) and influenza A (H3N2))

Other Respiratory Viruses

The NREVSS system collects information on a variety of respiratory viruses in addition to influenza including parainfluenza virus, respiratory syncytial virus (RSV), rhinovirus, human metapneumovirus (HMPV), seasonal coronavirus, and respiratory adenovirus. The results for the current week are summarized below.

Table 4: Non-Influenza Respiratory Virus Testing Performed by Texas NREVSS Laboratories for the Current Week

Virus	Number of Laboratories Testing	Tests Performed	Positive Tests	Percentage of Tests Positive
Adenovirus (respiratory)	8	315	10	3.17%
HMPV	8	315	1	0.32%
Parainfluenza virus	8	315	3	0.95%
Rhino/enterovirus	8	315	74	23.49%
RSV ^{†^}	14	451	1	0.22%
Seasonal coronavirus (does not include MERS-CoV or COVID-19)	7	290	0	0.00%

[†]RSV tests displayed in the table are a combination of antigen detection, PCR, and culture tests. Some non-NREVSS reporters also contribute to the RSV data. ^Numbers and percentage may differ from the weekly RSV report. The weekly RSV report may be accessed at <u>https://www.dshs.state.tx.us/RSV/disease/rsv-Data.aspx</u>.

U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet)

* Please note, the COVID-19 pandemic is affecting healthcare seeking behavior. The number of persons and their reasons for seeking care in the outpatient and ED settings is changing. These changes impact data from ILINet in ways that are difficult to differentiate from changes in illness levels, therefore ILINet data should be interpreted with caution.

Table 5: Texas ILINet Reporting and Patient Visit Summary for the Current Week

	Week 39
Number of providers reporting	49
Number of providers reporting patient visits	48
Number (%) of providers with at least one ILI case	38 (77.55%)
Percentage of all visits due to ILI	1.22%
Texas ILINet baseline [‡] , 2019-2020	4.76%

[‡]The baseline is the mean percentage of patient visits for ILI during non-influenza weeks for the previous three seasons plus two standard deviations. A "non-influenza week" is defined as a week that accounted for less than 2% of the season's total number of specimens that tested positive for influenza

Table 6: Percentage of Visits for Influenza-like Illness Reported by Texas ILINet Providers (as of 10/1/2020 3.30 PM)

	Providers	Numbe	Number of ILI Cases by Age Group (Years)					Total	
Week	Reporting	0-4	5-24	25-49	50- 64	65+	ILI (all ages)	Patients	ILI
201940	115	156	249	150	62	23	640	29908	2.14%
201941	116	213	314	149	53	30	759	29847	2.54%
201942	119	162	341	191	49	25	768	30084	2.55%
201943	117	218	442	226	52	49	987	30475	3.24%
201944	121	229	506	252	98	39	1124	30361	3.70%
201945	116	320	696	347	93	45	1501	31701	4.73%
201946	111	263	710	352	88	43	1456	30398	4.79%
201947	114	359	1123	442	126	64	2114	32525	6.50%
201948	117	316	780	473	147	67	1783	24299	7.34%
201949	111	303	767	595	165	72	1902	31345	6.07%
201950	98	329	1063	526	143	63	2124	24503	8.67%
201951	93	415	1274	640	195	81	2605	22144	11.76%
201952	91	275	1014	741	200	119	2349	15382	15.27%
202001	114	292	794	1229	420	198	2933	26226	11.18%
202002	117	278	982	1248	375	126	3009	30060	10.01%
202003	114	287	1315	1063	341	94	3100	29245	10.60%
202004	114	364	1549	1134	297	115	3459	31992	10.81%
202005	117	372	1768	1179	374	125	3818	34044	11.21%
202006	118	263	1441	970	313	113	3100	28706	10.80%
202007	115	267	1330	1056	342	103	3098	32005	9.68%
202008	116	264	1245	978	308	107	2902	32299	8.98%
202009	112	272	1016	807	272	91	2458	31644	7.77%
202010	106	233	994	819	232	137	2415	29940	8.07%
202011	109	206	638	663	200	85	1792	25698	6.97%

	Providers	Numb	er of ILI Cas	es by Age	Group	(Years)	Total ILI (all	Total	
Week	Reporting	0-4	0-4 5-24		50- 64			Patients	ILI
202012	102	184	680	742	241	74	1921	23487	8.18%
202013	102	109	195	298	99	29	730	15413	4.74%
202014	94	53	77	179	66	26	401	11781	3.40%
202015	101	40	91	135	55	23	344	11647	2.95%
202016	96	25	70	92	32	13	232	10970	2.11%
202017	94	41	47	88	29	11	216	10736	2.01%
202018	78	25	22	41	29	11	128	8496	1.51%
202019	91	19	42	57	31	7	156	12120	1.29%
202020	92	20	35	44	34	20	153	13248	1.15%
202021	87	20	35	53	26	18	152	12917	1.18%
202022	81	12	39	55	24	11	141	11904	1.18%
202023	83	18	54	72	29	15	188	14442	1.30%
202024	71	17	60	68	24	9	178	11925	1.49%
202025	80	22	60	107	53	25	267	17005	1.57%
202026	77	15	78	166	65	24	348	17293	2.01%
202027	65	23	40	57	41	22	183	7809	2.34%
202028	78	13	75	148	70	33	339	16842	2.01%
202029	75	24	58	104	60	32	278	15356	1.81%
202030	75	26	55	107	56	18	262	15758	1.66%
202031	77	10	42	77	36	19	184	14674	1.25%
202032	78	16	56	83	43	22	220	17182	1.28%
202033	78	16	42	71	31	20	180	15846	1.14%
202034	29	14	23	19	23	10	89	7926	1.12%
202035	64	7	25	20	12	6	70	8550	0.82%
202036	29	18	16	23	15	9	81	8400	0.96%
202037	41	21	59	53	24	20	177	12298	1.44%
202038	27	16	37	15	18	9	95	8117	1.17%
202039	49	94	163	132	41	34	464	38055	1.22%




Figure 1: Percentage of Visits Due to Influenza-like Illness Reported by Texas ILINet Participants, 2016–2020 Seasons

Reports from Health Service Regions

Reports were received from one Health Service Regions (HSRs) during week 39.

Table 7: Influenza Activity Compared to week 38 by Health Service Region (HSR)					
Influenza Activity Comparison	Health Service Region (HSR)				
Increased					
Same					
Decreased	7				
Unsure					

Variant Influenza Viruses

No variant or novel influenza viruses have been detected in Texas during the 2019-2020 season.

Institutional Outbreaks and School Closures

No institutional outbreaks or school closures were reported in week 39 during the 2019-2020 season.

P&I Mortality Surveillance Data

*Deaths due to COVID-19 may be classified as pneumonia deaths or influenza deaths (deaths due to "flu" or "flu-like illness") in the absence of positive SARS-CoV-2 test results. Records with ICD-10 code U07.1 (death associated with COVID-19 infection) have been removed.

Pneumonia and influenza (P&I) death data are obtained from death certificates of Texas residents whose underlying or contributing cause(s) of death is reported as pneumonia or influenza. P&I deaths are identified based on ICD-10 multiple cause of death codes. P&I deaths are based on ICD-10 pneumonia and influenza mortality codes.

Eleven thousand three hundred thirty-four P&I deaths have been reported in Texas during the 2019-2020 influenza season.

Table 8: Texas P&I Deaths Occurring Sept. 29, 2019 – September 26, 2020* by Age

Age Category	Number of P&I	Mortality Rate
(years)	Deaths⁺	(per 100,000)
0 - 4	39	1.79
5 - 17	37	0.66
18 - 49	795	5.89
50 - 64	2112	40.07
65 +	8351	208.04
Overall	11334	37.11

*NOTE: Data are provisional and subject to change, errors, and duplicates

* If the cell count is less than 10, the number of P&I deaths is suppressed and <10 is written in the cell.

Table 9: Texas P&I Deaths Occurring Sept. 29, 2019 – September 26, 2020* by Health Service Region (HSR)

HSR	Number of P&I	Mortality Rate (per
	Deaths	100,000)
1	464	49.24
2/3	3234	36.57
4/5N	922	55.67
6/5S	2597	32.42
7	1298	34.54
8	1188	37.72
9/10	597	36.78
11	1027	40.11
Unknown	<10	n/a
Overall	11334	37.11

*NOTE: Data are provisional and subject to change, errors, and duplicates

Influenza-Associated Pediatric Mortality No influenza-associated pediatric deaths were reported during week 39.


Twenty influenza-associated pediatric mortalities have been reported in Texas during the 2019-2020 influenza season. Cases of influenza-associated pediatric mortality (children <18 years of age) are reportable year-round by law in Texas.

Month of Pediatric Death	Influenza A (H1N1)	Influenza A (H3N2)	Influenza A (Not Subtyped)	Influenza B	Influenza, Not Typed / Not Differentiated	Influenza virus co-infection: A (not subtyped) and B	Total, All Influenza Types / Subtypes
2019			,				
October	0	0	0	0	0	0	0
November	3	0	1	2	0	0	6
December	1	0	1	4	0	0	6
2020							
January	2	0	0	4	0	0	6
February	0	0	0	1	0	0	1
March	1	0	0	0	0	0	1
April	0	0	0	0	0	0	0
May	0	0	0	0	0	0	0
June	0	0	0	0	0	0	0
July	0	0	0	0	0	0	0
August	0	0	0	0	0	0	0
September	0	0	0	0	0	0	0
Total	7	0	2	11	0	0	20

Table 10: Influenza-Associated Pediatric Deaths Reported in Texas during the 2019-2020 Season

Statewide Influenza Activity Map

Figure 2: Texas Map Displaying the Highest Level of Influenza or ILI Activity Reported by County for the Week Ending Sept. 26, 2020 (MMWR Week 39)



Please note: The majority of influenza cases are not reportable by law in Texas. This map contains data from sentinel sites and only displays influenza and ILI cases that were reported to public health. Positive laboratory results are reported according to specimen collection date, or date received in the laboratory if the former is unknown.

Texas Influenza Surveillance Components and Measures

Activity codes (see http://www.cdc.gov/flu/weekly/overview.htm)

Statewide influenza activity level

A code reported weekly by states and territories to CDC indicating the geographic spread of influenza in the state. Levels are no activity, sporadic, local, regional, and widespread.

ILINet Activity Indicator

A statewide level of influenza-like illness intensity (on a scale of 1-10, with 1 being the lowest level) assigned to each state weekly by CDC based on data reported through ILINet.

Morbidity

Novel/variant influenza

Thorough investigations are performed on all cases of novel/variant influenza. This condition is reportable by law in Texas.

Texas ILINet

Providers voluntarily report weekly to CDC's ILINet system on the number of outpatient visits for ILI and total outpatient visits. Providers may submit up to 5 specimens per month for influenza testing. See http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/ILINet/ for information on how to become an ILINet provider.

ILI activity

Non-ILINet providers report ILI or influenza data weekly to local or regional health departments.

Outbreaks

Healthcare, schools, childcare, and correctional facilities report ILI and influenza outbreaks to health departments in Texas. This condition is reportable by law in Texas.

Mortality

Pneumonia and Influenza (P&I) Mortality Surveillance

The DSHS Vital Statistics Unit collects death certificate information for all deaths on Texas residents from various partners such as funeral homes and local registrars around the state. The death certificates are then sent to the National Center for Health Statistics (NCHS) where the cause of death and underlying causes of death on the death certificates are coded with ICD-10 mortality codes. Once death certificates are coded, the information is sent back to DSHS Center for Health Statistics (CHS). CHS produces a Weekly Pneumonia and Influenza (P&I) Death Report and sends it to the State Influenza Surveillance Coordinator for inclusion in the Texas Weekly Flu Report. P&I deaths are identified based on ICD-10 multiple cause of death codes, and in particular, pneumonia and influenza mortality codes. Delays inherent in death reporting and coding practices may cause the number of reported P&I deaths to vary considerably each week.

Influenza-associated pediatric deaths

Deaths that are associated with influenza in children < 18 years of age are reported to health departments in Texas. This condition is reportable by law in Texas. http://www.dshs.state.tx.us/idcu/disease/IAPM/

Laboratory

DSHS Austin laboratory

Providers voluntarily submit specimens to the DSHS Austin laboratory for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

Laboratory Response Network (LRN) laboratories

Providers voluntarily submit specimens to one of the 9 Texas LRNs for influenza PCR testing throughout the season. Providers sign up for this program through their local health departments.

NREVSS

Laboratories voluntarily report influenza and other respiratory virus data weekly through the CDC's online NREVSS reporting system. Laboratories sign up for this program by contacting DSHS. http://www.cdc.gov/surveillance/nrevss/

Recommended Resources

Texas Department of State Health Services DSHS influenza page: http://www.texasflu.org/ Influenza surveillance data and reports: http://www.dshs.state.tx.us/idcu/disease/influenza/surveillance/ Map of Texas Health Service Regions: http://www.dshs.state.tx.us/regions/state.shtm

Centers for Disease Control and Prevention

National FluView weekly flu report: http://www.cdc.gov/flu/weekly/

Variant influenza viruses: http://www.cdc.gov/flu/swineflu/variant.htm Avian influenza viruses: http://www.cdc.gov/flu/avianflu/index.htm

Swine influenza viruses: http://www.cdc.gov/flu/swineflu/index.htm Infection Control in Healthcare Facilities: http://www.cdc.gov/flu/professionals/infectioncontrol/

Seasonal Flu Information for Schools and Childcare Providers: http://www.cdc.gov/flu/school/index.htm

World Health Organization Influenza page: http://www.who.int/topics/influenza/en/ Disease Outbreak News: http://www.who.int/csr/don/en/