



# Texas Outpatient Surgical and Radiological Procedure Data

## Public Use Data File

### Data Dictionary

#### **BACKGROUND**

The Texas Department of State Health Services is responsible, under Sections 108.011 through 108.0135, Texas Health and Safety Code (THSC), for collecting data on outpatient surgical and radiological services from hospitals and ambulatory surgery centers except those that are statutorily exempt from the reporting requirement. Exempt facilities include those located in a county with a population less than 35,000, or those located in a county with a population more than 35,000 and with fewer than 100 licensed hospital beds and not located in an area that is delineated as an urbanized area by the United States Bureau of the Census (Section 108.0025). Exempt hospitals also include hospitals that do not seek insurance payment or government reimbursement (Section 108.009).

#### **PUBLIC USE DATA FILE (PUDF)**

Sections 108.011(a) and 108.012 of the THSC requires DSHS to provide public use data for computer-to-computer access. It also permits DSHS to charge the data requestor a standard fee for using the Public Use Data File (PUDF). The PUDF contains patient-level information for outpatient surgical and radiological services. These data are extracted from DSHS's outpatient services database.

#### **PATIENT/PHYSICIAN CONFIDENTIALITY**

The legislative intent behind the collection of data on outpatient services was that the data and resulting information be used for the benefit of the public. This is specified in Section 108.013 of the THSC. The THSC also stipulates that DSHS may not release and a person or entity may not gain access to any data that could reasonably be expected to reveal the identity of a patient or physician. Any effort to determine the identity of any person violates the THSC. In addition, under Sections 108.013(e) and (f) of the THSC, patient and/or physician information in the outpatient services data cannot be used for discovery, subpoena, or other means of legal compulsion or in any civil, administrative, or criminal proceeding. Pursuant to the THSC, DSHS excludes all direct personal and demographic identifiers that might lead to the identification of a specific patient from the PUDF.

#### **RESTRICTIONS ON DATA USE**

Section 108.010(c) of the THSC prohibits DSHS from releasing provider quality reports until one year of data is available. Users of the PUDF are cautioned about using less than a year of data to make any healthcare facility quality assumptions.

Sections 108.013(c)(1) and (2) and 108.013 (g) of the Texas Health and Safety Code (THSC) prohibit the DSHS from releasing, and a person or entity from gaining access to, any data that could reveal the identity of a patient or the identity of a physician unless specifically authorized by the Act. Any effort to determine the identity of any person or to use the information for any purpose other than for analysis and aggregate statistical reporting violates the THSC and the Data Use Agreement. By virtue of the Agreement, the signer agrees that the data will not be used to identify an individual patient or physician. Because of these restrictions, under no circumstances will users of the data contact an individual patient or physician or hospital or ambulatory surgery center for the purpose of verifying information supplied in the DSHS Outpatient Services Public Use Data sets. Any questions about the data must be referred to DSHS only. Data analysis assistance is not provided by DSHS. The data are protected by United States copyright laws and international treaty provisions.

In the Data Use Agreement, the purchaser and end-user of the data are referred to as the “licensee”. To acquire the data the licensee must give the following assurances with respect to the use of DSHS Outpatient Services Public Use Data sets:

- The licensee will not release nor permit others to release the individual patient records or any part of them to any person who is not a staff member of the organization that has acquired the data, except with the written approval of DSHS;
- The licensee will not attempt to link nor permit others to attempt to link the outpatient records of patients in this data set with personally identifiable records from any other source;
- The licensee will not release nor permit others to release any information that identifies persons, directly or indirectly;
- The licensee will not attempt to use nor permit others to use the data to learn the identity of any physician;
- The licensee will not nor permit others to copy, sell, rent, license, lease, loan, or otherwise grant access to the data covered by this Agreement to any other person or entity, unless approved in writing by DSHS;
- The licensee agrees to read the User Manual and to be cognizant of the limitations of the data;
- The licensee will use the following citation in any publication of information from this file:
 

*Texas Outpatient Services Public Use Data File*, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication];
- The licensee will indemnify, defend, and hold the DSHS, its members, employees, and the Department’s contract vendors harmless from any and all claims and losses accruing to any person as a result of violation of this agreement; and
- The licensee will make no statement nor permit others to make statements indicating or suggesting that interpretations drawn from these data are those of DSHS.

The licensee understands that these assurances are collected by DSHS to assure compliance with its statutory confidentiality requirement. The signature on behalf of the licensee indicates the licensee’s agreement to comply with the above-stated requirements with the knowledge that under Sections 108.014 and 108.0141 of the Texas Health and Safety Code to knowingly or negligently release data in violation of this agreement is punishable by a fine of up to \$10,000 and an offense is a state jail felony. By signing the Data Use Agreement, the PUDF user has been informed that the potential for both civil and criminal penalties exists.

Users of report generating software to access the PUDF are required to purchase a license to use the data.

**OUTPATIENT FACILITY COMMENTS**  
*(Users are advised to consider hospital comments in any analysis of the data.)*

Included with the PUDF is a separate file containing the unedited comments submitted by hospitals or ambulatory surgery centers at the time of data certification. Comments relating to individual data elements should be considered in any analysis of those data elements. These comments express the opinions of individual hospitals and are not necessarily the views of the DSHS. Hospitals or ambulatory surgery centers that submitted comments are identified in ‘Reporting Status of Texas Outpatient Facilities’.

**DATA FILES**

The 2010 PUDF is available in four files, the Base Data, Classification data, Charges and Facility Type files. The files are also available in fixed length and tab-delimited formats. The size of the files are as follows:

First quarter, 745 facilities:					
Base data	1,938,475 records	Fixed field format	1500 MB	Tab-delimited	708 MB
Classification data	1,938,475 records	Fixed field format	905 MB	Tab-delimited	323 MB
Charges	13,795,952 records	Fixed field format	1079 MB	Tab-delimited	655 MB
Facility type data	745 records	Fixed field format	65 KB	Tab-delimited	50 KB
Second quarter, 770 facilities:					
Base data	2,028,542 records	Fixed field format	1607 MB	Tab-delimited	758 MB

Classification data	2,028,542 records	Fixed field format	969 MB	Tab-delimited	346 MB
Charges	14,052,611 records	Fixed field format	1125 MB	Tab-delimited	683 MB
Facility type data	770 records	Fixed field format	67 KB	Tab-delimited	52 KB
Third quarter, 761 facilities:					
Base data	2,096,571 records	Fixed field format	1660 MB	Tab-delimited	770 MB
Classification data	2,096,571 records	Fixed field format	1050 MB	Tab-delimited	364 MB
Charges	14,400,781 records	Fixed field format	1153 MB	Tab-delimited	700 MB
Facility type data	761 records	Fixed field format	66 KB	Tab-delimited	52 KB
Fourth quarter, 769 facilities:					
Base data	2,178,837 records	Fixed field format	1726 MB	Tab-delimited	799 MB
Classification data	2,178,837 records	Fixed field format	1092 MB	Tab-delimited	480 MB
Charges	14,575,677 records	Fixed field format	1167 MB	Tab-delimited	708 MB
Facility type data	769 records	Fixed field format	67 KB	Tab-delimited	53 KB

The data must be imported into a software package. No software is included with the PUDF. The data file has been tested with several software packages, including Microsoft Access, SAS, and SPSS.

## DATA DICTIONARY

This document provides the user with the necessary information to use and understand the data in the Public Use Data File. The following information is provided:

Field	Unique, abbreviated name of the data element
Description	Brief explanation of the data element. Descriptions of data elements are taken from specifications manuals.
Data Source	Provided by the health care facility on the claim form (Claim) Assigned by DSHS (Assigned) Calculated by DSHS (Calculated) Note: For those data elements that have been temporarily suppressed, the quarter of data for which the data element will be released is noted following the Data Source.
Type	Alphanumeric or numeric
Coding scheme	Valid codes for a data field. Values taken from specifications manuals.

Any data provided by a facility that has been determined to be invalid has been assigned the value '\*'. Any data element that is blank should be interpreted as 'missing', no data provided, unless otherwise noted.

## BASE DATA FILE

<b>Field 1:</b>	<b>SERVICE_QUARTER</b>		
<b>Description:</b>	Quarter during which service occurred. Year and quarter of service. yyyyQn.		
<b>Beginning Position:</b>	1	<b>Data Source:</b>	Assigned
<b>Length:</b>	6	<b>Type:</b>	Alphanumeric
<b>Field 2:</b>	<b>RECORD_ID</b>		
<b>Description:</b>	Record Identification Number. Unique number assigned to identify the record. First available 1 <sup>st</sup> quarter 2002.		
<b>Beginning Position:</b>	7	<b>Data Source:</b>	Assigned
<b>Length:</b>	12	<b>Type:</b>	Alphanumeric
<b>Field 3:</b>	<b>THCIC_ID</b>		
<b>Description:</b>	Provider ID. Unique identifier assigned to the provider by DSHS.		
<b>Suppression:</b>	Facilities reporting fewer than 50 events have been aggregated into the Provider ID '999999'. If a facility reported fewer than 5 events for a particular gender, including 'unknown', Provider ID is '999998'.		
<b>Beginning Position:</b>	19	<b>Data Source:</b>	Assigned
<b>Length:</b>	6	<b>Type:</b>	Alphanumeric
<b>Field 4:</b>	<b>PROVIDER_NAME</b>		
<b>Description:</b>	Name provided by the facility.		
<b>Suppression:</b>	Facilities reporting fewer than 50 events (Provider ID equals '999999') are assigned the name 'Low Volume Facility'. If a facility reported fewer than 5 events for a particular gender,		

including 'unknown', Provider Name is blank.

<b>Beginning Position:</b>	25	<b>Data Source:</b>	Provider
<b>Length:</b>	55	<b>Type:</b>	Alphanumeric
<b>Field 5:</b>	<b>SPEC_UNIT</b>		
<b>Description:</b>	Specialty Units in which most days during stay occurred based on number of days by Type of Bill or Revenue Code. In order by number of days in the unit. SPEC_UNIT_1 through SPEC_UNIT_5 are combined in one field in the Tab Delimited file and can be accessed individually in the fixed length file.		
<b>Coding Scheme:</b>	C	Coronary Care Unit	P Pediatric Unit
	D	Detoxification Unit	Y Psychiatric Unit
	I	Intensive Care Unit	R Rehabilitation Unit
	H	Hospice Unit	U Sub-acute Care Unit
	N	Nursery	S Skilled Nursing Unit
	B	Obstetric Unit	Blank Acute Care
	O	Oncology Unit	
<b>Beginning Position:</b>	80	<b>Data Source:</b>	Calculated
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 5a:</b>	<b>SPEC_UNIT_1 (fixed length file only)</b>		
<b>Description:</b>	Specialty Unit in which most days during stay occurred based on number of days by Type of Bill or Revenue Code.		
<b>Coding Scheme:</b>	Same as Field 12.		
<b>Beginning Position:</b>	80	<b>Data Source:</b>	Calculated
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 5b:</b>	<b>SPEC_UNIT_2 (fixed length file only)</b>		
<b>Description:</b>	Specialty Unit in which 2 <sup>nd</sup> most days during stay occurred based on number of days by Type of Bill or Revenue Code.		
<b>Coding Scheme:</b>	Same as Field 12.		
<b>Beginning Position:</b>	81	<b>Data Source:</b>	
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 5c:</b>	<b>SPEC_UNIT_3 (fixed length file only)</b>		
<b>Description:</b>	Specialty Unit in which 3 <sup>rd</sup> most days during stay occurred based on number of days by Type of Bill or Revenue Code.		
<b>Coding Scheme:</b>	Same as Field 12.		
<b>Beginning Position:</b>	82	<b>Data Source:</b>	
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 5d:</b>	<b>SPEC_UNIT_4 (fixed length file only)</b>		
<b>Description:</b>	Specialty Unit in which 4 <sup>th</sup> most days during stay occurred based on number of days by Type of Bill or Revenue Code.		
<b>Coding Scheme:</b>	Same as Field 12.		
<b>Beginning Position:</b>	83	<b>Data Source:</b>	
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 5e:</b>	<b>SPEC_UNIT_5 (fixed length file only)</b>		
<b>Description:</b>	Specialty Unit in which 5 <sup>th</sup> most days during stay occurred based on number of days by Type of Bill or Revenue Code.		
<b>Coding Scheme:</b>	Same as Field 12.		
<b>Beginning Position:</b>	84	<b>Data Source:</b>	
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 6:</b>	<b>SEX_CODE</b>		
<b>Description:</b>	Gender of the patient as recorded at date of start of care.		
<b>Suppression:</b>	Code is suppressed if an ICD-9-CM code indicates drug or alcohol use or an HIV diagnosis. If a facility reported fewer than 5 patients of a particular gender, including unknown, Provider ID is '999998' and Provider Name and Patient ZIP Code are blank for those patients.		
<b>Coding Scheme:</b>	M	Male	
	F	Female	
	U	Unknown	
	*	Invalid	
<b>Beginning Position:</b>	85	<b>Data Source:</b>	Claim
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric

<b>Field 7:</b>	<b>COUNTY</b>							
<b>Description:</b>	FIPS code of patient's county.							
<b>Coding scheme:</b>	001	Anderson	129	Donley	257	Kaufman	385	Real
	003	Andrews	131	Duval	259	Kendall	387	Red River
	005	Angelina	133	Eastland	261	Kenedy	389	Reeves
	007	Aransas	135	Ector	263	Kent	391	Refugio
	009	Archer	137	Edwards	265	Kerr	393	Roberts
	011	Armstrong	139	Ellis	267	Kimble	395	Robertson
	013	Atascosa	141	El Paso	269	King	397	Rockwall
	015	Austin	143	Erath	271	Kinney	399	Runnels
	017	Bailey	145	Falls	273	Kleberg	401	Rusk
	019	Bandera	147	Fannin	275	Knox	403	Sabine
	021	Bastrop	149	Fayette	283	La Salle	405	San Augustine
	023	Baylor	151	Fisher	277	Lamar	407	San Jacinto
	025	Bee	153	Floyd	279	Lamb	409	San Patricio
	027	Bell	155	Foard	281	Lampasas	411	San Saba
	029	Bexar	157	Fort Bend	285	Lavaca	413	Schleicher
	031	Blanco	159	Franklin	287	Lee	415	Scurry
	033	Borden	161	Freestone	289	Leon	417	Shackelford
	035	Bosque	163	Frio	291	Liberty	419	Shelby
	037	Bowie	165	Gaines	293	Limestone	421	Sherman
	039	Brazoria	167	Galveston	295	Lipscomb	423	Smith
	041	Brazos	169	Garza	297	Live Oak	425	Somervell
	043	Brewster	171	Gillespie	299	Llano	427	Starr
	045	Briscoe	173	Glasscock	301	Loving	429	Stephens
	047	Brooks	175	Goliad	303	Lubbock	431	Sterling
	049	Brown	177	Gonzales	305	Lynn	433	Stonewall
	051	Burleson	179	Gray	307	McCulloch	435	Sutton
	053	Burnet	181	Grayson	309	McLennan	437	Swisher
	055	Caldwell	183	Gregg	311	McMullen	439	Tarrant
	057	Calhoun	185	Grimes	313	Madison	441	Taylor
	059	Callahan	187	Guadalupe	315	Marion	443	Terrell
	061	Cameron	189	Hale	317	Martin	445	Terry
	063	Camp	191	Hall	319	Mason	447	Throckmorton
	065	Carson	193	Hamilton	321	Matagorda	449	Titus
	067	Cass	195	Hansford	323	Maverick	451	Tom Green
	069	Castro	197	Hardeman	325	Medina	453	Travis
	071	Chambers	199	Hardin	327	Menard	455	Trinity
	073	Cherokee	201	Harris	329	Midland	457	Tyler
	075	Childress	203	Harrison	331	Milam	459	Upshur
	077	Clay	205	Hartley	333	Mills	461	Upton
	079	Cochran	207	Haskell	335	Mitchell	463	Uvalde
	081	Coke	209	Hays	337	Montague	465	Val Verde
	083	Coleman	211	Hemphill	339	Montgomery	467	Van Zandt
	085	Collin	213	Henderson	341	Moore	469	Victoria
	087	Collingsworth	215	Hidalgo	343	Morris	471	Walker
	089	Colorado	217	Hill	345	Motley	473	Waller
	091	Comal	219	Hockley	347	Nacogdoches	475	Ward
	093	Comanche	221	Hood	349	Navarro	477	Washington
	095	Concho	223	Hopkins	351	Newton	479	Webb
	097	Cooke	225	Houston	353	Nolan	481	Wharton
	099	Coryell	227	Howard	355	Nueces	483	Wheeler
	101	Cottle	229	Hudspeth	357	Ochiltree	485	Wichita
	103	Crane	231	Hunt	359	Oldham	487	Wilbarger
	105	Crockett	233	Hutchinson	361	Orange	489	Willacy
	107	Crosby	235	Irion	363	Palo Pinto	491	Williamson
	109	Culberson	237	Jack	365	Panola	493	Wilson
	111	Dallam	239	Jackson	367	Parker	495	Winkler
	113	Dallas	241	Jasper	369	Parmer	497	Wise
	115	Dawson	243	Jeff Davis	371	Pecos	499	Wood
	117	Deaf Smith	245	Jefferson	373	Polk	501	Yoakum
	119	Delta	247	Jim Hogg	375	Potter	503	Young
	121	Denton	249	Jim Wells	377	Presidio	505	Zapata
	123	Dewitt	251	Johnson	379	Rains	507	Zavala
	125	Dickens	253	Jones	381	Randall		
	127	Dimmit	255	Karnes	383	Reagan	*	Invalid
<b>Beginning Position:</b>	86	<b>Data Source:</b>		Assigned; based on patient ZIP code				
<b>Length:</b>	3	<b>Type:</b>		Alphanumeric				

<b>Field 8:</b>	<b>PAT_STATE</b>
<b>Description:</b>	State of the patient's mailing address in Texas and contiguous states. Standard 2-character Postal Service abbreviation.
<b>Coding Scheme:</b>	AR Arkansas

LA Louisiana  
 NM New Mexico  
 OK Oklahoma  
 TX Texas  
 ZZ All other states and American Territories  
 FC Foreign country  
 XX Foreign country

<b>Beginning Position:</b>	89	<b>Data Source:</b>	Claim
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 9:</b>	<b>PAT_ZIP</b>		
<b>Description:</b>	Patient's five-digit ZIP code.		
<b>Suppression:</b>	Last two digits are blank if a ZIP code has fewer than 30 patients. If state equals 'ZZ', ZIP code equals '88888'. If state equals 'FC' (foreign country) ZIP code is blank. If ICD-9-CM indicates alcohol or drug use or an HIV diagnosis the ZIP code is blank. If a facility has fewer than fifty outpatient services reported for the quarter the ZIP code is blank. If a facility has fewer than 5 patients reported of a particular gender, including 'unknown', the ZIP Code is blank.		
<b>Beginning Position:</b>	91	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 10:</b>	<b>PAT_COUNTRY</b>		
<b>Description:</b>	Country of patient's residential address. List maintained by the International Organization for Standardization (ISO).		
<b>Suppression:</b>	Suppressed if fewer than 5 patients from one country.		
<b>Coding scheme:</b>	See <a href="http://www.ISO.org">www.ISO.org</a> for complete list.		
<b>Beginning Position:</b>	96	<b>Data Source:</b>	Claim
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 11:</b>	<b>PUBLIC_HEALTH_REGION</b>		
<b>Description:</b>	Public Health Region of patient's address.		
	1	Armstrong, Bailey, Briscoe, Carson, Castro, Childress, Cochran, Collingsworth, Crosby, Dallam, Deaf Smith, Dickens, Donley, Floyd, Garza, Gray, Hale, Hall, Hansford, Hartley, Hemphill, Hockley, Hutchinson, King, Lamb, Lipscomb, Lubbock, Lynn, Moore, Motley, Ochiltree, Oldham, Parmer, Potter, Randall, Roberts, Sherman, Swisher, Terry, Wheeler, Yoakum counties	
	2	Archer, Baylor, Brown, Callahan, Clay, Coleman, Comanche, Cottle, Eastland, Fisher, Foard, Hardeman, Haskell, Jack, Jones, Kent, Knox, Mitchell, Montague, Nolan, Runnels, Scurry, Shackelford, Stephens, Stonewall, Taylor, Throckmorton, Wichita, Wilbarger, Young counties	
	3	Collin, Cooke, Dallas, Denton, Ellis, Erath, Fannin, Grayson, Hood, Hunt, Johnson, Kaufman, Navarro, Palo Pinto, Parker, Rockwall, Somervell, Tarrant, Wise counties	
	4	Anderson, Bowie, Camp, Cass, Cherokee, Delta, Franklin, Gregg, Harrison, Henderson, Hopkins, Lamar, Marion, Morris, Panola, Rains, Red River, Rusk, Smith, Titus, Upshur, Van Zandt, Wood counties	
	5	Angelina, Hardin, Houston, Jasper, Jefferson, Nacogdoches, Newton, Orange, Polk, Sabine, San Augustine, San Jacinto, Shelby, Trinity, Tyler counties	
	6	Austin, Brazoria, Chambers, Colorado, Fort Bend, Galveston, Harris, Liberty, Matagorda, Montgomery, Walker, Waller, Wharton counties	
	7	Bastrop, Bell, Blanco, Bosque, Brazos, Burleson, Burnet, Caldwell, Coryell, Falls, Fayette, Freestone, Grimes, Hamilton, Hays, Hill, Lampasas, Lee, Leon, Limestone, Llano, McLennan, Madison, Milam, Mills, Robertson, San Saba, Travis, Washington, Williamson counties	
	8	Atascosa, Bandera, Bexar, Calhoun, Comal, DeWitt, Dimmit, Edwards, Frio, Gillespie, Goliad, Gonzales, Guadalupe, Jackson, Karnes, Kendall, Kerr, Kinney, La Salle, Lavaca, Maverick, Medina, Real, Uvalde, Val Verde, Victoria, Wilson, Zavala counties	
	9	Andrews, Borden, Coke, Concho, Crane, Crockett, Dawson, Ector, Gaines, Glasscock, Howard, Irion, Kimble, Loving, McCulloch, Martin, Mason, Menard, Midland, Pecos, Reagan, Reeves, Schleicher, Sterling, Sutton, Terrell, Tom Green, Upton, Ward, Winkler counties	
	10	Brewster, Culberson, El Paso, Hudspeth, Jeff Davis, Presidio counties	
	11	Aransas, Bee, Brooks, Cameron, Duval, Hidalgo, Jim Hogg, Jim Wells, Kenedy, Kleberg, Live Oak, McMullen, Nueces, Refugio, San Patricio, Starr, Webb, Willacy, Zapata counties	
	*	Invalid	
<b>Beginning Position:</b>	98	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 12:</b>	<b>LENGTH_OF_SERVICE</b>		
<b>Description:</b>	Length of service in days <i>equals</i> Statement From Date through Statement Thru Date. The minimum length of service is 1 day. The maximum is 30 days.		
<b>Beginning Position:</b>	100	<b>Data Source:</b>	Calculated
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric

<b>Field 13:</b>	<b>PAT_AGE</b>		
<b>Description:</b>	Code indicating age of patient in days or years on date of service.		
<b>Coding Scheme:</b>	00 1-28 days	10 35-39	20 85-89
	01 29-365 days	11 40-44	21 90+
	02 1-4 years	12 45-49	<i>HIV and drug/alcohol use patients:</i>
	03 5-9	13 50-54	22 0-17
	04 10-14	14 55-59	23 18-44
	05 15-17	15 60-64	24 45-64
	06 18-19	16 65-69	25 65-74
	07 20-24	17 70-74	26 75+
	08 25-29	18 75-79	* Invalid
	09 30-34	19 80-84	
<b>Beginning Position:</b>	102	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 14:</b>	<b>RACE</b>		
<b>Description:</b>	Code indicating the patient's race.		
<b>Suppression:</b>	If a facility has fewer than ten patients of one race that race is changed to 'Other' (code equals 5).		
<b>Coding Scheme:</b>	1 American Indian/Eskimo/Aleut		
	2 Asian or Pacific Islander		
	3 Black		
	4 White		
	5 Other		
	* Invalid		
<b>Beginning Position:</b>	104	<b>Data Source:</b>	Claim
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 15:</b>	<b>ETHNICITY</b>		
<b>Description:</b>	Code indicating the Hispanic origin of the patient.		
<b>Suppression:</b>	If a facility has fewer than ten patients of one race the ethnicity of patients of that race is suppressed (code is blank).		
<b>Coding Scheme:</b>	1 Hispanic Origin		
	2 Not of Hispanic Origin		
	* Invalid		
<b>Beginning Position:</b>	105	<b>Data Source:</b>	Claim
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 16:</b>	<b>FIRST_PAYMENT_SRC</b>		
<b>Description:</b>	Code indicating the expected primary source of payment.		
<b>Coding Scheme:</b>	09 Self Pay	HM	Health Maintenance Organization
	10 Central Certification	LI	Liability
	11 Other Non-federal Programs	LM	Liability Medical
	12 Preferred Provider Organization (PPO)	MA	Medicare Part A
	13 Point of Service (POS)	MB	Medicare Part B
	14 Exclusive Provider Organization (EPO)	MC	Medicaid
	15 Indemnity Insurance	TV	Title V
	16 Health Maintenance Organization (HMO)	OF	Other Federal Program
	Medicare Risk		
	AM Automobile Medical	VA	Veteran Administration Plan
	BL Blue Cross/Blue Shield	WC	Workers Compensation Health Claim
	CH CHAMPUS	ZZ	Charity, Indigent or Unknown
	CI Commercial Insurance	*	Invalid
	DS Disability Insurance		
<b>Beginning Position:</b>	106	<b>Data Source:</b>	Claim
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 17:</b>	<b>SECONDARY_PAYMENT_SRC</b>		
<b>Description:</b>	Code indicating the expected secondary source of payment.		
<b>Coding Scheme:</b>	Same as field 28, FIRST_PAYMENT_SRC		
<b>Beginning Position:</b>	108	<b>Data Source:</b>	Claim
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 18:</b>	<b>TYPE_OF_BILL</b>		
<b>Description:</b>	Provides specific information about the claim data submitted. First digit = type of facility. Second digit = type of care. Third digit = sequence of the claim.		
<b>Coding Scheme:</b>	<i>1<sup>st</sup> digit–Type of Facility</i>	<i>2<sup>nd</sup> digit–Type of Care</i>	<i>3<sup>rd</sup> digit–Sequence of claim</i>

1	Hospital	1	Inpatient, including Medicare Part A	0	Non-payment/Zero claim
2	Skilled nursing	2	Inpatient, Medicare Part B only	1	Admit through discharge claim
3	Home health	3	Outpatient	2	Interim-first claim
4	Religious non-medical health care-Hospital	4	Outpatient Other, Medicare Part B only	3	Interim-continuing claim
5	Religious non-medical health care-Extended care	5	Intermediate Care-Level I	4	Interim-last claim
6	Intermediate care	6	Intermediate Care-Level II	5	Late charge(s) only claim
7	Clinic	7	Sub-acute inpatient - Level III	6	Adjustment of prior claim (Not used by Medicare)
8	Special facility	8	Swing bed	7	Replacement of prior claim
				8	Void/cancel of prior claim

**Beginning Position:** 110

**Data Source:** Claim

**Length:** 3

**Type:** Alphanumeric

**Field 19:**

**CONDITION\_CODE\_1**

Code describing a condition relating to the claim.

**Coding Scheme:**

1	Military service related	76	Back-up in facility dialysis
2	Condition is employment related	77	Provider accepts or is obligated/required due to a contractual arrangement or law to accept payment by a primary payer as payment
3	Patient covered by insurance not reflected here	78	New coverage not implemented by HMO
4	Information only bill.	79	CORF services provided offsite
5	Lien has been filed	80	Home dialysis - nursing facility
6	ESRD patient in first 18 months of entitlement covered by EGHP	A0	CHAMPUS external partnership program
7	Treatment of non-terminal condition for hospice patient	A1	EPSDT/CHAP
8	Beneficiary would not provide information concerning other insurance coverage	A2	Physically handicapped children's program
9	Neither patient or spouse is employed	A3	Special Federal Funding
10	Patient and/or spouse is employed but no EGHP exists	A4	Family planning
11	Disabled beneficiary but no LGHP coverage exists	A5	Disability
17	Patient is homeless	A6	Vaccines/Medicare 100% payment
18	Maiden name retained	A7	Induced abortion - danger to life
19	Child retains mother's name	A8	Induced abortion - victim rape/incest
20	Beneficiary requested billing	A9	Second opinion surgery
21	Billing for denial notice	AA	Abortion performed due to rape
22	Patient on multiple drug regimen	AB	Abortion performed due to incest
23	Home care giver available	AC	Abortion performed due to serious fatal genetic defect, deformity, or abnormality
24	Home IV patient also receiving HHA services	AD	Abortion performed due to life endangering physical condition caused by, arising from or exacerbated by the pregnancy itself
25	Patient is non-US resident	AE	Abortion performed due to physical health of mother that is not life endangering
26	VA eligible patient chooses to receive services in a Medicare certified facility	AF	Abortion performed due to emotional/psychological health of mother
27	Patient referred to a sole community hospital for a diagnostic laboratory test	AG	Abortion performed due to social or economic reasons
28	Patient and/or spouse's EGHP is secondary to Medicare	AH	Elective abortion
29	Disabled beneficiary and/or family member's LGHP is secondary to Medicare	AI	Sterilization
30	Non-research services provided to patients enrolled in a qualified clinical trial	AJ	Payer responsible for co-payment
31	Patient is student (full time - day)	AJ	Payer responsible for co-payment
32	Patient is student (cooperative/work study program)	AK	Air ambulance required
33	Patient is student (full time - night)	AL	Specialized treatment/bed unavailable
34	Patient is student (part-time)	AM	Non-emergency medically necessary stretcher transport required
36	General care patient in a special unit	AN	Pre-admission screening not required
37	Ward accommodation at patient request	B0	Medicare coordinated care demonstration claim





<b>Coding Scheme:</b>	Same as Field 178.	
<b>Beginning Position:</b>	121	<b>Data Source:</b> Claim
<b>Length:</b>	2	<b>Type:</b> Alphanumeric
<b>Field 24:</b>	<b>CONDITION_CODE_6</b> Code describing a condition relating to the claim.	
<b>Coding Scheme:</b>	Same as Field 178.	
<b>Beginning Position:</b>	123	<b>Data Source:</b> Claim
<b>Length:</b>	2	<b>Type:</b> Alphanumeric
<b>Field 25:</b>	<b>CONDITION_CODE_7</b> Code describing a condition relating to the claim.	
<b>Coding Scheme:</b>	Same as Field 178.	
<b>Beginning Position:</b>	125	<b>Data Source:</b> Claim
<b>Length:</b>	2	<b>Type:</b> Alphanumeric
<b>Field 26:</b>	<b>CONDITION_CODE_8</b> Code describing a condition relating to the claim.	
<b>Coding Scheme:</b>	Same as Field 178.	
<b>Beginning Position:</b>	127	<b>Data Source:</b> Claim
<b>Length:</b>	2	<b>Type:</b> Alphanumeric
<b>Field 27:</b>	<b>REASON_FOR_VISIT</b> ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.	
<b>Beginning Position:</b>	129	<b>Data Source:</b> Claim
<b>Length:</b>	5	<b>Type:</b> Alphanumeric
<b>Field 28:</b>	<b>PRINC_DIAG_CODE</b> ICD-9-CM diagnosis code for the principal diagnosis, including the 4th and 5th digits if applicable. Decimal is implied following the third character.	
<b>Beginning Position:</b>	134	<b>Data Source:</b> Claim
<b>Length:</b>	5	<b>Type:</b> Alphanumeric
<b>Field 29:</b>	<b>OTH_DIAG_CODE_1</b> ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.	
<b>Beginning Position:</b>	139	<b>Data Source:</b> Claim
<b>Length:</b>	5	<b>Type:</b> Alphanumeric
<b>Field 30:</b>	<b>OTH_DIAG_CODE_2</b> ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.	
<b>Beginning Position:</b>	144	<b>Data Source:</b> Claim
<b>Length:</b>	5	<b>Type:</b> Alphanumeric
<b>Field 31:</b>	<b>OTH_DIAG_CODE_3</b> ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.	
<b>Beginning Position:</b>	149	<b>Data Source:</b> Claim
<b>Length:</b>	5	<b>Type:</b> Alphanumeric
<b>Field 32:</b>	<b>OTH_DIAG_CODE_4</b> ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.	
<b>Beginning Position:</b>	154	<b>Data Source:</b> Claim
<b>Length:</b>	5	<b>Type:</b> Alphanumeric
<b>Field 33:</b>	<b>OTH_DIAG_CODE_5</b> ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.	
<b>Beginning Position:</b>	159	<b>Data Source:</b> Claim
<b>Length:</b>	5	<b>Type:</b> Alphanumeric
<b>Field 34:</b>	<b>OTH_DIAG_CODE_6</b>	

	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	164	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 35:</b>	<b>OTH_DIAG_CODE_7</b>		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	169	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 36:</b>	<b>OTH_DIAG_CODE_8</b>		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	174	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 37:</b>	<b>OTH_DIAG_CODE_9</b>		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	179	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 38:</b>	<b>OTH_DIAG_CODE_10</b>		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	184	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 39:</b>	<b>OTH_DIAG_CODE_11</b>		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	189	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 40:</b>	<b>OTH_DIAG_CODE_12</b>		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	194	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 41:</b>	<b>OTH_DIAG_CODE_13</b>		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	199	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 42:</b>	<b>OTH_DIAG_CODE_14</b>		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	204	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 43:</b>	<b>OTH_DIAG_CODE_15</b>		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	209	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 44:</b>	<b>OTH_DIAG_CODE_16</b>		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	214	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 45:</b>	<b>OTH_DIAG_CODE_17</b>		

	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	219	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 46:</b>	<b>OTH_DIAG_CODE_18</b>		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	224	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 47:</b>	<b>OTH_DIAG_CODE_19</b>		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	229	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 48:</b>	<b>OTH_DIAG_CODE_20</b>		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	234	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 49:</b>	<b>OTH_DIAG_CODE_21</b>		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	239	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 50:</b>	<b>OTH_DIAG_CODE_22</b>		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	244	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 51:</b>	<b>OTH_DIAG_CODE_23</b>		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	249	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 52:</b>	<b>OTH_DIAG_CODE_24</b>		
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.		
<b>Beginning Position:</b>	254	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 53:</b>	<b>RELATED_CAUSE_CODE_1</b>		
	Code identifying an accompanying cause of an illness, injury or an accident.		
<b>Coding Scheme:</b>	AA Auto accident AB Abust AP Another party responsible EM Employment OA Other accident		
<b>Beginning Position:</b>	259	<b>Data Source:</b>	Claim
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 54:</b>	<b>RELATED_CAUSE_CODE_2</b>		
	Code identifying an accompanying cause of an illness, injury or an accident.		
<b>Coding Scheme:</b>	Same as Field 53.		
<b>Beginning Position:</b>	261	<b>Data Source:</b>	Claim
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 55:</b>	<b>RELATED_CAUSE_CODE_3</b>		
	Code identifying an accompanying cause of an illness, injury or an accident.		

<b>Coding Scheme:</b>	Same as Field 53.	
<b>Beginning Position:</b>	263	<b>Data Source:</b> Claim
<b>Length:</b>	2	<b>Type:</b> Alphanumeric
<b>Field 56:</b>	<b>E_CODE_1</b> ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of the primary external cause of injury. A decimal is implied following the third character.	
<b>Beginning Position:</b>	265	<b>Data Source:</b> Claim
<b>Length:</b>	5	<b>Type:</b> Alphanumeric
<b>Field 57:</b>	<b>E_CODE_2</b> ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.	
<b>Beginning Position:</b>	270	<b>Data Source:</b> Claim
<b>Length:</b>	5	<b>Type:</b> Alphanumeric
<b>Field 58:</b>	<b>E_CODE_3</b> ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.	
<b>Beginning Position:</b>	275	<b>Data Source:</b> Claim
<b>Length:</b>	5	<b>Type:</b> Alphanumeric
<b>Field 59:</b>	<b>E_CODE_4</b> ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.	
<b>Beginning Position:</b>	280	<b>Data Source:</b> Claim
<b>Length:</b>	5	<b>Type:</b> Alphanumeric
<b>Field 60:</b>	<b>E_CODE_5</b> ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.	
<b>Beginning Position:</b>	285	<b>Data Source:</b> Claim
<b>Length:</b>	5	<b>Type:</b> Alphanumeric
<b>Field 61:</b>	<b>E_CODE_6</b> ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.	
<b>Beginning Position:</b>	290	<b>Data Source:</b> Claim
<b>Length:</b>	5	<b>Type:</b> Alphanumeric
<b>Field 62:</b>	<b>E_CODE_7</b> ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.	
<b>Beginning Position:</b>	295	<b>Data Source:</b> Claim
<b>Length:</b>	5	<b>Type:</b> Alphanumeric
<b>Field 63:</b>	<b>E_CODE_8</b> ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.	
<b>Beginning Position:</b>	300	<b>Data Source:</b> Claim
<b>Length:</b>	5	<b>Type:</b> Alphanumeric
<b>Field 64:</b>	<b>E_CODE_9</b> ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.	
<b>Beginning Position:</b>	305	<b>Data Source:</b> Claim
<b>Length:</b>	5	<b>Type:</b> Alphanumeric
<b>Field 65:</b>	<b>E_CODE_10</b> ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional external cause of injury. Decimal is implied following the third character.	
<b>Beginning Position:</b>	310	<b>Data Source:</b> Claim
<b>Length:</b>	5	<b>Type:</b> Alphanumeric
<b>Field 66:</b>	<b>PROC_CODE_1</b>	

	Code for the surgical or other procedure with the highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	315	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 67:</b>	<b>PROC_CODE_2</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	320	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 68:</b>	<b>PROC_CODE_3</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	325	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 69:</b>	<b>PROC_CODE_4</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	330	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 70:</b>	<b>PROC_CODE_5</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	335	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 71:</b>	<b>PROC_CODE_6</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	340	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 72:</b>	<b>PROC_CODE_7</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	345	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 73:</b>	<b>PROC_CODE_8</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	350	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 74:</b>	<b>PROC_CODE_9</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	355	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 75:</b>	<b>PROC_CODE_10</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	360	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 76:</b>	<b>PROC_CODE_11</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	365	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 77:</b>	<b>PROC_CODE_12</b>		

	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	370	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 78:</b>	<b>PROC_CODE_13</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	375	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 79:</b>	<b>PROC_CODE_14</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	380	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 80:</b>	<b>PROC_CODE_15</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	385	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 81:</b>	<b>PROC_CODE_16</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	390	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 82:</b>	<b>PROC_CODE_17</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	395	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 83:</b>	<b>PROC_CODE_18</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	400	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 84:</b>	<b>PROC_CODE_19</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	405	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 85:</b>	<b>PROC_CODE_20</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	410	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 86:</b>	<b>PROC_CODE_21</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	415	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 87:</b>	<b>PROC_CODE_22</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	420	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 88:</b>	<b>PROC_CODE_23</b>		

	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	425	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 89:</b>	<b>PROC_CODE_24</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	430	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 90:</b>	<b>PROC_CODE_25</b>		
	Code for surgical or other procedure with the next highest charge performed during the period covered by the bill. HCPCS or CPT code.		
<b>Beginning Position:</b>	435	<b>Data Source:</b>	Claim
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 91:</b>	<b>OTHER_AMOUNT</b>		
	Ancillary Service Charge, Other Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 002-099, 22X-24X, 52X-53X, 55X-60X, 64X-70X, 76X-78X, 90X-95X, 99X.		
<b>Beginning Position:</b>	440	<b>Data Source:</b>	Calculated
<b>Length:</b>	12	<b>Type:</b>	Numeric
<b>Field 92:</b>	<b>PHARM_AMOUNT</b>		
	Ancillary Service Charge, Pharmacy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 26X, 63X.		
<b>Beginning Position:</b>	452	<b>Data Source:</b>	Calculated
<b>Length:</b>	12	<b>Type:</b>	Numeric
<b>Field 93:</b>	<b>MEDSURG_AMOUNT</b>		
	Ancillary Service Charge, Medical/Surgical Supply Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 27X, 62X.		
<b>Beginning Position:</b>	464	<b>Data Source:</b>	Calculated
<b>Length:</b>	12	<b>Type:</b>	Numeric
<b>Field 94:</b>	<b>DME_AMOUNT</b>		
	Ancillary Service Charge, Durable Medical Equipment Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue centers 290-292, 294-299.		
<b>Beginning Position:</b>	476	<b>Data Source:</b>	Calculated
<b>Length:</b>	12	<b>Type:</b>	Numeric
<b>Field 95:</b>	<b>USED_DME_AMOUNT</b>		
	Ancillary Service Charge, Used Durable Medical Equipment Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 293.		
<b>Beginning Position:</b>	488	<b>Data Source:</b>	Calculated
<b>Length:</b>	12	<b>Type:</b>	Numeric
<b>Field 96:</b>	<b>PT_AMOUNT</b>		
	Ancillary Service Charge, Physical Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 42X.		
<b>Beginning Position:</b>	500	<b>Data Source:</b>	Calculated
<b>Length:</b>	12	<b>Type:</b>	Numeric
<b>Field 97:</b>	<b>OT_AMOUNT</b>		
	Ancillary Service Charge, Occupational Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 42X.		
<b>Beginning Position:</b>	512	<b>Data Source:</b>	Calculated
<b>Length:</b>	12	<b>Type:</b>	Numeric



<b>Field 98:</b>	<b>SPEECH_AMOUNT</b> Ancillary Service Charge, Speech Pathology Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 44X, 47X.		
<b>Beginning Position:</b>	524	<b>Data Source:</b>	Calculated
<b>Length:</b>	12	<b>Type:</b>	Numeric
<b>Field 99:</b>	<b>IT_AMOUNT</b> Ancillary Service Charge, Inhalation Therapy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 41X, 46X.		
<b>Beginning Position:</b>	536	<b>Data Source:</b>	Calculated
<b>Length:</b>	12	<b>Type:</b>	Numeric
<b>Field 100:</b>	<b>BLOOD_AMOUNT</b> Ancillary Service Charge. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 38X.		
<b>Beginning Position:</b>	548	<b>Data Source:</b>	Calculated
<b>Length:</b>	12	<b>Type:</b>	Numeric
<b>Field 101:</b>	<b>BLOOD_ADMIN_AMOUNT</b> Ancillary Service Charge. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 39X.		
<b>Beginning Position:</b>	560	<b>Data Source:</b>	Calculated
<b>Length:</b>	12	<b>Type:</b>	Numeric
<b>Field 102:</b>	<b>OR_AMOUNT</b> Ancillary Service Charge, Operating Room Charge amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 36X, 71X-72X.		
<b>Beginning Position:</b>	572	<b>Data Source:</b>	Calculated
<b>Length:</b>	12	<b>Type:</b>	Numeric
<b>Field 103:</b>	<b>LITH_AMOUNT</b> Ancillary Service Charge, Lithotripsy Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 79X.		
<b>Beginning Position:</b>	584	<b>Data Source:</b>	Calculated
<b>Length:</b>	12	<b>Type:</b>	Numeric
<b>Field 104:</b>	<b>CARD_AMOUNT</b> Ancillary Service Charge, Cardiology Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 48X, 73X.		
<b>Beginning Position:</b>	596	<b>Data Source:</b>	Calculated
<b>Length:</b>	12	<b>Type:</b>	Numeric
<b>Field 105:</b>	<b>ANES_AMOUNT</b> Ancillary Service Charge, Anesthesia Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 37X.		
<b>Beginning Position:</b>	608	<b>Data Source:</b>	Calculated
<b>Length:</b>	12	<b>Type:</b>	Numeric
<b>Field 106:</b>	<b>LAB_AMOUNT</b> Ancillary Service Charge, Laboratory Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 30X-31X, 74X-75X.		
<b>Beginning Position:</b>	620	<b>Data Source:</b>	Calculated
<b>Length:</b>	12	<b>Type:</b>	Numeric
<b>Field 107:</b>	<b>RAD_AMOUNT</b> Ancillary Service Charge, Radiology Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 28X, 32X-35X, 40X.		
<b>Beginning Position:</b>	632	<b>Data Source:</b>	Calculated
<b>Length:</b>	12	<b>Type:</b>	Numeric

<b>Field 108:</b>	<b>MRI_AMOUNT</b> Ancillary Service Charge, MRI Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 61X.
<b>Beginning Position:</b>	644
<b>Length:</b>	12
	<b>Data Source:</b> Calculated
	<b>Type:</b> Numeric
<b>Field 109:</b>	<b>OP_AMOUNT</b> Ancillary Service Charge, Outpatient Services Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 49X-50X.
<b>Beginning Position:</b>	656
<b>Length:</b>	12
	<b>Data Source:</b> Calculated
	<b>Type:</b> Numeric
<b>Field 110:</b>	<b>ER_AMOUNT</b> Ancillary Service Charge, Emergency Room Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 45X.
<b>Beginning Position:</b>	668
<b>Length:</b>	12
	<b>Data Source:</b> Calculated
	<b>Type:</b> Numeric
<b>Field 111:</b>	<b>AMBULANCE_AMOUNT</b> Ancillary Service Charge, Ambulance Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 54X.
<b>Beginning Position:</b>	680
<b>Length:</b>	12
	<b>Data Source:</b> Calculated
	<b>Type:</b> Numeric
<b>Field 112:</b>	<b>PRO_FEE_AMOUNT</b> Ancillary Service Charge, Professional Fee Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 96X-98X.
<b>Beginning Position:</b>	692
<b>Length:</b>	12
	<b>Data Source:</b> Calculated
	<b>Type:</b> Numeric
<b>Field 113:</b>	<b>ORGAN_AMOUNT</b> Ancillary Service Charge, Organ Acquisition Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 81X, 89X.
<b>Beginning Position:</b>	704
<b>Length:</b>	12
	<b>Data Source:</b> Calculated
	<b>Type:</b> Numeric
<b>Field 114:</b>	<b>ESRD_AMOUNT</b> Ancillary Service Charge, End Stage Renal Dialysis Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 80X, 82X-88X.
<b>Beginning Position:</b>	716
<b>Length:</b>	12
	<b>Data Source:</b> Calculated
	<b>Type:</b> Numeric
<b>Field 115:</b>	<b>CLINIC_AMOUNT</b> Ancillary Service Charge, Clinic Visit Charge Amount. Calculated using MEDPAR algorithm. Sum of charges associated with revenue codes other than 0100-0219, revenue center 51X.
<b>Beginning Position:</b>	728
<b>Length:</b>	12
	<b>Data Source:</b> Calculated
	<b>Type:</b> Numeric
<b>Field 116:</b>	<b>TOTAL_CHARGES</b> Sum of accommodation charges, non-covered accommodation charges, ancillary charges, non-covered ancillary charges. Replaces TOTAL_CHARGES_23.
<b>Beginning Position:</b>	740
<b>Length:</b>	12
	<b>Data Source:</b> Claim
	<b>Type:</b> Numeric
<b>Field 117:</b>	<b>TOTAL_NON_COV_CHARGES</b> Sum of non-covered accommodation charges, non-covered ancillary charges.
<b>Beginning Position:</b>	752
<b>Length:</b>	12
	<b>Data Source:</b> Claim
	<b>Type:</b> Numeric
<b>Field 118:</b>	<b>TOTAL_CHARGES_ANCIL</b>

	Sum of covered and non-covered ancillary charges.		
<b>Beginning Position:</b>	764	<b>Data Source:</b>	Claim
<b>Length:</b>	12	<b>Type:</b>	Numeric
<b>Field 119:</b>	<b>TOTAL_NON_COV_CHARGES Ancil</b>		
	Sum of non-covered ancillary charges.		
<b>Beginning Position:</b>	776	<b>Data Source:</b>	Claim
<b>Length:</b>	12	<b>Type:</b>	Numeric
<b>Field 120:</b>	<b>PHYSICIAN_1_UNIF_ID</b>		
	Uniform identifier assigned to the licensed physician reported as the Operating Physician, if reported in the 837 Institutional Guide format, or Rendering Physician 1, if reported in the 837 Professional Guide format. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include a health practitioner other than a physician who provides a diagnostic or therapeutic procedure related to the outpatient's surgical or radiological procedure, including a technician, psychologist, chiropractor, dentist, nurse practitioner, nurse midwife or podiatrist, authorized by the facility to treat patients.		
<b>Suppression:</b>	Suppressed when the number of physicians reported for a facility or the number of physicians reported for CCS_PROC_CODE_1 for the facility is less than five.		
<b>Coding Scheme:</b>	9999999998	Cell size less than 5	
	9999999999	Temporary license or license number could not be matched	
<b>Beginning Position:</b>	788	<b>Data Source:</b>	Assigned
<b>Length:</b>	10	<b>Type:</b>	Alphanumeric
<b>Field 121:</b>	<b>PHYSICIAN_2_UNIF_ID</b>		
	Uniform identifier assigned to the licensed physician reported as the other provider, if reported in the 837 Institutional Guide format, or the Rendering Physician 2, if reported in the 837 Professional Guide format. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include a health practitioner other than a physician who provides a diagnostic or therapeutic procedure related to the outpatient's surgical or radiological procedure, including a technician, psychologist, chiropractor, dentist, nurse practitioner, nurse midwife or podiatrist, authorized by the facility to treat patients.		
<b>Suppression:</b>	Suppressed when the number of physicians reported for a facility or the number of physicians represented for CCS_PROC_CODE_1 for a facility is less than five.		
<b>Coding Scheme:</b>	9999999998	Cell size less than 5	
	9999999999	Temporary license or license number could not be matched	
<b>Beginning Position:</b>	798	<b>Data Source:</b>	Assigned
<b>Length:</b>	10	<b>Type:</b>	Alphanumeric
<b>Field 122:</b>	<b>CERT_STATUS</b>		
	Assignment of a code to indicate the certification of data and submission of comments by the facility. First available 3 <sup>rd</sup> quarter 1999.		
<b>Coding Scheme:</b>	1	Certified, without comment	
	2	Certified, with comment	
	3	Certified, with comment, comment not received by deadline	
	4	Facility elected not to certify	
	5	Facility closed, data not certified	
	6	Facility out of compliance, did not certify data	
<b>Beginning Position:</b>	808	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 123:</b>	<b>INPUT_FORMAT</b>		
	Format in which the outpatient data file was submitted by the facility		
<b>Coding Scheme:</b>	0	837 Professional	
	1	837 Institutional	
<b>Beginning Position:</b>	809	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric

**References:**

## CLASSIFICATION DATA FILE

<b>Field 1:</b>	<b>RECORD_ID</b>		
<b>Description:</b>	Record Identification Number. Unique number assigned to identify the record. First available 1st quarter 2002.		
<b>Beginning Position:</b>	1	<b>Data Source:</b>	Assigned
<b>Length:</b>	12	<b>Type:</b>	Alphanumeric
<b>Field 2:</b>	<b>CCS_PRIN_DIAG_CODE</b>		
	Clinical Classifications Software (CCS) classification of PRIN_DIAG_CODE into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	13	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 3:</b>	<b>CCS_OTH_DIAG_CODE_1</b>		
	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	17	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 4:</b>	<b>CCS_OTH_DIAG_CODE_2</b>		
	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	21	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 5:</b>	<b>CCS_OTH_DIAG_CODE_3</b>		
	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	25	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 6:</b>	<b>CCS_OTH_DIAG_CODE_4</b>		
	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	29	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 7:</b>	<b>CCS_OTH_DIAG_CODE_5</b>		
	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	33	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 8:</b>	<b>CCS_OTH_DIAG_CODE_6</b>		
	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	37	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 9:</b>	<b>CCS_OTH_DIAG_CODE_7</b>		
	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	41	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 10:</b>	<b>CCS_OTH_DIAG_CODE_8</b>		
	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	45	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 11:</b>	<b>CCS_OTH_DIAG_CODE_9</b>		

	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	49	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 12:</b>	<b>CCS_OTH_DIAG_CODE_10</b> Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	53	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 13:</b>	<b>CCS_OTH_DIAG_CODE_11</b> Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	57	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 14:</b>	<b>CCS_OTH_DIAG_CODE_12</b> Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	61	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 15:</b>	<b>CCS_OTH_DIAG_CODE_13</b> Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	65	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 16:</b>	<b>CCS_OTH_DIAG_CODE_14</b> Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	69	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 17:</b>	<b>CCS_OTH_DIAG_CODE_15</b> Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	73	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 18:</b>	<b>CCS_OTH_DIAG_CODE_16</b> Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	77	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 19:</b>	<b>CCS_OTH_DIAG_CODE_17</b> Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	81	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 20:</b>	<b>CCS_OTH_DIAG_CODE_18</b> Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	85	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 21:</b>	<b>CCS_OTH_DIAG_CODE_19</b> Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	89	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 22:</b>	<b>CCS_OTH_DIAG_CODE_20</b>		

	Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	93	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 23:</b>	<b>CCS_OTH_DIAG_CODE_21</b> Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	97	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 24:</b>	<b>CCS_OTH_DIAG_CODE_22</b> Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	101	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 25:</b>	<b>CCS_OTH_DIAG_CODE_23</b> Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	105	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 26:</b>	<b>CCS_OTH_DIAG_CODE_24</b> Clinical Classifications Software (CCS) classification of OTH_DIAG_CODE_1 into clinically meaningful diagnosis category.		
<b>Beginning Position:</b>	109	<b>Data Source:</b>	Assigned
<b>Length:</b>	4	<b>Type:</b>	Alphanumeric
<b>Field 27:</b>	<b>CCS_PROC_CODE_1</b> Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_1 into clinically meaningful procedure category.		
<b>Beginning Position:</b>	113	<b>Data Source:</b>	Assigned
<b>Length:</b>	3	<b>Type:</b>	Alphanumeric
<b>Field 28:</b>	<b>CCS_PROC_CODE_2</b> Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_2 into clinically meaningful procedure category.		
<b>Beginning Position:</b>	116	<b>Data Source:</b>	Assigned
<b>Length:</b>	3	<b>Type:</b>	Alphanumeric
<b>Field 29:</b>	<b>CCS_PROC_CODE_3</b> Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_3 into clinically meaningful procedure category.		
<b>Beginning Position:</b>	119	<b>Data Source:</b>	Assigned
<b>Length:</b>	3	<b>Type:</b>	Alphanumeric
<b>Field 30:</b>	<b>CCS_PROC_CODE_4</b> Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_4 into clinically meaningful procedure category.		
<b>Beginning Position:</b>	122	<b>Data Source:</b>	Assigned
<b>Length:</b>	3	<b>Type:</b>	Alphanumeric
<b>Field 31:</b>	<b>CCS_PROC_CODE_5</b> Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_5 into clinically meaningful procedure category.		
<b>Beginning Position:</b>	125	<b>Data Source:</b>	Assigned
<b>Length:</b>	3	<b>Type:</b>	Alphanumeric
<b>Field 32:</b>	<b>CCS_PROC_CODE_6</b> Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_6 into clinically meaningful procedure category.		
<b>Beginning Position:</b>	128	<b>Data Source:</b>	Assigned
<b>Length:</b>	3	<b>Type:</b>	Alphanumeric
<b>Field 33:</b>	<b>CCS_PROC_CODE_7</b>		

	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_7 into clinically meaningful procedure category.
<b>Beginning Position:</b>	131
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 34:</b>	<b>CCS_PROC_CODE_8</b>
	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_8 into clinically meaningful procedure category.
<b>Beginning Position:</b>	134
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 35:</b>	<b>CCS_PROC_CODE_9</b>
	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_9 into clinically meaningful procedure category.
<b>Beginning Position:</b>	137
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 36:</b>	<b>CCS_PROC_CODE_10</b>
	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_10 into clinically meaningful procedure category.
<b>Beginning Position:</b>	140
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 37:</b>	<b>CCS_PROC_CODE_11</b>
	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_11 into clinically meaningful procedure category.
<b>Beginning Position:</b>	143
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 38:</b>	<b>CCS_PROC_CODE_12</b>
	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_12 into clinically meaningful procedure category.
<b>Beginning Position:</b>	146
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 39:</b>	<b>CCS_PROC_CODE_13</b>
	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_13 into clinically meaningful procedure category.
<b>Beginning Position:</b>	149
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 40:</b>	<b>CCS_PROC_CODE_14</b>
	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_14 into clinically meaningful procedure category.
<b>Beginning Position:</b>	152
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 41:</b>	<b>CCS_PROC_CODE_15</b>
	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_15 into clinically meaningful procedure category.
<b>Beginning Position:</b>	155
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 42:</b>	<b>CCS_PROC_CODE_16</b>
	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_16 into clinically meaningful procedure category.
<b>Beginning Position:</b>	158
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 43:</b>	<b>CCS_PROC_CODE_17</b>
	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_17 into clinically meaningful procedure category.
<b>Beginning Position:</b>	161
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 44:</b>	<b>CCS_PROC_CODE_18</b>

	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_18 into clinically meaningful procedure category.
<b>Beginning Position:</b>	164
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 45:</b>	<b>CCS_PROC_CODE_19</b>
	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_19 into clinically meaningful procedure category.
<b>Beginning Position:</b>	167
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 46:</b>	<b>CCS_PROC_CODE_20</b>
	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_20 into clinically meaningful procedure category.
<b>Beginning Position:</b>	170
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 47:</b>	<b>CCS_PROC_CODE_21</b>
	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_21 into clinically meaningful procedure category.
<b>Beginning Position:</b>	173
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 48:</b>	<b>CCS_PROC_CODE_22</b>
	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_22 into clinically meaningful procedure category.
<b>Beginning Position:</b>	176
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 49:</b>	<b>CCS_PROC_CODE_23</b>
	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_23 into clinically meaningful procedure category.
<b>Beginning Position:</b>	179
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 50:</b>	<b>CCS_PROC_CODE_24</b>
	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_24 into clinically meaningful procedure category.
<b>Beginning Position:</b>	182
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 51:</b>	<b>CCS_PROC_CODE_25</b>
	Clinical Classifications Software (CCS) for Services and Procedures classification of PROC_CODE_25 into clinically meaningful procedure category.
<b>Beginning Position:</b>	185
<b>Length:</b>	3
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 52:</b>	<b>FINAL_EAPG_CATEGORY_CODE_1</b>
	Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.
<b>Beginning Position:</b>	188
<b>Length:</b>	2
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 53:</b>	<b>FINAL_EAPG_CATEGORY_CODE_2</b>
	Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.
<b>Beginning Position:</b>	190
<b>Length:</b>	2
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 54:</b>	<b>FINAL_EAPG_CATEGORY_CODE_3</b>
	Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.
<b>Beginning Position:</b>	192
<b>Length:</b>	2
<b>Data Source:</b>	Assigned
<b>Type:</b>	Alphanumeric
<b>Field 55:</b>	<b>FINAL_EAPG_CATEGORY_CODE_4</b>



	Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	194	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 56:</b>	<b>FINAL_EAPG_CATEGORY_CODE_5</b>		
	Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	196	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 57:</b>	<b>FINAL_EAPG_CATEGORY_CODE_6</b>		
	Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	198	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 58:</b>	<b>FINAL_EAPG_CATEGORY_CODE_7</b>		
	Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	200	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 59:</b>	<b>FINAL_EAPG_CATEGORY_CODE_8</b>		
	Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	202	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 60:</b>	<b>FINAL_EAPG_CATEGORY_CODE_9</b>		
	Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	204	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 61:</b>	<b>FINAL_EAPG_CATEGORY_CODE_10</b>		
	Enhanced Ambulatory Patient Group (EAPG) category code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	206	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 62:</b>	<b>FINAL_EAPG_TYPE_CODE_1</b>		
	Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	208	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 63:</b>	<b>FINAL_EAPG_TYPE_CODE_2</b>		
	Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	210	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 64:</b>	<b>FINAL_EAPG_TYPE_CODE_3</b>		
	Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	212	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 65:</b>	<b>FINAL_EAPG_TYPE_CODE_4</b>		
	Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	214	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 66:</b>	<b>FINAL_EAPG_TYPE_CODE_5</b>		

	Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	216	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 67:</b>	<b>FINAL_EAPG_TYPE_CODE_6</b>		
	Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	218	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 68:</b>	<b>FINAL_EAPG_TYPE_CODE_7</b>		
	Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	220	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 69:</b>	<b>FINAL_EAPG_TYPE_CODE_8</b>		
	Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	222	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 70:</b>	<b>FINAL_EAPG_TYPE_CODE_9</b>		
	Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	224	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 71:</b>	<b>FINAL_EAPG_TYPE_CODE_10</b>		
	Enhanced Ambulatory Patient Group (EAPG) type code, as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	226	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 72:</b>	<b>FINAL_EAPG_1</b>		
	Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	228	<b>Data Source:</b>	Assigned
<b>Length:</b>	3	<b>Type:</b>	Alphanumeric
<b>Field 73:</b>	<b>FINAL_EAPG_2</b>		
	Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	231	<b>Data Source:</b>	Assigned
<b>Length:</b>	3	<b>Type:</b>	Alphanumeric
<b>Field 74:</b>	<b>FINAL_EAPG_3</b>		
	Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	234	<b>Data Source:</b>	Assigned
<b>Length:</b>	3	<b>Type:</b>	Alphanumeric
<b>Field 75:</b>	<b>FINAL_EAPG_4</b>		
	Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	237	<b>Data Source:</b>	Assigned
<b>Length:</b>	3	<b>Type:</b>	Alphanumeric
<b>Field 76:</b>	<b>FINAL_EAPG_5</b>		
	Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	240	<b>Data Source:</b>	Assigned
<b>Length:</b>	3	<b>Type:</b>	Alphanumeric
<b>Field 77:</b>	<b>FINAL_EAPG_6</b>		

	Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	243	<b>Data Source:</b>	Assigned
<b>Length:</b>	3	<b>Type:</b>	Alphanumeric
<b>Field 78:</b>	<b>FINAL_EAPG_7</b>		
	Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	246	<b>Data Source:</b>	Assigned
<b>Length:</b>	3	<b>Type:</b>	Alphanumeric
<b>Field 79:</b>	<b>FINAL_EAPG_8</b>		
	Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	249	<b>Data Source:</b>	Assigned
<b>Length:</b>	3	<b>Type:</b>	Alphanumeric
<b>Field 80:</b>	<b>FINAL_EAPG_9</b>		
	Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	252	<b>Data Source:</b>	Assigned
<b>Length:</b>	3	<b>Type:</b>	Alphanumeric
<b>Field 81:</b>	<b>FINAL_EAPG_10</b>		
	Final Enhanced Ambulatory Patient Group (EAPG), as assigned by 3M EAPG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	255	<b>Data Source:</b>	Assigned
<b>Length:</b>	3	<b>Type:</b>	Alphanumeric
<b>Field 82:</b>	<b>EAPG_GRP_VER</b>		
	Enhanced Ambulatory Patient Group Version Number, as assigned by 3M EAPG Grouper		
<b>Beginning Position:</b>	258		
<b>Length:</b>	12	<b>Type:</b>	Alphanumeric
<b>Field 83:</b>	<b>CRG_STATUS_1</b>		
	Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	270	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 84:</b>	<b>CRG_STATUS_2</b>		
	Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	271	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 85:</b>	<b>CRG_STATUS_3</b>		
	Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	272	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 86:</b>	<b>CRG_STATUS_4</b>		
	Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	273	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 87:</b>	<b>CRG_STATUS_5</b>		
	Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	274	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 88:</b>	<b>CRG_STATUS_6</b>		

Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.

<b>Beginning Position:</b>	275	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 89:</b>	<b>CRG_STATUS_7</b>		
	Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	276	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 90:</b>	<b>CRG_STATUS_8</b>		
	Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	277	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 91:</b>	<b>CRG_STATUS_9</b>		
	Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	278	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 92:</b>	<b>CRG_STATUS_10</b>		
	Clinical Risk Group (CRG) status code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	279	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 93:</b>	<b>CRG_CODE_1</b>		
	Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	280	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 94:</b>	<b>CRG_CODE_2</b>		
	Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	285	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 95:</b>	<b>CRG_CODE_3</b>		
	Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	290	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 96:</b>	<b>CRG_CODE_4</b>		
	Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	295	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 97:</b>	<b>CRG_CODE_5</b>		
	Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	300	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 98:</b>	<b>CRG_CODE_6</b>		
	Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	305	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 99:</b>	<b>CRG_CODE_7</b>		

	Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	310	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 100:</b>	<b>CRG_CODE_8</b> Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	315	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 101:</b>	<b>CRG_CODE_9</b> Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	320	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 102:</b>	<b>CRG_CODE_10</b> Clinical Risk Group (CRG) code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	325	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 103:</b>	<b>CRG_SEVERITY_1</b> Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	330	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 104:</b>	<b>CRG_SEVERITY_2</b> Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	331	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 105:</b>	<b>CRG_SEVERITY_3</b> Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	332	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 106:</b>	<b>CRG_SEVERITY_4</b> Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	333	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 107:</b>	<b>CRG_SEVERITY_5</b> Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	334	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 108:</b>	<b>CRG_SEVERITY_6</b> Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	335	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 109:</b>	<b>CRG_SEVERITY_7</b> Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	336	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 110:</b>	<b>CRG_SEVERITY_8</b>		

Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.

<b>Beginning Position:</b>	337	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 111:</b>	<b>CRG_SEVERITY_9</b>		
	Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	338	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 112:</b>	<b>CRG_SEVERITY_10</b>		
	Clinical Risk Group (CRG) severity code as assigned by 3M CRG Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	339	<b>Data Source:</b>	Assigned
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 113:</b>	<b>APC_PROCEDURE_CODE_1</b>		
	Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	340	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 114:</b>	<b>APC_PROCEDURE_CODE_2</b>		
	Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	345	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 115:</b>	<b>APC_PROCEDURE_CODE_3</b>		
	Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	350	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 116:</b>	<b>APC_PROCEDURE_CODE_4</b>		
	Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	355	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 117:</b>	<b>APC_PROCEDURE_CODE_5</b>		
	Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	360	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 118:</b>	<b>APC_PROCEDURE_CODE_6</b>		
	Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	365	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 119:</b>	<b>APC_PROCEDURE_CODE_7</b>		
	Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	370	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 120:</b>	<b>APC_PROCEDURE_CODE_8</b>		
	Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	375	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 121:</b>	<b>APC_PROCEDURE_CODE_9</b>		

	Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	380	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 122:</b>	<b>APC_PROCEDURE_CODE_10</b> Ambulatory Payment Classification (APC) procedure code as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	385	<b>Data Source:</b>	Assigned
<b>Length:</b>	5	<b>Type:</b>	Alphanumeric
<b>Field 123:</b>	<b>APC_PX_STATUS_IND_CODE_1</b> Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	390	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 124:</b>	<b>APC_PX_STATUS_IND_CODE_2</b> Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	392	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 125:</b>	<b>APC_PX_STATUS_IND_CODE_3</b> Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	394	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 126:</b>	<b>APC_PX_STATUS_IND_CODE_4</b> Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	396	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 127:</b>	<b>APC_PX_STATUS_IND_CODE_5</b> Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	398	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 128:</b>	<b>APC_PX_STATUS_IND_CODE_6</b> Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	400	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 129:</b>	<b>APC_PX_STATUS_IND_CODE_7</b> Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	402	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 130:</b>	<b>APC_PX_STATUS_IND_CODE_8</b> Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	404	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 131:</b>	<b>APC_PX_STATUS_IND_CODE_9</b> Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	406	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 132:</b>	<b>APC_PX_STATUS_IND_CODE_10</b>		

	Ambulatory Payment Classification (APC) procedure status indicator as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	408	<b>Data Source:</b>	Assigned
<b>Length:</b>	2	<b>Type:</b>	Alphanumeric
<b>Field 133:</b>	<b>APC_WEIGHT_1</b> Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	410	<b>Data Source:</b>	Assigned
<b>Length:</b>	9	<b>Type:</b>	Alphanumeric
<b>Field 134:</b>	<b>APC_WEIGHT_2</b> Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	419	<b>Data Source:</b>	Assigned
<b>Length:</b>	9	<b>Type:</b>	Alphanumeric
<b>Field 135:</b>	<b>APC_WEIGHT_3</b> Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	428	<b>Data Source:</b>	Assigned
<b>Length:</b>	9	<b>Type:</b>	Alphanumeric
<b>Field 136:</b>	<b>APC_WEIGHT_4</b> Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	437	<b>Data Source:</b>	Assigned
<b>Length:</b>	9	<b>Type:</b>	Alphanumeric
<b>Field 137:</b>	<b>APC_WEIGHT_5</b> Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	446	<b>Data Source:</b>	Assigned
<b>Length:</b>	9	<b>Type:</b>	Alphanumeric
<b>Field 138:</b>	<b>APC_WEIGHT_6</b> Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	455	<b>Data Source:</b>	Assigned
<b>Length:</b>	9	<b>Type:</b>	Alphanumeric
<b>Field 139:</b>	<b>APC_WEIGHT_7</b> Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	464	<b>Data Source:</b>	Assigned
<b>Length:</b>	9	<b>Type:</b>	Alphanumeric
<b>Field 140:</b>	<b>APC_WEIGHT_8</b> Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	473	<b>Data Source:</b>	Assigned
<b>Length:</b>	9	<b>Type:</b>	Alphanumeric
<b>Field 141:</b>	<b>APC_WEIGHT_9</b> Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	482	<b>Data Source:</b>	Assigned
<b>Length:</b>	9	<b>Type:</b>	Alphanumeric
<b>Field 142:</b>	<b>APC_WEIGHT_10</b> Ambulatory Payment Classification (APC) weighting as assigned by 3M APC Grouper, version 26. Not available 4Q09.		
<b>Beginning Position:</b>	491	<b>Data Source:</b>	Assigned
<b>Length:</b>	9	<b>Type:</b>	Alphanumeric
<b>Field 143:</b>	<b>APC_GRP_VER</b>		



Ambulatory Payment Classification (APC) Version Number as assigned by 3M APC Grouper, version 26. Not available 4Q09.

<b>Beginning Position:</b>	500	<b>Data Source:</b>	Assigned
<b>Length:</b>	12	<b>Type:</b>	Alphanumeric

---

## CHARGES DATA FILE

<b>Field 1:</b>	<b>RECORD_ID</b>		
<b>Description:</b>	Record Identification Number. Unique number assigned to identify the record. First available 1 <sup>st</sup> quarter 2002.		
<b>Beginning Position:</b>	1	<b>Data Source:</b>	Assigned
<b>Length:</b>	12	<b>Type:</b>	Alphanumeric
<b>Field 2:</b>	<b>REVENUE_CODE</b>		
<b>Description:</b>	Code corresponding to each specific accommodation, ancillary service or billing calculation related to the services being billed.		
<b>Coding Scheme:</b>	100	All-inclusive room charges plus ancillary	516 Clinic - urgent care
	101	All-inclusive room charges	517 Clinic - family practice
	110	Room charges for private rooms - general	519 Clinic - other
	111	Room charges for private rooms - medical/surgical/GYN	520 Freestanding Clinic - general
	112	Room charges for private rooms - obstetrics	521 Freestanding Clinic - Clinic Visit by Member to RHC/FQHC
	113	Room charges for private rooms - pediatric	522 Freestanding Clinic - Home Visit by RHC/FQHC Practitioner
	114	Room charges for private rooms - psychiatric	523 Freestanding Clinic - family practice
	115	Room charges for private rooms - hospice	524 Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a Covered Part A Stay at SNF
	116	Room charges for private rooms - detoxification	525 Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a SNF (not Covered Part A Stay) or NF or ICF MR or Other Residential Facility
	117	Room charges for private rooms - oncology	526 Freestanding Clinic - urgent care
	118	Room charges for private rooms - rehabilitation	527 Freestanding Clinic - Visiting Nurse Services(s) to a Member's Home when in a Home Health Shortage Area
	119	Room charges for private rooms - other	528 Freestanding Clinic - Visit by RHC/FQHC Practitioner to Other non RHC/FQHC Site (e.g. Scene of Accident)
	120	Room charges for semi-private rooms - general	529 Freestanding Clinic - other
	121	Room charges for semi-private rooms - medical/surgical/GYN	530 Osteopathic service - general
	122	Room charges for semi-private rooms - obstetrics	531 Osteopathic service - therapy
	123	Room charges for semi-private rooms - pediatric	539 Osteopathic service - other
	124	Room charges for semi-private rooms - psychiatric	540 Ambulance service - general
	125	Room charges for semi-private rooms - hospice	541 Ambulance service - supplies
	126	Room charges for semi-private rooms - detoxification	542 Ambulance service - medical transport
	127	Room charges for semi-private rooms - oncology	543 Ambulance service - heart mobile
	128	Room charges for semi-private rooms - rehabilitation	544 Ambulance service - oxygen
	129	Room charges for semi-private rooms - other	545 Ambulance service - air ambulance
	130	Room charges for semi-private - 3/4 beds - rooms - general	546 Ambulance service - neonatal
	131	Room charges for semi-private - 3/4 beds - rooms - medical/surgical/GYN	547 Ambulance service - pharmacy
	132	Room charges for semi-private - 3/4 beds - rooms - obstetrics	548 Ambulance service - telephone transmission EKG
	133	Room charges for semi-private - 3/4 beds - rooms - pediatric	549 Ambulance service - other
	134	Room charges for semi-private - 3/4 beds - rooms - psychiatric	550 Skilled nursing - general
	135	Room charges for semi-private - 3/4 beds - rooms - hospice	551 Skilled nursing - visit charge
	136	Room charges for semi-private - 3/4 beds - rooms - detoxification	552 Skilled nursing - hourly charge

137	Room charges for semi-private - 3/4 beds - rooms - oncology	559	Skilled nursing - other
138	Room charges for semi-private - 3/4 beds - rooms - rehabilitation	560	Medical social services - general
139	Room charges for semi-private - 3/4 beds - rooms - other	561	Medical social services - visit charge
140	Room charges for private (deluxe) rooms - general	562	Medical social services - hourly charge
141	Room charges for private (deluxe) rooms - medical/surgical/GYN	569	Medical social services - other
142	Room charges for private (deluxe) rooms - obstetrics	570	Home health aide - general
143	Room charges for private (deluxe) rooms - pediatric	571	Home health aide - visit charge
144	Room charges for private (deluxe) rooms - psychiatric	572	Home health aide - hourly charge
145	Room charges for private (deluxe) rooms - hospice	579	Home health aide - other
146	Room charges for private (deluxe) rooms - detoxification	580	Other visits (home health) - general
147	Room charges for private (deluxe) rooms - oncology	581	Other visits (home health) - visit charge
148	Room charges for private (deluxe) rooms - rehabilitation	582	Other visits (home health) - hourly charge
149	Room charges for private (deluxe) rooms - other	583	Other visits (home health) - assessment
150	Room charges for ward rooms - general	589	Other visits (home health) - other
151	Room charges for ward rooms - medical/surgical/GYN	590	Units of service (home health) - general
152	Room charges for ward rooms - obstetrics	599	Units of service (home health) - other
153	Room charges for ward rooms - pediatric	600	Oxygen (home health) - general
154	Room charges for ward rooms - psychiatric	601	Oxygen (home health) - stat/equip/supply or contents
155	Room charges for ward rooms - hospice	602	Oxygen (home health) - stat/equip/supply under 1 liter per minute
156	Room charges for ward rooms - detoxification	603	Oxygen (home health) - stat/equip/supply over 4 liters per minute
157	Room charges for ward rooms - oncology	604	Oxygen (home health) - portable add-in
158	Room charges for ward rooms - rehabilitation	610	MRI - general
159	Room charges for ward rooms - other	611	MRI - brain (including brain stem)
160	Room charges for other rooms - general	612	MRI - spinal cord (including spine)
161	Room charges for other rooms - medical/surgical/GYN	619	MRI - other
162	Room charges for other rooms - obstetrics	621	Medical/surgical supplies - incident to radiology
163	Room charges for other rooms - pediatric	622	Medical/surgical supplies - incident to other diagnostic services
164	Room charges for other rooms - psychiatric	623	Medical/surgical supplies - surgical dressings
165	Room charges for other rooms - hospice	624	Medical/surgical supplies - FDA investigational devices
166	Room charges for other rooms - detoxification	630	Drugs requiring specific identification - general
167	Room charges for other rooms - oncology	631	Drugs requiring specific identification - single source
168	Room charges for other rooms - rehabilitation	632	Drugs requiring specific identification - multiple source
169	Room charges for other rooms - other	633	Drugs requiring specific identification - restrictive prescription
170	Room charges for nursery - general	634	Drugs requiring specific identification - EPO, less than 10,000 units
171	Room charges for nursery - newborn level I	635	Drugs requiring specific identification - EPO, 10,000 or more units
172	Room charges for nursery - newborn level II	636	Drugs requiring specific identification - requiring detailed coding
173	Room charges for nursery - newborn level III	637	Drugs requiring specific identification - self-adminstrable nto requiring detailed coding
174	Room charges for nursery - newborn level IV	640	Home IV therapy services - general
179	Room charges for nursery - other	641	Home IV therapy services - nonroutine nursing, central line

180	Room charges for LOA - general	642	Home IV therapy services - IV site care, central line
182	Room charges for LOA - patient convenience-charges billable	643	Home IV therapy services - IV start/change, peripheral line
183	Room charges for LOA - therapeutic leave	644	Home IV therapy services - nonroutine nursing, peripheral line
184	Room charges for LOA - ICF mentally retarded - any reason	645	Home IV therapy services - training patient/caregiver, central line
185	Room charges for LOA - hospitalization	646	Home IV therapy services - training, disabled patient, central line
189	Room charges for LOA - other	647	Home IV therapy services - training, patient/caregiver, peripheral
190	Room charges for subacute care - general	648	Home IV therapy services - training, disabled patient, peripheral
191	Room charges for subacute care - Level I (skilled care)	649	Home IV therapy services - other
192	Room charges for subacute care - Level II (comprehensive care)	650	Hospice services - general
193	Room charges for subacute care - Level III (complex care)	651	Hospice services - routine home care
194	Room charges for subacute care - Level IV (intensive care)	652	Hospice services - continuous home care
199	Room charges for subacute care - other	655	Hospice services - inpatient respite care
200	Room charges for intensive care - general	656	Hospice services - general inpatient care (nonrespite)
201	Room charges for intensive care - surgical	657	Hospice services - physician services
202	Room charges for intensive care - medical	658	Hospice services - room and board - nursing facility
203	Room charges for intensive care - pediatric	659	Hospice services - other
204	Room charges for intensive care - psychiatric	660	Respite care - general
206	Room charges for intensive care - intermediate intensive care unit (ICU)	661	Respite care - hourly charge/skilled nursing
207	Room charges for intensive care - burn care	662	Respite care - hourly charge/aide/homemaker/companion
208	Room charges for intensive care - trauma	663	Respite care - daily charge
209	Room charges for intensive care - other	669	Respite care - other
210	Room charges for coronary care - general	670	Outpatient special residence - general
211	Room charges for coronary care - myocardial infarction	671	Outpatient special residence - hospital based
212	Room charges for coronary care - pulmonary care	672	Outpatient special residence - contracted
213	Room charges for coronary care - heart transplant	679	Outpatient special residence - other
214	Room charges for coronary care - intermediate coronary care unit (CCU)	681	Trauma response - level I
219	Room charges for coronary care - other	682	Trauma response - level II
220	Special charges - general	683	Trauma response - level III
221	Special charges - admission charge	684	Trauma response - level IV
222	Special charges - technical support charge	689	Trauma response - other
223	Special charges - UR service charge	700	Cast Room services - general
224	Special charges - late discharge, medically necessary	709	Cast Room services - other
229	Special charges - other	710	Recovery Room services - general
230	Incremental nursing care - general	719	Recovery Room services - other
231	Incremental nursing care - nursery	720	Labor/Delivery Room services - general
232	Incremental nursing care - OB	721	Labor/Delivery Room services - labor
233	Incremental nursing care - ICU (includes transitional care)	722	Labor/Delivery Room services - delivery
234	Incremental nursing care - CCU (includes transitional care)	723	Labor/Delivery Room services - circumcision
235	Incremental nursing care - hospice	724	Labor/Delivery Room services - birthing center
239	Incremental nursing care - other	729	Labor/Delivery Room services - other
240	All-inclusive ancillary - general	730	EKG/ECG services - general
249	All-inclusive ancillary - other	731	EKG/ECG services - holter monitor
250	Pharmacy - general	732	EKG/ECG services - telemetry

251	Pharmacy - generic drugs	739	EKG/ECG services - other
252	Pharmacy - nongeneric drugs	740	EEG services - general
253	Pharmacy - take-home drugs	749	EEG services - other
254	Pharmacy - drugs incident to other diagnostic services	750	Gastrointestinal services - general
255	Pharmacy - drugs incident to radiology	759	Gastrointestinal services - other
256	Pharmacy - experimental drugs	760	Treatment or observation room services - general
257	Pharmacy - nonprescription	761	Specialty Room - Treatment/ Observation Room - Treatment Room
258	Pharmacy - IV solutions	762	Specialty Room - Treatment/ Observation Room - Observation Room
259	Pharmacy - other		
260	IV Therapy - general	769	Treatment or observation room services - other
261	IV Therapy - infusion pump	770	Preventive care services - general
262	IV Therapy - pharmacy services	771	Preventive care services - vaccine administration
263	IV Therapy - drug/supply delivery	779	Preventive care services - other
264	IV Therapy - supplies	780	Telemedicine services - general
269	IV Therapy - other	789	Telemedicine services - other
270	Medical surgical supplies and devices - general	790	Lithotripsy services - general
271	Medical surgical supplies and devices - nonsterile	790	Extra-corporeal shockwave therapy - general
272	Medical surgical supplies and devices - sterile	799	Extra-corporeal shockwave therapy - other
273	Medical surgical supplies and devices - take-home	799	Lithotripsy services - other
274	Medical surgical supplies and devices - prosthetic/orthotic	800	Inpatient renal dialysis services - general
275	Medical surgical supplies and devices - pacemaker	801	Inpatient renal dialysis services - hemodialysis
276	Medical surgical supplies and devices - intraocular lens (IOL)	802	Inpatient renal dialysis services - peritoneal (non-CAPD)
277	Medical surgical supplies and devices - oxygen - take-home	803	Inpatient renal dialysis services - continuous ambulatory peritoneal dialysis (CAPD)
278	Medical surgical supplies and devices - other implants	804	Inpatient renal dialysis services - continuous cycling peritoneal dialysis (CAPD)
279	Medical surgical supplies and devices - other	809	Inpatient renal dialysis services - other
280	Oncology - general	810	Organ acquisition - general
289	Oncology - other	811	Organ acquisition - living donor
290	DME - general	812	Organ acquisition - cadaver donor
291	DME - rental	813	Organ acquisition - unknown donor
292	DME - purchase of new	814	Organ acquisition - unsuccessful organ search-donor bank charges
293	DME - purchase of used	819	Organ acquisition - other donor
294	DME - supplies/drugs for DME effectiveness	820	Hemodialysis - outpatient or home - general
299	DME - other equipment	821	Hemodialysis - outpatient or home - composite or other rate
300	Laboratory - general	825	Hemodialysis - outpatient or home - support services
301	Laboratory - chemistry	829	Hemodialysis - outpatient or home - other
302	Laboratory - immunology	830	Peritoneal dialysis - outpatient or home - general
303	Laboratory - renal patient (home)	831	Peritoneal dialysis - outpatient or home - composite or other rate
304	Laboratory - nonroutine dialysis	835	Peritoneal dialysis - outpatient or home - support services
305	Laboratory - hematology	839	Peritoneal dialysis - outpatient or home - other
306	Laboratory - bacteriology and microbiology	840	CAPD - outpatient or home - general
307	Laboratory - urology	841	CAPD - outpatient or home - composite or other rate
309	Laboratory - other	845	CAPD - outpatient or home - support services
310	Laboratory pathological - general	849	CAPD - outpatient or home - other
311	Laboratory pathological - cytology	850	CCPD - outpatient or home - general

312	Laboratory pathological - histology	851	CCPD - outpatient or home - composite or other rate
313	Laboratory pathological - biopsy	855	CCPD - outpatient or home - support services
319	Laboratory pathological - other	859	CCPD - outpatient or home - other
320	Radiology - diagnostic - general	880	Miscellaneous dialysis - general
321	Radiology - diagnostic - angiocardiography	881	Miscellaneous dialysis - ultrafiltration
322	Radiology - diagnostic - arthrography	882	Miscellaneous dialysis - home aide visit
323	Radiology - diagnostic - arteriography	889	Miscellaneous dialysis - other
324	Radiology - diagnostic - chest x-ray	900	Behavior health treatments/services - general
329	Radiology - diagnostic - other	901	Behavior health treatments/services - electroshock
330	Radiology - therapeutic and/or chemotherapy administration - general	902	Behavior health treatments/services - milieu therapy
331	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - injected	903	Behavioral health treatments/services - play therapy
332	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - oral	904	Behavior health treatments/services - activity therapy
333	Radiology - therapeutic and/or chemotherapy administration - radiation therapy	905	Behavior health treatments/services - intensive outpatient services - psychiatric
335	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - IV	906	Behavior health treatments/services - intensive outpatient services - chemical dependency
339	Radiology - therapeutic and/or chemotherapy administration - other	907	Behavior health treatments/services - community behavioral health program
340	Nuclear medicine - general	909	Behavior health treatments - other
341	Nuclear medicine - diagnostic procedures	910	Reserved
342	Nuclear medicine - therapeutic procedures	911	Behavior health treatment/services - rehabilitation
343	Nuclear medicine - diagnostic radiopharmaceuticals	912	Behavior health treatment/services - partial hospitalization - less intensive
344	Nuclear medicine - therapeutic radiopharmaceuticals	913	Behavior health treatment/services - partial hospitalization - intensive
349	Nuclear medicine - other	914	Behavior health treatment/services - individual therapy
350	CT scan - general	915	Behavior health treatment/services - group therapy
351	CT scan - head	916	Behavior health treatment/services - family therapy
352	CT scan - body	917	Behavior health treatment/services - biofeedback
359	CT scan - other	918	Behavior health treatment/services - testing
360	Operating room services - general	919	Behavior health treatment/services - other
361	Operating room services - minor surgery	920	Other diagnostic services - general
362	Operating room services - organ transplant other than kidney	921	Other diagnostic services - peripheral vascular lab
367	Operating room services - kidney transplant	922	Other diagnostic services - electromyogram
369	Operating room services - other	923	Other diagnostic services - pap smear
370	Anesthesia - general	924	Other diagnostic services - allergy test
371	Anesthesia - incident to radiology	925	Other diagnostic services - pregnancy test
372	Anesthesia - incident to other diagnostic services	929	Other diagnostic services - other
374	Anesthesia - acupuncture	931	Medical rehabilitation day program - half day
379	Anesthesia - other	932	Medical rehabilitation day program - full day
380	Blood - general	940	Other therapeutic services - general
381	Blood - packed red cells	941	Other therapeutic services - recreational therapy
382	Blood - whole blood	942	Other therapeutic services - education/training
383	Blood - plasma	943	Other therapeutic services - cardiac rehabilitation
384	Blood - platelets	944	Other therapeutic services - drug rehabilitation
385	Blood - leukocytes	945	Other therapeutic services - alcohol rehabilitation
386	Blood - other components	946	Other therapeutic services - complex medical equipment - routine
387	Blood - other derivatives (cryoprecipitates)	947	Other therapeutic services - complex medical equipment - ancillary

389	Blood - other	949	Other therapeutic services - other
390	Blood amd blood component administration, storage and processing - general	960	Professional fees - general
391	Blood and blood component administration, storage and processing - administration	961	Professional fees - psychiatric
399	Blood and blood component administration, storage and processing - other	962	Professional fees - ophthalmology
400	Other imaging services - general	963	Professional fees - anesthesiologist (MD)
401	Other imaging services - diagnostic mammography	964	Professional fees - anesthetist (CRNA)
402	Other imaging services - ultrasound	969	Professional fees - other
403	Other imaging services - screening mammography	970	Professional fees - general
404	Other imaging services - PET	971	Professional fees - laboratory
409	Other imaging services - other	972	Professional fees - radiology - diagnostic
410	Respiratory services - general	973	Professional fees - radiology - therapeutic
412	Respiratory services - inhalation	974	Professional fees - readiology - nuclear medicine
413	Respiratory services - hyperbaric oxygen therapy	975	Professional fees - operating room
419	Respiratory services - other	976	Professional fees - respiratory therapy
420	Physical therapy - general	977	Professional fees - physical therapy
421	Physical therapy - visit charge	978	Professional fees - occupational therapy
422	Physical therapy - hourly charge	979	Professional fees - speech therapy
423	Physical therapy - group rate	980	Professional fees - general
424	Physical therapy - evaluation or reevaluation	981	Professional fees - emergency room
429	Physical therapy - other	982	Professional fees - outpatient services
430	Occupational therapy - general	983	Professional fees - clinic
431	Occupational therapy - visit charge	984	Professional fees - medical social services
432	Occupational therapy - hourly charge	985	Professional fees - EKG
433	Occupational therapy - group rate	986	Professional fees - EEG
434	Occupational therapy - evaluation or reevaluation	987	Professional fees - hospital visit
439	Occupational therapy - other	988	Professional fees - consultation
440	Speech-language pathology - general	989	Professional fees - private duty nurse
441	Speech-language pathology - visit charge	990	Patient convenience items - general
442	Speech-language pathology - hourly charge	991	Patient convenience items - cafeteria/guest tray
443	Speech-language pathology - group rate	992	Patient convenience items - private linen service
444	Speech-language pathology - evaluation or reevaluation	993	Patient convenience items - telephone/telegraph
449	Speech-language pathology - other	994	Patient convenience items - TV/radio
450	Emergency room - general	995	Patient convenience items - nonpatient room rentals
451	Emergency room - EMTALA emergency medical screening services	996	Patient convenience items - late discharge charge
452	Emergency room - beyond EMTALA screening	997	Patient convenience items - admission kits
456	Emergency room - urgent care	998	Patient convenience items - beauty shop/barber
459	Emergency room - other	999	Patient convenience items - other
460	Pulmonary function - general	1000	Behavior health accommodations - general
469	Pulmonary function - other	1001	Behavior health accommodations - residential treatment - psychiatric
470	Audiology - general	1002	Behavior health accommodations - residential treatment - chemical dependency
471	Audiology - diagnostic	1003	Behavior health accommodations - supervised living
472	Audiology - treatment	1004	Behavior health accommodations - halfway house
479	Audiology - other	1005	Behavior health accommodations - group home
480	Cardiology - general	2100	Alternative therapy services - general
481	Cardiology - cardiac cath lab	2101	Alternative therapy services - acupuncture
482	Cardiology - stress test	2102	Alternative therapy services - acupressure
483	Cardiology - echocardiology	2103	Alternative therapy services - massage

	489	Cardiology - other	2104	Alternative therapy services - reflexology
	490	Ambulatory surgical care - general	2105	Alternative therapy services - biofeedback
	499	Ambulatory surgical care - other	2106	Alternative therapy services - hypnosis
	500	Outpatient services - general	2109	Alternative therapy services - other
	509	Outpatient services - other	3101	Adult day care, medical and social - hourly
	510	Clinic - general	3102	Adult day care, social - hourly
	511	Clinic - chronic pain	3103	Adult day care, medical and social - daily
	512	Clinic - dental	3104	Adult day care, social - daily
	513	Clinic - psychiatric	3105	Adult foster care - daily
	514	Clinic - OB/GYN	3109	Adult foster care - other
	515	Clinic - pediatric		
<b>Beginning Position:</b>	13		<b>Data Source:</b>	Claim
<b>Length:</b>	4		<b>Type:</b>	Alphanumeric
<b>Field 3:</b>	<b>HCPCS_QUALIFIER</b>			
<b>Description:</b>				
<b>Beginning Position:</b>	17		<b>Data Source:</b>	Claim
<b>Length:</b>	2		<b>Type:</b>	Alphanumeric
<b>Field 4</b>	<b>HCPCS_PROCEDURE_CODE</b>			
<b>Description:</b>	HCFA Common Procedure Coding System (HCPCS) code applicable to ancillary services or accommodations.			
<b>Coding Scheme:</b>	See <a href="http://www.cms.hhs.gov/HCPCSReleaseCodeSets/ANHCPCS/list.asp">http://www.cms.hhs.gov/HCPCSReleaseCodeSets/ANHCPCS/list.asp</a> for complete list of Level II HCPCS codes.			
<b>Beginning Position:</b>	19		<b>Data Source:</b>	Claim
<b>Length:</b>	5		<b>Type:</b>	Alphanumeric
<b>Field 5:</b>	<b>MODIFIER_1</b>			
<b>Description:</b>	Identifies special circumstances related to the performance of the service			
<b>Coding Scheme:</b>	0	No assessment completed	F2	Left hand, third digit
	1	Medicare 5 day assessment (full)	F3	Left hand, fourth digit
	2	Medicare 30 day assessment (full)	F4	Left hand, fifth digit
	3	Medicare 60 day assessment (full)	F5	Right hand, thumb
	4	Medicare 90 day assessment (full)	F6	Right hand, second digit
	7	Medicare 14 day assessment (comprehensive or full)	F7	Right hand, third digit
	8	Other Medicare required assessment (OMRA)	F8	Right hand, fourth digit
	11	Admission assessment - Medicare 5 day assessment (comprehensive)	F9	Right hand, fifth digit
	25	Significant, separately identifiable evaluation and management service by the same physician on the same day of the procedure o	FA	Left hand, thumb
	31	SCSA or OMRA/Medicare 5 day assessment (replacement)	G1	Most recent URR of less than 60%
	32	SCSA or OMRA/Medicare 30 day assessment (replacement)	G2	Most recent URR of 60% to 64%
	33	SCSA or OMRA/Medicare 60 day assessment (replacement)	G3	Most recent URR of 65% to 69.9%
	34	SCSA or OMRA/Medicare 90 day assessment (replacement)	G4	Most recent URR of 70% to 74.9%
	37	SCSA or OMRA/Medicare 14 day assessment (replacement)	G5	Most recent URR of 75% or greater
	38	Significant change in status assessment (SCSA)	GN	Service delivered personally by a speech-language pathologist or under an outpatient speech-language pathology plan of care.
	41	Significant correction of prior full assessment/Medicare 5 day assessment	GO	Service delivered personally by an occupational therapist or under an outpatient occupational therapy plan of care.
	42	Significant correction of prior full assessment/Medicare 30 day assessment	GP	Service delivered personally by a physical therapist or under an outpatient physical therapy plan of care.
	43	Significant correction of prior full assessment/Medicare 60 day assessment	LC	Left circumflex coronary artery
	44	Significant correction of prior full assessment/Medicare 90 day assessment	LD	Left anterior descending coronary artery



	47	Significant correction of prior full assessment/Medicare 14 day assessment	LT	Left side of the body procedure
	48	Significant correction of prior full assessment/OMRA or SCSA	QM	Ambulance service provided under arrangement by a provider of services
	50	Bilateral procedure	QN	Ambulance service furnished directly by a provider of services
	52	Reduced services	QP	Documentation exists showing that the laboratory test(s) was ordered individually, or as CPT-recognized panel other than profil
	53	Discontinued procedure	RC	Right coronary artery
	54	Quarterly review assessment - Medicare 90 assessment (full)	RT	Right side of the body procedure
	58	Staged or related procedure or service by the same physician during the postoperative period	T1	Left foot, second digit
	59	Distinct procedural service	T2	Left foot, third digit
	76	Repeat procedure by same physician	T3	Left foot, fourth digit
	77	Repeat procedure by another physician	T4	Left foot, fifth digit
	78	Return to the operating room for a related procedure during the postoperative period	T5	Right foot, great toe
	79	Unrelated procedure of service by the same physician during the postoperative period	T6	Right foot, second digit
	E1	Upper left eyelid	T7	Right foot, third digit
	E2	Lower left eyelid	T8	Right foot, fourth digit
	E3	Upper right eyelid	T9	Right foot, fifth digit
	E4	Lower right eyelid	TA	Left foot, great toe
	F1	Left hand, second digit		
<b>Beginning Position:</b>	24		<b>Data Source:</b>	Claim
<b>Length:</b>	2		<b>Type:</b>	Alphanumeric
<b>Field 6:</b>	<b>MODIFIER_2</b>			
<b>Description:</b>	Identifies special circumstances related to the performance of the service.			
<b>Coding Scheme:</b>	Same as Field 5			
<b>Beginning Position:</b>	26		<b>Data Source:</b>	Claim
<b>Length:</b>	2		<b>Type:</b>	Alphanumeric
<b>Field 7:</b>	<b>MODIFIER_3</b>			
<b>Description:</b>	Identifies special circumstances related to the performance of the service.			
<b>Coding Scheme:</b>	Same as Field 5			
<b>Beginning Position:</b>	28		<b>Data Source:</b>	Claim
<b>Length:</b>	2		<b>Type:</b>	Alphanumeric
<b>Field 8:</b>	<b>MODIFIER_4</b>			
<b>Description:</b>	Identifies special circumstances related to the performance of the service.			
<b>Coding Scheme:</b>	Same as Field 5			
<b>Beginning Position:</b>	30		<b>Data Source:</b>	Claim
<b>Length:</b>	2		<b>Type:</b>	Alphanumeric
<b>Field 9:</b>	<b>UNIT_MEASUREMENT_CODE</b>			
<b>Description:</b>	Code specifying the units in which a value is being expressed.			
<b>Coding Scheme:</b>	DA	Days		
	F2	International unit		
	UN	Unit		
<b>Beginning Position:</b>	32		<b>Data Source:</b>	Claim
<b>Length:</b>	2		<b>Type:</b>	Alphanumeric
<b>Field 10:</b>	<b>UNITS_OF_SERVICE</b>			
<b>Description:</b>	Numeric value of quantity			
<b>Beginning Position:</b>	34		<b>Data Source:</b>	Claim
<b>Length:</b>	7		<b>Type:</b>	Numeric
<b>Field 11:</b>	<b>UNIT_RATE</b>			
<b>Description:</b>	Rate per unit			
<b>Beginning Position:</b>	41		<b>Data Source:</b>	Claim
<b>Length:</b>	12		<b>Type:</b>	Numeric
<b>Field 12:</b>	<b>CHRG_LINE_ITEM</b>			

<b>Description:</b>	Total amount of the charge	<b>Data Source:</b>	Assigned
<b>Beginning Position:</b>	53	<b>Type:</b>	Numeric
<b>Length:</b>	14		
<b>Field 13:</b>	<b>CHRGs_NON_COV</b>		
<b>Description:</b>	Total non-covered amount of the charge	<b>Data Source:</b>	Assigned
<b>Beginning Position:</b>	67	<b>Type:</b>	Numeric
<b>Length:</b>	14		

## FACILITY TYPE INDICATOR FILE

Facility type indicators provided by the facilities. Provide the data user with information on the type of facility providing the outpatient service.

<b>Field 1:</b>	<b>THCIC_ID</b>		
<b>Description:</b>	Provider ID. Unique identifier assigned to the provider by DSHS.	<b>Data Source:</b>	Assigned
<b>Beginning Position:</b>	1	<b>Type:</b>	Alphanumeric
<b>Length:</b>	6		
<b>Field 2:</b>	<b>PROVIDER_NAME</b>		
<b>Description:</b>	Hospital name provided by the hospital.	<b>Data Source:</b>	Provider
<b>Beginning Position:</b>	7	<b>Type:</b>	Alphanumeric
<b>Length:</b>	55		
<b>Field 3:</b>	<b>FAC_TEACHING_IND</b>		
<b>Description:</b>	Teaching facility indicator.	<b>Data Source:</b>	Provider
<b>Coding Scheme:</b>	A Member, Council of Teaching Hospitals X Other teaching facility	<b>Type:</b>	Alphanumeric
<b>Beginning Position:</b>	62		
<b>Length:</b>	1		
<b>Field 4:</b>	<b>FAC_PSYCH_IND</b>		
<b>Description:</b>	Psychiatric facility indicator.	<b>Data Source:</b>	Provider
<b>Beginning Position:</b>	63	<b>Type:</b>	Alphanumeric
<b>Length:</b>	1		
<b>Field 5:</b>	<b>FAC_REHAB_IND</b>		
<b>Description:</b>	Rehabilitation facility indicator.	<b>Data Source:</b>	Provider
<b>Beginning Position:</b>	64	<b>Type:</b>	Alphanumeric
<b>Length:</b>	1		
<b>Field 6:</b>	<b>FAC_ACUTE_CARE_IND</b>		
<b>Description:</b>	Acute care facility indicator.	<b>Data Source:</b>	Provider
<b>Beginning Position:</b>	65	<b>Type:</b>	Alphanumeric
<b>Length:</b>	1		
<b>Field 7:</b>	<b>FAC_SNF_IND</b>		
<b>Description:</b>	Skilled nursing facility indicator.	<b>Data Source:</b>	Provider
<b>Beginning Position:</b>	66	<b>Type:</b>	Alphanumeric
<b>Length:</b>	1		
<b>Field 8:</b>	<b>FAC_LONG_TERM_AC_IND</b>		
<b>Description:</b>	Long term acute care facility indicator.	<b>Data Source:</b>	Provider
<b>Beginning Position:</b>	67	<b>Type:</b>	Alphanumeric
<b>Length:</b>	1		
<b>Field 9:</b>	<b>FAC_OTHER_LTC_IND</b>		
<b>Description:</b>	Other long term care facility indicator.	<b>Data Source:</b>	Provider
<b>Beginning Position:</b>	68	<b>Type:</b>	Alphanumeric
<b>Length:</b>	1		
<b>Field 10:</b>	<b>FAC_PEDS_IND</b>		

<b>Description:</b>	Pediatric facility Indicator.		
<b>Coding Scheme:</b>	C Member, National Association of Children's Hospitals and Related Institutions (NACHRI) X Facilities that also treat children		
<b>Beginning Position:</b>	69	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 11:</b>	<b>FAC_CARDIOVASCULAR_IND</b>		
<b>Description:</b>	Cardiovascular facility indicator.		
<b>Beginning Position:</b>	70	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 12:</b>	<b>FAC_CHIROPRACTIC_IND</b>		
<b>Description:</b>	Chiropractic care facility indicator.		
<b>Beginning Position:</b>	71	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 13:</b>	<b>FAC_ENDOSCOPY_IND</b>		
<b>Description:</b>	Endoscopy facility indicator.		
<b>Beginning Position:</b>	72	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 14:</b>	<b>FAC_FOOT_IND</b>		
<b>Description:</b>	Foot care facility indicator.		
<b>Beginning Position:</b>	73	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 15:</b>	<b>FAC_GASTROENTEROLOGY_IND</b>		
<b>Description:</b>	Gastroenterology facility indicator.		
<b>Beginning Position:</b>	74	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 16:</b>	<b>FAC_GENERAL_IND</b>		
<b>Description:</b>	General care facility indicator.		
<b>Beginning Position:</b>	75	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 17:</b>	<b>FAC_NEUROLOGICAL_IND</b>		
<b>Description:</b>	Neurological care facility indicator.		
<b>Beginning Position:</b>	76	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 18:</b>	<b>FAC_OB_GYN_IND</b>		
<b>Description:</b>	Obstetric and gynecology facility indicator.		
<b>Beginning Position:</b>	77	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 19:</b>	<b>FAC_OPTHAMOLOGY_IND</b>		
<b>Description:</b>	Ophthalmology facility indicator.		
<b>Beginning Position:</b>	78	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 20:</b>	<b>FAC_ORAL_IND</b>		
<b>Description:</b>	Oral health care facility indicator.		
<b>Beginning Position:</b>	79	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 21:</b>	<b>FAC_ORTHOPEDIC_IND</b>		
<b>Description:</b>	Orthopedic care facility indicator.		
<b>Beginning Position:</b>	80	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 22:</b>	<b>FAC_OTOLARYNGOLOGY_IND</b>		
<b>Description:</b>	Otolaryngology facility indicator.		
<b>Beginning Position:</b>	81	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 23:</b>	<b>FAC_PAIN_MNGMT_IND</b>		
<b>Description:</b>	Pain management facility indicator.		

<b>Beginning Position:</b>	82	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 24:</b>	<b>FAC_PLASTIC_IND</b>		
<b>Description:</b>	Plastic surgery facility indicator.		
<b>Beginning Position:</b>	83	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 25:</b>	<b>FAC_THORACIC_IND</b>		
<b>Description:</b>	Thoracic care facility Indicator.		
<b>Beginning Position:</b>	84	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 26:</b>	<b>FAC_UROLOGY_IND</b>		
<b>Description:</b>	Urology care facility indicator.		
<b>Beginning Position:</b>	85	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric
<b>Field 27:</b>	<b>FAC_OTHER_IND</b>		
<b>Description:</b>	Other facility indicator.		
<b>Beginning Position:</b>	86	<b>Data Source:</b>	Provider
<b>Length:</b>	1	<b>Type:</b>	Alphanumeric



## Texas Outpatient Services Data Public Use Data File

Base Data File  
Classifications Data File  
Charges Data File  
Facility Indicators Data File

### Data Fields

Fields that are shaded are not available in this release of data.

#### Base Data File

NUMBER	FIELD NAME	POSITION	LENGTH	FIELD TYPE
1	SERVICE_QUARTER	1	6	Alphanumeric
2	RECORD_ID	7	12	Alphanumeric
3	THCIC_ID	19	6	Alphanumeric
4	PROVIDER_NAME	25	55	Alphanumeric
5	SPEC_UNIT	80	5	Alphanumeric
5a	SPEC_UNIT_1 (fixed length format only)	80	1	Alphanumeric
5b	SPEC_UNIT_2 (fixed length format only)	81	1	Alphanumeric
5c	SPEC_UNIT_3 (fixed length format only)	82	1	Alphanumeric
5d	SPEC_UNIT_4 (fixed length format only)	83	1	Alphanumeric
5e	SPEC_UNIT_5 (fixed length format only)	84	1	Alphanumeric
6	SEX_CODE	85	1	Alphanumeric
7	PAT_COUNTY	86	3	Alphanumeric
8	PAT_STATE	89	2	Alphanumeric
9	PAT_ZIP	91	5	Alphanumeric
10	PAT_COUNTRY	96	2	Alphanumeric
11	PUBLIC_HEALTH_REGION	98	2	Alphanumeric
12	LENGTH_OF_SERVICE	100	2	Numeric
13	PAT_AGE	102	2	Alphanumeric
14	RACE	104	1	Alphanumeric
15	ETHNICITY	105	1	Alphanumeric
16	FIRST_PAYMENT_SRC	106	2	Alphanumeric
17	SECONDARY_PAYMENT_SRC	108	2	Alphanumeric
18	TYPE_OF_BILL	110	3	Alphanumeric
19	CONDITION_CODE_1	113	2	Alphanumeric
20	CONDITION_CODE_2	115	2	Alphanumeric
21	CONDITION_CODE_3	117	2	Alphanumeric
22	CONDITION_CODE_4	119	2	Alphanumeric
23	CONDITION_CODE_5	121	2	Alphanumeric
24	CONDITION_CODE_6	123	2	Alphanumeric
25	CONDITION_CODE_7	125	2	Alphanumeric
26	CONDITION_CODE_8	127	2	Alphanumeric
27	PAT_REASON_FOR_VISIT	129	5	Alphanumeric
28	PRINC_DIAG_CODE	134	5	Alphanumeric
29	OTHER_DIAG_CODE_1	139	5	Alphanumeric
30	OTHER_DIAG_CODE_2	144	5	Alphanumeric
31	OTHER_DIAG_CODE_3	149	5	Alphanumeric
32	OTHER_DIAG_CODE_4	154	5	Alphanumeric

33	OTHER_DIAG_CODE_5	159	5	Alphanumeric
34	OTHER_DIAG_CODE_6	164	5	Alphanumeric
35	OTHER_DIAG_CODE_7	169	5	Alphanumeric
36	OTHER_DIAG_CODE_8	174	5	Alphanumeric
37	OTHER_DIAG_CODE_9	179	5	Alphanumeric
38	OTHER_DIAG_CODE_10	184	5	Alphanumeric
39	OTHER_DIAG_CODE_11	189	5	Alphanumeric
40	OTHER_DIAG_CODE_12	194	5	Alphanumeric
41	OTHER_DIAG_CODE_13	199	5	Alphanumeric
42	OTHER_DIAG_CODE_14	204	5	Alphanumeric
43	OTHER_DIAG_CODE_15	209	5	Alphanumeric
44	OTHER_DIAG_CODE_16	214	5	Alphanumeric
45	OTHER_DIAG_CODE_17	219	5	Alphanumeric
46	OTHER_DIAG_CODE_18	224	5	Alphanumeric
47	OTHER_DIAG_CODE_19	229	5	Alphanumeric
48	OTHER_DIAG_CODE_20	234	5	Alphanumeric
49	OTHER_DIAG_CODE_21	239	5	Alphanumeric
50	OTHER_DIAG_CODE_22	244	5	Alphanumeric
51	OTHER_DIAG_CODE_23	249	5	Alphanumeric
52	OTHER_DIAG_CODE_24	254	5	Alphanumeric
53	RELATED_CAUSE_CODE_1	259	2	Alphanumeric
54	RELATED_CAUSE_CODE_2	261	2	Alphanumeric
55	RELATED_CAUSE_CODE_3	263	2	Alphanumeric
56	E_CODE_1	265	5	Alphanumeric
57	E_CODE_2	270	5	Alphanumeric
58	E_CODE_3	275	5	Alphanumeric
59	E_CODE_4	280	5	Alphanumeric
60	E_CODE_5	285	5	Alphanumeric
61	E_CODE_6	290	5	Alphanumeric
62	E_CODE_7	295	5	Alphanumeric
63	E_CODE_8	300	5	Alphanumeric
64	E_CODE_9	305	5	Alphanumeric
65	E_CODE_10	310	5	Alphanumeric
66	PROC_CODE_1	315	5	Alphanumeric
67	PROC_CODE_2	320	5	Alphanumeric
68	PROC_CODE_3	325	5	Alphanumeric
69	PROC_CODE_4	330	5	Alphanumeric
70	PROC_CODE_5	335	5	Alphanumeric
71	PROC_CODE_6	340	5	Alphanumeric
72	PROC_CODE_7	345	5	Alphanumeric
73	PROC_CODE_8	350	5	Alphanumeric
74	PROC_CODE_9	355	5	Alphanumeric
75	PROC_CODE_10	360	5	Alphanumeric
76	PROC_CODE_11	365	5	Alphanumeric
77	PROC_CODE_12	370	5	Alphanumeric
78	PROC_CODE_13	375	5	Alphanumeric
79	PROC_CODE_14	380	5	Alphanumeric
80	PROC_CODE_15	385	5	Alphanumeric
81	PROC_CODE_16	390	5	Alphanumeric
82	PROC_CODE_17	395	5	Alphanumeric
83	PROC_CODE_18	400	5	Alphanumeric
84	PROC_CODE_19	405	5	Alphanumeric
85	PROC_CODE_20	410	5	Alphanumeric

86	PROC_CODE_21	415	5	Alphanumeric
87	PROC_CODE_22	420	5	Alphanumeric
88	PROC_CODE_23	425	5	Alphanumeric
89	PROC_CODE_24	430	5	Alphanumeric
90	PROC_CODE_25	435	5	Alphanumeric
91	OTHER_AMOUNT	440	12	Numeric
92	PHARM_AMOUNT	452	12	Numeric
93	MEDSURG_AMOUNT	464	12	Numeric
94	DME_AMOUNT	476	12	Numeric
95	USED_DME_AMOUNT	488	12	Numeric
96	PT_AMOUNT	500	12	Numeric
97	OT_AMOUNT	512	12	Numeric
98	SPEECH_AMOUNT	524	12	Numeric
99	IT_AMOUNT	536	12	Numeric
100	BLOOD_AMOUNT	548	12	Numeric
101	BLOOD_ADM_AMOUNT	560	12	Numeric
102	OR_AMOUNT	572	12	Numeric
103	LITH_AMOUNT	584	12	Numeric
104	CARD_AMOUNT	596	12	Numeric
105	ANES_AMOUNT	608	12	Numeric
106	LAB_AMOUNT	620	12	Numeric
107	RAD_AMOUNT	632	12	Numeric
108	MRI_AMOUNT	644	12	Numeric
109	OP_AMOUNT	656	12	Numeric
110	ER_AMOUNT	668	12	Numeric
111	AMBULANCE_AMOUNT	680	12	Numeric
112	PRO_FEE_AMOUNT	692	12	Numeric
113	ORGAN_AMOUNT	704	12	Numeric
114	ESRD_AMOUNT	716	12	Numeric
115	CLINIC_AMOUNT	728	12	Numeric
116	TOTAL_CHARGES	740	12	Numeric
117	TOTAL_NON_COV_CHARGES	752	12	Numeric
118	TOTAL_CHARGES Ancil	764	12	Numeric
119	TOTAL_NON_COV_CHARGES Ancil	776	12	Numeric
120	PHYSICIAN_1_INDEX_NUMBER	788	10	Alphanumeric
121	PHYSICIAN_2_INDEX_NUMBER	798	10	Alphanumeric
122	CERTIFICATION_STATUS	808	1	Alphanumeric
123	INPUT_FORMAT	809	1	Alphanumeric

### Classification Data File

NUMBER	FIELD NAME	POSITION	LENGTH	FIELD TYPE
1	RECORD ID	1	12	Alphanumeric
2	CCS_PRINC_DIAG_CODE	13	4	Alphanumeric
3	CCS_OTHER_DIAG_CODE_1	17	4	Alphanumeric
4	CCS_OTHER_DIAG_CODE_2	21	4	Alphanumeric
5	CCS_OTHER_DIAG_CODE_3	25	4	Alphanumeric
6	CCS_OTHER_DIAG_CODE_4	29	4	Alphanumeric
7	CCS_OTHER_DIAG_CODE_5	33	4	Alphanumeric
8	CCS_OTHER_DIAG_CODE_6	37	4	Alphanumeric
9	CCS_OTHER_DIAG_CODE_7	41	4	Alphanumeric
10	CCS_OTHER_DIAG_CODE_8	45	4	Alphanumeric

11	CCS_OTHER_DIAG_CODE_9	49	4	Alphanumeric
12	CCS_OTHER_DIAG_CODE_10	53	4	Alphanumeric
13	CCS_OTHER_DIAG_CODE_11	57	4	Alphanumeric
14	CCS_OTHER_DIAG_CODE_12	61	4	Alphanumeric
15	CCS_OTHER_DIAG_CODE_13	65	4	Alphanumeric
16	CCS_OTHER_DIAG_CODE_14	69	4	Alphanumeric
17	CCS_OTHER_DIAG_CODE_15	73	4	Alphanumeric
18	CCS_OTHER_DIAG_CODE_16	77	4	Alphanumeric
19	CCS_OTHER_DIAG_CODE_17	81	4	Alphanumeric
20	CCS_OTHER_DIAG_CODE_18	85	4	Alphanumeric
21	CCS_OTHER_DIAG_CODE_19	89	4	Alphanumeric
22	CCS_OTHER_DIAG_CODE_20	93	4	Alphanumeric
23	CCS_OTHER_DIAG_CODE_21	97	4	Alphanumeric
24	CCS_OTHER_DIAG_CODE_22	101	4	Alphanumeric
25	CCS_OTHER_DIAG_CODE_23	105	4	Alphanumeric
26	CCS_OTHER_DIAG_CODE_24	109	4	Alphanumeric
27	CCS_PROC_CODE_1	113	3	Alphanumeric
28	CCS_PROC_CODE_2	116	3	Alphanumeric
29	CCS_PROC_CODE_3	119	3	Alphanumeric
30	CCS_PROC_CODE_4	122	3	Alphanumeric
31	CCS_PROC_CODE_5	125	3	Alphanumeric
32	CCS_PROC_CODE_6	128	3	Alphanumeric
33	CCS_PROC_CODE_7	131	3	Alphanumeric
34	CCS_PROC_CODE_8	134	3	Alphanumeric
35	CCS_PROC_CODE_9	137	3	Alphanumeric
36	CCS_PROC_CODE_10	140	3	Alphanumeric
37	CCS_PROC_CODE_11	143	3	Alphanumeric
38	CCS_PROC_CODE_12	146	3	Alphanumeric
39	CCS_PROC_CODE_13	149	3	Alphanumeric
40	CCS_PROC_CODE_14	152	3	Alphanumeric
41	CCS_PROC_CODE_15	155	3	Alphanumeric
42	CCS_PROC_CODE_16	158	3	Alphanumeric
43	CCS_PROC_CODE_17	161	3	Alphanumeric
44	CCS_PROC_CODE_18	164	3	Alphanumeric
45	CCS_PROC_CODE_19	167	3	Alphanumeric
46	CCS_PROC_CODE_20	170	3	Alphanumeric
47	CCS_PROC_CODE_21	173	3	Alphanumeric
48	CCS_PROC_CODE_22	176	3	Alphanumeric
49	CCS_PROC_CODE_23	179	3	Alphanumeric
50	CCS_PROC_CODE_24	182	3	Alphanumeric
51	CCS_PROC_CODE_25	185	3	Alphanumeric
52	FINAL_EAPG_CATEGORY_CODE_1	188	2	Alphanumeric
53	FINAL_EAPG_CATEGORY_CODE_2	190	2	Alphanumeric
54	FINAL_EAPG_CATEGORY_CODE_3	192	2	Alphanumeric
55	FINAL_EAPG_CATEGORY_CODE_4	194	2	Alphanumeric
56	FINAL_EAPG_CATEGORY_CODE_5	196	2	Alphanumeric
57	FINAL_EAPG_CATEGORY_CODE_6	198	2	Alphanumeric
58	FINAL_EAPG_CATEGORY_CODE_7	200	2	Alphanumeric
59	FINAL_EAPG_CATEGORY_CODE_8	202	2	Alphanumeric
60	FINAL_EAPG_CATEGORY_CODE_9	204	2	Alphanumeric
61	FINAL_EAPG_CATEGORY_CODE_10	206	2	Alphanumeric
62	FINAL_EAPG_TYPE_CODE_1	208	2	Alphanumeric
63	FINAL_EAPG_TYPE_CODE_2	210	2	Alphanumeric



64	FINAL_EAPG_TYPE_CODE_3	212	2	Alphanumeric
65	FINAL_EAPG_TYPE_CODE_4	214	2	Alphanumeric
66	FINAL_EAPG_TYPE_CODE_5	216	2	Alphanumeric
67	FINAL_EAPG_TYPE_CODE_6	218	2	Alphanumeric
68	FINAL_EAPG_TYPE_CODE_7	220	2	Alphanumeric
69	FINAL_EAPG_TYPE_CODE_8	222	2	Alphanumeric
70	FINAL_EAPG_TYPE_CODE_9	224	2	Alphanumeric
71	FINAL_EAPG_TYPE_CODE_10	226	2	Alphanumeric
72	FINAL_EAPG_1	228	3	Alphanumeric
73	FINAL_EAPG_2	231	3	Alphanumeric
74	FINAL_EAPG_3	234	3	Alphanumeric
75	FINAL_EAPG_4	237	3	Alphanumeric
76	FINAL_EAPG_5	240	3	Alphanumeric
77	FINAL_EAPG_6	243	3	Alphanumeric
78	FINAL_EAPG_7	246	3	Alphanumeric
79	FINAL_EAPG_8	249	3	Alphanumeric
80	FINAL_EAPG_9	252	3	Alphanumeric
81	FINAL_EAPG_10	255	3	Alphanumeric
82	EAPG_GRP_VER	258	12	Alphanumeric
83	CRG_STATUS_1	270	1	Alphanumeric
84	CRG_STATUS_2	271	1	Alphanumeric
85	CRG_STATUS_3	272	1	Alphanumeric
86	CRG_STATUS_4	273	1	Alphanumeric
87	CRG_STATUS_5	274	1	Alphanumeric
88	CRG_STATUS_6	275	1	Alphanumeric
89	CRG_STATUS_7	276	1	Alphanumeric
90	CRG_STATUS_8	277	1	Alphanumeric
91	CRG_STATUS_9	278	1	Alphanumeric
92	CRG_STATUS_10	279	1	Alphanumeric
93	CRG_CODE_1	280	5	Alphanumeric
94	CRG_CODE_2	285	5	Alphanumeric
95	CRG_CODE_3	290	5	Alphanumeric
96	CRG_CODE_4	295	5	Alphanumeric
97	CRG_CODE_5	300	5	Alphanumeric
98	CRG_CODE_6	305	5	Alphanumeric
99	CRG_CODE_7	310	5	Alphanumeric
100	CRG_CODE_8	315	5	Alphanumeric
101	CRG_CODE_9	320	5	Alphanumeric
102	CRG_CODE_10	325	5	Alphanumeric
103	CRG_SEVERITY_1	330	1	Alphanumeric
104	CRG_SEVERITY_2	331	1	Alphanumeric
105	CRG_SEVERITY_3	332	1	Alphanumeric
106	CRG_SEVERITY_4	333	1	Alphanumeric
107	CRG_SEVERITY_5	334	1	Alphanumeric
108	CRG_SEVERITY_6	335	1	Alphanumeric
109	CRG_SEVERITY_7	336	1	Alphanumeric
110	CRG_SEVERITY_8	337	1	Alphanumeric
111	CRG_SEVERITY_9	338	1	Alphanumeric
112	CRG_SEVERITY_10	339	1	Alphanumeric
113	APC_PROCEDURE_CODE_1	340	5	Alphanumeric
114	APC_PROCEDURE_CODE_2	345	5	Alphanumeric
115	APC_PROCEDURE_CODE_3	350	5	Alphanumeric
116	APC_PROCEDURE_CODE_4	355	5	Alphanumeric

117	APC_PROCEDURE_CODE_5	360	5	Alphanumeric
118	APC_PROCEDURE_CODE_6	365	5	Alphanumeric
119	APC_PROCEDURE_CODE_7	370	5	Alphanumeric
120	APC_PROCEDURE_CODE_8	375	5	Alphanumeric
121	APC_PROCEDURE_CODE_9	380	5	Alphanumeric
122	APC_PROCEDURE_CODE_10	385	5	Alphanumeric
123	APC_PX_STATUS_IND_CODE_1	390	2	Alphanumeric
124	APC_PX_STATUS_IND_CODE_2	392	2	Alphanumeric
125	APC_PX_STATUS_IND_CODE_3	394	2	Alphanumeric
126	APC_PX_STATUS_IND_CODE_4	396	2	Alphanumeric
127	APC_PX_STATUS_IND_CODE_5	398	2	Alphanumeric
128	APC_PX_STATUS_IND_CODE_6	400	2	Alphanumeric
129	APC_PX_STATUS_IND_CODE_7	402	2	Alphanumeric
130	APC_PX_STATUS_IND_CODE_8	404	2	Alphanumeric
131	APC_PX_STATUS_IND_CODE_9	406	2	Alphanumeric
132	APC_PX_STATUS_IND_CODE_10	408	2	Alphanumeric
133	APC_WEIGHT_1	410	9	Alphanumeric
134	APC_WEIGHT_2	419	9	Alphanumeric
135	APC_WEIGHT_3	428	9	Alphanumeric
136	APC_WEIGHT_4	437	9	Alphanumeric
137	APC_WEIGHT_5	446	9	Alphanumeric
138	APC_WEIGHT_6	455	9	Alphanumeric
139	APC_WEIGHT_7	464	9	Alphanumeric
140	APC_WEIGHT_8	473	9	Alphanumeric
141	APC_WEIGHT_9	482	9	Alphanumeric
142	APC_WEIGHT_10	491	9	Alphanumeric
143	APC_GRP_VER	500	12	Alphanumeric

### Charges Data File

NUMBER	FIELD NAME	POSITION	LENGTH	FIELD TYPE
1	RECORD_ID	1	12	Alphanumeric
2	REVENUE_CODE	13	4	Alphanumeric
3	HCPCS_QUALIFIER	17	2	Alphanumeric
4	HCPCS_PROCEDURE_CODE	19	5	Alphanumeric
5	MODIFIER_1	24	2	Alphanumeric
6	MODIFIER_2	26	2	Alphanumeric
7	MODIFIER_3	28	2	Alphanumeric
8	MODIFIER_4	30	2	Alphanumeric
9	UNIT_MEASUREMENT_CODE	32	2	Alphanumeric
10	UNITS_OF_SERVICE	34	7	Numeric
11	UNIT_RATE	41	12	Numeric
12	CHRG_LINE_ITEM	53	14	Numeric
13	CHRG_NON_COV	67	14	Numeric

## Facility Type Data File

NUMBER	FIELD NAME	POSITION	LENGTH	FIELD TYPE
1	THCIC_ID	1	6	Alphanumeric
2	PROVIDER_NAME	7	55	Alphanumeric
3	FAC_TEACHING_IND	62	1	Alphanumeric
4	FAC_PSYCH_IND	63	1	Alphanumeric
5	FAC_REHAB_IND	64	1	Alphanumeric
6	FAC_ACUTE_CARE_IND	65	1	Alphanumeric
7	FAC_SNF_IND	66	1	Alphanumeric
8	FAC_LONG_TERM_AC_IND	67	1	Alphanumeric
9	FAC_OTHER_LTC_IND	68	1	Alphanumeric
10	FAC_PEDS_IND	69	1	Alphanumeric
11	FAC_CARDIOVASCULAR_IND	70	1	Alphanumeric
12	FAC_CHIROPRACTIC_IND	71	1	Alphanumeric
13	FAC_ENDOSCOPY_IND	72	1	Alphanumeric
14	FAC_FOOT_IND	73	1	Alphanumeric
15	FAC_GASTROENTEROLOGY_IND	74	1	Alphanumeric
16	FAC_GENERAL_IND	75	1	Alphanumeric
17	FAC_NEUROLOGICAL_IND	76	1	Alphanumeric
18	FAC_OB-GYN_IND	77	1	Alphanumeric
19	FAC_OPHTHAMOLOGY_IND	78	1	Alphanumeric
20	FAC_ORAL_IND	79	1	Alphanumeric
21	FAC_ORTHOPEDIC_IND	80	1	Alphanumeric
22	FAC_OTOLARYNGOLOGY_IND	81	1	Alphanumeric
23	FAC_PAIN_MNGMT_IND	82	1	Alphanumeric
24	FAC_PLASTIC_IND	83	1	Alphanumeric
25	FAC_THORACIC_IND	84	1	Alphanumeric
26	FAC_UROLOGY_IND	85	1	Alphanumeric
27	FAC_OTHER_IND	86	1	Alphanumeric