

CENTER FOR HEALTH STATISTICS

Health Care Information

USER MANUAL - 2004 to 2015Q3

TEXAS HOSPITAL INPATIENT DISCHARGE RESEARCH DATA FILE (RDF)

TABLE OF CONTENTS	
BACKGROUND	2
RESEARCH DATA FILE (RDF)	2
DATA PROCESSING AND QUALITY	4
PATIENT/PHYSICIAN CONFIDENTIALITY	4
RESTRICTIONS ON DATA USE	5
DATA LIMITATIONS	data
HOSPITAL COMMENTS Users are advised to consider hospital commendata.	nts in any analysis of the
CITATION	8
DATA DICTIONARY Base Data File Charges File	
DATA ELEMENTS	60

BACKGROUND

The Texas Health Care Information Council (THCIC) was created by Chapter 108 of the Texas Health and Safety Code (THSC) and was responsible, under Sections 108.011 through 108.0135, for collecting hospital discharge data from all state licensed hospitals except those that are statutorily exempt from the reporting requirement. Exempt hospitals include those located in a county with a population less than 35,000, or those located in a county with a population more than 35,000 and with fewer than 100 licensed hospital beds and not located in an area that is delineated as an urbanized area by the United States Bureau of the Census (Section 108.0025). Exempt hospitals also include hospitals that do not seek insurance payment or government reimbursement (Section 108.009). THCIC became part of the Texas Department of State Health Services (DSHS) effective September 1, 2004 and the DSHS Center for Health Statistics is now responsible for the collection and release of hospital discharge data.

PUBLIC USE DATA FILE (PUDF AND RDF)

Sections 108.011(a) and 108.012 of the THSC requires DSHS to provide public use data for computer-to-computer access. It also permits DSHS to charge the data requestor a standard fee for using the Public Use Data File (PUDF). The PUDF contains patient-level information for inpatient hospital stays. These data are extracted from DSHS's Hospital Discharge Database (HDD) PUDF and pulled into the Research Data File (RDF) for research purposes.

The RDF Base Data File contains the Base Data files and the addition of the 25 diagnosis present on admission indicator codes (POA, available beginning 2011) and the 10 POA indicators for the external cause of injury codes (available beginning 2012). The Base data file contains the required data elements and most of the situationally required data elements and some calculated fields. The Record ID allows for linking the base file and charges file together.

The Charges File is also included. This contains 13 variables including the RECORD_ID and HCPCS code variables.

Additionally, the provider Comments File is included. This contains any comments that were included by the provider when the respective data was certified from a given facility.

The RDF is available in three fixed length format text files, Base Data (logical record length of 950 bytes), and Charges (logical record length of 80 bytes) files. The files are also available in tab-delimited or SAS format.

The data must be imported into a software package. No software is included with the RDF. The data file has been tested with several software packages, including Microsoft Access, 2010 Microsoft Excel (one quarter), SAS, and SPSS.

The RDF, beginning with data collected for 2004, is formatted to accommodate additional data elements available with the collection of data from hospitals using the THCIC 837 format. The following data elements are available in the RDF beginning with data for 2004 and are not comparable to data collected in years prior to 2004:

BASE DATA FILE	
FAC_LONG_TERM_AC_IND	Added 2004
PAT_COUNTRY	Added 2004
FIRST PAYMENT SRC	Replaces PAYMENT SOURCE 1 and
	SOURCE PAYMENT CODE 1
SECOND PAYMENT SRC	Replaces PAYMENT SOURCE 2 and
	SOURCE PAYMENT CODE 2
REVENUE CODE 23	No longer available
TOTAL CHARGES	Replaces TOTAL CHARGES 23
TOTAL CHARGES ACCOMM	Replaces CLAIM CHARGES ACCOMM
TOTAL NON COV CHARGES ACCOMM	Replaces CLAIM NON COV CHARGES ACCOMM
TOTAL CHARGES ANCIL	Replaces CLAIM CHARGES ANCIL
TOTAL NON COV CHARGES ANCIL	Replaces CLAIM NON COV CHARGES ANCIL
EXTERNAL CAUSE OF INJURY 1	Replaces EXTNAL CAUSE OF INJURY
EXTERNAL CAUSE OF INJURY 2 to	Added 2004
EXTERNAL CAUSE OF INJURY 10	
OTH DIAG CODE 9 to OTH DIAG CODE 25	Added 2004
OTH SURG PROC CODE 6 to OTH SURG PROC CODE 25	Added 2004
OTH SURG PROC DAY 6 to OTH SURG PROC DAY 25	Added 2004
OTH ICD9 CODE 6 to OTH ICD9 CODE 25	Added 2004
MS MDC name changed from CMS MDC (2011)	Added 2004
INBOUND INDICATOR	Added 2004
POA PRINC DIAG CODE	Added 2011
POA OTH DIAG CODE 1 to POA OTH DIAG CODE 24	Added 2011
POA E CODE 1 to POA E CODE 10	Added 2012
MS GROUPER ERROR CODE	Added 2011
APR GROUPER ERROR CODE	Added 2011 Added 2011
AIR GROOTER ERROR CODE	Added 2011
SITUATIONAL DATA IN THE BASE FILE	
CONDITION CODE 1 to CONDITION CODE 8	Added 2004
OCCUR CODE 1 to OCCUR CODE 12	Added 2004 Added 2004
OCCUR_DAY_1 to OCCUR_DAY_12	Added 2004 Added 2004
OCCUR SPAN CODE 1 to OCCUR SPAN CODE 4	
OCCUR SPAN CODE 1 to OCCUR SPAN CODE 4 OCCUR SPAN FROM 1 to OCCUR SPAN FROM 4	Added 2004
	Added 2004 Added 2004
OCCUR SPAN THRU 1 to OCCUR SPAN THRU 4 VALUE CODE 1 to VALUE CODE 12	Added 2004 Added 2004
	Added 2004 Added 2004
VALUE_AMOUNT_1 to VALUE_AMOUNT_12	Added 2004
CHARGES FILE	
REVENUE CODE	Added 2004
HCPCS QUALIFIER	Added 2004
HCPCS PROCEDURE CODE	Added 2004 Added 2004
MODIFIER 1 to MODIFIER 4	Added 2004 Added 2004
UNIT MEASUREMENT CODE	Added 2004 Added 2004
UNITS OF SERVICE	Added 2004 Added 2004
UNIT RATE	Added 2004 Added 2004
CHRGS LINE ITEM	Added 2004
CHRGS_NON_COV	Added 2004

DATA PROCESSING AND QUALITY

Beginning with data submitted for 2004 discharges hospitals required to submit discharged inpatient claims data, moved from the submission of data in the uniform bill (UB-92) format to the THCIC 837 format. The data are validated through a process of automated auditing and

verification. Each individual hospital is responsible for the accuracy and completeness of its data. Even so, each record is subjected by DSHS to a series of audits that check for consistency and conformity with the definitions stated in the data specification manual. Records failing an audit check are returned to the hospital for correction and resubmission. Following the correction process, DSHS uses valid claims data to build files of "encounters" where one encounter contains the final discharge and all related interim claims information for a patient. Then, each submitting hospital has an opportunity to review, to make additional corrections, and to certify the encounter data with or without comments. Finally, DSHS builds a final encounter file that includes all corrections submitted by the hospitals. DSHS staff checks and adjusts for missing values and invalid codes in this file before the PUDF is generated. Users are advised to examine every data element to be used for missing values and invalid codes and to read accompanying notes, comments, and other descriptive text.

PATIENT/PHYSICIAN CONFIDENTIALITY

The legislative intent behind the creation of the Hospital Discharge Database (HDD) was that the data and resulting information be used for the benefit of the public. This is specified in Section 108.013 of the Texas Health and Safety Code (THSC). The THSC also stipulates that DSHS may not release and a person or entity may not gain access to any data that could reasonably be expected to reveal the identity of a patient or physician. Any effort to determine the identity of any person violates the THSC. In addition, under Section 108.013(e) and (f) of the THSC, patient and/or physician information in the HDD cannot be used for discovery, subpoena, or other means of legal compulsion or in any civil, administrative, or criminal proceeding. Pursuant to the THSC, DSHS excludes all direct personal and demographic identifiers (e.g., name, address, social security number, patient identifiers, admission and discharge dates) that might lead to the identification of a specific patient from the RDF.

To protect physician identities, the THSC requires creation of a uniform identification number for physicians in practice. Uniform physician identifiers are available except when the number of physicians represented in a DRG for a hospital is less than the minimum cell size of five.

It may be possible in rare instances, or through complex analysis and with outside information, to ascertain from the RDF the identity of individual patients of physicians or other health practitioners. Considerable harm could result if this were done. RDF users are required to sign and comply with the DSHS Hospital Discharge Data Use Agreement in the Application before shipment of the RDF. The Data Use Agreement prohibits attempts to identify individual patients or physicians.

RESTRICTIONS ON DATA USE

Section 108.010(c) of the THSC prohibits DSHS from releasing provider quality reports until one year of data is available. Users of the PUDF are cautioned about using less than a year of data to make any hospital quality assumptions.

Sections 108.013(c)(1) and (2) and 108.013 (g) of the Texas Health and Safety Code (THSC) prohibit the DSHS from releasing, and a person or entity from gaining access to, any data that

could reveal the identity of a patient or the identity of a physician unless specifically authorized by the Act. Any effort to determine the identity of any person or to use the information for any purpose other than for analysis and aggregate statistical reporting violates the THSC and the Data Use Agreement. By virtue of the Agreement, the signer agrees that the data will not be used to identify an individual patient or physician. Because of these restrictions, under no circumstances will users of the data contact an individual patient or physician or hospital for the purpose of verifying information supplied in the DSHS Hospital Discharge Data sets. Any questions about the data must be referred to DSHS only. Data analysis assistance is not provided by DSHS. The data are protected by United States copyright laws and international treaty provisions.

In the Data Use Agreement, the purchaser and end-user of the data are referred to as the "licensee". To acquire the data the licensee must give the following assurances with respect to the use of DSHS Hospital Discharge Data sets:

- The licensee will not release nor permit others to release the individual patient records or any part of them to any person who is not a staff member of the organization that has acquired the data, except with the written approval of DSHS;
- The licensee will not attempt to link nor permit others to attempt to link the hospital stay records of patients in this data set with personally identifiable records from any other source, including any THCIC PUDF or other data files;
- The licensee will not release nor permit others to release any information that identifies persons, directly or indirectly;
- The licensee will not attempt to use nor permit others to use the data to learn the identity of any physician;
- The licensee will not nor permit others to copy, sell, rent, license, lease, loan, or otherwise grant access to the data covered by this Agreement to any other person or entity, unless approved in writing by DSHS;
- The licensee agrees to read the User Manual and to be cognizant of the limitations of the data;
- The licensee will use the following citation in any publication of information from this file: Texas Hospital Inpatient Discharge Research Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication];
- The licensee will indemnify, defend, and hold the DSHS, its members, employees, and the Department's contract vendors harmless from any and all claims and losses accruing to any person as a result of violation of this agreement; and
- The licensee will make no statement nor permit others to make statements indicating or suggesting that interpretations drawn from these data are those of DSHS.

The licensee understands that these assurances are collected by DSHS to assure compliance with its statutory confidentiality requirement. The signature on behalf of the licensee indicates the licensee's agreement to comply with the above-stated requirements with the knowledge that under Sections 108.014 and 108.0141 of the Texas Health and Safety Code to knowingly or

negligently access or release data in violation of this agreement is punishable by a fine of up to \$10,000 and an offense is a state jail felony. By signing the Data Use Agreement, the PUDF user has been informed that the potential for both civil and criminal penalties exists.

Users of report generating software to access the RDF are required to purchase a license to use the data.

DATA LIMITATIONS

(Users are advised to become familiar with the data limitations.)

- Section 108.009(h), THSC requires that a uniform submission format be used for reporting purposes. Before 2004 data were collected in the UB-92 format. Data for 2004 were collected in both UB-92 and THCIC 837 formats. Because these are billing forms, the data collected are administrative data and not clinical data.
- Records with MDC codes of 15 (newborns and other neonates with conditions originating in the perinatal period), 20 (alcohol/drug induced organic mental disorders), or 22 (burns) and Patient Status codes of 62 (discharged/transferred to inpatient rehabilitation), 71 (discharged/transferred to other outpatient service), or 72 (discharged/transferred to institution outpatient service) contain an APR-DRG of 956 (ungroupable). These Patient Status codes were not valid when version 15 of the 3M APR-DRG Grouper was developed. A valid Patient Status code is required for these MDC codes for APR-DRG assignment and Risk of Mortality and Severity of Illness scoring. Patient status codes 71 and 72 are no longer valid as of October 2003. After October 2003 records with MDC codes of 15, 20, or 22 and Patient Status code of 62 contain an APR-DRG of 956.
- Hospital charges data are available third quarter 2000. Earlier data were not reported correctly by some hospitals.
- Secondary source of payment data are available third quarter 2000. Earlier data were not reported correctly by some hospitals.
- Hospitals must submit data no later than 60 days after the close of a calendar quarter. Depending on hospitals' collection and billing cycles, not all discharges may have been billed or reported. This can affect the accuracy of source of payment data, particularly self-pay and charity that may later qualify for Medicaid or other payment sources.
- Beginning with data for 2004 discharges, up to 25 diagnosis codes, up to 25 procedure codes, and up to 10 E-codes can be submitted. For earlier years the number of diagnosis codes collected per patient is limited to 9 and the number of procedure codes to 6. Because of these limitations, sicker patients and the hospitals that treat them may not be accurately represented in the data. This may also result in total volume and percentage calculations for diagnoses and procedures not being complete.
- Race and ethnicity data are generally not collected by hospitals and may be subjectively captured.
- Inaccuracies in the data and incompleteness of the data are addressed in the hospitals' comments.
- County of residence is not collected by hospitals. County Federal Information Processing Standard (FIPS) codes are assigned by DSHS based on patient ZIP code.

- DSHS assigns the Risk of Mortality and Severity of Illness scores using methodology designed by 3M. These scores may be affected by the number of diagnoses and procedure codes collected by DSHS or by the facility's information system and may be understated.
- Comparability of length of stay (LOS) across hospitals is affected by factors such as casemix and severity complexity, payer-mix, market areas and hospital ownership, affiliation or teaching status. Any analysis of LOS at the hospital level should consider the above factors.
- Length of stay is limited to 999 days prior to 2004 discharges.
- Any analysis of mortality should note that the data reflect only patients who died in the hospital and not those who died after discharge from the hospital.
- Conditions present at time of admission cannot be distinguished from those occurring during hospitalization prior to 2011 discharges. Diagnosis present on admission indicator codes (POA) were required for all hospitals, except Critical Access Hospitals, Inpatient Rehabilitation Hospitals, Inpatient Psychiatric Hospitals, Cancer Hospitals, Children's or Pediatric Hospitals, and Long Term Care Hospitals. Some acute care hospitals that have special units similar to the hospitals exempted from reporting POA may not include POA codes for those patients.
- DSHS collects data from all hospitals in the state not specifically exempted by statute. This hospital mix should be considered when drawing conclusions about the data or making comparisons with other data.
- Any conclusions drawn from the data are subject to errors caused by the inability of the hospital to communicate complete data due to form constraints, subjectivity in the assignment of codes, system mapping, and normal clerical error. The data are submitted by hospitals as their best effort to meet statutory requirements.

HOSPITAL COMMENTS

(Users are advised to consider hospital comments in any analysis of the data.)

Included with the RDF is a separate file containing the unedited comments submitted by hospitals at the time of data certification. Comments relating to individual data elements should be considered in any analysis of those data elements. These comments express the opinions of individual hospitals and are not necessarily the views of the DSHS. Hospitals that submitted comments are identified in 'Reporting Status of Texas Hospitals'.

CITATION

Any statistical reporting or analysis based on the data shall cite the source as the following:

Texas Hospital Inpatient Discharge Research Data File, [quarter and year of data]. Texas Department of State Health Services, Center for Health Statistics, Austin, Texas. [date of publication].

TEXAS Department of State Health Services

Texas Hospital Inpatient Discharge Data

Research Data File

2004 - present

IP-RDF Base Data File

Field 1:		entification Ooes not m	natch or link to PUDF		y the record within the research pes match with RECORD_ID in
Length:	12	Type:	Alphanumeric	Data Source:	Assigned
Field 2:	THCIC_I		.1	.1 .1 1	THOIC
Length:	6	D. Onique Type:	identifier assigned to Alphanumeric	Data Source:	Assigned
Field 3:	PROVID				
Length:	Hospital n	Type:	ded by the hospital. Alphanumeric	Data Source:	Provider
Field 4:	PROVID		R vided by the hospital.		
Length:	50	Type:	Alphanumeric	Data Source:	Provider
Field 5:	PROVID	_			
Length:	Hospital c	Type:	ed by the hospital. Alphanumeric	Data Source:	Provider
Field 6:	PROVID Hospital s		TE led by the hospital.		
Length:	2	Type:	Alphanumeric	Data Source:	Provider
Field 7:	PROVID	_		1	
Length:	9	Type:	rovided by the hospita Alphanumeric	Data Source:	Provider
Field 8:	FAC_TE				
Coding Scheme:			of Teaching Hospital	S	
Length:	1	Type:	Alphanumeric	Data Source:	Provider
Field 9:	FAC_PSY				
Length:	Psychiatri 1	Type:	Alphanumeric	Data Source:	Provider
Inpatient RDF Da www.dshs.state.t			2012 Page 8	March, 2021	

Field 10:	FAC_REHAB_IND Rehabilitation Facility Indicator.		
Length:	1 Type: Alphanumeri	Data Source: Provider	
Field 11:	FAC_ACUTE_CARE_IND Acute Care Facility Indicator.		
Length:	1 Type: Alphanumeri	Data Source: Provider	
Field 12:	FAC_SNF_IND Skilled Nursing Facility Indicator. 1	Hospital facility type indicator provided by the hos	spital
Length:	1 Type: Alphanumeri	Data Source: Provider	
Field 13:	FAC_LONG_TERM_AC_IND Long Term Acute Care Facility Ind	licator.	
Length:	1 Type: Alphanumeri	ic Data Provider Source:	
Field 14:	FAC_OTHER_LTC_IND Other Long Term Care Facility Ind	licator	
Length:	1 Type: Alphanumeri	Data	
Field 15:	FAC_PEDS_IND Pediatric Facility Indicator.		
Coding Scheme:	C Member, Council of Teaching Ho Y Teaching facility	ospitals	
Length:	1 Type: Alphanumeri	Data Source: Provider	
Field 16:	SPEC_UNIT_1 Specialty Unit in which most days	stay occurred based on number of days by Type of	`Bill
Coding Scheme:	or Revenue Code. C Coronary Care Unit D Detoxification Unit I Intensive Care Unit H Hospice Unit N Nursery B Obstetric Unit O Oncology Unit	P Pediatric Unit Y Psychiatric Unit R Rehabilitation Unit U Sub-acute Care Unit S Skilled Nursing Unit Blank Acute Care	
Length:	1 Type: Alphanumeri	ic Data Calculated	
Field 17:	Bill or Revenue Code.	ays stay occurred based on number of days by Type	e of
Coding Scheme: Length:	Same as Field 16. 1 Type: Alphanumeri	ic Data Source: Calculated	
Field 18:	SPEC_UNIT_3 Specialty Unit in which 3 rd most da Bill or Revenue Code. Same as Field 16.	ays stay occurred based on number of days by Type	e of
Coding Scheme: Length:	1 Type: Alphanumeri	Data Source: Calculated	
Field 19:	Bill or Revenue Code.	ays stay occurred based on number of days by Type	e of
Coding Scheme: Length:	Same as Field 16. 1 Type: Alphanumeri	ic Data Calculated	
Inpatient RDF Da www.dshs.state.t	ta Dictionary 2004-2012	Source:	

Field 20:	SPEC_UNIT_5 Specialty Unit in	which 5 th most days	stay occurred base	ed on number of days by Type of
Coding Scheme:	Bill or Revenue Same as Field 16	Code.	,	and the same of th
Length:	1 Typ	e: Alphanumeric	Data Source:	Calculated
Field 21:	may have more t	ber of claims used to nan one claim that is	consolidated for th n Care Hospitals o	nter. Some non-acute care patients ne record. For example patients in r Psychiatric hospitals.
Length:	2 Typ		Data Source:	Calculated
Field 22:	PAT_UNIQUE_ Unique identifier	INDEX assigned to the patie	ent by THCIC.	
Length:	10 Typ	e: Alphanumeric	Data Source:	Assigned
Field 23:	SEX_CODE			
Coding Scheme:	Gender of the pa M Male F Female U Unknown	ient as recorded at d	ate of admission of	r start of care.
Length:	1 Typ	e: Alphanumeric	Data Source:	Claim
Field 24:	BIRTH_DATE Birth date of the	patient as recorded a	t date of admission	or start of care
Length:	8 Typ		Data Source:	Claim
Field 25:	PAT_AGE_G			
Description: Coding Scheme:	Code indicating 00 1-28 days	gage grouping of pat	tient in days or year 35-39	rs on date of discharge.
Coung Scheme.	01 29-365 days	11	40-44	21 90+
	02 1-4 years 03 5-9	12 13	45-49 50-54	HIV and drug/alcohol use patients: 22 0-17
	04 10-14	14	55-59	23 18-44
	05 15-17	15	60-64	24 45-64
	06 18-19	16	65-69	25 65-74
	07 20-24 08 25-29	17 18	70-74 75-79	26 75+
	09 30-34	19	80-84	
Beginning	105	Data	Assigned	
Position:		Source:	S	
Length:	2	Type:	Alphanume	eric
Field 26:	PAT AGE YE	ARS	•	
	Age of patient in	years on date of disc	charge.	
Length:	3 Typ	e: Alphanumeric	Data Source:	Claim
Field 27:	PAT_AGE_DA Age of patient in	YS days on date of discl	harge.	
Length:	5 Typ		Data Source:	Claim
Field 28:	RACE			
Coding Scheme:		he patient's race. an/Eskimo/Aleut c Islander		
Inpatient RDF Dat	ta Dictionary 200	4-2012 Page		
www.dshs.state.tx		10	March, 2021	

Length:	1	Type:	Alpha	anumeric	Data Sourc	ce:	Claim		
Field 29: Coding Scheme:	1 Hispa		-	ic origin of	the patient.				
Length:	1	Type:	Alpha	anumeric	Data Sourc	ee:	Claim		
Field 30:	Census bl Note: LC	ock group ODE (Loc	of patie ation co		dress. uantifies th				the geocoding e page 61 for
Length:	12	Type:	Nume	eric	Data Sourc	re:	Calculate	d	
Field 31:	Note: LC	ock of pati ODE (Loc	ient stre	et address. ode) which q	uantifies th	ne level o			the geocoding 61 for details).
Length:	3	Type:	Nume	•	– – Data Sourc	_	Calculate	_	,
Field 32:	PAT_CIT Patient ad		as prov	ided by the	patient.				
Length:	30	Type:	•	anumeric	Data Sourc	ee:	Provider		
Field 33:	PAT_STA		as prov	vided by the	patient.				
Length:	2	Type:	-	anumeric	Data Source	ee:	Provider		
Field 34:	PAT_ZIF		code as	provided by					
Length:	9	Type:		anumeric	Data Sourc		Provider		
Field 35: Coding scheme:	PAT_CO Country of for Standa See www.	f patient's ardization	(ISO).			tained by	the Interna	atic	nal Organization
Length:	2	Type:	Alpha	anumeric	Data Sourc	ee:	Provider		
Field 36:	COUNTY		,						
Coding scheme:	FIPS code	•	129	ity. Donley	257	Kaufman		38 5	Real
	003 Andr	ews	131	Duval	259	Kendall	3	38 7	Red River
	005 Ange	lina	133	Eastland	261	Kenedy		38 9	Reeves
	007 Arans		135	Ector	263	Kent		39 1 39	Refugio
	009 Arch		137	Edwards	265	Kerr		3 3 39	Roberts
	011 Arms 013 Atasc	trong	139 141	Ellis El Paso	267 269	Kimble King		5 39	Robertson Rockwall
Inpatient RDF Da			2012	_ Page		-		/	
www.dshs.state.t	x.us/THCIC			11	March,	2021			

						39	
015	Austin	143	Erath	271	Kinney	9	Runnels
017	Bailey	145	Falls	273	Kleberg	40 1	Rusk
019	Bandera	147	Fannin	275	Knox	40 3	Sabine
021	Bastrop	149	Fayette	283	La Salle	40 5	San Augustine
023	Baylor	151	Fisher	277	Lamar	40 7	San Jacinto
025	Bee	153	Floyd	279	Lamb	40 9	San Patricio
027	Bell	155	Foard	281	Lampasas	41 1	San Saba
029	Bexar	157	Fort Bend	285	Lavaca	41 3	Schleicher
031	Blanco	159	Franklin	287	Lee	41 5	Scurry
033	Borden	161	Freestone	289	Leon	41 7	Shackelford
035	Bosque	163	Frio	291	Liberty	41 9	Shelby
037	Bowie	165	Gaines	293	Limestone	42 1	Sherman
039	Brazoria	167	Galveston	295	Lipscomb	42 3	Smith
041	Brazos	169	Garza	297	Live Oak	42 5	Somervell
043	Brewster	171	Gillespie	299	Llano	42 7	Starr
045	Briscoe	173	Glasscock	301	Loving	42 9	Stephens
047	Brooks	175	Goliad	303	Lubbock	43 1	Sterling
049	Brown	177	Gonzales	305	Lynn	43 3	Stonewall
051	Burleson	179	Gray	307	McCulloch	43 5	Sutton
053	Burnet	181	Grayson	309	McLennan	43 7	Swisher
055	Caldwell	183	Gregg	311	McMullen	43 9	Tarrant
057	Calhoun	185	Grimes	313	Madison	44 1	Taylor
059	Callahan	187	Guadalupe	315	Marion	44 3	Terrell
061	Cameron	189	Hale	317	Martin	44 5	Terry
063	Camp	191	Hall	319	Mason	44 7	Throckmorton
065	Carson	193	Hamilton	321	Matagorda	44 9	Titus
067	Cass	195	Hansford	323	Maverick	45 1	Tom Green
069	Castro	197	Hardeman	325	Medina	45 3	Travis
071	Chambers	199	Hardin	327	Menard	45 5	Trinity
073	Cherokee	201	Harris	329	Midland	45 7	Tyler
075	Childress	203	Harrison	331	Milam	45 9	Upshur
077	Clay	205	Hartley	333	Mills	46 1	Upton
079	Cochran	207	Haskell	335	Mitchell	46 3	Uvalde
081	Coke	209	Hays	337	Montague	46 5	Val Verde
083	Coleman	211	Hemphill	339	Montgomery	46 7	Van Zandt
085	Collin	213	Henderson	341	Moore	46 9	Victoria
087	Collingsworth	215	Hidalgo	343	Morris	47 1	Walker

089	Colorado	217	Hill	345	Motley	47 Waller
091	Comal	219	Hockley	347	Nacogdoche	s 47 Ward
093	Comanche	221	Hood	349	Navarro	47 7 Washington
095	Concho	223	Hopkins	351	Newton	47 9 Webb
097	Cooke	225	Houston	353	Nolan	48 Wharton
099	Coryell	227	Howard	355	Nueces	48 Wheeler
101	Cottle	229	Hudspeth	357	Ochiltree	48 Wichita
103	Crane	231	Hunt	359	Oldham	48 7 Wilbarger
105	Crockett	233	Hutchinson	361	Orange	48 Willacy
107	Crosby	235	Irion	363	Palo Pinto	49 1 Williamson
109	Culberson	237	Jack	365	Panola	49 3 Wilson
111	Dallam	239	Jackson	367	Parker	49 5 Winkler
113	Dallas	241	Jasper	369	Parmer	49 7 Wise
115	Dawson	243	Jeff Davis	371	Pecos	49 9 Wood
117	Deaf Smith	245	Jefferson	373	Polk	50 1 Yoakum
119	Delta	247	Jim Hogg	375	Potter	$\frac{50}{3}$ Young
121	Denton	249	Jim Wells	377	Presidio	50 5 Zapata
123	Dewitt	251	Johnson	379	Rains	50 7 Zavala
125 127	Dickens Dimmit	253 255	Jones Karnes	381 383	Randall Reagan	' Invalid
3	Type:	Alpha	numeric	Data Sourc	Δ	ssigned, based on patient ZIP code

Field 37: PUBLIC_HEALTH_REGION

Description:

Length:

Public Health Region of patient's address.

- 1 Armstrong, Bailey, Briscoe, Carson, Castro, Childress, Cochran, Collingsworth, Crosby, Dallam, Deaf Smith, Dickens, Donley, Floyd, Garza, Gray, Hale, Hall, Hansford, Hartley, Hemphill, Hockley, Hutchinson, King, Lamb, Lipscomb, Lubbock, Lynn, Moore, Motley, Ochiltree, Oldham, Parmer, Potter, Randall, Roberts, Sherman, Swisher, Terry, Wheeler, Yoakum counties
- 2 Archer, Baylor, Brown, Callahan, Clay, Coleman, Comanche, Cottle, Eastland, Fisher, Foard, Hardeman, Haskell, Jack, Jones, Kent, Knox, Mitchell, Montague, Nolan, Runnels, Scurry, Shackleford, Stephens, Stonewall, Taylor, Throckmorton, Wichita, Wilbarger, Young counties
- 3 Collin, Cooke, Dallas, Denton, Ellis, Erath, Fannin, Grayson, Hood, Hunt, Johnson, Kaufman, Navarro, Palo Pinto, Parker, Rockwall, Somervell, Tarrant, Wise counties
- 4 Anderson, Bowie, Camp, Cass, Cherokee, Delta, Franklin, Gregg, Harrison, Henderson, Hopkins, Lamar, Marion, Morris, Panola, Rains, Red River, Rusk, Smith, Titus, Upshur, Van Zandt, Wood
- 5 counties Angelina, Hardin, Houston, Jasper, Jefferson, Nacogdoches, Newton, Orange, Polk, Sabine, San Augustine, San Jacinto, Shelby, Trinity, Tyler counties
- 6 Austin, Brazoria, Chambers, Colorado, Fort Bend, Galveston, Harris, Liberty, Matagorda, Montgomery, Walker, Waller, Wharton counties
- Bastrop, Bell, Blanco, Bosque, Brazos, Burleson, Burnet, Caldwell, Coryell, Falls, Fayette, Freestone, Grimes, Hamilton, Hays, Hill, Lampasas, Lee, Leon, Limestone, Llano, McLennan, Madison, Milam, Mills, Robertson, San Saba, Travis, Washington, Williamson counties
- 8 Atascosa, Bandera, Bexar, Calhoun, Comal, DeWitt, Dimmit, Edwards, Frio, Gillespie, Goliad, Gonzales, Guadalupe, Jackson, Karnes, Kendall, Kerr, Kinney, La Salle, Lavaca, Maverick, Medina, Real, Uvalde, Val Verde, Victoria, Wilson, Zavala counties
- 9 Andrews, Borden, Coke, Concho, Crane, Crockett, Dawson, Ector, Gaines, Glasscock, Howard, Irion, Kimble, Loving, McCulloch, Martin, Mason, Menard, Midland, Pecos, Reagan, Reeves, Schleicher, Sterling, Sutton, Terrell, Tom Green, Upton, Ward, Winkler counties
- 10 Brewster, Culberson, El Paso, Hudspeth, Jeff Davis, Presidio counties
- Aransas, Bee, Brooks, Cameron, Duval, Hidalgo, Jim Hogg, Jim Wells, Kenedy, Kleberg, Live Oak, McMullen, Nueces, Refugio, San Patricio, Starr, Webb, Willacy, Zapata counties

Length:	2	Type:	Alphanumeri	ic Data Source: Assigned			
Field 38:	TYPE_OF_ADM						
		e type of admission					
Coding Scheme:	1 Emergency						
	2 Urgent						
	3 Elective 4 Newborn						
	5 Trauma Center						
	9 Information not	available					
Length:	₁ Type		Data				
z.vgvv	1 :	Alphanumeric	Source:	Claim			
Field 39:	SOURCE_OF_A						
~ ~ .		urce of the admission.					
Coding Scheme:	 Physician refer Clinic referral 	ral					
	3 HMO referral						
	4 Transfer from a	hospital					
		skilled nursing facility					
		nother health care facility					
	7 Emergency Roo 8 Court/Law Enfo						
	9 Information not						
		sychiatric, substance abuse	rehab hospital				
	A Transfer from a	critical access hospital	-				
Length:	₁ Type	.1.1	Data	Cl.			
	1 :	Alphanumeric	Source:	Claim			
Field 40:	ADMIT_START	_OF_CARE					
	Date patient was admitted to the provider for inpatient care or other start of care. Entered						
	as YYYYMMDD.						
Length:	_o Type	A 1 - 1	Data	C1 · · ·			
J	8 Type :	Alphanumeric	Source:	Claim			
Field 41:	ADMIT_WEEKI						
		y of week patient is ac					
Coding Scheme:	1 Monday		5 Friday				
	2 Tuesday		6 Saturday	,			
	3 Wednesday4 Thursday		7 Sunday				
Length:	·		Data				
Length.	1 Type	Alphanumeric	Source:	Claim			
Field 42:	ADMIT HOUR		Bource.				
		our during which the p					
Coding Scheme:	00 12 midnight-12:		13 1:00 – 1:	•			
	01 1:00 – 1:59 a.m.		14 2:00 – 2:				
	02 2:00 – 2:59 a.m. 03 3:00 – 3:59 a.m.		15 3:00 – 3: 16 4:00 – 4:	1			
	04 4:00 – 4:59 a.m.		17 5:00 – 5:	*			
	05 5:00 – 5:59 a.m.		18 6:00 – 6:	•			
	06 6:00 – 6:59 a.m.		19 7:00 – 7:	•			
	07 7:00 – 7:59 a.m.		20 8:00 – 8:	•			
	08 8:00 – 8:59 a.m.		21 9:00 – 9:	•			
	09 9:00 – 9:59 a.m.			10:59 p.m.			
	10 10:00 – 10:59 a.			11:59 p.m.			
	11 11:00 – 11:59 a.	m.	99 Hour unl	known			
	12 12 noon – 12:59	p.m.					
Length:	1 Type	Alphanumeric	Data	Claim			
Field 43:	STMT PERIOD		Source:				
	ta Dictionary 2004	=					
www.dshs.state.t			March, 2021	<u> </u>			
vv vv vv.usiis.state.t	AIUS/ ITIGIC	14	.·iai (ii, 202)	L			

Length: 8		_	ning service	date of the period re	flected on the sta	atement. Entered as
Field 44: Ending service date of the period reflected on the statement. Entered as YYYYMMDD. Bernding service date of the period reflected on the statement. Entered as YYYYMMDD. Bernding service date of the period reflected on the statement. Entered as YYYYMMDD. Bernding service date of the period reflected on the statement. Entered as YYYYMMDD. Length of stay in days equals Statement covers period through date minus Admission/start of care date. The minimum length of stay is 1 day. The maximum is 9999 days. Length: Type Alphanumeric Data Source: Calculated Field 46: PAT_STATUS Code indicating patient status as of the ending date of service for the period of care reported Coding Scheme: Discharged to home or self-care (routine discharge) Discharged to skilled nursing facility Discharged to skilled nursing facility Discharged to other impatient care facility Discharged to other impatient care facility Discharged to other impatient care facility Admitted as impatient to this hospital Expired. Place unknown Suill patient Expired at home Suil patient at medical facility Expired, place unknown Discharged/transferred to federal health care facility Discharged/transferred to medical-certified long term care hospital Discharged/transferred to Medicare-certified nursing facility Discharge	Length:			Alphanumeric	-	Claim
Length: 8	Field 44:	STMT	PERIOD	THRU	2011000	
Field 45: LENGTH_OF_STAY Length of stay in days equals Statement covers period through date minus Admission/start of care date. The minimum length of stay is 1 day. The maximum is 9999 days. Length: 4 Type Alphanumeric Data Source: Calculated Field 46: PAT_STATUS Code indicating patient status as of the ending date of service for the period of care reported 1 Discharged to home or self-care (routine discharge) 2 Discharged to self-care (routine discharge) 3 Discharged to shilled nursing facility 4 Discharged to tother short term general hospital 3 Discharged to tother inpatient care facility 5 Discharged to tother inpatient care facility 6 Discharged to care of home health service 7 Left against medical advice 8 Discharged to care of home leath service 7 Left against medical advice 8 Discharged to the Office of Home IV provider 9 Admitted as inpatient to this hospital 20 Expired 30 Still patient 40 Expired in a medical facility 41 Expired in a medical facility 42 Expired, place unknown 43 Discharged/transferred to federal health care facility 50 Discharged to hospice—home 51 Discharged/transferred to inpatient rehabilitation facility 63 Discharged/transferred to inpatient rehabilitation facility 64 Discharged/transferred to Medicare-certified long term care hospital 65 Discharged/transferred to Medicare-certified long term care hospital 66 Discharged/transferred to Medicare-certified long term care hospital 66 Discharged/transferred to Medicare-certified nursing facility 67 Discharged/transferred to Medicare-certified nursing facility 68 Discharged/transferred to Medicare-certified nursing facility 69 Discharged/transferred to Official Access Hospital (CAH) 71 Discharged/transferred to institution outpatient 72 Discharged/transferred to institution outpatient		Ending	g service date	e of the period reflec	ted on the staten	nent. Entered as YYYYMMDD.
Field 45: LENGTH_OF_STAY Length of stay in days equals Statement covers period through date minus Admission/start of care date. The minimum length of stay is 1 day. The maximum is 9999 days. Length: Type Alphanumeric Data Source: Calculated Field 46: PAT_STATUS Code indicating patient status as of the ending date of service for the period of care reported Coding Scheme: Discharged to home or self-care (routine discharge) Discharged to skilled nursing facility Discharged to skilled nursing facility Discharged to their majestent care facility Discharged to care of home health service Left against medical advice Discharged to care of Home IV provider Admitted as inpatient to this hospital Discharged transferred to their home Expired at home Expired at home Expired at home Expired place unknown Discharged/transferred to federal health care facility Discharged/transferred to inpatient rehabilitation facility Discharged/transferred to impatient rehabilitation facility Discharged/transferred to impatient rehabilitation facility Discharged/transferred to Medicare-certified long term care hospital Discharged/transferred to impatient rehabilitation facility Discharged/transferred to psychiatric hospital or psychiatric distinct part of a hospital Discharged/transferred to impatient rehabilitation facility Discharged/transferred to psychiatric hospital or psychiatric distinct part of a hospital Discharged/transferred to fortical Access Hospital (CAH) Discharged/transferred to institution outpatient Length: Type Alphanumeric Data Claim	Length:	8	Type	Alphanumeric		Claim
Length of stay in days equals Statement covers period through date minus Admission/start of care date. The minimum length of stay is 1 day. The maximum is 9999 days. Length: Type Alphanumeric Data Source: Calculated Field 46: PAT_STATUS Code indicating patient status as of the ending date of service for the period of care reported Coding Scheme: I Discharged to home or self-care (routine discharge) Discharged to other short term general hospital Discharged to other short term general hospital Discharged to other intermediate care facility Discharged to other intermediate care facility Left against medical advice Discharged to care of Home IV provider Admitted as inpatient to this hospital Discharged to are of Home IV provider Discharged to assess the short term general hospital Discharged/transferred to federal health care facility Expired in a medical facility Expired, place unknown Discharged/transferred to federal health care facility Discharged/transferred to inpatient rehabilitation facility Discharged/transferred to inpatient rehabilitation facility Discharged/transferred to inpatient rehabilitation facility Discharged/transferred to Medicare-certified long term care hospital Discharged/	E: 11 45.		;		Source:	
Type Alphanumeric Data Calculated	Field 45:	Length Admis	n of stay in d ssion/start of	ays <i>equals</i> Statemen		
Code indicating patient status as of the ending date of service for the period of care reported Coding Scheme: 1 Discharged to home or self-care (routine discharge) 2 Discharged to other short term general hospital 3 Discharged to intermediate care facility 4 Discharged to intermediate care facility 5 Discharged to intermediate care facility 6 Discharged to care of home health service 7 Left against medical advice 8 Discharged to care of Home IV provider 9 Admitted as inpatient to this hospital 20 Expired 30 Still patient 40 Expired at home 41 Expired in a medical facility 42 Expired, place unknown 43 Discharged/transferred to federal health care facility 50 Discharged to hospice—home 51 Discharged to hospice—medical facility 61 Discharged/transferred within this institution to Medicare-approved swing bed 62 Discharged/transferred to inpatient rehabilitation facility 63 Discharged/transferred to Medicare-certified long term care hospital 64 Discharged/transferred to Medicard-certified nursing facility 65 Discharged/transferred to psychiatric hospital or psychiatric distinct part of a hospital 66 Discharged/transferred to Official Access Hospital (CAH) 71 Discharged/transferred to other outpatient service 72 Discharged/transferred to other outpatient service 73 Discharged/transferred to other outpatient service 74 Discharged/transferred to other outpatient service 75 Discharged/transferred to other outpatient service 76 Discharged/transferred to other outpatient service 77 Discharged/transferred to other outpatient service 78 Discharged/transferred to other outpatient service 79 Discharged/transferred to other outpatient service	Length:		•	Alphanumeric		Calculated
Coding Scheme: 1 Discharged to home or self-care (routine discharge) 2 Discharged to other short term general hospital 3 Discharged to skilled nursing facility 4 Discharged to intermediate care facility 5 Discharged to care of home health service 1 Left against medical advice 8 Discharged to care of Home IV provider 9 Admitted as inpatient to this hospital 20 Expired 30 Still patient 40 Expired at home 41 Expired in a medical facility 42 Expired, place unknown 43 Discharged/transferred to federal health care facility 5 Discharged/transferred within this institution to Medicare-approved swing bed 62 Discharged/transferred to inpatient rehabilitation facility 63 Discharged/transferred to Medicare-certified long term care hospital 64 Discharged/transferred to Medicare-certified nursing facility 65 Discharged/transferred to Medicare-certified nursing facility 66 Discharged/transferred to Special certified nursing facility 67 Discharged/transferred to Medicare-certified nursing facility 68 Discharged/transferred to Openitarion of the psychiatric distinct part of a hospital 69 Discharged/transferred to Openitarion hospital or psychiatric distinct part of a hospital 60 Discharged/transferred to Ortical Access Hospital (CAH) 71 Discharged/transferred to institution outpatient 72 Discharged/transferred to institution outpatient	Field 46:	PAT	STATUS			
Coding Scheme: 1 Discharged to home or self-care (routine discharge) 2 Discharged to other short term general hospital 3 Discharged to skilled nursing facility 4 Discharged to other inpatient care facility 5 Discharged to other inpatient care facility 6 Discharged to care of home health service 7 Left against medical advice 8 Discharged to care of Home IV provider 9 Admitted as inpatient to this hospital 20 Expired 30 Still patient 40 Expired at home 41 Expired in a medical facility 42 Expired, place unknown 43 Discharged/transferred to federal health care facility 50 Discharged to hospice—home 51 Discharged to hospice—home 52 Discharged/transferred within this institution to Medicare-approved swing bed 63 Discharged/transferred to inpatient rehabilitation facility 64 Discharged/transferred to Medicare-certified long term care hospital 65 Discharged/transferred to Medicare-tertified nursing facility 66 Discharged/transferred to Medicare-tertified nursing facility 67 Discharged/transferred to Psychiatric hospital or psychiatric distinct part of a hospital 68 Discharged/transferred to Ortical Access Hospital (CAH) 70 Discharged/transferred to other outpatient service 71 Discharged/transferred to institution outpatient 72 Discharged/transferred to institution outpatient		Code i	ndicating pa	tient status as of the	ending date of s	ervice for the period of care
= / Amnanimenc Cam	Coding Scheme:	1	Discharged to he Discharged to sk Discharged to in Discharged to in Discharged to caleft against med Discharged to the Discharged to he Discharged to he Discharged transposcharged/transpo	ther short term general ho cilled nursing facility termediate care facility ther inpatient care facility ther inpatient care facility the of home health service lical advice are of Home IV provider attent to this hospital dical facility nknown sferred to federal health cospice—home ospice—medical facility sferred within this institut sferred to Medicare-certiff sferred to Medicare-certiff sferred to psychiatric hospisferred to Critical Access sferred to other outpatient	are facility ion to Medicare-app litation facility ied long term care he ied nursing facility oital or psychiatric di Hospital (CAH)	ospital
: Source:	Length:	2	Туре	Alphanumeric		Claim
		Code i	ndicating ho	our during which the		
Field 47: DISCHARGE_HOUR Code indicating hour during which the patient was discharged from inpatient care	Coding Scheme:					
Code indicating hour during which the patient was discharged from inpatient care 00 12 midnight-12:59 13 1:00 – 1:59 p.m.						•
Code indicating hour during which the patient was discharged from inpatient care $\begin{array}{cccccccccccccccccccccccccccccccccccc$						
Code indicating hour during which the patient was discharged from inpatient care 10 12 midnight-12:59 13 1:00 - 1:59 p.m. 11 1:00 - 1:59 a.m. 14 2:00 - 2:59 p.m. 12 1:00 - 2:59 a.m. 15 3:00 - 3:59 p.m.		04 4	1:00 – 4:59 a.m.		17 $5:00-5$	5:59 p.m.
Code indicating hour during which the patient was discharged from inpatient care 00 12 midnight-12:59 13 1:00 - 1:59 p.m. 01 1:00 - 1:59 a.m. 14 2:00 - 2:59 p.m. 02 2:00 - 2:59 a.m. 15 3:00 - 3:59 p.m. 03 3:00 - 3:59 a.m. 16 4:00 - 4:59 p.m.		05 5	5:00 – 5:59 a.m.		18 6:00 – 6	5:59 p.m.
Code indicating hour during which the patient was discharged from inpatient care 00 12 midnight-12:59 13 1:00 – 1:59 p.m. 01 1:00 – 1:59 a.m. 14 2:00 – 2:59 p.m. 02 2:00 – 2:59 a.m. 15 3:00 – 3:59 p.m. 03 3:00 – 3:59 a.m. 16 4:00 – 4:59 p.m. 04 4:00 – 4:59 a.m. 17 5:00 – 5:59 p.m.		06 6	6:00 – 6:59 a.m.			_
Code indicating hour during which the patient was discharged from inpatient care 00 12 midnight-12:59 13 1:00 - 1:59 p.m. 01 1:00 - 1:59 a.m. 14 2:00 - 2:59 p.m. 02 2:00 - 2:59 a.m. 15 3:00 - 3:59 p.m. 03 3:00 - 3:59 a.m. 16 4:00 - 4:59 p.m. 04 4:00 - 4:59 a.m. 17 5:00 - 5:59 p.m. 05 5:00 - 5:59 a.m. 18 6:00 - 6:59 p.m.		07 7	7:00 – 7:59 a.m.			•
Code indicating hour during which the patient was discharged from inpatient care 00 12 midnight-12:59 13 1:00 - 1:59 p.m. 01 1:00 - 1:59 a.m. 14 2:00 - 2:59 p.m. 02 2:00 - 2:59 a.m. 15 3:00 - 3:59 p.m. 03 3:00 - 3:59 a.m. 16 4:00 - 4:59 p.m. 04 4:00 - 4:59 a.m. 17 5:00 - 5:59 p.m. 05 5:00 - 5:59 a.m. 18 6:00 - 6:59 p.m. 06 6:00 - 6:59 a.m. 19 7:00 - 7:59 p.m.						•
Code indicating hour during which the patient was discharged from inpatient care 00 12 midnight-12:59 13 1:00 - 1:59 p.m. 01 1:00 - 1:59 a.m. 14 2:00 - 2:59 p.m. 02 2:00 - 2:59 a.m. 15 3:00 - 3:59 p.m. 03 3:00 - 3:59 a.m. 16 4:00 - 4:59 p.m. 04 4:00 - 4:59 a.m. 17 5:00 - 5:59 p.m. 05 5:00 - 5:59 a.m. 18 6:00 - 6:59 p.m. 06 6:00 - 6:59 a.m. 19 7:00 - 7:59 p.m. 07 7:00 - 7:59 a.m. 20 8:00 - 8:59 p.m.						_
Code indicating hour during which the patient was discharged from inpatient care						
Code indicating hour during which the patient was discharged from inpatient careCoding Scheme:00 $12 \text{ midnight-}12:59$ 13 $1:00 - 1:59 \text{ p.m.}$ 01 $1:00 - 1:59 \text{ a.m.}$ 14 $2:00 - 2:59 \text{ p.m.}$ 02 $2:00 - 2:59 \text{ a.m.}$ 15 $3:00 - 3:59 \text{ p.m.}$ 03 $3:00 - 3:59 \text{ a.m.}$ 16 $4:00 - 4:59 \text{ p.m.}$ 04 $4:00 - 4:59 \text{ a.m.}$ 17 $5:00 - 5:59 \text{ p.m.}$ 05 $5:00 - 5:59 \text{ a.m.}$ 18 $6:00 - 6:59 \text{ p.m.}$ 06 $6:00 - 6:59 \text{ a.m.}$ 19 $7:00 - 7:59 \text{ p.m.}$ 07 $7:00 - 7:59 \text{ a.m.}$ 20 $8:00 - 8:59 \text{ p.m.}$ 08 $8:00 - 8:59 \text{ a.m.}$ 21 $9:00 - 9:59 \text{ p.m.}$	Inpatient RDF Da					•

	10 10:00 – 10:59 a.m. 23 11:00 – 11:59 p.m.
	11 11:00 – 11:59 a.m. 99 Hour unknown
	12 12 noon – 12:59 p.m.
Length:	1 Type Alphanumeric Data Source:
Field 48:	TYPE_OF_BILL
	Provides specific information about the claim data submitted. First digit = type of facility. Second digit = type of care. Third digit = sequence of the claim.
Coding Scheme:	1 Hospital 1 Hospital 1 Hospital 1 Medicare Part A 1 Hospital 1 Hospital 1 Medicare Part A
	2 Skilled nursing 2 Inpatient, Medicare Part B 1 Admit through discharge claim
	3 Home health 3 Outpatient 2 Interim—first claim
	4 Religious non-medical health care—Hospital 4 Outpatient Other, Medicare Part B only 3 Interim—continuing claim
	Religious non-medical health 5 Intermediate Care_I evel I 4 Interim_last claim
	6 Intermediate care 6 Intermediate Care-Level II 5 Late charge(s) only claim
	7 Clinic 7 Sub-acute inpatient – Level 6 Adjustment of prior claim (Not
	8 Special facility 8 Swing bed 7 Replacement of prior claim 8 Void/cancel of prior claim
Length:	3 Type Alphanumeric Data Claim
Field 49:	Source: ADMITTING DIAGNOSIS
Tield 17.	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.
Length:	6 Type Alphanumeric Data Claim
Field 50:	PRINC DIAG CODE
rieid 30.	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.
Length:	6 Type Alphanumeric Data Source:
Field 51:	POA_PRINC_DIAG_CODE Available beginning 2011
Coding Scheme:	Code identifying whether Principal Diagnosis code was present at the time the patient was admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined
Length:	1 Type: Alphanumeric Data Source: Claim
Field 52:	OTH_DIAG_CODE_1
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable. Decimal is implied following the third character.
Length:	6 Type Alphanumeric Data Source: Claim
Field 53:	POA_OTH_DIAG_CODE_1 Available beginning 2011
Coding Scheme:	Code identifying whether Oth_Diag_Code_1 code was present at the time the patient was admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined
Length:	1 Type: Alphanumeric Data Source: Claim
Field 54:	OTH_DIAG_CODE_2
Inpatient RDF Da	ta Dictionary 2004-2012 Page
www.dshs.state.t	

	ICD-9-CM diagnosis code, including the implied following the third character.	4th and 5th digits if applicable. Decimal is
Length:	6 Type Alphanumeric	Data Source:
Field 55:	POA_OTH_DIAG_CODE_2	Available beginning 2011
Coding Scheme:	Code identifying whether Oth_Diag_Cod was admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined	de_2 code was present at the time the patient
Length:	1 Type:	Alphanumeric Data Source: Claim
Field 56:	OTH_DIAG_CODE_3 ICD-9-CM diagnosis code, including the implied following the third character.	4th and 5th digits if applicable. Decimal is
Length:	6 Type: Alphanumeric	Data Source:
Field 57: Coding Scheme:	POA_OTH_DIAG_CODE_3 Code identifying whether Oth_Diag_Code was admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined	Available beginning 2011 de_3 code was present at the time the patient
Length:	1 Type:	Alphanumeric Data Source: Claim
Field 58:	OTH_DIAG_CODE_4	Add and Sah dinianis annihable Designalia
Length:	implied following the third character. 6 Type: Alphanumeric	4th and 5th digits if applicable. Decimal is Data Source: Claim
Field 59:	POA_OTH_DIAG_CODE_4	Available beginning 2011
Coding Scheme:	Code identifying whether Oth_Diag_Code was admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined	de_4 code was present at the time the patient
Length:	1 Type:	Alphanumeric Data Source: Claim
Field 60:	OTH DIAG CODE 5	
	ICD-9-CM diagnosis code, including the	4th and 5th digits if applicable. Decimal is
Length:	ICD-9-CM diagnosis code, including the implied following the third character.	Data Claim
	ICD-9-CM diagnosis code, including the implied following the third character. 6 Type: Alphanumeric	Data Source: Claim
Length: Field 61: Coding Scheme:	ICD-9-CM diagnosis code, including the implied following the third character. 6	Data Claim
Field 61: Coding Scheme:	ICD-9-CM diagnosis code, including the implied following the third character. 6 Type: Alphanumeric POA_OTH_DIAG_CODE_5 Code identifying whether Oth_Diag_Code was admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined	Data Source: Available beginning 2011 de_5 code was present at the time the patient
Field 61:	ICD-9-CM diagnosis code, including the implied following the third character. 6	Data Source: Available beginning 2011
Field 61: Coding Scheme: Length: Field 62:	ICD-9-CM diagnosis code, including the implied following the third character. 6	Data Source: Available beginning 2011 de_5 code was present at the time the patient Alphanumeric Data Source: Claim

Length:	6	Type:	Alphanumeric	Data Source:	Claim
Field 63:	Code ide				peginning 2011 present at the time the patient
Coding Scheme:	Y Yes N No U Unkn		•		
Length:	1		Type:	Alphanumeric	Data Source: Claim
Field 64:	ICD-9-CN			the 4th and 5th digi	its if applicable. Decimal is
Length:	6	Type:	Alphanumeric	Data Source:	Claim
Field 65:	Code ide				peginning 2011 present at the time the patient
Coding Scheme:	Y Yes N No U Unkn		•		
Length:	1		Type:	Alphanume	ric Data Source: Claim
Field 66:	ICD-9-CN		E_8	the 4th and 5th digi	its if applicable. Decimal is
Length:	6	Type:	Alphanumeric	Data Source:	Claim
Field 67: Coding Scheme:	Code ider was admi Y Yes N No U Unkno	ntifying what ted to the	hospital		beginning 2011 resent at the time the patient
Length:	1		Type:	Alphanume	ric Data Source: Claim
Field 68:	ICD-9-CN		E_9	•	its if applicable. Decimal is
Length:	6	Type:	Alphanumeric	Data Source:	Claim
Field 69:	Code ider			Available	beginning 2011 resent at the time the patient wa
Coding Scheme:	Y Yes N No U Unkno	•			
Length:	1		Type:	Alphanume	eric Data Source: Claim
Field 70:	ICD-9-CN				its if applicable. Decimal is
Length:	6	Type:	Alphanumeric	Data Source:	Claim
Field 71:	_		_CODE_10	Available	beginning 2011
Inpatient RDF Da					
www.dshs.state.t	x.us/THCIC	2	18	March, 2021	

Coding Scheme:	Code identifying whether Oth_Diag_Code_10 c was admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined	code was present at the time the patient
Length:	1 Type: A	lphanumeric Data Source: Claim
Field 72:	OTH_DIAG_CODE_11 ICD-9-CM diagnosis code, including the 4th an implied following the third character.	
Length:	6 Ivne Alphanimeric	Data Source:
Field 73:		Available beginning 2011
Coding Scheme:	Code identifying whether Oth_Diag_Code_11 c was admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined	code was present at the time the patient
Length:	1 Type: A	lphanumeric Data Source: Claim
Field 74:	OTH_DIAG_CODE_12 ICD-9-CM diagnosis code, including the 4th an implied following the third character.	d 5th digits if applicable. Decimal is
Length:	6 Type: Alphanumeric	Data Source:
Field 75:		Available beginning 2011
Coding Scheme:	Code identifying whether Oth_Diag_Code_12 cadmitted to the hospital Y Yes N No U Unknown W Clinically Undetermined	code was present at the time the patient was
Length:	1 Type: A	Alphanumeric Data Source: Claim
Field 76:	OTH_DIAG_CODE_13 ICD-9-CM diagnosis code, including the 4th an implied following the third character.	d 5th digits if applicable. Decimal is
Length:	•	Data Source:
Field 77:		Available beginning 2011
Coding Scheme:	Code identifying whether Oth_Diag_Code_13 c was admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined	code was present at the time the patient
Length:	1 Type: A	lphanumeric Data Source: Claim
Field 78:	OTH_DIAG_CODE_14 ICD-9-CM diagnosis code, including the 4th an implied following the third character.	d 5th digits if applicable. Decimal is
Length:	6 Type: Alphanumeric	Data Source: Claim
Field 79:	POA_OTH_DIAG_CODE_14	Available beginning 2011
Coding Scheme:	Code identifying whether Oth_Diag_Code_14 c was admitted to the hospital Y Yes N No	code was present at the time the patient
www.dshs.state.tz	ta Dictionary 2004-2012 Page x.us/THCIC 19 Marc	h, 2021
www.usiisistate.ta	wind, indic	11) = V = 1

U Unknown W Clinically Undetermined

Length:	1	Type:	Alphanumeric	Data Source: Claim
Field 80:	OTH_DIAG_CODE ICD-9-CM diagnosis implied following the	code, including the	_	applicable. Decimal is
Length:	6 Type:	Alphanumeric	Data Source:	Claim
Field 81: Coding Scheme:	POA_OTH_DIAG_ Code identifying whe was admitted to the h Y Yes N No U Unknown W Clinically Undeterm	ether Oth_Diag_Code ospital	Available begi e_15 code was preso	nning 2011 ent at the time the patient
Length:	1	Type:	Alphanumeric	Data Source: Claim
Field 82:	OTH_DIAG_CODE ICD-9-CM diagnosis implied following the	code, including the	_	applicable. Decimal is
Length:	6 Type:	Alphanumeric	Data Source:	Claim
Field 83: Coding Scheme:	POA_OTH_DIAG_CODE identifying whe was admitted to the h Y Yes N No U Unknown W Clinically Undeterm	ether Oth_Diag_Code ospital	Available begi e_16 code was preso	nning 2011 ent at the time the patient
Length:	1	Туре:	Alphanumeric	Data Source: Claim
Field 84:	OTH_DIAG_CODE ICD-9-CM diagnosis implied following the	code, including the	4th and 5th digits if	applicable. Decimal is
Length:	6 Type:	Alphanumeric	Data Source:	Claim
Field 85: Coding Scheme:	POA_OTH_DIAG_ Code identifying whe was admitted to the h Y Yes N No U Unknown W Clinically Undetern	ether Oth_Diag_Code ospital	Available begi e_17 code was preso	nning 2011 ent at the time the patient
Length:	1	Type:	Alphanumeric	Data Source: Claim
Field 86:	OTH_DIAG_CODE ICD-9-CM diagnosis implied following the	code, including the		applicable. Decimal is
Length:	6 Type:	Alphanumeric	Data Source:	Claim
Field 87:	POA_OTH_DIAG_Code identifying whe	ether Oth_Diag_Code	Available begi e_18 code was preso	nning 2011 ent at the time the patient
Coding Scheme:	was admitted to the h Y Yes N No U Unknown W Clinically Undetern			
Coding Scheme: Length:	was admitted to the h Y Yes N No U Unknown		Alphanumeric	Data Source: Claim
Length:	was admitted to the h Y Yes N No U Unknown W Clinically Undetern 1 ta Dictionary 2004-20	nined Type: 012 Page	Alphanumeric March, 2021	Data Source: Claim

Field 88:	OTH_DIAG		_	4th and 5th digits if	applicable. Decimal is
			third character.	rin and 5th digits if	applicable. Decimal is
Length:	6	Type:	Alphanumeric	Data Source:	Claim
Field 89:	POA_OTH			Available begi	
				le_19 code was prese	ent at the time the patient
~ · · · ·	was admitted	l to the ho	spital		
Coding Scheme:	Y Yes N No				
	U Unknow	n			
	W Clinically	y Undetermi	ned		
Length:	1		Type:	Alphanumeric	Data Source: Claim
Field 90:				•	
	OTH_DIAG	CODE_	_20		
	ICD-9-CM d	iagnosis c	ode including the	4th and 5th digits if	applicable. Decimal is
		_	third character.	-til and 5th digits if	applicable. Deciliar is
Length:	1	C		Data	Cl.:
8	6	Type:	Alphanumeric	Source:	Claim
Field 91:	POA_OTH_			Available begi	
	Code identif	ying whet	her Oth_Diag_Cod	le_20 code was prese	ent at the time the patient
	was admitted	l to the ho	spital	-	-
Coding Scheme:	Y Yes				
	N No U Unknowi	n			
		y Undetermi	ned		
Length:	1		Type:	Alphanumeric	Data Source: Claim
Field 92:	OTH DIAG	CODE		ruphanamerie	Data Source: Claim
1014 /21				4th and 5th digits if	applicable. Decimal is
			third character.		-FF
Length:	•	Type:	Alphanumeric	Data	Claim
· 💆 · ·	6				
	6			Source:	
	POA_OTH	DIAG_C	CODE_21	Available begi	nning 2011
	POA_OTH_ Code identif	DIAG_C	CODE_21 her Oth_Diag_Cod	Available begi	
Field 93:	POA_OTH_ Code identify was admitted	DIAG_C	CODE_21 her Oth_Diag_Cod	Available begi	nning 2011
Field 93:	POA_OTH Code identify was admitted Y Yes	DIAG_C	CODE_21 her Oth_Diag_Cod	Available begi	nning 2011
Field 93:	POA_OTH Code identify was admitted Y Yes N No	DIAG_C ying wheth	CODE_21 her Oth_Diag_Cod	Available begi	nning 2011
Field 93:	POA_OTH Code identify was admitted Y Yes N No U Unknown	DIAG_C ying wheth	CODE_21 her Oth_Diag_Cod spital	Available begi	nning 2011
Field 93: Coding Scheme:	POA_OTH Code identify was admitted Y Yes N No U Unknown	DIAG_C ying wheth to the ho	CODE_21 her Oth_Diag_Cod spital ned	Available beginde_21 code was preson	nning 2011 ent at the time the patient
Field 93: Coding Scheme: Length:	POA_OTH_ Code identify was admitted Y Yes N No U Unknown W Clinically	DIAG_C ying wheti I to the ho	CODE_21 her Oth_Diag_Cod spital ned Type:	Available begi	nning 2011
Field 93: Coding Scheme: Length:	POA_OTH_ Code identify was admitted Y Yes N No U Unknown W Clinically 1 OTH_DIAG	DIAG_C ying wheth I to the ho y Undetermin	CODE_21 her Oth_Diag_Cod spital ned Type:	Available begi le_21 code was preso Alphanumeric	nning 2011 ent at the time the patient Data Source: Claim
Field 93: Coding Scheme: Length:	POA_OTH_ Code identify was admitted Y Yes N No U Unknown W Clinically 1 OTH_DIAG ICD-9-CM d	DIAG_C ying wheti I to the ho y Undetermining G_CODE_ itagnosis c	CODE_21 her Oth_Diag_Cod spital ned Type:	Available begi le_21 code was preso Alphanumeric	nning 2011 ent at the time the patient
Field 93: Coding Scheme:	POA_OTH_ Code identify was admitted Y Yes N No U Unknown W Clinically 1 OTH_DIAG ICD-9-CM d	DIAG_C ying wheti I to the ho y Undetermining G_CODE_ itagnosis c	cODE_21 her Oth_Diag_Cod spital red Type: 22 code, including the	Available beginde_21 code was presonant to the Alphanumeric stands and 5th digits if the Data	nning 2011 ent at the time the patient Data Source: Claim
Field 93: Coding Scheme: Length: Field 94: Length:	POA_OTH_ Code identify was admitted Y Yes N No U Unknown W Clinically 1 OTH_DIAC ICD-9-CM dimplied folloo	DIAG_C ying whete to the ho y Undetermine G_CODE_ itagnosis cowing the to	her Oth_Diag_Cod spital Type: 22 code, including the third character. Alphanumeric	Available beginde_21 code was presonant and Alphanumeric 4th and 5th digits if Data Source:	nning 2011 ent at the time the patient Data Source: Claim applicable. Decimal is Claim
Field 93: Coding Scheme: Length: Field 94:	POA_OTH_ Code identify was admitted Y Yes N No U Unknown W Clinically 1 OTH_DIAG ICD-9-CM dimplied follo 6 POA_OTH_	DIAG_C ying whete to the ho y Undetermine C_CODE_ itagnosis cowing the to Type: DIAG_C	cODE_21 her Oth_Diag_Cod spital red Type: 22 code, including the third character. Alphanumeric CODE_22	Available beginde_21 code was presonant and 5th digits if Data Source: Available beginde_21	Data Source: Claim applicable. Decimal is Claim appling 2011
Field 93: Coding Scheme: Length: Field 94: Length:	POA_OTH_ Code identify was admitted Y Yes N No U Unknown W Clinically 1 OTH_DIAG ICD-9-CM dimplied follo 6 POA_OTH_ Code identify	DIAG_C ying wheth to the ho y Undetermine G_CODE_ hiagnosis c wing the t Type: DIAG_C ying wheth	Type: 22 22 22 24 25 25 26 26 27 28 29 29 20 20 20 20 20 20 20 20	Available beginde_21 code was presonant and 5th digits if Data Source: Available beginde_21	nning 2011 ent at the time the patient Data Source: Claim applicable. Decimal is Claim
Field 93: Coding Scheme: Length: Field 94: Length: Field 95:	POA_OTH_ Code identify was admitted Y Yes N No U Unknown W Clinically 1 OTH_DIAG ICD-9-CM dimplied follo 6 POA_OTH_	DIAG_C ying wheth to the ho y Undetermine G_CODE_ hiagnosis c wing the t Type: DIAG_C ying wheth	Type: 22 22 22 24 25 25 26 26 27 28 29 29 20 20 20 20 20 20 20 20	Available beginde_21 code was presonant and 5th digits if Data Source: Available beginde_21	Data Source: Claim applicable. Decimal is Claim appling 2011
Field 93: Coding Scheme: Length: Field 94: Length: Field 95:	POA_OTH_ Code identify was admitted Y Yes N No U Unknown W Clinically 1 OTH_DIAG ICD-9-CM dimplied follo 6 POA_OTH_ Code identify was admitted Y Yes N No	DIAG_C ying wheth to the ho y Undetermination G_CODE_ hiagnosis conving the to Type: DIAG_C ying wheth to the ho	Type: 22 22 22 24 25 25 26 26 27 28 29 29 20 20 20 20 20 20 20 20	Available beginde_21 code was presonant and 5th digits if Data Source: Available beginde_21	Data Source: Claim applicable. Decimal is Claim appling 2011
Field 93: Coding Scheme: Length: Field 94: Length: Field 95:	POA_OTH_ Code identify was admitted Y Yes N No U Unknown W Clinically 1 OTH_DIAG ICD-9-CM dimplied follo 6 POA_OTH_ Code identify was admitted Y Yes N No U Unknown U Unknown	DIAG_C ying wheth I to the ho y Undetermination of CODE_ liagnosis conving the to Type: DIAG_C ying wheth I to the ho	her Oth_Diag_Cod spital Type: 22 22 23 24 25 26 26 27 28 28 29 29 20 20 20 20 20 20 20 20	Available beginde_21 code was presonant and 5th digits if Data Source: Available beginde_21	Data Source: Claim applicable. Decimal is Claim appling 2011
Field 93: Coding Scheme: Length: Field 94: Length: Field 95: Coding Scheme:	POA_OTH_ Code identify was admitted Y Yes N No U Unknown W Clinically 1 OTH_DIAG ICD-9-CM dimplied follo 6 POA_OTH_ Code identify was admitted Y Yes N No U Unknown U Unknown	DIAG_C ying wheth to the ho y Undetermination G_CODE_ hiagnosis conving the to Type: DIAG_C ying wheth to the ho	Type: 22 22 23 24 25 25 26 26 27 28 28 29 29 20 20 20 20 20 20 20 20	Available beginde_21 code was presented. Alphanumeric 4th and 5th digits if Data Source: Available beginde_22 code was presented.	Data Source: Claim applicable. Decimal is Claim anning 2011 ent at the time the patient
Field 93: Coding Scheme: Length: Field 94: Length: Field 95: Coding Scheme: Length:	POA_OTH_ Code identify was admitted Y Yes N No U Unknown W Clinically 1 OTH_DIAC ICD-9-CM dimplied follo 6 POA_OTH_ Code identify was admitted Y Yes N No U Unknown W Clinically 1	DIAG_C ying wheth I to the ho y Undetermine CODE_ itagnosis conving the to Type: DIAG_C ying wheth I to the ho y Undetermine	Type: 22 22 23 24 25 25 26 26 27 28 28 29 29 20 20 20 20 20 20 20 20	Available beginde_21 code was presonant and 5th digits if Data Source: Available beginde_21	Data Source: Claim applicable. Decimal is Claim appling 2011
Field 93: Coding Scheme: Length: Field 94: Length: Field 95: Coding Scheme: Length:	POA_OTH_ Code identify was admitted Y Yes N No U Unknown W Clinically 1 OTH_DIAG ICD-9-CM dimplied follo 6 POA_OTH_ Code identify was admitted Y Yes N No U Unknown U Unknown	DIAG_C ying wheth I to the ho y Undetermine CODE_ itagnosis conving the to Type: DIAG_C ying wheth I to the ho y Undetermine	Type: 22 22 23 24 25 25 26 26 27 28 28 29 29 20 20 20 20 20 20 20 20	Available beginde_21 code was presented. Alphanumeric 4th and 5th digits if Data Source: Available beginde_22 code was presented.	Data Source: Claim applicable. Decimal is Claim anning 2011 ent at the time the patient
Field 93: Coding Scheme: Length: Field 94: Length: Field 95: Coding Scheme:	POA_OTH_ Code identify was admitted Y Yes N No U Unknown W Clinically 1 OTH_DIAC ICD-9-CM dimplied follo 6 POA_OTH_ Code identify was admitted Y Yes N No U Unknown W Clinically 1 OTH_DIAC	DIAG_C ying whether the hold of the hold o	Type: 22 code, including the third character. Alphanumeric CODE_22 her Oth_Diag_Code spital Type: 23 Type: 24 25 26 26 27 28 28 29 29 20 20 20 20 20 20 20 20	Available beginde_21 code was presented. Alphanumeric 4th and 5th digits if Data Source: Available beginde_22 code was presented.	Data Source: Claim applicable. Decimal is Claim anning 2011 ent at the time the patient

			code, including the third character.	4th and 5th digits if	applicable. Decimal is
Length:	6	Type:	Alphanumeric	Data Source:	Claim
Field 97:	POA_OT			Available beg	
Coding Scheme:	was admitt Y Yes N No U Unkno	ed to the ho	ospital	e_23 code was pres	ent at the time the patient
Length:	1		Type:	Alphanumeric	Data Source: Claim
Field 98:		diagnosis			applicable. Decimal is
Length:	6	Type:	Alphanumeric	Data Source:	Claim
Field 99: Coding Scheme:	was admitt Y Yes N No U Unkno	ifying whe	ther Oth_Diag_Cod ospital	Available beg e_24 code was pres	inning 2011 ent at the time the patient
Length:	1		Type:	Alphanumeric	Data Source: Claim
Field 100:	E_CODE			441 1 541- 1: -:4- :4	S1:1-1
Length: Field 101:		use of inju		4th and 5th digits if blied following the the Alphanumeric Available beg	Data Source: Claim
Coding Scheme:	Code ident admitted to Y Yes N No U Unkno	ifying whe	al		time the patient was
Length:	1		Type:	Alphanumeric	Data Source: Claim
Field 102:		diagnosis		4th and 5th digits it ed following the thi	applicable, of an additional rd character.
Length:	6		Type:	Alphanumeric	Data Source: Claim
Field 103:	admitted to	ifying whe		Available beg	inning 2012 time the patient was
Coding Scheme:	Y Yes N No U Unkno W Clinica	wn ally Undeterm	ined		
Length:	1		Type:	Alphanumeric	Data Source: Claim
Field 104:	external ca	diagnosis	ry. Decimal is impli	ed following the thi	
Length:	6 DOA E 6	ODE 2	Type:	Alphanumeric	
Field 105:	POA_E_C	CODE_3		Available beg	nning 2012
	. 51 :	000	· 40 =		
Inpatient RDF Da		y 2004-20		March 2024	
www.dshs.state.t	x.us/THCIC		22	March, 2021	

Coding Scheme:	Code identifying whether I admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined	E_Code_3 code w	as present at the	time the patient was
Length:	1	Type:	Alphanumeric	Data Source: Claim
Field 106:	E_CODE_4		•	
Beginning Position:	ICD-9-CM diagnosis code external cause of injury. D 395			applicable, of an additional rd character.
Length:	6	Type:	Alphanumeric	Data Source: Claim
Field 107:	POA E CODE 4	турс.	Available begin	
Coding Scheme:	Code identifying whether admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined	E_Code_4 code w		
Length:	1	Type:	Alphanumeric	Data Source: Claim
Field 108:	E_CODE_5		•	
				applicable, of an additional
	external cause of injury. D	•	•	
Length:	6	Type:	Alphanumeric	Data Source: Claim
Field 109:	POA_E_CODE_5 Code identifying whether I	F C 1 F . 1 -	Available begin	
Coding Scheme:	admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined		vas present at the	time the purious was
Length:	1	Type:	Alphanumeric	Data Source: Claim
Field 110:	E_CODE_6			
				applicable, of an additional
Beginning	external cause of injury. D 409	Data Source:	Claim	rd character.
Position:	409	Data Source.	Claim	
Length:	6	Type:	Alphanumeric	Data Source: Claim
Field 111:	POA_E_CODE_6		Available begin	
	Code identifying whether			
Coding Scheme:	admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined	E_Code_6 code v	vas present at the	time the patient was
Length:	admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined	E_Code_6 code v Type:	vas present at the Alphanumeric	time the patient was Data Source: Claim
-	admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 E_CODE_7	Туре:	Alphanumeric	Data Source: Claim
Length:	admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 E_CODE_7 ICD-9-CM diagnosis code	Type: , including the 4tl	Alphanumeric	Data Source: Claim applicable, of an additional
Length: Field 112:	admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 E_CODE_7 ICD-9-CM diagnosis code external cause of injury. D	Type: , including the 4tl ecimal is implied	Alphanumeric and 5th digits if following the thin	Data Source: Claim applicable, of an additional
Length: Field 112: Length:	admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 E_CODE_7 ICD-9-CM diagnosis code external cause of injury. D 6	Type: , including the 4tl	Alphanumeric and 5th digits if following the thire Alphanumeric	Data Source: Claim applicable, of an additional rd character.
Length: Field 112: Length: Field 113:	admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 E_CODE_7 ICD-9-CM diagnosis code external cause of injury. D	Type: , including the 4tl ecimal is implied Type:	Alphanumeric n and 5th digits if following the thin Alphanumeric Available begin	Data Source: Claim applicable, of an additional rd character.
Length: Field 112: Length:	admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 E_CODE_7 ICD-9-CM diagnosis code external cause of injury. D 6 POA_E_CODE_7 Code identifying whether I admitted to the hospital Y Yes	Type: , including the 4tl ecimal is implied Type:	Alphanumeric n and 5th digits if following the thin Alphanumeric Available begin	Data Source: Claim applicable, of an additional rd character.
Length: Field 112: Length: Field 113: Coding Scheme:	admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 E_CODE_7 ICD-9-CM diagnosis code external cause of injury. D 6 POA_E_CODE_7 Code identifying whether I admitted to the hospital Y Yes N No	Type: , including the 4tl ecimal is implied Type: E_Code_7 code v	Alphanumeric n and 5th digits if following the thin Alphanumeric Available begin	Data Source: Claim applicable, of an additional rd character.
Length: Field 112: Length: Field 113: Coding Scheme:	admitted to the hospital Y Yes N No U Unknown W Clinically Undetermined 1 E_CODE_7 ICD-9-CM diagnosis code external cause of injury. D 6 POA_E_CODE_7 Code identifying whether I admitted to the hospital Y Yes N No ta Dictionary 2004-2012	Type: , including the 4tl ecimal is implied Type: E_Code_7 code v	Alphanumeric n and 5th digits if following the thin Alphanumeric Available begin	Data Source: Claim applicable, of an additional rd character.

U Unknown W Clinically Undetermined

Length:	1	Туре:	Alphanumeric	Data Source: Claim			
Field 114:	E_CODE_8						
	ICD-9-CM diagnosis code, including the 4th and 5th digits if applicable, of an additional						
	external cause of injur		_	d character.			
Beginning	423	Data Source:	Claim				
Position:	(T	A 11.	Data Carrey Chila			
Length: Field 115:	BOA E CODE 9	Type:	Alphanumeric	Data Source: Claim			
rieid 115:	POA_E_CODE_8 Code identifying whet	har F Coda & coda s	Available begin				
	admitted to the hospita		was present at the	time the patient was			
Coding Scheme:	Y Yes	31					
coung seneme.	N No						
	U Unknown W Clinically Undetermi	inad					
	w Chilically Olidetellin	illed					
Length:	1	Type:	Alphanumeric	Data Source: Claim			
Field 116:	E_CODE_9						
				applicable, of an additional			
Ŧ	external cause of injur	•					
Length:	6	Type:	Alphanumeric				
Field 117:	POA_E_CODE_9	don F. C. 1. C. 1	Available begin				
	Code identifying whet admitted to the hospital		was present at the	time the patient was			
Coding Scheme:	Y Yes	11					
Coung Scheme.	N No						
	U Unknown						
	W Clinically Undetermi	ined					
Length:	1	Type:	Alphanumeric	Data Source: Claim			
Field 118:	E_CODE_10						
				applicable, of an additional			
	external cause of injur	•	_				
Length:	6 POA E CODE 10	Type:	Alphanumeric	Data Source: Claim			
Field 119:	POA_E_CODE_10 Code identifying whet	har E. Cada 10 aada	Available begin				
	admitted to the hospita		was present at th	e time the patient was			
Coding Scheme:	Y Yes	21					
County Scheme.	N No						
	U Unknown W Clinically Undetermi	land.					
	W Clinically Undetermi	ined					
Length:	1	Type:	Alphanumeric	Data Source: Claim			
Length: Field 120:	PRINC_SURG_PRO	C_CODE	•				
	PRINC_SURG_PRO Code for the principal	C_CODE surgical or obstetrical	procedure perfor				
Field 120:	PRINC_SURG_PRO	C_CODE surgical or obstetrical	procedure perfor				
	PRINC_SURG_PRO Code for the principal	C_CODE surgical or obstetrical	procedure perfor code. Data				
Field 120: Length:	PRINC_SURG_PRO Code for the principal covered by the bill. IC 7 Type:	C_CODE surgical or obstetrical D-9, HCPCS, or CPT Alphanumeric	procedure perfor	med during the period			
Field 120:	PRINC_SURG_PRO Code for the principal covered by the bill. IC 7 Type: PRINC_SURG_PRO	C_CODE surgical or obstetrical D-9, HCPCS, or CPT Alphanumeric C_DATE	procedure perfor code. Data Source:	med during the period			
Field 120: Length:	PRINC_SURG_PRO Code for the principal covered by the bill. IC 7 Type: PRINC_SURG_PRO Date the principal surg	C_CODE surgical or obstetrical D-9, HCPCS, or CPT Alphanumeric C_DATE	procedure perfor code. Data Source:	med during the period			
Field 120: Length: Field 121:	PRINC_SURG_PRO Code for the principal covered by the bill. IC 7 Type: PRINC_SURG_PRO Date the principal surg YYYYMMDD.	oC_CODE surgical or obstetrical surgical or obstetrical D-9, HCPCS, or CPT Alphanumeric OC_DATE gical or obstetrical pro	procedure perfor code. Data Source:	med during the period Claim rmed. Entered as			
Field 120: Length:	PRINC_SURG_PRO Code for the principal covered by the bill. IC 7 Type: PRINC_SURG_PRO Date the principal surg	C_CODE surgical or obstetrical D-9, HCPCS, or CPT Alphanumeric C_DATE	procedure perfor code. Data Source:	med during the period			
Field 120: Length: Field 121:	PRINC_SURG_PRO Code for the principal covered by the bill. IC 7 Type: PRINC_SURG_PRO Date the principal surg YYYYMMDD.	oC_CODE surgical or obstetrical D-9, HCPCS, or CPT Alphanumeric OC_DATE gical or obstetrical pro	procedure perfor code. Data Source: cedure was perfor	med during the period Claim rmed. Entered as			
Field 120: Length: Field 121: Length:	PRINC_SURG_PRO Code for the principal covered by the bill. IC 7 Type: PRINC_SURG_PRO Date the principal surg YYYYMMDD. 8 Type: PRINC_SURG_PRO	C_CODE surgical or obstetrical surgical or obstetrical D-9, HCPCS, or CPT Alphanumeric C_DATE gical or obstetrical pro Alphanumeric C_DAY	procedure perfor code. Data Source: cedure was perfor Data Source:	med during the period Claim rmed. Entered as			
Field 120: Length: Field 121: Length:	PRINC_SURG_PRO Code for the principal covered by the bill. IC 7 Type: PRINC_SURG_PRO Date the principal surg YYYYMMDD. 8 Type: PRINC_SURG_PRO	oC_CODE surgical or obstetrical surgical or obstetrical pp-9, HCPCS, or CPT Alphanumeric oC_DATE gical or obstetrical pro Alphanumeric oC_DAY cal or obstetrical proces	procedure perfor code. Data Source: cedure was perfor Data Source:	med during the period Claim med. Entered as Claim			
Field 120: Length: Field 121: Length:	PRINC_SURG_PRO Code for the principal covered by the bill. IC 7 Type: PRINC_SURG_PRO Date the principal surg YYYYMMDD. 8 Type: PRINC_SURG_PRO Day of principal surgion	oC_CODE surgical or obstetrical surgical or obstetrical pp-9, HCPCS, or CPT Alphanumeric oC_DATE gical or obstetrical pro Alphanumeric oC_DAY cal or obstetrical proces	procedure perfor code. Data Source: cedure was perfor Data Source:	med during the period Claim med. Entered as Claim			
Field 120: Length: Field 121: Length: Field 122:	PRINC_SURG_PRO Code for the principal covered by the bill. IC 7 Type: PRINC_SURG_PRO Date the principal surg YYYYMMDD. 8 Type: PRINC_SURG_PRO Day of principal surgion	SC_CODE surgical or obstetrical pro Alphanumeric surgical or obstetrical pro Alphanumeric surgical or obstetrical procedures of the surgical or obstetrical procedures of the surgical or obstetrical procedures of the surgical procedures of the surgic	procedure perfor code. Data Source: cedure was perfor Data Source:	med during the period Claim med. Entered as Claim			
Field 120: Length: Field 121: Length: Field 122:	PRINC_SURG_PRO Code for the principal covered by the bill. IC 7 Type: PRINC_SURG_PRO Date the principal surg YYYYMMDD. 8 Type: PRINC_SURG_PRO Day of principal surgic Date minus Admission ta Dictionary 2004-20	SC_CODE surgical or obstetrical pro Alphanumeric surgical or obstetrical pro Alphanumeric surgical or obstetrical procedures of the surgical or obstetrical procedures of the surgical or obstetrical procedures of the surgical procedures of the surgic	procedure perfor code. Data Source: cedure was perfor Data Source:	med during the period Claim med. Entered as Claim			

Length:	4	Type:	Alphanumeric	Data Source:	Claim
Field 123:	ICD-9-CM		code for principal	surgical procedure following the third	, including the 4th and 5th character.
Length:	5	Type:	Alphanumeric	Data Source:	Claim
Field 124:	Code for s		bstetrical procedu		incipal procedure performed PT code.
Length:	7	Type:	Alphanumeric	Data Source:	Claim
Field 125:	Date the su				ncipal procedure was
Length:	8	Type:	Alphanumeric	Data Source:	Claim
Field 126:	Day of oth	RG_PROC er surgical /Start of Ca	or obstetrical proc		Surgical Procedure Date minus
Length:	4	Type:	Alphanumeric	Data Source:	Claim
Field 127:	ICD-9-CM	including t	code for surgical o	or obstetrical proced	dure other than the principal ecimal is implied following the
Length:	5	Type:	Alphanumeric	Data Source:	Claim
Field 128:	Code for s		bstetrical procedu		incipal procedure performed PT code.
Length:	7	Туре:	Alphanumeric	Data Source:	Claim
Field 129:	Date the su				ncipal procedure was
Length:	8	Туре:	Alphanumeric	Data Source:	Claim
Field 130:	Day of oth	RG_PROC er surgical /Start of Ca	or obstetrical proc		Surgical Procedure Date minus
Length:	4	Type:	Alphanumeric	Data Source:	Claim
Field 131:	ICD-9-CM	including t	code for surgical o	or obstetrical proced	dure other than the principal ecimal is implied following the
Length:	5	Type:	Alphanumeric	Data Source:	Claim
Field 132:	Code for s	urgical or o			incipal procedure performed PT code.
Length:	7	Type:	Alphanumeric	Data Source:	Claim
Field 133:	OTH_SUI	RG_PROC	_DATE_3	• • • • • • • • • • • • • • • • • •	
Inpatient RDF Dawww.dshs.state.		y 2004-20	012 Page 25	March, 2021	
	•			-	

	Date the surgical or obstetrical procedure other than the principal procedure was performed. Entered as <i>YYYYMMDD</i> .					
Length:	8	Type:	Alphanumeric	Data Source:	Claim	
Field 134:	OTH_SU	URG_PROC	DAY_3			
		ther surgical on/Start of Ca		ure <i>equals</i> Other	Surgical Procedure Date minus	
Length:	4	Type:	Alphanumeric	Data Source:	Claim	
Field 135:	ICD-9-C	e, including t	code for surgical or o	if applicable. De	dure other than the principal ecimal is implied following the	
Length:	5	Type:	Alphanumeric	Data Source:	Claim	
Field 136:	Code for				incipal procedure performed PT code.	
Length:	7	Type:	Alphanumeric	Data Source:	Claim	
Field 137:	Date the			other than the pri	ncipal procedure was	
Length:	8	Type:	Alphanumeric	Data Source:	Claim	
Field 138:	Day of o	URG_PROC ther surgical on/Start of Ca	or obstetrical proced		Surgical Procedure Date minus	
Length:	4	Type:	Alphanumeric	Data Source:	Claim	
Field 139:	ICD-9-C	e, including t	code for surgical or o		dure other than the principal ecimal is implied following the	
Length:	5	Type:	Alphanumeric	Data Source:	Claim	
Field 140:	Code for	_			incipal procedure performed PT code.	
Length:	7	Type:	Alphanumeric	Data Source:	Claim	
Field 141:	Date the				ncipal procedure was	
Length:	8	Type:	Alphanumeric	Data Source:	Claim	
Field 142:	Day of o	URG_PROC ther surgical on/Start of Ca	or obstetrical proced		Surgical Procedure Date minus	
Length:	4	Type:	Alphanumeric	Data Source:	Claim	
Field 143:	ICD-9-C	e, including t	code for surgical or o	obstetrical proced	dure other than the principal ecimal is implied following the	
Inpatient RDF I				March, 2021		
w w w.u3113.3tat	c.tx.us/ I IICI	L	26	viai (II, 2021		

Length:	5	Type:	Alphanumeric	Data Source:	Claim
Field 144:		ical or o			ncipal procedure performed PT code.
Length:	7	Type:	Alphanumeric	Data Source:	Claim
Field 145:	OTH_SURG Date the surgi performed. Er	cal or ol	stetrical procedure othe	_	ncipal procedure was
Length:	8	Type:	Alphanumeric	Data Source:	Claim
Field 146:	OTH_SURG Day of other s Admission/St	urgical	or obstetrical procedure		Surgical Procedure Date minus
Length:	4	Type:	Alphanumeric	Data Source:	Claim
Field 147:		agnosis cluding t	code for surgical or obst		dure other than the principal scimal is implied following the
Length:	5	Type:	Alphanumeric	Data Source:	Claim
Field 148:		ical or o		er than the pri	ncipal procedure performed PT code.
Length:	7	Type:	Alphanumeric	Data Source:	Claim
Field 149:	OTH_SURG Date the surgi	cal or ol	ostetrical procedure othe		ncipal procedure was
Length:	8	Type:	Alphanumeric	Data Source:	Claim
Field 150:	OTH_SURG Day of other s Admission/St	urgical	or obstetrical procedure		Surgical Procedure Date minus
Length:	4	Type:	Alphanumeric	Data Source:	Claim
Field 151:		agnosis of	code for surgical or obst	etrical proced	lure other than the principal scimal is implied following the
Length:	5	Type:	Alphanumeric	Data Source:	Claim
Field 152:		ical or o		er than the pri	ncipal procedure performed PT code.
Length:	7	Type:	Alphanumeric	Data Source:	Claim
Field 153:	OTH_SURG Date the surgi performed. Er	cal or ol	ostetrical procedure othe		ncipal procedure was
Length:	8	Type:	Alphanumeric	Data Source:	Claim
Field 154:	OTH_SURG	_PROC	_DAY_8		
Inpatient RDF Da www.dshs.state.t		2004-20		rch, 2021	
	•		- '	•	

	Day of other surgical or obstetrical procedure <i>equals</i> Other Surgical Procedure Date <i>minus</i> Admission/Start of Care Date				
Length:	4	Type:	Alphanumeric	Data Source:	Claim
Field 155:	ICD-9-CM	including t	code for surgical or c	obstetrical proced if applicable. De	dure other than the principal ecimal is implied following the
Length:	5	Type:	Alphanumeric	Data Source:	Claim
Field 156:	Code for s			9, HCPCS, or C	incipal procedure performed PT code.
Length:	7	Type:	Alphanumeric	Data Source:	Claim
Field 157:	Date the su			•	ncipal procedure was
Length:	8	Type:	Alphanumeric	Data Source:	Claim
Field 158:	Day of oth	RG_PROC er surgical /Start of Ca	or obstetrical procedu	are equals Other	Surgical Procedure Date minus
Length:	4	Type:	Alphanumeric	Data Source:	Claim
Field 159:	ICD-9-CM	including t	code for surgical or c		dure other than the principal ecimal is implied following the
Length:	5	Type:	Alphanumeric	Data Source:	Claim
Field 160:	Code for s	urgical or o	_CODE_10 bstetrical procedure of the control of the		incipal procedure performed PT code.
Length:	7	Type:	Alphanumeric	Data Source:	Claim
Field 161:	Date the su	ırgical or ol	_DATE_10 pstetrical procedure of YYYYMMDD.		ncipal procedure was
Length:	8	Type:	Alphanumeric	Data Source:	Claim
Field 162:	Day of oth	RG_PROC er surgical /Start of Ca	or obstetrical procedu		Surgical Procedure Date minus
Length:	4	Type:	Alphanumeric	Data Source:	Claim
Field 163:		D9_CODE_			
		including t			dure other than the principal ecimal is implied following the
Length:	procedure,	including t			
Length: Field 164:	procedure, third chara 5 OTH_SUI Code for so	Type: RG_PROCurgical or o	he 4th and 5th digits Alphanumeric _CODE_11	Data Source:	Claim incipal procedure performed

Length:	7	Type:	Alphanumeric	Data Source:	Claim
Field 165:	Date the s			e other than the pri	ncipal procedure was
Length:	8	Type:	Alphanumeric	Data Source:	Claim
Field 166:	Day of otl	RG_PROC ner surgical n/Start of Ca	or obstetrical proce	edure <i>equals</i> Other	Surgical Procedure Date minus
Length:	4	Type:	Alphanumeric	Data Source:	Claim
Field 167:	ICD-9-CN	, including t	code for surgical o	r obstetrical proced	dure other than the principal ecimal is implied following the
Length:	5	Type:	Alphanumeric	Data Source:	Claim
Field 168:	Code for s	surgical or o	_CODE_12 bstetrical procedurered by the bill. IC:	e other than the pr	incipal procedure performed PT code.
Length:	7	Type:	Alphanumeric	Data Source:	Claim
Field 169:	Date the s	urgical or ol	_DATE_12 pstetrical procedure EYYYYMMDD.		ncipal procedure was
Length:	8	Type:	Alphanumeric	Data Source:	Claim
Field 170:	Day of otl	RG_PROC ner surgical n/Start of Ca	or obstetrical proce		Surgical Procedure Date minus
Length:	4	Type:	Alphanumeric	Data Source:	Claim
Field 171:	ICD-9-CN	, including t	code for surgical o	r obstetrical proced	dure other than the principal ecimal is implied following the
Length:	5	Type:	Alphanumeric	Data Source:	Claim
Field 172:	Code for s	surgical or o	_CODE_13 bstetrical procedurered by the bill. IC:	e other than the pr	incipal procedure performed PT code.
Length:	7	Type:	Alphanumeric	Data Source:	Claim
Field 173:	Date the s	urgical or ol	_DATE_13 pstetrical procedure EYYYYMMDD.		ncipal procedure was
Length:	8	Type:	Alphanumeric	Data Source:	Claim
Field 174:	Day of otl	RG_PROC ner surgical n/Start of Ca	or obstetrical proce		Surgical Procedure Date minus
Length:	4	Type:	Alphanumeric	Data Source:	Claim
Field 175:	OTH_IC	D9_CODE_	_13	Source	
Inpatient RDF					
www.dshs.sta	te.tx.us/THCIC		29	March, 2021	

ICD-9-CM diagnosis code for surgical or obstetrical procedure other than the principal procedure, including the 4th and 5th digits if applicable. Decimal is implied following the third character.

Length:	5 7	Гуре:	Alphanumeric	Data Source:	Claim		
Field 176:	OTH_SURG_PROC_CODE_14 Code for surgical or obstetrical procedure other than the principal procedure performed during the period covered by the bill. ICD-9, HCPCS, or CPT code.						
Length:	7	Гуре:	Alphanumeric	Data Source:	Claim		
Field 177:	OTH_SURG_ Date the surgic		_DATE_14 estetrical procedure other	r than the prir	ncipal procedure was		
	performed. Ent			_	1 1		
Length:		Гуре:	Alphanumeric	Data Source:	Claim		
Field 178:	OTH_SURG_ Day of other su Admission/Star	ırgical d	or obstetrical procedure	equals Other	Surgical Procedure Date minus		
Length:	4 7	Гуре:	Alphanumeric	Data Source:	Claim		
Field 179:		gnosis o luding tl	code for surgical or obste		ure other than the principal cimal is implied following the		
Length:	5	Гуре:	Alphanumeric	Data Source:	Claim		
Field 180:	OTH_SURG_PROC_CODE_15 Code for surgical or obstetrical procedure other than the principal procedure performed during the period covered by the bill. ICD-9, HCPCS, or CPT code.						
Length:	7	Гуре:	Alphanumeric	Data Source:	Claim		
Field 181:	OTH_SURG_ Date the surgic performed. Ent	al or ob	stetrical procedure other		ncipal procedure was		
Length:	•	Гуре:	Alphanumeric	Data Source:	Claim		
Field 182:	OTH_SURG_ Day of other su Admission/Star	ırgical d	or obstetrical procedure		Surgical Procedure Date minus		
Length:	4 7	Гуре:	Alphanumeric	Data Source:	Claim		
Field 183:	OTH_ICD9_CODE_15 ICD-9-CM diagnosis code for surgical or obstetrical procedure other than the principal procedure, including the 4th and 5th digits if applicable. Decimal is implied following the third character.						
Length:	5	Гуре:	Alphanumeric	Data Source:	Claim		
Field 184:		cal or ol			ncipal procedure performed PT code.		
Length:	7	Гуре:	Alphanumeric	Data Source:	Claim		
Field 185: Inpatient RDF Da	performed. Ent	cal or obtered as	ostetrical procedure other <i>YYYYMMDD</i> .		ncipal procedure was		

March, 2021

30

www.dshs.state.tx.us/THCIC

	8	Type:	Alphanumeric	Data Source:	Claim
Field 186:		RG_PROC			
		er surgical of Ca		•	Surgical Procedure Date minus
Length:	4	Type:	Alphanumeric	Data Source:	Claim
Field 187:		9_CODE_			
		including t			dure other than the principal scimal is implied following the
Length:	5	Type:	Alphanumeric	Data Source:	Claim
Field 188:	Code for s	urgical or o	_CODE_17 bstetrical procedure or ered by the bill. ICD-		ncipal procedure performed PT code.
Length:	7	Type:	Alphanumeric	Data	Claim
Field 189:	OTH SUI	RG PROC	DATE 17	Source:	
110111071	Date the su	ırgical or ol		ther than the pri	ncipal procedure was
Length:	8	Type:	Alphanumeric	Data	Claim
Field 190:	OTH SIII	RG PROC	DAY 17	Source:	
1 iciu 190.	Day of oth		or obstetrical procedu	are equals Other	Surgical Procedure Date minus
Length:	4	Type:	Alphanumeric	Data Source:	Claim
Field 191:	ICD-9-CM	including t	code for surgical or o		dure other than the principal scimal is implied following the
Length:	5	Type:	Alphanumeric	Data Source:	Claim
Field 192:	оти сп	OC DDOC	CODE 18		
	Code for s	urgical or o			ncipal procedure performed PT code.
Length:	Code for s	urgical or o	bstetrical procedure o	9, HCPCS, or C Data	
Length: Field 193:	Code for suduring the 7 OTH_SUI Date the su	rgical or of period cover Type: RG_PROC regical or of	bstetrical procedure of the bill. ICD-street by the bill. ICD-street Alphanumeric _DATE_18	9, HCPCS, or C Data Source:	PT code.
	Code for suduring the 7 OTH_SUI Date the su	rgical or of period cover Type: RG_PROC regical or of	bstetrical procedure of the bill. ICD-street by the bi	9, HCPCS, or Control Data Source: ther than the pri	PT code. Claim
Field 193:	Code for siduring the 7 OTH_SUI Date the superformed. 8 OTH_SUI Day of oth	Type: RG_PROC rgical or ol Entered as Type: RG_PROC	bstetrical procedure of the bill. ICD-street by the bi	9, HCPCS, or Control Data Source: ther than the pri Data Source:	PT code. Claim ncipal procedure was Claim
Field 193: Length: Field 194:	Code for siduring the 7 OTH_SUI Date the superformed. 8 OTH_SUI Day of oth Admission	Type: RG_PROC Ingical or of the content of the co	bstetrical procedure of cred by the bill. ICD-stered by the box of the bill. ICD-stered by the bill. I	9, HCPCS, or Control Data Source: ther than the print Data Source: are equals Other Data	PT code. Claim ncipal procedure was Claim Surgical Procedure Date minus
Field 193: Length:	Code for siduring the 7 OTH_SUI Date the superformed. 8 OTH_SUI Day of oth Admission 4 OTH_ICE ICD-9-CM	Type: RG_PROC Ingical or of the period cover of the period cover of the period cover of the period	bstetrical procedure of the bill. ICD-stered by the bi	9, HCPCS, or Control Data Source: ther than the pri Data Source: are equals Other Data Source: bstetrical proces	PT code. Claim ncipal procedure was Claim
Field 193: Length: Field 194: Length:	Code for siduring the 7 OTH_SUI Date the superformed. 8 OTH_SUI Day of oth Admission 4 OTH_ICI ICD-9-CM procedure,	Type: RG_PROC Ingical or of the period cover of the period cover of the period cover of the period	bstetrical procedure of the bill. ICD-stered by the bi	9, HCPCS, or Control Data Source: ther than the print Data Source: tre equals Other Data Source: bstetrical proceed if applicable. Deta Data	PT code. Claim ncipal procedure was Claim Surgical Procedure Date minus Claim
Field 193: Length: Field 194: Length: Field 195:	Code for siduring the 7 OTH_SUI Date the superformed. 8 OTH_SUI Day of oth Admission 4 OTH_ICI ICD-9-CM procedure, third chara 5	Type: RG_PROC Irgical or of Entered as Type: RG_PROC Irgical or of Entered as Type: RG_PROC Irgical of Ca Type: OP_CODE I diagnosis of including toter. Type:	bstetrical procedure of the bill. ICD-steed by the bill. ICD-steed b	9, HCPCS, or Canal Data Source: ther than the pri Data Source: are equals Other Data Source: bstetrical procedif applicable. Definition	PT code. Claim Claim Claim Surgical Procedure Date minu. Claim dure other than the principal acimal is implied following the

Field 196:	OTH_SURG				e other than the pr	incipal procedure performed
					D-9, HCPCS, or C	
Length:		Type:	•	numeric	Data Source:	Claim
Field 197:	OTH SURG	PROC	DATE	19	2041000	
	Date the surgi				e other than the pr	incipal procedure was
Length:	8	Type:	Alphar	numeric	Data Source:	Claim
Field 198:	OTH_SURG Day of other s Admission/Sta	urgical d	or obstet		edure <i>equals</i> Other	Surgical Procedure Date minu.
Length:	4	Type:	Alphar	numeric	Data Source:	Claim
Field 199:		agnosis o luding t	code for			dure other than the principal ecimal is implied following the
Length:	5	Type:	Alphar	numeric	Data Source:	Claim
Field 200:	OTH SURG	PROC	CODE	20	Source	
	Code for surg	ical or o	bstetrical	procedui		rincipal procedure performed
_	during the per	iod cove	ered by th	ne bill. IC	D-9, HCPCS, or C	PT code.
Length:		Type:		numeric	Data Source:	Claim
Field 201:	OTH_SURG Date the surgi performed. En	cal or ob	stetrical	procedur	e other than the pr	incipal procedure was
Length:		Type:		numeric	Data Source:	Claim
Field 202:	OTH_SURG Day of other s Admission/Sta	urgical o	or obstet		edure equals Other	Surgical Procedure Date minu.
Length:		Type:		numeric	Data Source:	Claim
Field 203:		agnosis (luding t	code for			dure other than the principal ecimal is implied following the
Length:	5	Type:	Alphar	numeric	Data Source:	Claim
Field 204:	OTH_SURG	PROC	CODE	_21		
	Code for surgi	cal or o	bstetrical	procedui	e other than the pr D-9, HCPCS, or C	rincipal procedure performed PT code.
Length:	7	Type:	Alphar	numeric	Data Source:	Claim
Field 205:	OTH_SURG					
	Date the surgi performed. En			-	e other than the pr	incipal procedure was
Length:	8	Type:	Alphar	numeric	Data Source:	Claim
Field 206:	OTH_SURG Day of other s Admission/Sta	urgical o	or obstet		edure equals Other	Surgical Procedure Date minu.
Innatient RDF	Data Dictionary 2	004-20	12	Page		
www.dshs.stat				ugo	March, 2021	

Length:	4	Type:	Alphanumeric	Data Source:	Claim
Field 207:	ICD-9-CM procedure,	including t	code for surgical or o		dure other than the principal ecimal is implied following the
Length:	third chara	cter. Type:	Alphanumeric	Data	Claim
Field 208:	Code for s	urgical or o	_CODE_22 bstetrical procedure or		incipal procedure performed
Length:	7	Type:	Alphanumeric	Data Source:	Claim
Field 209:	Date the su	argical or of	_DATE_22 ostetrical procedure of YYYYMMDD.		ncipal procedure was
Length:	8	Type:	Alphanumeric	Data Source:	Claim
Field 210:	Day of oth	RG_PROC er surgical of Start of Ca	or obstetrical procedu		Surgical Procedure Date min
Length:	4	Type:	Alphanumeric	Data Source:	Claim
		00 CODE			dura other than the principal
Field 211:		diagnosis of including t	code for surgical or o he 4th and 5th digits		ecimal is implied following the
	ICD-9-CM procedure,	diagnosis of including t			
Length:	ICD-9-CM procedure, third chara 5 OTH_SUI Code for s	I diagnosis of including to including to including to including to including to including the includ	Alphanumeric CODE_23 bstetrical procedure of	Data Source:	Claim Claim incipal procedure performed
Length: Field 212:	ICD-9-CM procedure, third chara 5 OTH_SUI Code for s	I diagnosis of including to including to including to including to including to including the includ	he 4th and 5th digits Alphanumeric _CODE_23	Data Source:	Claim Claim incipal procedure performed
Length: Field 212: Length:	ICD-9-CM procedure, third chara 5 OTH_SUI Code for s during the 7 OTH_SUI Date the su	Type: Type: RG_PROC urgical or of period cove Type: RG_PROC urgical or of period cove Type:	Alphanumeric CODE_23 bstetrical procedure of the control of the c	Data Source: other than the pri P, HCPCS, or C. Data Source:	Claim Incipal procedure performed PT code.
Field 211: Length: Field 212: Length: Field 213: Length:	ICD-9-CM procedure, third chara 5 OTH_SUI Code for s during the 7 OTH_SUI Date the su	Type: RG_PROC urgical or o period cove Type: RG_PROC urgical or o period cove Type: RG_PROC urgical or ol . Entered as	Alphanumeric CODE_23 bstetrical procedure of the distriction of the control of t	Data Source: other than the pri 9, HCPCS, or Co Data Source: ther than the pri Data	Claim Claim incipal procedure performed PT code. Claim
Length: Field 212: Length: Field 213: Length:	ICD-9-CM procedure, third chara 5 OTH_SUI Code for s during the 7 OTH_SUI Date the superformed 8 OTH_SUI Day of oth	Type: RG_PROC urgical or of period cove RG_PROC urgical or of period or of the period	Alphanumeric _CODE_23 bstetrical procedure of the proced	Data Source: other than the pri P, HCPCS, or C Data Source: ther than the pri Data Source:	Claim Claim incipal procedure performed PT code. Claim Claim
Length: Field 212: Length: Field 213: Length: Field 214:	ICD-9-CM procedure, third chara 5 OTH_SUI Code for s during the 7 OTH_SUI Date the superformed 8 OTH_SUI Day of oth	Type: RG_PROC urgical or operiod cove Type: RG_PROC urgical or ob Entered as Type: RG_PROC urgical or ob Entered as Type:	Alphanumeric _CODE_23 bstetrical procedure of the proced	Data Source: other than the pri P, HCPCS, or C Data Source: ther than the pri Data Source:	Claim Claim incipal procedure performed PT code. Claim ncipal procedure was Claim
Length: Field 212: Length: Field 213:	ICD-9-CM procedure, third chara 5 OTH_SUI Code for s during the 7 OTH_SUI Date the superformed 8 OTH_SUI Day of oth Admission 4 OTH_ICI ICD-9-CM	Type: RG_PROC urgical or of period cove RG_PROC urgical or of period cove RG_PROC urgical or of period cove RG_PROC urgical or of cove RG_PROC urgical or of cove RG_PROC urgical or of cove urgical or of cove RG_PROC urgical or of cove	Alphanumeric _CODE_23 bstetrical procedure of the proced	Data Source: other than the pri 9, HCPCS, or Co Data Source: ther than the pri Data Source: are equals Other Data Source:	Claim Incipal procedure performed PT code. Claim Claim Claim Claim Claim Claim Claim Surgical Procedure Date min
Length: Field 212: Length: Field 213: Length: Field 214: Length: Field 215:	ICD-9-CM procedure, third chara 5 OTH_SUI Code for s during the 7 OTH_SUI Date the superformed 8 OTH_SUI Day of oth Admission 4 OTH_ICI ICD-9-CM procedure,	Type: RG_PROC urgical or of period cove RG_PROC urgical or of period cove RG_PROC urgical or of period cove RG_PROC urgical or of cove RG_PROC urgical or of cove RG_PROC urgical or of cove urgical or of cove RG_PROC urgical or of cove	Alphanumeric _CODE_23 bstetrical procedure of the proced	Data Source: other than the pri P, HCPCS, or C. Data Source: ther than the pri Data Source: are equals Other Data Source: bstetrical proceed if applicable. Deta Data	Claim Incipal procedure performed PT code. Claim Claim Claim Claim Surgical Procedure Date min Claim
Length: Field 212: Length: Field 213: Length: Field 214: Length:	ICD-9-CM procedure, third chara 5 OTH_SUI Code for s during the 7 OTH_SUI Date the superformed 8 OTH_SUI Day of oth Admission 4 OTH_ICI ICD-9-CM procedure, third chara 5 OTH_SUI Code for s	Type: RG_PROC urgical or of period cove RG_PROC urgical or of car Type: RG_PROC urgical or of car Type: RG_PROC urgical or of car RG_PROC	Alphanumeric CODE_23 bstetrical procedure of ered by the bill. ICD-1 Alphanumeric DATE_23 bstetrical procedure of ered by the bill. ICD-1 Alphanumeric DATE_23 bstetrical procedure of eyyyyymmDD. Alphanumeric DAY_23 or obstetrical procedure Date. Alphanumeric 23 code for surgical or of the 4th and 5th digits Alphanumeric CODE_24	Data Source: other than the pri P, HCPCS, or C Data Source: ther than the pri Data Source: are equals Other Data Source: bstetrical proced if applicable. De Data Source:	Claim Incipal procedure performed PT code. Claim Claim Claim Surgical Procedure Date min Claim dure other than the principal ecimal is implied following the Claim Claim Claim Claim

Field 217:			DATE_24	other than the pri	ncipal procedure was
			YYYYMMDD.	_	ncipai procedure was
Length:	8	Type:	Alphanumeric	Data Source:	Claim
Field 218:		RG_PROC		1	Consideral Done and home Date and income
		ner surgical of Start of Ca		iure <i>equals</i> Other	Surgical Procedure Date minus
Length:	4	Type:	Alphanumeric	Data Source:	Claim
Field 219:	ICD-9-CN		code for surgical or	obstetrical proced	lure other than the principal
	third chara		ne 4m and 5m digit	s ii applicable. De	cimal is implied following the
Length:	5	Type:	Alphanumeric	Data Source:	Claim
eld 220:		gnostic Cate	egory (MDC) as ass ayment for Medicar	igned by Health C	Care Financing Administration irst available 2004.
Length:	2	Type:	Alphanumeric	Data	Assigned
Tield 221:	APR MD	• • •	- Inpliantamente	Source:	Tibbighea
1CIU 221.			egory (MDC) as ass	igned by 3M APR	R-DRG Grouper, version 20.
ength:	2	Type:	Alphanumeric	Data Source:	Assigned
ield 222:		re Financing	Administration (Hayment for Medica	CFA) Diagnosis I	Related Group (DRG) as
Length:	3	Type:	Alphanumeric	Data Source:	Assigned
ield 223:			PR) Diagnosis Rela	ated Group (DRG)) as assigned by 3M APR-DRG
Length:	3	Type:	Alphanumeric	Data Source:	Assigned
eld 224:		ORTALITY			
Coding Scheme:	Related G likelihood 1 Mii 2 Mo 3 Ma	roup (DRG) of dying. nor derate			t Refined (APR) Diagnosis ersion 20. Indicates the
Length:	1	Type:	Alphanumeric	Data Source:	Assigned
Field 225:	ILLNESS	S_SEVERIT	Y		
Coding Scheme:	Related G of physiol 1 Mii 2 Mo 3 Ma	roup (DRG) ogic decomp nor derate	from the 3M APR-		nt Refined (APR) Diagnosis ersion 20. Indicates the extent
Length:	1	Type:	Alphanumeric	Data Source:	Assigned
Field 226:	APR_GR	OUPER_ V	ERSION_NBR	Source.	
npatient RDF Da					

Field 227: APR_GROUPER_ERROR_CODE Error code assigned by the 3M APR-DRG Grouper.		Versi	ion number of th	e 3M APR-DRG Gro	uper i	used.			
Length: 2 Type: Alphanumeric Data Assigned NS_GROUPER_VERSION_NBR Available beginning 2011 CMS Medicare Severity Diagnosis Related Grouper (formerly CMS DRG Grouper and previously reported as HCFA_GROUPER_VERSION_NBR) version used to assign MS DRG and, MS MDC codes Length: 5 Type: Alphanumeric Data Source: Assigned Field 229: MS_GROUPER_ERROR_CODE Available beginning 2011 Error codes identify potential variations with MS DRG code assignment Coding Scheme: 00 No errors. DRG successfully Invalid Principal Diagnosis code cannot be used as principal diagnosis place of the principal	Length:	5	Type:	Alphanumeric			e: A	Assigned	
Length: 2 Type: Alphanumeric Data Assigned	Field 227:	APR	GROUPER E	CRROR CODE					
Field 228: MS_GROUPER_VERSION_NBR Available beginning 2011 CMS Medicare Severity Diagnosis Related Grouper (formerly CMS DRG Grouper and previously reported as HCFA GROUPER_VERSION_NBR) version used to assign MS DRG and, MS MDC codes Length: 5					Grou	per.			
CMS Medicare Severity Diagnosis Related Grouper (formerly CMS DRG Grouper and previously reported as HCFA_GROUPER_VERSION_NBR) version used to assign MS DRG and, MS MDC codes Field 229:	Length:	2	Type:	Alphanumeric			e: A	Assigned	
DRG and, MS MDC codes Type: Alphanumeric Data Source: Assigned	Field 228:	MS	GROUPER V	ERSION NBR	A	vailab	le beginn	ning 2011	
DRG and, MS MDC codes Type: Alphanumeric Data Source: Assigned									
Field 229: MS_GROUPER_ERROR_CODE Available beginning 2011					_ ' LIC	.51011_	_11DIC) 1	ersion used to assign ivid	
Tender 229: MS_GROUPER_ERROR_CODE Available beginning 2011	Length:		uniu, 1112 1112 e e		A	lnhanu	meric D	ata Source: Assigned	
Error codes identify potential variations with MS DRG code assignment			GROUPER ER						
Coding Scheme: 00									
Diagnosis code cannot be used as principal diagnosis DisableHac = 0 and at least one HAC POA is invalid or exempt	Coding Scheme:	-	No errors. Dl						
DisableHac is invalid and at least one HAC POA is N or U		01	Diagnosis cod			19			
10 Invalid Age 21 DisableHac is invalid and at least one HAC POA is invalid or exempt		02	Record does r		ny	20	Disable	eHac is invalid and at least	
one HAC POA is invalid or exempt O4		03	·····			21			
10 Illogical Principal Diagnosis (CMS only) 25 DisableHac 10 11 11 Invalid Principal Diagnosis (CMS only) 25 DisableHac 10 11 10		03	mvana Age			21			
10 Illogical Principal Diagnosis (CMS only) 24 DisableHac = 0 and at least one HAC POA is exempt 25 DisableHac is invalid and at least one HAC POA is exempt 26 DisableHac is invalid and at least one HAC POA is exempt 27 DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U 28 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 28 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 29 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y. W, N, U DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y. We not the multiple HACs that have different HAC POA values that are not Y. We not t									
10 Illogical Principal Diagnosis (CMS only) 24 DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U 25 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y, W, N, U 25 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 10 Illogical Principal Diagnosis (CMS only) Data Source: Assigned		04	Invalid Sex			22			
10 Illogical Principal Diagnosis (CMS only) 24 DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U 25 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 10 Illogical Principal Diagnosis (CMS only) 25 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 10 ATTENDING_PHYSICIAN_UNIF_ID Attending Physician Uniform Identifier. Unique identifier assigned to the licensed physician expected to certify medical necessity of services rendered, with primary responsibility for the patient's medical care and treatment. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients. Coding Scheme: Length: 10 Type: Alphanumeric Data Source: Assigned Source: Assigned Source: Assigned Source:							HAC P	OA is exempt	
10 Illogical Principal Diagnosis (CMS only) 24 DisableHac = 0 and there are multiple HACs that have different HAC POA values that are not Y, W, N, U 25 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 25 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 26 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 27 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 28 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 29 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 29 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 20 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 20 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 20 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 20 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 20 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 20 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 20 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 20 DisableHac is invalid and there are multiple HACs that have different HAC POA values that are not Y or W 20 DisableHac is invalid and there are multiple HACs that are not Y or W 20 DisableHac is invalid and there are multiple HACs that are not Y or W 20 DisableHac is invalid and there are multiple HAC		05	Invalid Disch	arge Status		23			
only) Invalid Principal Diagnosis Invalid Principal Principal Diagnosis Invalid Principal Principal Diagnosis Invalid Principal Principal Principal Principal		10	Illogical Prince	pinal Diagnosis (CMS		24			
HAC POA values that are not Y, W, N, U 11 Invalid Principal Diagnosis 10 Illogical Principal Diagnosis (CMS only) Length: 2 Type: Alphanumeric Data Source: Assigned ATTENDING_PHYSICIAN_UNIF_ID Attending Physician Uniform Identifier. Unique identifier assigned to the licensed physician expected to certify medical necessity of services rendered, with primary responsibility for the patient's medical care and treatment. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients. Coding Scheme: Length: 10 Type: Alphanumeric Data Source: Assigned		10		aipai Diagnosis (Civis	3	2-1			
Invalid Principal Diagnosis 25			omy)				HAC P	OA values that are not Y,	
Length: 2 Type: Alphanumeric Data Source: Assigned		11	I 1: 1 D	1 D'		25			
Length: 2 Type: Alphanumeric Data Source: Assigned Attending Physician Uniform Identifier. Unique identifier assigned to the licensed physician expected to certify medical necessity of services rendered, with primary responsibility for the patient's medical care and treatment. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients. Coding Scheme: Length: 10 Type: Alphanumeric Data Source: Assigned		11	Invalid Princi	pal Diagnosis		23			
Length: 2 Type: Alphanumeric Data Source: Assigned ATTENDING_PHYSICIAN_UNIF_ID Attending Physician Uniform Identifier. Unique identifier assigned to the licensed physician expected to certify medical necessity of services rendered, with primary responsibility for the patient's medical care and treatment. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients. Coding Scheme: Length: Temporary license or license number could not be matched Data Source: Assigned									
Length: 2 Type: Alphanumeric Data Source: Assigned ATTENDING_PHYSICIAN_UNIF_ID Attending Physician Uniform Identifier. Unique identifier assigned to the licensed physician expected to certify medical necessity of services rendered, with primary responsibility for the patient's medical care and treatment. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients. Coding Scheme: Length: 10 Type: Alphanumeric Data Source: Assigned									
Field 230: ATTENDING_PHYSICIAN_UNIF_ID Attending Physician Uniform Identifier. Unique identifier assigned to the licensed physician expected to certify medical necessity of services rendered, with primary responsibility for the patient's medical care and treatment. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients. Coding Scheme: Length: 10 Type: Alphanumeric Data Source: Assigned		10		cipal Diagnosis (CMS	3				
Field 230: ATTENDING_PHYSICIAN_UNIF_ID Attending Physician Uniform Identifier. Unique identifier assigned to the licensed physician expected to certify medical necessity of services rendered, with primary responsibility for the patient's medical care and treatment. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients. Coding Scheme: Length: Type: Alphanumeric Data Source: Assigned	Longth	<u> </u>	(only)	Т	Α 1	المام ممين		Data Saymaa Assismad	
Attending Physician Uniform Identifier. Unique identifier assigned to the licensed physician expected to certify medical necessity of services rendered, with primary responsibility for the patient's medical care and treatment. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients. Coding Scheme: Length: Type: Alphanumeric Data Source: Assigned			ENDRIG BILL		A	ірпапи	meric	Data Source: Assigned	
physician expected to certify medical necessity of services rendered, with primary responsibility for the patient's medical care and treatment. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients. Coding Scheme: Length: Type: Alphanumeric Data Source: Assigned	Field 230:		_				~ .		
responsibility for the patient's medical care and treatment. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients. Coding Scheme: Length: Temporary license or license number could not be matched Data Source: Assigned									
licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients. Coding Scheme: Posposososososososososososososososososos									
other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients. Coding Scheme: Length: Type: Alphanumeric Data Source: Assigned									
therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients. Coding Scheme: Length: Type: Alphanumeric Data Source: Assigned									
practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients. Coding Scheme: Length: Type: Alphanumeric Data Source: Assigned				-		-			
Coding Scheme: Patients. 9999999999 Temporary license or license number could not be matched 10 Type: Alphanumeric Data Source: Assigned									
Coding Scheme: 99999999999999999999999999999999999				,a position				1	
Length: 10 Type: Alphanumeric Data Source: Assigned	Coding Scheme:			porary license or license n	umber	could no	ot be match	ned	
		10	Type:	Alphanumeric			e: A	Assigned	
<u> </u>	Field 231:	OPE	RATING_PHY	SICIAN_UNIF_ID					

Operating or other Physician Uniform Identifier (if applicable). Unique identifier assigned to the operating physician or physician other than the attending physician. Physician is an individual licensed to practice medicine under the Medical Practice Act. Can include an individual other than a physician who admits patients to hospitals or who provides diagnostic or therapeutic procedures to inpatients, including psychologists, chiropractors, dentists, nurse practitioners, nurse midwives, and podiatrists authorized by the hospital to admit or treat patients.

Coding Scheme:	9999999999 Temporary license or license nu	
Length:	10 Type: Alphanumeric	Data Source: Assigned
Field 232:	OCCUR_CODE_1	
	Code describing a significant event relating	to the claim.
Coding Scheme:	1 Auto accident	Date discharged on a continuous course i IV therapy
	No Fault Insurance Involved - Including Auto Accident/Other	40 Scheduled date of admission
	3 Accident/ Tort Liability	41 Date of first test of pre-admission testing
	4 Accident/ Employment Related	42 Date of discharge (hospice only)
	5 Other accident	43 Scheduled date of canceled surgery
	6 Crime Victim	Date treatment started - OT
	9 Start of Infertility Treatment Cycle	Date treatment started - ST
	10 Last Menstrual Period	Date treatment started - Cardiac rehabiliation
	11 Onset of Symptoms/ Illness	47 Date cost outlier status begins
	Date of Onset for a Chronically Dependent Individual	A1 Birthdate - Insured A
	16 Date of Last Therapy	A2 Effective Date - Insured A Policy
	Date Outpatient OT Plan Established or Last Reviewed	A3 Payer A benefits exhausted
	18 Date of Retirement - Patient/Beneficiary	A4 Split Bill Date
	19 Date of Retirement - Spouse	B1 Birthdate - Insured B
	20 Date Guarantee of Payment Began	B2 Effective date - Insured B Policy
	21 Date UR Notice Received	B3 Payer B benefits exhausted
	22 Date Active Care Ended	•
		C1 Birthdate - Insured C
	24 Date Insurance Denied	C2 Effective date - Insured C Policy
	25 Date Benefits Terminated by Primary Payer	C3 Payer C benefits exhausted
	26 Date SNF Bed Became Available	E1 Birthdate - Insured D
	Date Home Health Plan Established or Last Reviewd	E2 Effective date - Insured D Policy
	Date Comprehensive Outpatient Rehabilitation Plan Established or Last Reviewed	E3 Payer D benefits exhausted
	Date Outpatient PT Plan established or last reviewed	F1 Birthdate - Insured E
	Date Outpatient ST Plan established or last reviewed	F2 Effective date - Insured E Policy
	Date beneficiary notified of intent to bill (accommodations)	F3 Payer E benefits exhausted
	Date beneficiary notified of intent to bill (procedures or treatments)	G1 Birthdate - Insured F
	Date of inpatient hospital discharge for non-	G2 Effective date - Insured F Policy
	covered transplant patients 38 Date treatment started for home IV therapy	G3 Payer F benefits exhausted
Length:	17	Data
	2 Type: Alphanumeric	Source: Claim
Field 233:	OCCUR_DATE_1	
	Date of occurrence, as YYYYMMDD.	
Length:	8 Type: Alphanumeric	Data Source: Claim
Field 234:	OCCUR DAY 1	~
1010 #0 11	Occurrence Day <i>equals</i> Occurrence Date <i>mi</i>	inus Admission/Start of Care Date
I onath	Occurrence Day equals Occurrence Date mi	
Length:	4 Type: Alphanumeric	Data Source: Claim

36

www.dshs.state.tx.us/THCIC

Field 235:	OCCUR_CO	DE_2			
~ ~ .		-	nificant event relati	ng to the claim.	
Coding Scheme: Length:	Same as Field 2	1232. Type:	Alphanumeric	Data Source:	Claim
Field 236:	OCCUR_DA			~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	
Langth	Date of occurr	rence, as	YYYYMMDD.	Data	
Length:	8	Type:	Alphanumeric	Data Source:	Claim
Field 237:	OCCUR_DA Occurrence D		's Occurrence Date	minus Admission/S	Start of Care Date.
Length:	4	Type:	Alphanumeric	Data Source:	Claim
Field 238:	OCCUR_CO	DE_3		Source.	
Coding Scheme:	Code describit Same as Field		nificant event relati		
Length:	2	Type:	Alphanumeric	Data Source:	Claim
Field 239:	OCCUR_DA			Source.	
T 41			YYYYMMDD.	5 . /	
Length:		Type:	Alphanumeric	Data Source:	Claim
Field 240:	OCCUR_DA		s Occurrence Data	minus Admission/S	Start of Care Date
Length:		Type:	Alphanumeric	Data Source:	Claim
Field 241:	OCCUR_CO				
Coding Scheme:	Code describit Same as Field		nificant event relati		
Length:	2	Type:	Alphanumeric	Data Source:	Claim
Field 242:	OCCUR_DA Date of occurr		YYYYMMDD.		
Length:	8	Type:	Alphanumeric	Data Source:	Claim
Field 243:	OCCUR_DA		la Ogguerranga Data		Start of Cara Data
Length:		• •		minus Admission/S Data	
			Alphanumeric	Source:	Claim
Field 244:	OCCUR_CO		nificant event relati	ng to the claim	
Coding Scheme:	Same as Field		micani eveni ielati	ng w me ciaiii.	
Length:	2	Type:	Alphanumeric	Data Source:	Claim
Field 245:	OCCUR_DA				
Length:		rence, as Type:	YYYYMMDD. Alphanumeric	Data Source:	Claim
Field 246:	OCCUR_DA	Y_5		Source.	
Length:	Occurrence D	ay equal		minus Admission/S Data	
		Type:	Alphanumeric	Source:	Claim
Field 247:	OCCUR_CO		ifiaant aveet ==1.4	ina ta tha -1-i	
Coding Scheme:	Code describit		nificant event relati	ng to the claim.	
	~ as 1 ielu				
Inpatient RDF Dat	ta Dictionary 2	004-20	12 Page		

Length:	2	Type:	Alphanumeric	Data Source:	Claim				
Field 248:		OCCUR_DATE_6 Date of occurrence, as YYYYMMDD.							
Length:	8	Type:	Alphanumeric	Data Source:	Claim				
Field 249:	OCCUR_D		1.0 D.		/0				
Length:		• •	ls Occurrence Date m	inus Admission Data					
	4	Type:	Alphanumeric	Source:	Claim				
Field 250:	OCCUR_C								
Coding Scheme:	Same as Fie		nificant event relating	to the claim.					
Length:	2	Type:	Alphanumeric	Data Source:	Claim				
Field 251:	OCCUR_D			2001000					
T 41	Date of occ	urrence, as	s <i>YYYYMMDD</i> .	D 4					
Length:	8	Type:	Alphanumeric	Data Source:	Claim				
Field 252:	OCCUR_D	AY_7							
T 41	Occurrence	Day equa	ls Occurrence Date m		/Start of Care Date.				
Length:	4	Type:	Alphanumeric	Data Source:	Claim				
Field 253:	OCCUR_C	CODE_8		2001000					
			nificant event relating	to the claim.					
Coding Scheme: Length:	Same as Fie			Data					
	2	Type:	Alphanumeric	Source:	Claim				
Field 254:	OCCUR_D								
Length:		-	s YYYYMMDD.	Data					
	8	Type:	Alphanumeric	Source:	Claim				
Field 255:	OCCUR_D		1.0 D.		/0				
Length:		• •	ls Occurrence Date m	<i>inus</i> Admission Data					
	4	Type:	Alphanumeric	Source:	Claim				
Field 256:	OCCUR_C	_	······································	4. 4 1					
Coding Scheme:	Same as Fie		nificant event relating	to the claim.					
Length:	2	Type:	Alphanumeric	Data Source:	Claim				
Field 257:	OCCUR_D								
Longth	Date of occ	urrence, as	s <i>YYYYMMDD</i> .	Data					
Length:	8	Type:	Alphanumeric	Data Source:	Claim				
Field 258:	OCCUR_D Occurrence		ls Occurrence Date m		/Start of Care Date.				
Length:	4	Type:	Alphanumeric	Data	Claim				
Field 259:	OCCUR C		•	Source:					
11014 2071	Code descri	bing a sig	nificant event relating	to the claim.					
Coding Scheme:	Same as Fie	eld 232.		D /					
Length:	2	Type:	Alphanumeric	Data Source:	Claim				
Field 260:	OCCUR_D	ATE_10		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~					
Inpatient RDF Da	ta Dictionary	7 2004-20	012 Page						
www.dshs.state.t				larch, 2021					

Date of occurrence, as YYYYMMDD. Length: Data Alphanumeric Claim Type: Source: **Field 261:** OCCUR DAY 10 Occurrence Day equals Occurrence Date minus Admission/Start of Care Date. Length: Data Type: Alphanumeric Claim Source: **Field 262:** OCCUR CODE 11 Code describing a significant event relating to the claim. **Coding Scheme:** Same as Field 232. Length: Data Type: Alphanumeric Claim Source: **Field 263:** OCCUR DATE 11 Date of occurrence, as YYYYMMDD. Length: Data Claim Type: Alphanumeric Source: **Field 264:** OCCUR DAY 11 Occurrence Day equals Occurrence Date minus Admission/Start of Care Date. Length: Data Type: Alphanumeric Claim Source: Field 265: **OCCUR CODE 12** Code describing a significant event relating to the claim. **Coding Scheme:** Same as Field 232. Length: Data Type: Alphanumeric Claim Source: **Field 266:** OCCUR DATE 12 Date of occurrence, as YYYYMMDD. Length: Data Type: Alphanumeric Claim Source: **Field 267:** OCCUR DAY 12 Occurrence Day equals Occurrence Date minus Admission/Start of Care Date. Length: Data Type: Alphanumeric Claim Source: **Field 268:** OCCUR SPAN CODE 1 Code describing a significant event relating to the claim that may affect payer processing. Qualifying stay dates (for SNF use only) 78 SNF prior stay dates **Coding Scheme:** 71 79 Payer use codes Prior stay dates 72 First/Last Visit M0PRO/UR approved stay dates 73 Benefit eligibility period Provider liability - no utilization M1 74 Noncovered level of care/Leave of absence M2 Inpatient respite dates 75 SNF level of care M3 ICF level of care 76 Patient Liability Period M4 Residential level of care 77 Provider Liability - Utilization Charged 78 SNF prior stay dates Length: Data Claim Type: Alphanumeric Source: **Field 269:** OCCUR SPAN FROM 1 Occurrence Span From equals Beginning Date of Event minus Admission/Start of Care Date. Length: Data 6 Type: Alphanumeric Claim Source: **Field 270:** OCCUR SPAN THRU 1 Occurrence Span Thru equals Ending Date of Event minus Admission/Start of Care Date. Length: Data Alphanumeric Claim Type: Source: OCCUR SPAN CODE 2 **Field 271:** Code describing a significant event relating to the claim that may affect payer processing. **Coding Scheme:** Same as Field 268. **Inpatient RDF Data Dictionary 2004-2012 Page** www.dshs.state.tx.us/THCIC March, 2021 **39**

Length:	2	Type:	Alphanumeric	Data Source	Claim				
Field 272:		OCCUR_SPAN_FROM_2							
	Occurrence S Date.	Occurrence Span From <i>equals</i> Beginning Date of Event <i>minus</i> Admission/Start of Car Date.							
Length:	6	Type:	Alphanumeric	Data Source	: Claim				
Field 273:	OCCUR_SI			г , .					
Longth	Occurrence S	Span Thru	i equals Ending Date of	Event mi Data	nus Admission/Start of Care Date.				
Length:	6	Type:	Alphanumeric	Source	: Claim				
Field 274:	OCCUR_SI			.1 1 .					
Coding Scheme:	Same as Fiel		inficant event relating to		n that may affect payer processing.				
Length:	2	Type:	Alphanumeric	Data Source	: Claim				
Field 275:	OCCUR_SI Occurrence S Date.			e of Even	t minus Admission/Start of Care				
Length:	6	Type:	Alphanumeric	Data Source	Claim				
Field 276:	OCCUR_SI								
	Occurrence S	Span Thru	a equals Ending Date of		nus Admission/Start of Care Date.				
Length:	6	Type:	Alphanumeric	Data Source	Claim:				
Field 277:	OCCUR_SI								
~ ~ .			nificant event relating to	the clain	n that may affect payer processing.				
Coding Scheme:	Same as Fiel	d 268.		Data					
Length:	2	Type:	Alphanumeric	Data Source	: Claim				
Field 278:	OCCUR_SI			C.E.					
	Occurrence S Date.	Span Fron	n equals Beginning Date	e of Even	t minus Admission/Start of Care				
Length:	Date.			Data					
Length.	6	Type:	Alphanumeric	Source	Claim				
Field 279:	OCCUR SI	PAN TH	RU 4	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	·				
	Occurrence S	Span Thru	<i>equals</i> Ending Date of	Event mi	nus Admission/Start of Care Date.				
Length:	6	Type:	Alphanumeric	Data Source	: Claim				
Field 280:	CONDITIO	N_CODI	E_1						
			dition relating to the cla						
Coding Scheme:	1 Military	service rela	ated	76	Back-up in facility dialysis Provider accepts or is obligated/required due				
	2 Condition	on is employ	yment related	77	to a contractual arrangement or law to accept payment by a primary payer as payment				
		•	insurance not reflected here	78 70	New coverage not implemented by HMO				
		tion only bi is HMO enr		79 80	CORF services provided offsite Home dialysis - nursing facility				
	5 Lien has	s been filed		A0	CHAMPUS external partnership program				
	covered	by EGHP	st 18 months of entitlement	A1	EPSDT/CHAP				
	, patient		erminal condition for hospice	A2 Physically handicapped children's pro					
	Benefic		not provide information	A3	Special Federal Funding				
	concern		surance coverage bouse is employed	A4	Family planning				
			se is employed but no EGHP	A5	Disability				

11	Disabled beneficiary but no LGHP coverage exists	A6	Vaccines/Medicare 100% payment
17	Patient is homeless	A7	Induced abortion - danger to life
18	Maiden name retained	A8	Induced abortion - victim rape/incest
19	Child retains mother's name	A9	Second opinion surgery
20	Beneficiary requested billing	AA	Abortion performed due to rape
21	Billing for denial notice	AB	Abortion performed due to incest
22	Patient on multiple drug regimen	AC	Abortion performed due to serious fatal genetic defect, deformity, or abnormality Abortion performed due to life endangering
23	Home care giver available	AD	physical condition caused by, arising from or exacerbated by the pregnancy itself
24	Home IV patient also receiving HHA services	AE	Abortion performed due to physical health of mother that is not life endangering
25	Patient is non-US resident	AF	Abortion performed due to emotional/psychological health of mother
26	VA eligible patient chooses to receive services in a Medicare certified facility	AG	Abortion performed due to social or economic reasons
27	Patient referred to a sole community hospital for	AH	Elective abortion
	a diagnostic laboratory test Patient and/or spouse's EGHP is secondary to		
28	Medicare	ΑI	Sterilization
29	Disabled beneficiary and/or family member's LGHP is secondary to Medicare	AJ	Payer responsible for co-payment
30	Non-research services provided to patients enrolled in a qualified clinical trial	AJ	Payer responsible for co-payment
31	Patient is student (full time - day)	AK	Air ambulance required
32	Patient is student (cooperative/work study program)	AL	Specialized treatment/bed unavailable
33	Patient is student (full time - night)	AM	Non-emergency medically necessary stretcher transport required
34	Patient is student (part-time)	AN	Pre-admission screening not required
36	General care patient in a special unit	В0	Medicare coordinated care demonstration claim
37	Ward accommodation at patient request	B1	Beneficiary is ineligible for demonstration program
38	Semi-private room not available	B2	Critical access hospital ambulance attestation
39	Private room medically necessary	В3	Pregnancy indicator
40	Same day transfer	B4	Admission unrelated to discharge on same day
41	Partial hospitalization	C1	Approved as billed
42	Continuing care not related to inpatient admission	C2	Automatic approval as billed based on focused review
43	Continuing care not provided within prescribed postdischarge window	C3	Partial approval
44	Inpatient admission changed to outpatient	C4	Admission/services denied
46	Non-availability statement on file	C5	Postpayment review applicable
47	Reserved for CHAMPUS	C6	Admission Preauthorization
48	Psychiatric residential treatment centers for children and adolescents (RTCs)	C7	Extended Authorization
55	SNF bed not available	D0	Changes to Service Dates
56	Medical appropriateness	D1	Changes to Charges
57	SNF readmission	D2	Changes in Revenue Codes/HCPCS/HIPPS rate code
58	Terminated Medicare+Choice organization enrollee	D3	Second or Subsequent Interim PPS Bill
59	Non-primary ESRD facility	D4	Change in ICD-9-CM diagnosis and/or procedure codes.
60	Day outlier	D5	Cancel to correct HICN or Provider ID
61	Cost outlier	D6	Cancel Only to Repay a Duplicate or OIG Overpayment
66	Provider does not wish cost outlier payment	D7	Change to Make Medicare the Secondary Payer
67	Beneficiary elects not to use life time reserve (LTR) days	D8	Change to Make Medicare the Primary Payer

	Ber	neficiary elects to	o use life time reserve (LTR)			
	days			D9	Any Other Change	
		IME payment only bill. IME/DGME/N&AH Payment Only			Changes in Patient Status	
	69 IMI				Dinstince Medical Visit Delayed Filing, Statement of Intent	
	69 IMI	E/DGME/N&AF	I Payment Only	H0	Submitted	
	70 Self	f-administered E	PO	M0	All inclusive rate for outpatient services	
	71 Full	care in unit		M1	Roster billed influenza virus vaccine or pneumoccal pneumonia vacine (PPV)	
	72 Self	f care in unit		M2	HHA payment significantly exceeds total charges	
		f care training		P1	Do not Resuscitate Order (DNR)	
	74 Hor					
Longth	75 Hor	ne - 100% reimb	bursement	Data		
Length:	2	Type:	Alphanumeric	Source	e: Claim	
Field 281:		TION_COD				
Cading Sahama		scribing a cor Field 280.	ndition relating to the cla	aım.		
Coding Scheme: Length:		rieia 280.		Data		
Length.	2	Type:	Alphanumeric	Source	e: Claim	
Field 282:	CONDI	TION_COD	E_3			
	Code des	scribing a cor	ndition relating to the cla	aim.		
Coding Scheme:	Same as	Field 280.				
Length:	2	Type:	Alphanumeric	Data	Claim	
Field 283:	CONDI	TION COD		Source	e:	
riciu 205.			L_4 adition relating to the cla	aim		
Coding Scheme:		Field 280.	idition relating to the en	41111.		
Length:			A 11	Data	C1-:	
	2	Type:	Alphanumeric	Source	e: Claim	
Field 284:		TION_COD				
			ndition relating to the cla	aim.		
Coding Scheme:	Same as	Field 280.		Data		
Length:	2	Type:	Alphanumeric	Source	e: Claim	
Field 285:		TION_COD				
			ndition relating to the cla	aim.		
Coding Scheme:	Same as	Field 280.		ъ.		
Length:	2	Type:	Alphanumeric	Data	Claim	
Field 286:	CONDI	TION COD	E 7	Source	С.	
11014 #000		_	L_/ idition relating to the cla	aim.		
Coding Scheme:		Field 280.				
Length:	2	Type:	Alphanumeric	Data Source	Claim	
Field 287:	CONDI	TION COD	E 8	Source		
			ndition relating to the cla	aim.		
Coding Scheme:		Field 280.	C			
Length:	2	Type:	Alphanumeric	Data	Claim	
E: 11400			- inplication to	Source	e:	
Field 288:		_CODE_1				
Coding Schome		scribing infor st common semi	mation that may affect p	payer pro 66	Medicaid spenddown amount	
Coding Scheme:		spital has no sem		67	Peritoneal dialysis	
			al component charges which	68 EPO-drug		
	are	combined billed			-	

Page

42

March, 2021

Inpatient RDF Data Dictionary 2004-2012 www.dshs.state.tx.us/THCIC

5	Professional component included in charges and	69	State charity care percentage
6	also billed separately to carrier Medicare blood deductible	72	Flat rate surgery charge
8	Medicare life time reserve amount in the first	73	e . e
8	calendar year	/3	Drug deductible
9	Medicare coinsurance amount in the first calendar year	74	Drug coinsurance
10	Medicare lifetime reserve amount in the second calendar year	77	New technology add-on payment
11	Medicare coinsurance amount in the second calendar year	A0	Special zip code reporting
12	Working aged beneficiary/spouse with employer group health plan	A1	Deductible payer A
13	ESRD beneficiary in a Medicare coordination period with an employer group health plan	A2	Coinsurance payer A
14	No fault, including auto/other	A3	Estimated responsibility payer A
15	Worker's compensation	A4	Covered self-administrable drugs - emergency
16	Public health service (PHS) or other federal agency	A5	Covered self-administrable drugs - administrable in form and situation furnished to patient
21	Catastrophic	A6	Covered self-administrable drugs - diagnostic study and other
22	Surplus	A7	Co-payment payer A
23	Recurring monthly income	A8	Patient weight
24	Medicaid Rate Code	A9	Patient height
25	Offset to the patient - payment amount - prescription drugs	AA	Regulatory surcharges, assessments, allowances or health care related taxes - payer A
26	Offset to the patient - payment amount - hearing and ear services	AB	Other assessments or allowances (e.g., medical eduction) - payer A
27	Offset to the patient - payment amount - vision and eye services	B1	Deductible payer B
28	Offset to the patient - payment amount - dental services	B2	Coinsurance payer B
29	Offset to the patient - payment amount - chiropractic services	В3	Estimated responsibility payer B
30	Preadmission testing	B7	Co-payment payer B
31	Patient Liability Amount	BA	Regulatory surcharges, assessments, allowances or health care related taxes - payer B
32	Multiple patient ambulance transport	ВВ	Other assessments or allowances (e.g., medical eduction) - payer B
33	Offset to the patient - payment amount - podiatric services	C1	Deductible payer C
34	Offset to the patient - payment amount - other medical services	C2	Coinsurance payer C
35	Offset to the patient - payment amount - health insurance premiums	C3	Estimated responsibility payer C
37	Pints of blood furnished	C7	Co-payment payer C
38	Blood deductible pints	CA	Regulatory surcharges, assessments, allowances or health care related taxes - payer C
39	Pints of blood replaced	СВ	Other assessments or allowances (e.g., medical eduction) - payer C
40	New coverage not implemented by HMO	D3	Patient estimated responsibility
41	Black lung	E1	Deductible Payer D
42	VA	E2	Coinsurance Payer D
43	Disabled beneficiary under age 65 with LGHP	E3	Coinsurance Payer D
	Amount provider agreed to accept from primary	20	comparation ray or B
44	payer when this amount is less than charges but higher than payment received	E7	Co-payment payer D
45	Accident hour	EA	Regulatory surcharges, assessments, allowances or health care related taxes - payer D
46	Number of grace days	EB	Other assessments or allowances (e.g. medical education) - payer D

	47	Any liability insurar	nce	F1	Deductible Payer E		
	48	Hemoglobin reading	g	F2	Coinsurance Payer E		
	49	49 Hematocrit reading50 PT visits			Coinsurance Payer E		
	50				Co-payment payer E		
	51	OT visits		FA	Regulatory surcharges, assessments, allowances or health care related taxes - payer E		
	52	ST visits		FB	Other assessments or allowances (e.g. medical education) - payer E		
	53	Cardiac rehab visits		G1	Deductible Payer F		
	54	Newborn birth weig	tht in grams	G1	Deductible Payer F		
	55	Eligibility threshold	for charity care	G2	Coinsurance Payer F		
	56	Skilled nurse - home	e visit hours	G3	Coinsurance Payer F		
	57	Home health aide - l	home visit hours	G7	Co-payment payer F		
	58	Arterial blood gas		GA	Regulatory surcharges, assessments, allowances or health care related taxes - payer F		
	59	Oxygen saturation		GB	Other assessments or allowances (e.g. medical education) - payer F		
	60	HHA branch MSA		P1	Do not resuscitate order (DNR)		
	61		vice is furnished (HHA a				
Length:	2	Type:	Alphanumeric	Data Source	Claim		
Field 289:	VALU	UE AMOUNT	1				
	Amou	ınt (in cents) tha	t may be affected.				
Length:	9	Type:	Alphanumeric	Data Source	Claim		
Field 290:	VALI	UE CODE 2		Source	···		
ricia 270.			mation that may aff	ect naver pro	acessing		
Coding Scheme:		as Field 288.	mation that may arr	eet payer pro	ecssing.		
Length:				Data			
Length.	2	Type:	Alphanumeric	Source	Claim		
Field 291:	VALU	UE AMOUNT	2				
			t may be affected.				
Length:	9	Type:	Alphanumeric	Data Source	Claim		
Field 292:	VALI	UE CODE 3		Source			
Coding Scheme:	Code		mation that may aff	ect payer pro	ocessing.		
Length:	2	Type:	Alphanumeric	Data Source	Claim		
Field 293:	VALI	UE AMOUNT	3				
			t may be affected.				
Length:	9	Type:	Alphanumeric	Data Source	e: Claim		
Field 294:	VALI	UE CODE 4					
ve — •			mation that may aff	ect paver pro	cessing.		
Coding Scheme:		as Field 288.		- F J P10	-6-		
Length:	2	Type:	Alphanumeric	Data Source	e: Claim		
Field 295:		UE_AMOUNT_	_4 t may be affected.				
Length:	9	Type:	Alphanumeric	Data	Claim		
Field 296:	17 A T T	UE CODE 5		Source	ē.		
rielu 290:		UE_CODE_5	mation that mary - fi	Coat marram ====	annagin a		
Coding Scharre		•	mation that may aff	eet payer pro	ecessing.		
Coding Scheme:		as Field 288.					
Inpatient RDF Dat			12 Page				
www.dshs.state.tz	k.us/TH	CIC	44	March, 202	1		

Length:	2	Type:	Alphanumeric	Data Source:	Claim				
Field 297:		VALUE_AMOUNT_5 Amount (in cents) that may be affected.							
Length:	9	Type:	Alphanumeric	Data Source:	Claim				
Field 298:	Code desc	VALUE_CODE_6 Code describing information that may affect payer processing.							
Coding Scheme: Length:	Same as F	Type:	Alphanumeric	Data	Claim				
Field 299:		AMOUNT		Source:					
Length:	9	Type:	Alphanumeric	Data Source:	Claim				
Field 300:		ribing info	mation that may affe		ing.				
Coding Scheme: Length:	Same as F	Type:	Alphanumeric	Data Source:	Claim				
Field 301:		AMOUNT	_7 t may be affected.						
Length:	9	Type:	Alphanumeric	Data Source:	Claim				
Field 302:	Code desc	VALUE_CODE_8 Code describing information that may affect payer processing.							
Coding Scheme: Length:	Same as F	Type:	Alphanumeric	Data Source:	Claim				
Field 303:		VALUE_AMOUNT_8 Amount (in cents) that may be affected.							
Length:	9	Type:	Alphanumeric	Data Source:	Claim				
Field 304:	VALUE_ Code desc Same as F	ribing infor	mation that may affe	ct payer process	ing.				
Coding Scheme: Length:	2	Type:	Alphanumeric	Data Source:	Claim				
Field 305:		AMOUNT	_9 t may be affected.						
Length:	9	Type:	Alphanumeric	Data Source:	Claim				
Field 306:	Code desc	-	mation that may affe	ct payer process	ing.				
Coding Scheme: Length:	Same as F	Type:	Alphanumeric	Data Source:	Claim				
Field 307:		AMOUNT	_10 t may be affected.	~ 0 0 1 0 0 1					
Length:	9	Type:	Alphanumeric	Data Source:	Claim				
Field 308: Coding Scheme:	VALUE_CODE_11 Code describing information that may affect payer processing.								
Inpatient RDF Date		=		March, 2021					

Length:	2	Type:	Alphanumeric	Data Source:	Claim		
Field 309:	VALUE_A		_11 at may be affected.				
Length:	9	Type:	Alphanumeric	Data Source:	Claim		
Field 310:	VALUE_C		rmation that may affec	t navar nragagg	ing.		
Coding Scheme:	Same as Fi		imation that may affec	t payer processi	ing.		
Length:	2	Type:	Alphanumeric	Data Source:	Claim		
Field 311:	VALUE_A						
Length:	Amount (ii		at may be affected.	Data	Claim		
Field 312:		Type:	Alphanumeric	Source:	Ciaiiii		
		_ lation Cha Sum (in ce	rge, Private Room Cha	nted with revenu	alculated using MEDPAR ue codes 0100-0219, revenue		
Length:	12	Type:	Numeric	Data Source:	Calculated		
Field 313:	SEMI_PRIVATE_AMOUNT Accommodation Charge, Semi-private Room Charge Amount. Calculated using MEDPAR algorithm. Sum (in cents) of charges associated with revenue codes 0100-0219, revenue center 10X, 12X-14X, 16X-19X						
Length:	12	Type:	Numeric	Data Source:	Calculated		
Field 314:	WARD_AMOUNT Accommodation Charge, Ward Charge Amount. Calculated using MEDPAR algorithm. Sum (in cents) of charges associated with revenue codes 0100-0219, revenue center 15X.						
Length:	12	Type:	Numeric	Data Source:	Calculated		
Field 315:	ICU_AMOUNT Accommodation Charge, Intensive Care Unit Charge Amount. Calculated using MEDPAR algorithm. Sum (in cents) of charges associated with revenue codes 0100-0219, revenue center 20X.						
Length:	12	Type:	Numeric	Data Source:	Calculated		
Field 316:		lation Cha Sum (in ce			unt. Calculated using MEDPAR ue codes 0100-0219, revenue		
Length:	12	Type:	Numeric	Data Source:	Calculated		
Field 317:	Sum (in ce	Service Chants) of cha	arge, Other Charge An rges associated with re	nount. Calculate	ed using MEDPAR algorithm. her than 0100-0219, revenue 76X-78X, 90X-95X, 99X.		
Length:	12	Type:	Numeric	Data Source:	Calculated		
Field 318:		Service Cha Sum (in ce	arge, Pharmacy Charge ents) of charges associa	e Amount. Calc	ulated using MEDPAR ue codes other than 0100-0219,		

Page

46

March, 2021

Inpatient RDF Data Dictionary 2004-2012 www.dshs.state.tx.us/THCIC

Length:	12	Type:	Numeric	Data Source:	Calculated
Field 319:	Ancillary MEDPA	R algorithm.	arge, Medical/Surg	gical Supply Charge	e Amount. Calculated using with revenue codes other than
Length:	12	Type:	Numeric	Data Source:	Calculated
Field 320:	Ancillary MEDPA	R algorithm.		lical Equipment Ch charges associated	arge Amount. Calculated using with revenue codes other than
Length:	12	Type:	Numeric	Data Source:	Calculated
Field 321:	Ancillary using Ml	EDPAR algo	arge, Used Durabl		ent Charge Amount. Calculated ciated with revenue codes other
Length:	12	Type:	Numeric	Data Source:	Calculated
Field 322:	algorithn	y Service Cha			nt. Calculated using MEDPAR ue codes other than 0100-0219,
Length:	12	Type:	Numeric	Data Source:	Calculated
Field 323:	MEDPA	y Service Cha	Sum (in cents) of	Therapy Charge A	amount. Calculated using with revenue codes other than
Length:	12	Type:	Numeric	Data Source:	Calculated
Field 324:	Ancillary algorithm		arge, Speech Patho ents) of charges as		unt. Calculated using MEDPAR ue codes other than 0100-0219,
Length:	12	Type:	Numeric	Data Source:	Calculated
Field 325:	algorithn	y Service Cha	ents) of charges as	nerapy Charge Amo	ount. Calculated using MEDPAR ue codes other than 0100-0219,
Length:	12	Type:	Numeric	Data Source:	Calculated
Field 326:	Ancillary		arge. Calculated u	sing MEDPAR algo	orithm. Sum (in cents) of 19, revenue center 38X.
Length:	12	Type:	Numeric	Data Source:	Calculated
Field 327:	Ancillary		arge. Calculated u	sing MEDPAR algo	orithm. Sum (in cents) of 19, revenue center 39X.
Length:	12	Type:	Numeric	Data Source:	Calculated
Field 328:	OR_AM	IOUNT		~ our cer	
Inpatient RDF D www.dshs.state			012 Page 47	March, 2021	

Ancillary Service Charge, Operating Room Charge amount. Calculated using MEDPAR algorithm. Sum (in cents) of charges associated with revenue codes other than 0100-0219, revenue center 36X, 71X-72X.

Length:	12	Type:	Numeric	Data Source:	Calculated			
Field 329:	LITH_AMOUNT Ancillary Service Charge, Lithotripsy Charge Amount. Calculated using MEDPAR algorithm. Sum (in cents) of charges associated with revenue codes other than 0100-0219, revenue center 79X.							
Length:	12	Type:	Numeric	Data Source:	Calculated			
Field 330:		Service Cha Sum (in ce	ents) of charges associa	ited with reven	lculated using MEDPAR ue codes other than 0100-0219,			
Length:	12	Type:	Numeric	Data Source:	Calculated			
Field 331:	Ancillary Salgorithm.	ANES_AMOUNT Ancillary Service Charge, Anesthesia Charge Amount. Calculated using MEDPAR algorithm. Sum (in cents) of charges associated with revenue codes other than 0100-0219 revenue center 37X.						
Length:	12	Type:	Numeric	Data Source:	Calculated			
Field 332:	LAB_AMOUNT Ancillary Service Charge, Laboratory Charge Amount. Calculated using MEDPAR algorithm. Sum (in cents) of charges associated with revenue codes other than 0100-0219, revenue center 30X-31X, 74X-75X.							
Length:	12	Type:	Numeric	Data Source:	Calculated			
Field 333:	RAD_AMOUNT Ancillary Service Charge, Radiology Charge Amount. Calculated using MEDPAR algorithm. Sum (in cents) of charges associated with revenue codes other than 0100-0219, revenue center 28X, 32X-35X, 40X.							
Length:	12	Type:	Numeric	Data Source:	Calculated			
Field 334:		Service Chants) of cha			d using MEDPAR algorithm. her than 0100-0219, revenue			
Length:	12	Type:	Numeric	Data Source:	Calculated			
Field 335:	OP_AMOUNT Ancillary Service Charge, Outpatient Services Charge Amount. Calculated using MEDPAR algorithm. Sum (in cents) of charges associated with revenue codes other than 0100-0219, revenue center 49X-50X.							
Length:	12	Type:	Numeric	Data Source:	Calculated			
Field 336:		Service Cha Sum (in ce			unt. Calculated using MEDPAR ue codes other than 0100-0219,			
Length:	12	Type:	Numeric	Data Source:	Calculated			
Field 337:	AMBULA	NCE_AM	OUNT	·				
Innationt DDF D	ata Dictionan	200 <i>4-20</i>)12 Dogo					

Ancillary Service Charge, Ambulance Charge Amount. Calculated using MEDPAR algorithm. Sum (in cents) of charges associated with revenue codes other than 0100-0219, revenue center 54X.

	revenue center	54X.							
Length:	12 T	ype:	Numeric	Data Source:	Calculated				
Field 338:	PRO_FEE_AMOUNT Ancillary Service Charge, Professional Fee Charge Amount. Calculated using MEDPAR algorithm. Sum (in cents) of charges associated with revenue codes other than 0100-0219, revenue center 96X-98X.								
Length:	12 T	ype:	Numeric	Data Source:	Calculated				
Field 339:		ice Cha n (in ce	nts) of charges asso		ant. Calculated using MEDPAR te codes other than 0100-0219,				
Length:	12 T	ype:	Numeric	Data Source:	Calculated				
Field 340:	Ancillary Servi MEDPAR algo	ESRD_AMOUNT Ancillary Service Charge, End Stage Renal Dialysis Charge Amount. Calculated using MEDPAR algorithm. Sum (in cents) of charges associated with revenue codes other than 0100-0219, revenue center 80X, 82X-88X.							
Length:		ype:	Numeric	Data Source:	Calculated				
Field 341:		ice Cha ı (in ce			culated using MEDPAR the codes other than 0100-0219,				
Length:		ype:	Numeric	Data Source:	Calculated				
Field 342:	FIRST_PAYN	_							
Coding Scheme:	09 Selfpay (beginning) 10 Central Ce 11 Other Non 12 Preferred I 13 Point of Se 14 Exclusive 15 Indemnity	Removed 2Q2012 rtificatio -federal Provider Provider Provider Insurance	n Programs Organization (PPO) OS) Organization (EPO)		Health Maintenance Organization Liability Liability Medical Medicare Part A Medicare Part B Medicaid Title V				
	16 Medicare I AM Automobil BL Blue Cross CH CHAMPU CI Commerci DS Disability	Risk e Medica s/Blue Sh S al Insura	al nield	OF VA WC ZZ	Other Federal Program Veteran Administration Plan Workers Compensation Health Claim Charity, Indigent or Unknown				
Length:	·	Гуре:	Alphanumeric	Data Source:	Claim				
Field 343:	FIRST_PAYE		er (when implemen		ernment)				
Length:		Гуре:	Alphanumeric	Data Source:	Claim				
Field 344:	FIRST_PAYE Name of prima								
Length:		Гуре:	Alphanumeric	Data Source:	Claim				
Field 345:	SECONDARY	Z_PAY	MENT_SRC						
Inpatient RDF Da www.dshs.state.t		04-20	12 Page _ 49	March, 2021					

Coding Scheme:			xpected secondary sou ST PAYMENT SRO		
Length:	2	Type:	Alphanumeric	Data Source:	Claim
Field 346:	SECONDA				
Length:	National Pl	an Identifi	er (when implemente	d by federal gove Data	ernment).
Length.	10	Type:	Alphanumeric	Source:	Claim
Field 347:			ER_NAME		
Langth	Name of pr	imary sou	rce of payment.	Data	
Length:	35	Type:	Alphanumeric	Data Source:	Claim
Field 348:	TOTAL_C				
			ommodation charges, ancillary charges. Re		ommodation charges, ancillary
Length:	•			Data	_
	12	Type:	Numeric	Source:	Claim
Field 349:			V_CHARGES	tion shores -	
Length:	`	•		tion charges, non Data	e-covered ancillary charges.
Length.	12	Type:	Numeric	Source:	Claim
Field 350:			S_ACCOMM		
Length:		nts) of cov	ered and non-covered	accommodation Data	charges.
Length.	12	Type:	Numeric	Source:	Claim
Field 351:			_CHARGES_ACC	OMM	
Langth	Sum (in cer	nts) of non	-covered accommoda	tions charges. Data	
Length:	12	Type:	Numeric	Source:	Claim
Field 352:	TOTAL_C				
Longth	Sum (in cer	nts) of cov	ered and non-covered	ancillary charge Data	S.
Length:	12	Type:	Numeric	Source:	Claim
Field 353:			_CHARGES_ANC	IL	
T4b.	Sum (in cer	nts) of non	-covered ancillary cha	•	
Length:	12	Type:	Numeric	Data Source:	Claim
Field 354:	INBOUND			~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	
Cadina Sahama			of data as submitted.		
Coding Scheme:	8 837 f D Data	ormat entry			
		2 format		-	
Length:	1	Type:	Alphanumeric	Data Source:	Claim
Field 355:	CERT_ST	ATUS		204100	
Coding Scheme:	by the hosp 1 Certify 2 Certify	oital. First fied, without fied, with con	available 3 rd quarter 1 comment	999.	d submission of comments
	4 Hosp	ital elected n	ot to certify	ea by deadinic	
			ata not certified mpliance, did not certify da	nta	
Length:	о поsр 1	a. out 01 C0	Type:	Alphanumeric	Data Source: Assigned
	_		- J p **		TANKATURE TANKATURE

Coding scheme: O01
003 Andrews 131 Duval 259 Kendall 387 Red River 005 Angelina 133 Eastland 261 Kenedy 389 Reeves 007 Aransas 135 Ector 263 Kent 391 Refugio 009 Archer 137 Edwards 265 Kerr 393 Roberts 011 Armstrong 139 Ellis 267 Kimble 395 Robertson 013 Atascosa 141 El Paso 269 King 397 Rockwall 015 Austin 143 Erath 271 Kinney 399 Runnels 017 Bailey 145 Falls 273 Kleberg 401 Rusk 019 Bandera 147 Fannin 275 Knox 403 Sabine
003 Andrews 131 Duval 259 Kendall 387 Red River 005 Angelina 133 Eastland 261 Kenedy 389 Reeves 007 Aransas 135 Ector 263 Kent 391 Refugio 009 Archer 137 Edwards 265 Kerr 393 Roberts 011 Armstrong 139 Ellis 267 Kimble 395 Robertson 013 Atascosa 141 El Paso 269 King 397 Rockwall 015 Austin 143 Erath 271 Kinney 399 Runnels 017 Bailey 145 Falls 273 Kleberg 401 Rusk 019 Bandera 147 Fannin 275 Knox 403 Sabine
007 Aransas 135 Ector 263 Kent 391 Refugio 009 Archer 137 Edwards 265 Kerr 393 Roberts 011 Armstrong 139 Ellis 267 Kimble 395 Robertson 013 Atascosa 141 El Paso 269 King 397 Rockwall 015 Austin 143 Erath 271 Kinney 399 Runnels 017 Bailey 145 Falls 273 Kleberg 401 Rusk 019 Bandera 147 Fannin 275 Knox 403 Sabine
009 Archer 137 Edwards 265 Kerr 393 Roberts 011 Armstrong 139 Ellis 267 Kimble 395 Robertson 013 Atascosa 141 El Paso 269 King 397 Rockwall 015 Austin 143 Erath 271 Kinney 399 Runnels 017 Bailey 145 Falls 273 Kleberg 401 Rusk 019 Bandera 147 Fannin 275 Knox 403 Sabine
011 Armstrong 139 Ellis 267 Kimble 395 Robertson 013 Atascosa 141 El Paso 269 King 397 Rockwall 015 Austin 143 Erath 271 Kinney 399 Runnels 017 Bailey 145 Falls 273 Kleberg 401 Rusk 019 Bandera 147 Fannin 275 Knox 403 Sabine
013 Atascosa 141 El Paso 269 King 397 Rockwall 015 Austin 143 Erath 271 Kinney 399 Runnels 017 Bailey 145 Falls 273 Kleberg 401 Rusk 019 Bandera 147 Fannin 275 Knox 403 Sabine
015 Austin 143 Erath 271 Kinney 399 Runnels 017 Bailey 145 Falls 273 Kleberg 401 Rusk 019 Bandera 147 Fannin 275 Knox 403 Sabine
017 Bailey 145 Falls 273 Kleberg 401 Rusk 019 Bandera 147 Fannin 275 Knox 403 Sabine
019 Bandera 147 Fannin 275 Knox 403 Sabine
023 Baylor 151 Fisher 277 Lamar 407 San Jacinto
025 Bee 153 Floyd 279 Lamb 409 San Patricio
027 Bell 155 Foard 281 Lampasas 411 San Saba
029 Bexar 157 Fort Bend 285 Lavaca 413 Schleicher
031 Blanco 159 Franklin 287 Lee 415 Scurry
033 Borden 161 Freestone 289 Leon 417 Shackelford
035 Bosque 163 Frio 291 Liberty 419 Shelby
037 Bowie 165 Gaines 293 Limestone 421 Sherman
039 Brazoria 167 Galveston 295 Lipscomb 423 Smith
041 Brazos 169 Garza 297 Live Oak 425 Somervell
043 Brewster 171 Gillespie 299 Llano 427 Starr
045 Briscoe 173 Glasscock 301 Loving 429 Stephens
047 Brooks 175 Goliad 303 Lubbock 431 Sterling
049 Brown 177 Gonzales 305 Lynn 433 Stonewall
051 Burleson 179 Gray 307 McCulloch 435 Sutton
053 Burnet 181 Grayson 309 McLennan 437 Swisher
055 Caldwell 183 Gregg 311 McMullen 439 Tarrant
057 Calhoun 185 Grimes 313 Madison 441 Taylor 059 Callahan 187 Guadalupe 315 Marion 443 Terrell
061 Cameron 189 Hale 317 Martin 445 Terry
063 Camp 191 Hall 319 Mason 447 Throckmorton
065 Carson 193 Hamilton 321 Matagorda 449 Titus
067 Cass 195 Hansford 323 Maverick 451 Tom Green
069 Castro 197 Hardeman 325 Medina 453 Travis
071 Chambers 199 Hardin 327 Menard 455 Trinity
073 Cherokee 201 Harris 329 Midland 457 Tyler
075 Childress 203 Harrison 331 Milam 459 Upshur
077 Clay 205 Hartley 333 Mills 461 Upton
079 Cochran 207 Haskell 335 Mitchell 463 Uvalde
081 Coke 209 Hays 337 Montague 465 Val Verde
083 Coleman 211 Hemphill 339 Montgomery 467 Van Zandt
085 Collin 213 Henderson 341 Moore 469 Victoria
087 Collingsworth 215 Hidalgo 343 Morris 471 Walker
089 Colorado 217 Hill 345 Motley 473 Waller 091 Comal 219 Hockley 347 Nacogdoches 475 Ward
091 Comal 219 Hockley 347 Nacogdoches 475 Ward 093 Comanche 221 Hood 349 Navarro 477 Washington
095 Concho 223 Hopkins 351 Newton 479 Webb
097 Cooke 225 Houston 353 Nolan 481 Wharton
099 Coryell 227 Howard 355 Nucces 483 Wheeler
101 Cottle 229 Hudspeth 357 Ochiltree 485 Wichita
103 Crane 231 Hunt 359 Oldham 487 Wilbarger
105 Crockett 233 Hutchinson 361 Orange 489 Willacy
107 Crosby 235 Irion 363 Palo Pinto 491 Williamson
109 Culberson 237 Jack 365 Panola 493 Wilson
111 Dallam 239 Jackson 367 Parker 495 Winkler
113 Dallas 241 Jasper 369 Parmer 497 Wise
115 Dawson 243 Jeff Davis 371 Pecos 499 Wood
117 Deaf Smith 245 Jefferson 373 Polk 501 Yoakum

	119 121	Delta Denton	247 249	Jim Hog Jim Wel	C	Potter Presidio	503 505	Young Zapata	
	123	Dewitt	251	Johnson	379	Rains	507	Zavala	
	125	Dickens	253	Jones	381	Randall			
	127	Dimmit	255	Karnes	383	Reagan	•	Invalid	
Length:	3	Type:	Alphanu	meric	Data Source:		Assigned, based	on	

CHARGES DATA FILE

 Field 1:
 RECORD_ID

 Description:
 Record Identification Number. Unique number assigned to identify the record. First available 1st quarter 2002. Does NOT match the RECORD_ID in THCIC PUDF, but does match with other inpatient Research Data Files (RDF's).

 Beginning Position:
 1
 Data Source:
 Assigned

 Length:
 12
 Type:
 Alphanumeric

 Field 2:
 REVENUE_CODE

Inpatient RDF Data Dictionary 2004-2012 Page www.dshs.state.tx.us/THCIC Page March, 2021

Description:	Code	corresponding to each specific accommod	ation, a	ncillary service or billing calculation
-	related	I to the services being billed.		
Coding Scheme:	0100	All-inclusive room charges plus ancillary	0516	Clinic - urgent care
coung seneme.	0101	All-inclusive room charges	0517	Clinic - family practice
	0110	Room charges for private rooms - general	0519	Clinic - other
	0111	Room charges for private rooms - medical/surgical/GYN	0520	Freestanding Clinic - general
	0112	Room charges for private rooms - obstetrics	0521	Freestanding Clinic - Clinic Visit by Member to RHC/FQHC
	0113	Room charges for private rooms - pediatric	0522	Freestanding Clinic - Home Visit by RHC/FQHC Practitioner
	0114	Room charges for private rooms - psychiatric	0523	Freestanding Clinic - family practice
	0115	Room charges for private rooms - hospice	0524	Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a Covered Part A Stay at SNF
	0116	Room charges for private rooms - detoxification	0525	Freestanding Clinic - Visit by RHC/FQHC Practitioner to a Member in a SNF (not Covered Part A Stay) or NF or ICF MR or Other Residential Facility
	0117	Room charges for private rooms - oncology	0526	Freestanding Clinic - urgent care
	0118	Room charges for private rooms - rehabilitation	0527	Freestanding Clinic - Visiting Nurse Services(s) to a Member's Home when in a Home Health Shortage Area
	0119	Room charges for private rooms - other	0528	Freestanding Clinic – Visit by RHC/FQHC Practitioner to Other non RHC/FQHC Site (e.g. Scene of Accident)
	0120	Room charges for semi-private rooms - general	0529	Freestanding Clinic - other
	0121	Room charges for semi-private rooms - medical/surgical/GYN	0530	Osteopathic service - general
	0122	Room charges for semi-private rooms - obstetrics	0531	Osteopathic service - therapy
	0123	Room charges for semi-private rooms - pediatric	0539	Osteopathic service - other
	0124	Room charges for semi-private rooms - psychiatric	0540	Ambulance service - general
	0125	Room charges for semi-private rooms - hospice	0541	Ambulance service - supplies
	0126	Room charges for semi-private rooms - detoxification	0542	Ambulance service - medical transport
	0127	Room charges for semi-private rooms - oncology	0543	Ambulance service - heart mobile
	0128	Room charges for semi-private rooms - rehabilitation	0544	Ambulance service - oxygen
	0129	Room charges for semi-private rooms - other	0545	Ambulance service - air ambulance
	0130	Room charges for semi-private - 3/4 beds - rooms - general	0546	Ambulance service - neonatal
	0131	Room charges for semi-private - 3/4 beds - rooms - medical/surgical/GYN	0547	Ambulance service - pharmacy
	0132	Room charges for semi-private - 3/4 beds - rooms - obstetrics	0548	Ambulance service - telephone transmission EKG
	0133	Room charges for semi-private - 3/4 beds - rooms - pediatric	0549	Ambulance service - other
	0134	Room charges for semi-private - 3/4 beds - rooms - psychiatric	0550	Skilled nursing - general
	0135	Room charges for semi-private - 3/4 beds - rooms - hospice	0551	Skilled nursing - visit charge
	0136	Room charges for semi-private - 3/4 beds - rooms - detoxification	0552	Skilled nursing - hourly charge
	0137	Room charges for semi-private - 3/4 beds - rooms - oncology	0559	Skilled nursing - other
	0138	Room charges for semi-private - 3/4 beds - rooms - rehabilitation	0560	Medical social services - general
	0139	Room charges for semi-private - 3/4 beds - rooms - other	0561	Medical social services - visit charge
	0140	Room charges for private (deluxe) rooms - general	0562	Medical social services - hourly charge
	0141	Room charges for private (deluxe) rooms - medical/surgical/GYN	0569	Medical social services - other
	0142	Room charges for private (deluxe) rooms - obstetrics	0570	Home health aide - general

0143	Room charges for private (deluxe) rooms - pediatric	0571	Home health aide - visit charge
0144	Room charges for private (deluxe) rooms - psychiatric	0572	Home health aide - hourly charge
0145	Room charges for private (deluxe) rooms - hospice	0579	Home health aide - other
0146	Room charges for private (deluxe) rooms - detoxification	0580	Other visits (home health) - general
0147	Room charges for private (deluxe) rooms - oncology	0581	Other visits (home health) - visit charge
0148	Room charges for private (deluxe) rooms - rehabilitation	0582	Other visits (home health) - hourly charge
0149	Room charges for private (deluxe) rooms - other	0583	Other visits (home health) - assessment
0150	Room charges for ward rooms - general	0589	Other visits (home health) - other
0151	Room charges for ward rooms - medical/surgical/GYN	0590	Units of service (home health) - general
0152	Room charges for ward rooms - obstetrics	0599	Units of service (home health) - other
0153	Room charges for ward rooms - pediatric	0600	Oxygen (home health) - general
0154	Room charges for ward rooms - psychiatric	0601	Oxygen (home health) - stat/equip/supply or contents
0155	Room charges for ward rooms - hospice	0602	Oxygen (home health) - stat/equip/supply under 1 liter per minute
0156	Room charges for ward rooms - detoxification	0603	Oxygen (home health) - stat/equip/supply over 4 liters per minute
0157	Room charges for ward rooms - oncology	0604	Oxygen (home health) - portable add-in
0158	Room charges for ward rooms - rehabilitation	0610	MRI - general
0159	Room charges for ward rooms - other	0611	MRI - brain (including brain stem)
0160	Room charges for other rooms - general	0612	MRI - spinal cord (including spine)
0161	Room charges for other rooms - medical/surgical/GYN	0619	MRI - other
0162	Room charges for other rooms - obstetrics	0621	Medical/surgical supplies - incident to radiology
0163	Room charges for other rooms - pediatric	0622	Medical/surgical supplies - incident to other diagnostic services
0164	Room charges for other rooms - psychiatric	0623	Medical/surgical supplies - surgical dressings
0165	Room charges for other rooms - hospice	0624	Medical/surgical supplies - FDA investigational devices
0166	Room charges for other rooms - detoxification	0630	Drugs requiring specific identification - general
0167	Room charges for other rooms - oncology	0631	Drugs requiring specific identification - single source
0168	Room charges for other rooms - rehabilitation	0632	Drugs requiring specific identification - multiple source
0169	Room charges for other rooms - other	0633	Drugs requiring specific identification - restrictive prescription
0170	Room charges for nursery - general	0634	Drugs requiring specific identification - EPO, less than 10,000 units
0171	Room charges for nursery - newborn level I	0635	Drugs requiring specific identification - EPO, 10,000 or more units
0172	Room charges for nursery - newborn level II	0636	Drugs requiring specific identification - requiring detailed coding
0173	Room charges for nursery - newborn level III	0637	Drugs requiring specific identification - self- adminstrable nto requiring detailed coding
0174	Room charges for nursery - newborn level IV	0640	Home IV therapy services - general
0179	Room charges for nursery - other	0641	Home IV therapy services - nonroutine nursing, central line
0180	Room charges for LOA - general	0642	Home IV therapy services - IV site care, central line
0182	Room charges for LOA - patient convenice- charges billable	0643	Home IV therapy services - IV start/change, peripheral line
0183	Room charges for LOA - therapeutic leave	0644	Home IV therapy services - nonroutine nursing, peripheral line
0184	Room charges for LOA - ICF mentally retarded - any reason	0645	Home IV therapy services - training patient/caregiver, central line
0185	Room charges for LOA - hospitalization	0646	Home IV therapy services - traning, disabled patient, central line
0189	Room charges for LOA - other	0647	Home IV therapy services - training, patient/caregiver, peripheral

0190	Room charges for subacute care - general	0648	Home IV therapy services - training, disabled patient, peripheral
0191	Room charges for subacute care - Level I (skilled care)	0649	Home IV therapy services - other
0192	Room charges for subacute care - Level II (comprehensive care)	0650	Hospice services - general
0193	Room charges for subacute care - Level III (complex care)	0651	Hospice services - routine home care
0194	Room charges for subacute care - Level IV (intensive care)	0652	Hospice services - continuous home care
0199	Room charges for subacute care - other	0655	Hospice services - inpatient respite care
0200	Room charges for intensive care - general	0656	Hospice services - general inpatient care (nonrespite)
0201	Room charges for intensive care - surgical	0657	Hospice services - physician services
0202	Room charges for intensive care - medical	0658	Hospice services - room and board - nursing facility
0203	Room charges for intensive care - pediatric	0659	Hospice services - other
0204	Room charges for intensive care - psychiatric	0660	Respite care - general
0206	Room charges for intensive care - intermediate intensive care unit (ICU)	0661	Respite care - hourly charge/skilled nursing
0207	Room charges for intensive care - burn care	0662	Respite care - hourly
0208	Room charges for intensive care - trauma	0663	charge/aide/homemaker/companion Respite care - daily charge
0209	Room charges for intensive care - other	0669	Respite care - other
0210	Room charges for coronary care - general	0670	Outpatient special residence - general
0210	Room charges for coronary care - myocardial	0671	Outpatient special residence - hospital based
0212	infarction Room charges for coronary care - pulmonary	0672	Outpatient special residence - contracted
0213	care Room charges for coronary care - heart	0679	Outpatient special residence - other
0214	transplant Room charges for coronary care - intermediate	0681	Trauma response - level I
0219	coronary care unit (CCU)	0682	Travers recovered level II
0219	Room charges for coronary care - other	0683	Trauma response - level II Trauma response - level III
0220	Special charges - general		
0221	Special charges - admission charge	0684	Trauma response - level IV Trauma response - other
0222	Special charges - technical support charge Special charges - UR service charge	0689 0700	Cast Room services - general
0223	Special charges - late discharge, medically	0709	Cast Room services - other
	necessary		
0229	Special charges - other	0710	Recovery Room services - general
0230	Incremental nursing care - general	0719	Recovery Room services - other
0231	Incremental nursing care - nursery	0720	Labor/Delivery Room services - general
0232	Incremental nursing care - OB	0721	Labor/Delivery Room services - labor
0233	Incremental nursing care - ICU (includes transitional care)	0722	Labor/Delivery Room services - delivery
0234	Incremental nursing care - CCU (includes transitional care)	0723	Labor/Delivery Room services - circumcision
0235	Incremental nursing care - hospice	0724	Labor/Delivery Room services - birthing center
0239	Incremental nursing care - other	0729	Labor/Delivery Room services - other
0240	All-inclusive ancillary - general	0730	EKG/ECG services - general
0249	All-inclusive ancillary - other	0731	EKG/ECG services - holter monitor
0250	Pharmacy - general	0732	EKG/ECG services - telemetry
0251	Pharmacy - generic drugs	0739	EKG/ECG services - other
0252	Pharmacy - nongeneric drugs	0740	EEG services - general
0253	Pharmacy - take-home drugs	0749	EEG services - other
0254	Pharmacy - drugs incident to other diagnostic services	0750	Gastrointestinal services - general
0255	Pharmacy - drugs incident to radiology	0759	Gastrointestinal services - other
0256	Pharmacy - experimental drugs	0760	Treatment or observation room services - general
0257	Pharmacy - nonprescription	0761	Specialty Room - Treatment/ Observation Room - Treatment Room

0258	Pharmacy - IV solutions	0762	Specialty Room - Treatment/ Observation Room - Observation Room
0259	Pharmacy – other		
0260	IV Therapy - general	0769	Treatment or observation room services - other
0261	IV Therapy - infusion pump	0770	Preventive care services - general
0262	IV Therapy - pharmacy services	0771	Preventive care services - vaccine administration
0263	IV Therapy - durg/supply delivery	0779	Preventive care services - other
0264	IV Therapy - supplies	0780	Telemedicine services - general
0269	IV Therapy - other	0789	Telemedicine services - other
0270	Medical surgical supplies and devices - general	0790	Extra-corporeal shockwave therapy - general
0271	Medical surgical supplies and devices - nonsterile	0799	Extra-corporeal shockwave therapy - other
0272	Medical surgical supplies and devices - sterile		
0273	Medical surgical supplies and devices - take-		
0274	home Medical surgical supplies and devices - prosthetic/orthotic	0800	Inpatient renal dialysis services - general
0275	Medical surgical supplies and devices - pacemaker	0801	Inpatient renal dialysis services - hemodialysis
0276	Medical surgical supplies and devices - intraocular lens (IOL)	0802	Inpatient renal dialysis services - peritoneal (non-CAPD)
0277	Medical surgical supplies and devices - oxygen - take-home	0803	Inpatient renal dialysis services - continuous ambulatory peritoneal dialysis (CAPD)
0278	Medical surgical supplies and devices - other implants	0804	Inpatient renal dialysis services - continuous cycling peritoneal dialysis (CAPD)
0279	Medical surgical supplies and devices - other	0809	Inpatient renal dialysis services - other
0280	Oncology - general	0810	Organ acquisition - general
0289	Oncology - other	0811	Organ acquisition - living donor
0290	DME - general	0812	Organ acquisition - cadaver donor
0291	DME - rental	0813	Organ acquisition - unknown donor
0292	DME - purchase of new	0814	Organ acquisition - unsuccessful organ search- donor bank charges
0293	DME - purchase of used	0819	Organ acquisition - other donor
0294	DME - supplies/drugs for DME effectiveness	0820	Hemodialysis - outpatient or home - general
0299	DME - other equipment	0821	Hemodialysis - outpatient or home - composite or other rate
0300	Laboratory - general	0825	Hemodialysis - outpatient or home - support services
0301	Laboratory - chemistry	0829	Hemodialysis - outpatient or home - other
0302	Laboratory - immunology	0830	Peritoneal dialysis - outpatient or home - general
0303	Laboratory - renal patient (home)	0831	Peritoneal dialysis - outpatient or home - composite or other rate
0304	Laboratory - nonroutine dialysis	0835	Peritoneal dialysis - outpatient or home - support services
0305	Laboratory - hemotology	0839	Peritoneal dialysis - outpatient or home - other
0306	Laboratory - bacteriology and microbiology	0840	CAPD - outpatient or home - general
0307	Laboratory - urology	0841	CAPD - outpatient or home - composite or other rate
0309	Laboratory - other	0845	CAPD - outpatient or home - support services
0310	Laboratory pathological - general	0849	CAPD - outpatient or home - other
0311	Laboratory pathological - cytology	0850	CCPD - outpatient or home - general
0312	Laboratory pathological - histology	0851	CCPD - outpatient or home - composite or other rate
0313	Laboratory pathological - biopsy	0855	CCPD - outpatient or home - support services
0319	Laboratory pathological - other	0859	CCPD - outpatient or home - other
0320	Radiology - diagnostic - general	0880	Miscellaneous dialysis - general
0321	Radiology - diagnostic - angiocardiography	0881	Miscellaneous dialysis - ultrafiltration
0322	Radiology - diagnostic - arthrography	0882	Miscellaneous dialysis - home aide visit
0323	Radiology - diagnostic - arteriography	0889	Miscellaneous dialysis - other
0324	Radiology - diagnostic - chest x-ray	0900	Behavior health reatments/services - general

0329	Radiology - diagnostic - other	0901	Behavior health treatments/services -
0330	Radiology - therapeutic and/or chemotherapy	0902	electroshock Behavior health treatments/services - milieu
0331	adminstration - general Radiology - therapeutic and/or chemotherapy adminstration - chemotherapy - injected	0903	therapy Behavioral health treatments/services - play therapy
0332	Radiology - therapeutic and/or chemotherapy administration - chemotherapy - oral	0904	Behavior health treatments/services - activity therapy
0333	Radiology - therapeutic and/or chemotherapy adminstration - radiation therapy	0905	Behavior health treatments/services - intensive outpatient services - psychiatric
0335	Radiology - therapeutic and/or chemotherapy adminstration - chemotherapy - IV	0906	Behavior health treatments/services - intensive outpatient services - chemical dependency
0339	Radiology - therapeutic and/or chemotherapy adminstration - other	0907	Behavior health treatments/services - community behavioral health program
0340	Nuclear medicine - general	0909	Behavior health treatments - other
0341	Nuclear medicine - diagnostic procedures	0910	Reserved
0342	Nuclear medicine - therapeutic procedures	0911	Behavior health treatment/services - rehabilitation
0343	Nuclear medicine - diagnostic radiopharmaceuticals	0912	Behavior health treatment/services - partial hospitalization - less intensive
0344	Nuclear medicine - therapeutic radiopharmaceuticals	0913	Behavior health treatment/services - partial hospitalization - intensive
0349	Nuclear medicine - other	0914	Behavior health treatment/services - individual therapy
0350	CT scan - general	0915	Behavior health treatment/services - group therapy
0351	CT scan - head	0916	Behavior health treatment/services - family therapy
0352	CT scan - body	0917	Behavior health treatment/services - biofeedback
0359	CT scan - other	0918	Behavior health treatment/services - testing
0360	Operating room services - general	0919	Behavior health treatment/services - other
0361	Operating room services - minor surgery	0920	Other diagnostic services - general
0362	Operating room services - organ transplant other than kidney	0921	Other diagnostic services - peripheral vascular lab
0367	Operating room services - kidney transplant	0922	Other diagnostic services - electromyelogram
0369	Operating room services - other	0923	Other diagnostic services - pap smear
0370	Anesthesia - general	0924	Other diagnostic services - allergy test
0371	Anesthesia - incident to radiology	0925	Other diagnostic services - pregnancy test
0372	Anesthesia - incident to other diagnostic services	0929	Other diagnostic services - other
0374	Anesthesia - acupuncture	0931	Medical rehabilitation day program - half day
0379	Anesthesia - other	0932	Medical rehabilitation day program - full day
0380	Blood - general	0940	Other therapeutic services - general
0381	Blood - packed red cells	0941	Other therapeutic services - recreational therapy
0382	Blood - whole blood	0942	Other therapeutic services - education/training
0383	Blood - plasma	0943	Other therapeutic services - cardiac rehabilitation
0384	Blood - platelets	0944	Other therapeutic services - drug rehabilitation
0385	Blood - leukocytes	0945	Other therapeutic services - alcohol rehabilitation
0386	Blood - other components	0946	Other therapeutic services - complex medical equipment - routine
0387	Blood - other derivatives (cryoprecipitates)	0947	Other therapeutic services - complex medical equipment - ancillary
0389	Blood - other	0949	Other therapeutic services - other
0390	Blood amd blood component administration, storage and processing - general	0960	Professional fees - general
0391	Blood and blood component administration, storage and processing - administration	0961	Professional fees - psychiatric
0399	Blood and blood component administration, storage and processing - other	0962	Professional fees - ophthalmology
0400	Other imaging services - general	0963	Professional fees - anesthesiologist (MD)
0401	Other imaging services - diagnostic mammography	0964	Professional fees - anesthetist (CRNA)

0402	Other imaging services - ultrasound	0969	Professional fees - other
0403	Other imaging services - screening mammography	0970	Professional fees - general
0404	Other imaging services - PET	0971	Professional fees - laboratory
0409	Other imaging services - other	0972	Professional fees - radiology - diagnostic
0410	Respiratory services - general	0973	Professional fees - radiology - therapeutic
0412	Respiratory services - inhalation	0974	Professional fees - readiology - nuclear medicine
0413	Respiratory services - hyperbaric oxygen therapy	0975	Professional fees - operating room
0419	Respiratory services - other	0976	Professional fees - respiratory therapy
0420	Physical therapy - general	0977	Professional fees - physical therapy
0421	Physical therapy - visit charge	0978	Professional fees - occupational therapy
0422	Physical therapy - hourly charge	0979	Professional fees - speech therapy
0423	Physical therapy - group rate	0980	Professional fees - general
0424	Physical therapy - evaluation or reevaluation	0981	Professional fees - emergency room
0429	Physical therapy - other	0982	Professional fees - outpatient services
0430	Occupational therapy - general	0983	Professional fees - clinic
0431	Occupational therapy - visit charge	0984	Professional fees - medical social services
0432	Occupational therapy - hourly charge	0985	Professional fees - EKG
0433	Occupational therapy - group rate	0986	Professional fees - EEG
0434	Occupational therapy - evaluation or reevaluation	0987	Professional fees - hospital visit
0439	Occupational therapy - other	0988	Professional fees - consultation
0440	Speech-language pathology - general	0989	Professional fees - private duty nurse
0441	Speech-language pathology - visit charge	0990	Patient convenience items - general
0442	Speech-language pathology - hourly charge	0991	Patient convenience items - cafeteria/guest tray
0443	Speech-language pathology - group rate	0992	Patient convenience items - private linen service
0444	Speech-language pathology - evaluation or reevaluation	0993	Patient convenience items - telephone/telegraph
0449	Speech-language pathology - other	0994	Patient convenience items - TV/radio
0450	Emergency room - general	0995	Patient convenience items - nonpatient room rentals
0451	Emergency room - EMTALA emergency medical screening services	0996	Patient convenience items - late discharge charge
0452	Emergency room - beyond EMTALA screening	0997	Patient convenience items - admission kits
0456	Emergency room - urgent care	0998	Patient convenience items - beauty shop/barber
0459	Emergency room - other	0999	Patient convenience items - other
0460	Pulmonary function - general	1000	Behavior health accommodations - general
0469	Pulmonary function - other	1001	Behavior health accommodations - residential treatment - psychiatric
0470	Audiology - general	1002	Behavior health accommodations - residential treatment - chemical dependency
0471	Audiology - diagnostic	1003	Behavior health accommodations - supervised living
0472	Audiology - treatment	1004	Behavior health accommodations - halfway house
0479	Audiology - other	1005	Behavior health accommodations - group home
0480	Cardiology - general	2100	Alternative therapy services - general
0481	Cardiology - cardiac cath lab	2101	Alternative therapy services - acupuncture
0482	Cardiology - stress test	2102	Alternative therapy services - acupressure
0483	Cardiology - echocardiology	2103	Alternative therapy services - massage
0489	Cardiology - other	2104	Alternative therapy services - reflexology
0490	Ambulatory surgical care - general	2105	Alternative therapy services - biofeedback
0499	Ambulatory surgical care - other	2106	Alternative therapy services - hypnosis
0500	Outpatient services - general	2109	Alternative therapy services - other
0509	Outpatient services - other	3101	Adult day care, medical and social - hourly
0510	Clinic - general	3102	Adult day care, social - hourly
0511	Clinic - chronic pain	3103	Adult day care, medical and social - daily
0512	Clinic - dental	3104	Adult day care, social - daily
	-		

	0513	Clinic - psychiatric		3105	Adult foster care - daily
	0514	Clinic - OB/GYN		3109	Adult foster care - other
Beginning Position:	13		Data Source:	Claim	
Length:	4		Type:		numeric
Field 3:		CS QUALIFIER	1 y p c .	7 TIPITOIT	
	пст	CS_QUALIFIER			
Description:	17		D-4- C	CI.	
Beginning Position:	17		Data Source:	Claim	
Length:	2	CC PROCERURE (Type:	Aipnan	numeric
Field 4		CS_PROCEDURE_C			
Description:			Coding System (H	CPCS) c	eode applicable to ancillary services or
		nmodations.			
Coding Scheme:	See h	ttp://www.cms.hhs.gov	v/HCPCSReleaseCo	odeSets/2	ANHCPCS/list.asp for complete list.
Beginning Position:	19		Data Source:	Claim	
Length:	5		Type:	Alphan	numeric
Field 5:	MOD	IFIER 1			
Description:	Identi	fies special circumstar	nces related to the r	erforma	ance of the service
Coding Scheme:	0	No assessment completed	1	F2	Left hand, third digit
	1	Medicare 5 day assessmen		F3	Left hand, fourth digit
	2	Medicare 30 day assessme		F4	Left hand, fifth digit
	3 4	Medicare 60 day assessme Medicare 90 day assessme		F5	Right hand, thumb Right hand, second digit
	7	Medicare 14 day assessme		F6 F7	Right hand, third digit
	,	full)	ant (comprehensive of	1,	reight hand, third digit
	8	Other Medicare required a	ssessment (OMRA)	F8	Right hand, fourth digit
	11	Admission assessment - M		F9	Right hand, fifth digit
	25	assessment (comprehensiv Significant, separately iden management service by the	ntifiable evaluation and	FA	Left hand, thumb
	31	the same day of the proceed SCSA or OMRA/Medicard	lure o	G1	Most recent URR of less than 60%
	32	(replacement) SCSA or OMRA/Medicare	e 30 day assessment	G2	Most recent URR of 60% to 64%
	33	(replacement) SCSA or OMRA/Medicard (replacement)	e 60 day assessment	G3	Most recent URR of 65% to 69.9%
	34	SCSA or OMRA/Medicare (replacement)	e 90 day assessment	G4	Most recent URR of 70% to 74.9%
	37	SCSA or OMRA/Medicare (replacement)	e 14 day assessment	G5	Most recent URR of 75% or greater
	38	Significant change in statu	s assessment (SCSA)	GN	Service delivered personally by a speech- language pathologist or under an outpatient
	41	Significant correction of p	rior full	GO	speech-language pathology plan of care. Service delivered personally by an occupational
	41	assessment/Medicare 5 day		do	therapist or under an outpatient occupational therapy plan of care.
	42	Significant correction of p	rior full	GP	Service delivered personally by an physical
		assessment/Medicare 30 d	ay assessment		therapist or under an outpatient physical therapy
		~			plan of care.
	43	Significant correction of p		LC	Left circulflex coronary artery
	44	assessment/Medicare 60 d Significant correction of p assessment/Medicare 90 d	rior full	LD	Left anterior descending coronary artery
	47	Significant correction of p assessment/Medicare 14 d	rior full	LT	Left side of the body procedure
	48	Significant correction of p assessment/OMRA or SCS	rior full	QM	Ambulance service provided under arrangement by a provider of services
	50	Bilateral procedure		QN	Ambulance service furnished directly by a provider of services
	52	Reduced services		QP	Documentation exists showing that the laboratory test(s) was ordered individually, or as CPT-recognized panel other than profil
	53	Discontinued procedure		RC	Right coronary artery
	54	Quarterly review assessment (full)	ent - Medicare 90	RT	Right side of the body procedure

	50	G: 1 1 1 1		m1	T. 0.0
	58	Staged or related procedur same physician during the	postoperative period	T1	Left foot, second digit
	59	Distinct procedural service	e	T2	Left foot, third digit
	76	Repeat procedure by same	physician	T3	Left foot, fourth digit
	77	Repeat procedure by anoth	ner physician	T4	Left foot, fifth digit
	78	Return to the operating roo procedure during the posto		T5	Right foot, great toe
	79	Unrelated procedure of ser physician during the posto	rvice by the same	Т6	Right foot, second digit
	E1	Upper left eyelid	1 1	T7	Right foot, third digit
	E2	Lower left eyelid		T8	Right foot, fourth digit
	E3	Upper right eyelid		T9	Right foot, fifth digit
	E4	Lower right eyelid		TA	Left foot, great toe
	F1	Left hand, second digit			
Beginning Position:	24		Data Source:	Claim	
Length:	2		Type:	Alphai	numeric
Field 6:	MOI	DIFIER 2	V 1	•	
Description:		ifies special circumstar	nces related to the	performa	ance of the service.
Coding Scheme:		e as Field 5		1	
Beginning Position:	26		Data Source:	Claim	
Length:	2		Type:	Alphai	numeric
Field 7:		DIFIER 3	<i>J</i> P • • •	<u> </u>	
Description:		rifies special circumstar	nces related to the	performa	ance of the service.
Coding Scheme:		e as Field 5		I	
Beginning Position:	28		Data Source:	Claim	
Length:	2		Type:		numeric
Field 8:		DIFIER 4			
Description:		rifies special circumstar	nces related to the	performa	ance of the service.
Coding Scheme:		e as Field 5		Perrorin	
Beginning Position:	30	. 45 1 1514 0	Data Source:	Claim	
Length:	2		Type:		numeric
Field 9:		T MEASUREMENT		111511111	
Description:		specifying the units in		heing exi	pressed
Coding Scheme:	DA	Days	· · · · · · · · · · · · · · · · · · ·	5 4 11 B 4 11 I	
oum g ~ uncone	F2 UN	International unit Unit			
Beginning Position:	32	· · · · · · · · · · · · · · · · · · ·	Data Source:	Claim	
Length:	2		Type:	Alphai	numeric
Field 10:		TS OF SERVICE	<i>J</i> 1		
Description:		eric value of quantity			
Beginning Position:	34	17	Data Source:	Claim	
Length:	7		Type:	Numer	ric
Field 11:	UNI	T RATE			
Description:		per unit			
Beginning Position:	41	1	Data Source:	Claim	
Length:	12		Type:	Numer	ric
Field 12:		RGS LINE ITEM	<i>J</i> 1		
Description:		amount of the charge			
Beginning Position:	53		Data Source:	Assign	ned
Length:	14		Type:	Numei	
Field 13:		RGS NON COV	J F		
Description:		non-covered amount of	of the charge		
		mon covered amount (_		1
Beginning Position.	67		Data Source.	Assion	ned
Beginning Position: Length:	67 14		Data Source: Type:	Assign Numer	

Note about LCODE:

Inpatient RDF Data Dictionary 2004-2012	Page	
www.dshs.state.tx.us/THCIC	60	March, 2021

The "Census Block" and "Census Block Group" coding are geographic identifiers derived from a process called Geocoding. Geocoding is the process of assigning a geographic coordinate to a record for a given physical address. LCODE (Location code) quantifies the level of accuracy of the geocoding process. LCODE classification:

- "A" code indicates that the record is accurate to the address level.
- "Z" code indicates the record is accurate to at least the ZIP code level.
 - o "ZB" code indicates the record is accurate to the Census Block Group level.
 - o "ZT" code indicates the record is accurate to at least the Census Tract level.
 - o "ZC" code indicates the record is accurate to the ZIP code level.
- An "E" code indicates an error in geocoding and no value is provided.

The Block Group should be a 12-digit numerical value. If the LCODE is "ZT" or "ZC" a record should not have a value for Block Group. The LCODE will be included any time a data request includes Pat_Addr_Census_Block or Pat Addr Census Block Group.



DATA ELEMENTS AVAILABLE FOR TEXAS HOSPITAL INPATIENT DISCHARGE RESEARCH DATA FILE, 2004 - PRESENT

Base Data File

Data Dictionary #	RUDF Field Name 2004-present	Available in RDF
1	RECORD_ID (DOES NOT match to PUDF. Does match with unique RDF files. No charge for this field.)	Yes
2	THCIC_ID	Yes
3	PROVIDER_NAME	Yes
4	PROVIDER_ADDR	Yes
5	PROVIDER_CITY	Yes
6	PROVIDER_STATE	Yes
7	PROVIDER_ZIP	Yes
8	FAC_TEACHING_IND	Yes
9	FAC_PSYCH_IND	Yes
10	FAC_REHAB_IND	Yes
11	FAC_ACUTE_CARE_IND	Yes
12	FAC_SNF_IND	Yes
13	FAC_LONG_TERM_AC_IND	Yes
14	FAC_OTHER_LTC_IND	Yes
15	FAC_PEDS_IND	Yes
16	SPEC_UNIT_1	Yes
17	SPEC_UNIT_2	Yes
18	SPEC_UNIT_3	Yes
19	SPEC_UNIT_4	Yes
20	SPEC_UNIT_5	Yes
21	ENCOUNTER_INDICATOR	Yes
22	PAT_UNIQUE_INDEX	Yes
23	SEX_CODE	Yes
24	BIRTH_DATE	Yes
25	PAT_AGE_GROUP	Yes
26	PAT_AGE_YEARS	Yes
27	PAT_AGE_DAYS	Yes
28	RACE	Yes
29	ETHNICITY	Yes
30	PAT_ADDR_CENSUS_BLOCK_GROUP	Yes
31	PAT_ADDR_CENSUS_BLOCK	Yes
32	PAT_CITY	Yes
33	PAT_STATE	Yes
34	PAT_ZIP	Yes
35	PAT_COUNTRY	Yes
36	COUNTY	Yes

37 Pub	olic Health Region (PHR)	Yes
38 TYI	PE OF ADMISSION	Yes
39 SOU	URCE OF ADMISSION	Yes
40 AD	MIT START_OF CARE	Yes
41 AD	MIT_WEEKDAY	Yes
42 AD	MIT_HOUR	Yes
43 STN	MT_PERIOD_FROM	Yes
44 STN	MT_PERIOD_THRU	Yes
45 LEN	NGTH_OF_STAY	Yes
46 PA	Γ_STATUS	Yes
47 DIS	SCHARGE_HOUR	Yes
48 TYI	PE_OF_BILL	Yes
49 AD:	MITTING_DIAGNOSIS	Yes
50 PRI	NC_DIAG_CODE	Yes
51 POA	A_PRINC_DIAG_CODE	Beginning 2011
52 OTI	H_DIAG_CODE_1	Yes
53 POA	A_OTH_DIAG_CODE_1	Beginning 2011
54 OTI	H_DIAG_CODE_2	Yes
55 POA	A_OTH_DIAG_CODE_2	Beginning 2011
56 OTI	H_DIAG_CODE_3	Yes
57 PO	A_OTH_DIAG_CODE_3	Beginning 2011
58 OTI	H DIAG CODE 4	Yes
59 PO	A_OTH_DIAG_CODE_4	Beginning 2011
60 OTI	H_DIAG_CODE_5	Yes
61 PO	A_OTH_DIAG_CODE_5	Beginning 2011
62 OTI	H_DIAG_CODE_6	Yes
63 POA	A_OTH_DIAG_CODE_6	Beginning 2011
64 OTI	H_DIAG_CODE_7	Yes
65 POA	A_OTH_DIAG_CODE_7	Beginning 2011
66 OTI	H_DIAG_CODE_8	Yes
67 PO	A_OTH_DIAG_CODE_8	Beginning 2011
68 OTI	H_DIAG_CODE_9	Yes
69 PO	A_OTH_DIAG_CODE_9	Beginning 2011
70 OTI	H_DIAG_CODE_10	Yes
71 POA	A_OTH_DIAG_CODE_10	Beginning 2011
72 OTI	H_DIAG_CODE_11	Yes
73 POA	A_OTH_DIAG_CODE_11	Beginning 2011
74 OTI	H_DIAG_CODE_12	Yes
75 POA	A_OTH_DIAG_CODE_12	Beginning 2011
76 OTI	H_DIAG_CODE_13	Yes
77 POA	A_OTH_DIAG_CODE_13	Beginning 2011
78 OTI	H_DIAG_CODE_14	Yes
79 POA	A_OTH_DIAG_CODE_14	Beginning 2011
80 OTI	H_DIAG_CODE_15	Yes
81 POA	A_OTH_DIAG_CODE_15	Beginning 2011
82 OTI	H DIAG CODE 16	Yes
83 POA	1_2110_0021_10	1 05
05	A_OTH_DIAG_CODE_16	Beginning 2011

POA_OTH_DIAG_CODE_17	Beginning 2011
86 OTH DIAG_CODE_18	Yes
87 POA_OTH_DIAG_CODE_18	Beginning 2011
88 OTH DIAG CODE 19	Yes
89 POA OTH DIAG CODE 19	Beginning 2011
90 OTH DIAG CODE 20	Yes
91 POA OTH DIAG CODE 20	Beginning 2011
92 OTH DIAG CODE 21	Yes
93 POA OTH DIAG CODE 21	Beginning 2011
94 OTH DIAG CODE 22	Yes
95 POA OTH DIAG CODE 22	Beginning 2011
96 OTH DIAG CODE 23	Yes
97 POA OTH DIAG CODE 23	Beginning 2011
98 OTH DIAG CODE 24	Yes
99 POA OTH DIAG CODE 24	Beginning 2011
100 E CODE 1	Yes
101 POA E CODE 1	Beginning 2012
102 E CODE 2	Yes
103 POA E CODE 2	Beginning 2012
104 E CODE 3	Yes
105 POA E CODE 3	Beginning 2012
106 E CODE 4	Yes
106 E_CODE_4 107 POA E CODE 4	
107 FOA_E_CODE_4 108 E CODE_5	Beginning 2012 Yes
109 POA_E_CODE_5 110 E CODE 6	Beginning 2012 Yes
	Beginning 2012 Yes
112 E_CODE_7	
113 POA_E_CODE_7	Beginning 2012
114 E_CODE_8	Yes
115 POA_E_CODE_8	Beginning 2012
116 E_CODE_9	Yes
117 POA_E_CODE_9	Beginning 2012
118 E_CODE_10	Yes
119 POA_E_CODE_10	Beginning 2012
120 PRINC_SURG_PROC_CODE	Yes
121 PRINC_SURG_PROC_DATE	Yes
122 PRINC_SURG_PROC_DAY	Yes
123 PRINC_ICD9_CODE	Yes
124 OTH_SURG_PROC_CODE_1	Yes
125 OTH_SURG_PROC_DATE_1	Yes
126 OTH_SURG_PROC_DAY_1	Yes
127 OTH_ICD9_CODE_1	Yes
128 OTH_SURG_PROC_CODE_2	Yes
129 OTH_SURG_PROC_DATE_2	Yes
130 OTH_SURG_PROC_DAY_2	Yes
131 OTH_ICD9_CODE_2	Yes
132 OTH SURG PROC CODE 3	Yes

122	OTH GUING PROG PATE 4	l + I
133	OTH_SURG_PROC_DATE_3	Yes
134	OTH_SURG_PROC_DAY_3	Yes
135	OTH_ICD9_CODE_3	Yes
136	OTH_SURG_PROC_CODE_4	Yes
137	OTH_SURG_PROC_DATE_4	Yes
138	OTH_SURG_PROC_DAY_4	Yes
139	OTH_ICD9_CODE_4	Yes
140	OTH_SURG_PROC_CODE_5	Yes
141	OTH_SURG_PROC_DATE_5	Yes
142	OTH_SURG_PROC_DAY_5	Yes
143	OTH_ICD9_CODE_5	Yes
144	OTH_SURG_PROC_CODE_6	Yes
145	OTH_SURG_PROC_DATE_6	Yes
146	OTH_SURG_PROC_DAY_6	Yes
147	OTH_ICD9_CODE_6	Yes
148	OTH_SURG_PROC_CODE_7	Yes
149	OTH_SURG_PROC_DATE_7	Yes
150	OTH_SURG_PROC_DAY_7	Yes
151	OTH_ICD9_CODE_7	Yes
152	OTH_SURG_PROC_CODE_8	Yes
153	OTH_SURG_PROC_DATE_8	Yes
154	OTH_SURG_PROC_DAY_8	Yes
155	OTH_ICD9_CODE_8	Yes
156	OTH_SURG_PROC_CODE_9	Yes
157	OTH_SURG_PROC_DATE_9	Yes
158	OTH_SURG_PROC_DAY_9	Yes
159	OTH_ICD9_CODE_9	Yes
160	OTH_SURG_PROC_CODE_10	Yes
161	OTH_SURG_PROC_DATE_10	Yes
162	OTH_SURG_PROC_DAY_10	Yes
163	OTH_ICD9_CODE_10	Yes
164	OTH_SURG_PROC_CODE_11	Yes
165	OTH_SURG_PROC_DATE_11	Yes
166	OTH_SURG_PROC_DAY_11	Yes
167	OTH_ICD9_CODE_11	Yes
168	OTH_SURG_PROC_CODE_12	Yes
169	OTH_SURG_PROC_DATE_12	Yes
170	OTH_SURG_PROC_DAY_12	Yes
171	OTH_ICD9_CODE_12	Yes
172	OTH_SURG_PROC_CODE_13	Yes
173	OTH_SURG_PROC_DATE_13	Yes
174	OTH_SURG_PROC_DAY_13	Yes
175	OTH_ICD9_CODE_13	Yes
176	OTH_SURG_PROC_CODE_14	Yes
177	OTH_SURG_PROC_DATE_14	Yes
178	OTH_SURG_PROC_DAY_14	Yes
179	OTH_ICD9_CODE_14	Yes
180	OTH_SURG_PROC_CODE_15	Yes

181	OTH SURG PROC DATE 15	Yes
182	OTH SURG PROC DAY 15	Yes
183	OTH ICD9 CODE 15	Yes
184	OTH SURG PROC CODE 16	Yes
185	OTH SURG PROC DATE 16	Yes
186	OTH SURG PROC DAY 16	Yes
187	OTH ICD9 CODE 16	Yes
188	OTH SURG PROC CODE 17	Yes
189	OTH SURG PROC DATE 17	Yes
190	OTH SURG PROC DAY 17	Yes
191	OTH ICD9 CODE 17	Yes
192	OTH SURG PROC CODE 18	Yes
193	OTH SURG PROC DATE 18	Yes
194	OTH SURG PROC DAY 18	Yes
195	OTH ICD9 CODE 18	Yes
196	OTH SURG PROC CODE 19	Yes
197	OTH SURG PROC DATE 19	Yes
198	OTH SURG PROC DAY 19	Yes
199	OTH ICD9 CODE 19	Yes
200	OTH SURG PROC CODE 20	Yes
201	OTH SURG PROC DATE 20	Yes
202	OTH SURG PROC DAY 20	Yes
203	OTH ICD9 CODE 20	Yes
204	OTH SURG PROC CODE 21	Yes
205	OTH SURG PROC DATE 21	Yes
206	OTH SURG PROC DAY 21	Yes
207	OTH ICD9 CODE 21	Yes
208	OTH SURG PROC CODE 22	Yes
209	OTH SURG PROC DATE 22	Yes
210	OTH SURG PROC DAY 22	Yes
211	OTH ICD9 CODE 22	Yes
212	OTH SURG PROC CODE 23	Yes
213	OTH SURG PROC DATE 23	Yes
214	OTH SURG PROC DAY 23	Yes
215	OTH ICD9 CODE 23	Yes
216	OTH SURG PROC CODE 24	Yes
217	OTH SURG PROC DATE 24	Yes
218	OTH SURG PROC DAY 24	Yes
219	OTH ICD9 CODE 24	Yes
220	MS MDC	Yes
221	APR MDC	Yes
222	MS DRG	Yes
223	APR DRG	Yes
224	RISK MORTALITY	Yes
225	ILLNESS SEVERITY	Yes
226	APR GROUPER VERSION NBR	Yes
227	APR GROUPER ERROR CODE	Yes
228	MS GROUPER VERSION NBR	Beginning 2011
		55 = 11

229	MS_APR_GROUPER_ERROR_CODE	Beginning 2011
230	ATTENDING_PHYSICIAN_UNIF_ID	Yes
231	OPERATING_PHYSICIAN_UNIF_ID	Yes
232	OCCUR_CODE_1	Yes
233	OCCUR DATE 1	Yes
234	OCCUR DAY 1	Yes
235	OCCUR CODE 2	Yes
236	OCCUR DATE 2	Yes
237	OCCUR DAY 2	Yes
238	OCCUR CODE 3	Yes
239	OCCUR DATE 3	Yes
240	OCCUR DAY 3	Yes
241	OCCUR CODE 4	Yes
242	OCCUR DATE 4	Yes
243	OCCUR DAY 4	Yes
244	OCCUR CODE 5	Yes
245	OCCUR DATE 5	Yes
246	OCCUR DAY 5	Yes
247	OCCUR CODE 6	Yes
248	OCCUR DATE 6	Yes
249	OCCUR DAY 6	Yes
250	OCCUR CODE 7	Yes
251	OCCUR DATE 7	Yes
252	OCCUR DAY 7	Yes
253	OCCUR CODE 8	Yes
254	OCCUR DATE 8	Yes
255	OCCUR DAY 8	Yes
256	OCCUR CODE 9	Yes
257	OCCUR DATE 9	Yes
258	OCCUR DAY 9	Yes
259	OCCUR CODE 10	
260	OCCUR DATE 10	Yes Yes
261	OCCUR DAY 10	
		Yes
262	OCCUR_CODE_11 OCCUR DATE 11	Yes
263		Yes Yes
264	OCCUR_DAY_11	
265	OCCUR_CODE_12	Yes
266	OCCUR_DATE_12	Yes
267	OCCUR_DAY_12	Yes
268	OCCUR_SPAN_CODE_1	Yes
269	OCCUR_SPAN_FROM_1	Yes
270	OCCUR_SPAN_THRU_1	Yes
271	OCCUR_SPAN_CODE_2	Yes
272	OCCUR_SPAN_FROM_2	Yes
273	OCCUR_SPAN_THRU_2	Yes
274	OCCUR_SPAN_CODE_3	Yes
275	OCCUR_SPAN_FROM_3	Yes
276	OCCUR_SPAN_THRU_3	Yes

278 OCCUR_SPAN_FROM_4 Yes 279 OCCUR_SPAN_THRU_4 Yes 280 CONDITION_CODE_1 Yes 281 CONDITION_CODE_2 Yes 282 CONDITION_CODE_3 Yes 283 CONDITION_CODE_4 Yes 284 CONDITION_CODE_5 Yes 285 CONDITION_CODE_6 Yes 286 CONDITION_CODE_8 Yes 287 CONDITION_CODE_8 Yes 288 VALUE_CODE_1 Yes 289 VALUE_CODE_1 Yes 290 VALUE_AMOUNT_1 Yes 291 VALUE_AMOUNT_2 Yes 292 VALUE_AMOUNT_3 Yes 294 VALUE_CODE_4 Yes 295 VALUE_AMOUNT_5 Yes 296 VALUE_AMOUNT_5 Yes 297 VALUE_AMOUNT_5 Yes 298 VALUE_AMOUNT_5 Yes 299 VALUE_AMOUNT_6 Yes 299 VALUE_AMOUNT_7 Y	
280 CONDITION_CODE_1 Yes 281 CONDITION_CODE_2 Yes 282 CONDITION_CODE_3 Yes 283 CONDITION_CODE_4 Yes 284 CONDITION_CODE_5 Yes 285 CONDITION_CODE_6 Yes 286 CONDITION_CODE_7 Yes 287 CONDITION_CODE_8 Yes 288 VALUE_CODE_1 Yes 289 VALUE_CODE_1 Yes 290 VALUE_AMOUNT 1 Yes 291 VALUE_AMOUNT 2 Yes 292 VALUE_CODE_3 Yes 293 VALUE_AMOUNT_3 Yes 294 VALUE_CODE_4 Yes 295 VALUE_AMOUNT_5 Yes 296 VALUE_AMOUNT_5 Yes 297 VALUE_AMOUNT_5 Yes 298 VALUE_CODE_6 Yes 299 VALUE_AMOUNT_6 Yes 300 VALUE_AMOUNT_7 Yes 301 VALUE_AMOUNT_7 Yes	
281 CONDITION CODE 2 Yes 282 CONDITION CODE 3 Yes 283 CONDITION CODE 4 Yes 284 CONDITION CODE 5 Yes 285 CONDITION CODE 6 Yes 286 CONDITION CODE 7 Yes 287 CONDITION CODE 8 Yes 288 VALUE CODE 1 Yes 289 VALUE AMOUNT 1 Yes 290 VALUE AMOUNT 2 Yes 291 VALUE AMOUNT 2 Yes 292 VALUE CODE 3 Yes 293 VALUE CODE 4 Yes 294 VALUE CODE 4 Yes 295 VALUE AMOUNT 4 Yes 296 VALUE CODE 5 Yes 297 VALUE AMOUNT 5 Yes 298 VALUE CODE 6 Yes 299 VALUE AMOUNT 7 Yes 300 VALUE AMOUNT 7 Yes 301 VALUE AMOUNT 7 Yes 302 VALUE AMOUNT 8 Yes </td <td></td>	
282 CONDITION CODE 3 Yes 283 CONDITION CODE 4 Yes 284 CONDITION CODE 5 Yes 285 CONDITION CODE 6 Yes 286 CONDITION CODE 7 Yes 287 CONDITION CODE 8 Yes 288 VALUE CODE 1 Yes 289 VALUE AMOUNT 1 Yes 290 VALUE CODE 2 Yes 291 VALUE AMOUNT 2 Yes 292 VALUE CODE 3 Yes 293 VALUE AMOUNT 3 Yes 294 VALUE CODE 4 Yes 295 VALUE AMOUNT 4 Yes 296 VALUE AMOUNT 5 Yes 297 VALUE AMOUNT 5 Yes 298 VALUE CODE 6 Yes 299 VALUE AMOUNT 7 Yes 300 VALUE CODE 7 Yes 301 VALUE AMOUNT 7 Yes 302 VALUE AMOUNT 8 Yes 303 VALUE AMOUNT 8 Yes <td></td>	
283 CONDITION_CODE_4 Yes 284 CONDITION_CODE_5 Yes 285 CONDITION_CODE_6 Yes 286 CONDITION_CODE_7 Yes 287 CONDITION_CODE_8 Yes 288 VALUE_CODE_1 Yes 289 VALUE_AMOUNT_1 Yes 290 VALUE_CODE_2 Yes 291 VALUE_AMOUNT_2 Yes 292 VALUE_CODE_3 Yes 293 VALUE_AMOUNT_3 Yes 294 VALUE_CODE_4 Yes 295 VALUE_AMOUNT_4 Yes 296 VALUE_AMOUNT_5 Yes 297 VALUE_AMOUNT_5 Yes 298 VALUE_AMOUNT_6 Yes 299 VALUE_AMOUNT_6 Yes 300 VALUE_AMOUNT_7 Yes 301 VALUE_AMOUNT_7 Yes 302 VALUE_AMOUNT_8 Yes 304 VALUE_CODE_9 Yes	
284 CONDITION_CODE_5 Yes 285 CONDITION_CODE_6 Yes 286 CONDITION_CODE_7 Yes 287 CONDITION_CODE_8 Yes 288 VALUE_CODE_1 Yes 289 VALUE_AMOUNT_1 Yes 290 VALUE_CODE_2 Yes 291 VALUE_AMOUNT_2 Yes 292 VALUE_CODE_3 Yes 293 VALUE_AMOUNT_3 Yes 294 VALUE_CODE_4 Yes 295 VALUE_AMOUNT_4 Yes 296 VALUE_AMOUNT_5 Yes 297 VALUE_AMOUNT_5 Yes 298 VALUE_AMOUNT_5 Yes 299 VALUE_AMOUNT_6 Yes 300 VALUE_AMOUNT_7 Yes 301 VALUE_AMOUNT_7 Yes 302 VALUE_AMOUNT_8 Yes 304 VALUE_CODE_9 Yes	
285 CONDITION CODE 6 Yes 286 CONDITION CODE 7 Yes 287 CONDITION CODE 8 Yes 288 VALUE CODE 1 Yes 289 VALUE AMOUNT 1 Yes 290 VALUE CODE 2 Yes 291 VALUE AMOUNT 2 Yes 292 VALUE CODE 3 Yes 293 VALUE CODE 3 Yes 294 VALUE CODE 4 Yes 295 VALUE AMOUNT 4 Yes 296 VALUE CODE 5 Yes 297 VALUE AMOUNT 5 Yes 298 VALUE CODE 6 Yes 299 VALUE AMOUNT 6 Yes 300 VALUE CODE 7 Yes 301 VALUE AMOUNT 7 Yes 302 VALUE CODE 8 Yes 303 VALUE AMOUNT 8 Yes 304 VALUE CODE 9 Yes	
286 CONDITION CODE 7 Yes 287 CONDITION CODE 8 Yes 288 VALUE CODE 1 Yes 289 VALUE AMOUNT 1 Yes 290 VALUE CODE 2 Yes 291 VALUE AMOUNT 2 Yes 292 VALUE CODE 3 Yes 293 VALUE AMOUNT 3 Yes 294 VALUE CODE 4 Yes 295 VALUE AMOUNT 4 Yes 296 VALUE CODE 5 Yes 297 VALUE AMOUNT 5 Yes 298 VALUE CODE 6 Yes 299 VALUE AMOUNT 6 Yes 300 VALUE CODE 7 Yes 301 VALUE AMOUNT 7 Yes 302 VALUE CODE 8 Yes 303 VALUE AMOUNT 8 Yes 304 VALUE CODE 9 Yes	
287 CONDITION CODE 8 Yes 288 VALUE CODE 1 Yes 289 VALUE AMOUNT 1 Yes 290 VALUE CODE 2 Yes 291 VALUE AMOUNT 2 Yes 292 VALUE CODE 3 Yes 293 VALUE AMOUNT 3 Yes 294 VALUE CODE 4 Yes 295 VALUE AMOUNT 4 Yes 296 VALUE CODE 5 Yes 297 VALUE AMOUNT 5 Yes 298 VALUE CODE 6 Yes 299 VALUE AMOUNT 6 Yes 300 VALUE CODE 7 Yes 301 VALUE AMOUNT 7 Yes 302 VALUE CODE 8 Yes 303 VALUE AMOUNT 8 Yes 304 VALUE CODE 9 Yes	
288 VALUE_CODE_1 Yes 289 VALUE_AMOUNT_1 Yes 290 VALUE_CODE_2 Yes 291 VALUE_AMOUNT_2 Yes 292 VALUE_CODE_3 Yes 293 VALUE_AMOUNT_3 Yes 294 VALUE_CODE_4 Yes 295 VALUE_AMOUNT_4 Yes 296 VALUE_CODE_5 Yes 297 VALUE_AMOUNT_5 Yes 298 VALUE_CODE_6 Yes 299 VALUE_AMOUNT_6 Yes 300 VALUE_AMOUNT_7 Yes 301 VALUE_AMOUNT_7 Yes 302 VALUE_CODE_8 Yes 303 VALUE_AMOUNT_8 Yes 304 VALUE_CODE_9 Yes	
289 VALUE_AMOUNT_1 Yes 290 VALUE_CODE_2 Yes 291 VALUE_AMOUNT_2 Yes 292 VALUE_CODE_3 Yes 293 VALUE_AMOUNT_3 Yes 294 VALUE_CODE_4 Yes 295 VALUE_AMOUNT_4 Yes 296 VALUE_CODE_5 Yes 297 VALUE_AMOUNT_5 Yes 298 VALUE_CODE_6 Yes 299 VALUE_AMOUNT_6 Yes 300 VALUE_CODE_7 Yes 301 VALUE_AMOUNT_7 Yes 302 VALUE_CODE_8 Yes 303 VALUE_AMOUNT_8 Yes 304 VALUE_CODE_9 Yes	
290 VALUE_CODE_2 Yes 291 VALUE_AMOUNT_2 Yes 292 VALUE_CODE_3 Yes 293 VALUE_AMOUNT_3 Yes 294 VALUE_CODE_4 Yes 295 VALUE_AMOUNT_4 Yes 296 VALUE_CODE_5 Yes 297 VALUE_AMOUNT_5 Yes 298 VALUE_CODE_6 Yes 299 VALUE_AMOUNT_6 Yes 300 VALUE_CODE_7 Yes 301 VALUE_AMOUNT_7 Yes 302 VALUE_CODE_8 Yes 303 VALUE_AMOUNT_8 Yes 304 VALUE_CODE_9 Yes	
291 VALUE AMOUNT 2 Yes 292 VALUE CODE 3 Yes 293 VALUE AMOUNT 3 Yes 294 VALUE CODE 4 Yes 295 VALUE AMOUNT 4 Yes 296 VALUE CODE 5 Yes 297 VALUE AMOUNT 5 Yes 298 VALUE CODE 6 Yes 299 VALUE AMOUNT 6 Yes 300 VALUE CODE 7 Yes 301 VALUE AMOUNT 7 Yes 302 VALUE CODE 8 Yes 303 VALUE AMOUNT 8 Yes 304 VALUE CODE 9 Yes	
292 VALUE_CODE_3 Yes 293 VALUE_AMOUNT_3 Yes 294 VALUE_CODE_4 Yes 295 VALUE_AMOUNT_4 Yes 296 VALUE_CODE_5 Yes 297 VALUE_AMOUNT_5 Yes 298 VALUE_CODE_6 Yes 299 VALUE_AMOUNT_6 Yes 300 VALUE_CODE_7 Yes 301 VALUE_AMOUNT_7 Yes 302 VALUE_CODE_8 Yes 303 VALUE_AMOUNT_8 Yes 304 VALUE_CODE_9 Yes	
293 VALUE_AMOUNT_3 Yes 294 VALUE_CODE_4 Yes 295 VALUE_AMOUNT_4 Yes 296 VALUE_CODE_5 Yes 297 VALUE_AMOUNT_5 Yes 298 VALUE_CODE_6 Yes 299 VALUE_AMOUNT_6 Yes 300 VALUE_CODE_7 Yes 301 VALUE_AMOUNT_7 Yes 302 VALUE_CODE_8 Yes 303 VALUE_AMOUNT_8 Yes 304 VALUE_CODE_9 Yes	
294 VALUE_CODE_4 Yes 295 VALUE_AMOUNT_4 Yes 296 VALUE_CODE_5 Yes 297 VALUE_AMOUNT_5 Yes 298 VALUE_CODE_6 Yes 299 VALUE_AMOUNT_6 Yes 300 VALUE_CODE_7 Yes 301 VALUE_AMOUNT_7 Yes 302 VALUE_CODE_8 Yes 303 VALUE_AMOUNT_8 Yes 304 VALUE_CODE_9 Yes	
295 VALUE_AMOUNT_4 Yes 296 VALUE_CODE_5 Yes 297 VALUE_AMOUNT_5 Yes 298 VALUE_CODE_6 Yes 299 VALUE_AMOUNT_6 Yes 300 VALUE_CODE_7 Yes 301 VALUE_AMOUNT_7 Yes 302 VALUE_CODE_8 Yes 303 VALUE_AMOUNT_8 Yes 304 VALUE_CODE_9 Yes	
296 VALUE_CODE_5 Yes 297 VALUE_AMOUNT_5 Yes 298 VALUE_CODE_6 Yes 299 VALUE_AMOUNT_6 Yes 300 VALUE_CODE_7 Yes 301 VALUE_AMOUNT_7 Yes 302 VALUE_CODE_8 Yes 303 VALUE_AMOUNT_8 Yes 304 VALUE_CODE_9 Yes	
297 VALUE_AMOUNT_5 Yes 298 VALUE_CODE_6 Yes 299 VALUE_AMOUNT_6 Yes 300 VALUE_CODE_7 Yes 301 VALUE_AMOUNT_7 Yes 302 VALUE_CODE_8 Yes 303 VALUE_AMOUNT_8 Yes 304 VALUE_CODE_9 Yes	
298 VALUE_CODE_6 Yes 299 VALUE_AMOUNT_6 Yes 300 VALUE_CODE_7 Yes 301 VALUE_AMOUNT_7 Yes 302 VALUE_CODE_8 Yes 303 VALUE_AMOUNT_8 Yes 304 VALUE_CODE_9 Yes	
299 VALUE_AMOUNT_6 Yes 300 VALUE_CODE_7 Yes 301 VALUE_AMOUNT_7 Yes 302 VALUE_CODE_8 Yes 303 VALUE_AMOUNT_8 Yes 304 VALUE_CODE_9 Yes	
300 VALUE_CODE_7 Yes 301 VALUE_AMOUNT_7 Yes 302 VALUE_CODE_8 Yes 303 VALUE_AMOUNT_8 Yes 304 VALUE_CODE_9 Yes	
301 VALUE_AMOUNT_7 Yes 302 VALUE_CODE_8 Yes 303 VALUE_AMOUNT_8 Yes 304 VALUE_CODE_9 Yes	
302 VALUE_CODE_8 Yes 303 VALUE_AMOUNT_8 Yes 304 VALUE_CODE_9 Yes	
303 VALUE_AMOUNT_8 Yes 304 VALUE_CODE_9 Yes	
304 VALUE_CODE_9 Yes	
305 VALUE_AMOUNT_9 Yes	
306 VALUE_CODE_10 Yes	
307 VALUE_AMOUNT_10 Yes	
308 VALUE_CODE_11 Yes	
309 VALUE_AMOUNT_11 Yes	
310 VALUE_CODE_12 Yes	
311 VALUE_AMOUNT_12 Yes	
312 PRIVATE_AMOUNT Yes	
313 SEMI_PRIVATE_AMOUNT Yes	
314 WARD_AMOUNT Yes	
315 ICU_AMOUNT Yes	
316 CCU_AMOUNT Yes	
317 OTHER_AMOUNT Yes	
318 PHARM_AMOUNT Yes	
319 MEDSURG_AMOUNT Yes	
320 DME_AMOUNT Yes	
321 USED_DME_AMOUNT Yes	
322 PT_AMOUNT Yes	
323 OT_AMOUNT Yes	
324 SPEECH_AMOUNT Yes	

325	IT_AMOUNT	Yes
326	BLOOD_AMOUNT	Yes
327	BLOOD_ADMIN_AMOUNT	Yes
328	OR_AMOUNT	Yes
329	LITH_AMOUNT	Yes
330	CARD_AMOUNT	Yes
331	ANES_AMOUNT	Yes
332	LAB_AMOUNT	Yes
333	RAD_AMOUNT	Yes
334	MRI_AMOUNT	Yes
335	OP_AMOUNT	Yes
336	ER_AMOUNT	Yes
337	AMBULANCE_AMOUNT	Yes
338	PRO_FEE_AMOUNT	Yes
339	ORGAN_AMOUNT	Yes
340	ESRD_AMOUNT	Yes
341	CLINIC_AMOUNT	Yes
342	FIRST_PAYMENT_SRC	Yes
343	FIRST_PAYER_ID	Yes
344	FIRST_PAYER_NAME	Yes
345	SECONDARY_PAYMENT_SRC	Yes
346	SECONDARY_PAYER_ID	Yes
347	SECONDARY_PAYER_NAME	Yes
348	TOTAL_CHARGES	Yes
349	TOTAL_NON_COV_CHARGES	Yes
350	TOTAL_CHARGES_ACCOMM	Yes
351	TOTAL_NON_COV_CHARGES_ACCOMM	Yes
352	TOTAL_CHARGES_ANCIL	Yes
353	TOTAL_NON_COV_CHARGES_ANCIL	Yes
354	INBOUND_INDICATOR	Yes
355	PROVIDER_COUNTY	Yes

CHARGES FILE

CHARGES FILE		
1	RECORD_ID (DOES NOT match with PUDF. Matches with RDF base. No charge for this field.)	Yes
		**
2	REVENUE_CODE	Yes
3	HCPCS_QUALIFIER	Yes
4	HCPCS_PROCEDURE_CODE	Yes
5	MODIFIER_1	Yes
6	MODIFIER_2	Yes
7	MODIFIER_3	Yes
8	MODIFIER_4	Yes
9	UNIT_MEASUREMENT_CODE	Yes
10	UNITS_OF_SERVICE	Yes
11	UNIT_RATE	Yes
12	CHRGS_LINE_ITEM	Yes
13	CHRGS_NON_COV	Yes